deli

2025

YOUR POWERFUL MATE



PRODUCTS CATALOGUE

Ningbo Deli Tools Co.,Ltd.
www.delitoolsglobal.com

FaceBook LinkedIn Youtube Instagram Tik Tok

YOUR POWERFUL MATE

COMPANY PROFILE



2,000+
English packaging
Wide range of products

NO MOQ
One carton minimum per SKU

7 days
Down to 7 days' lead time

500+
New products launched per year

Since 1981, Deli Group has been committed to creating one-stop supply solutions and providing cost-effective tools to customers globally.
Deli Group officially entered the tool industry in 2016, after that Deli Tools joins hands with Germany's top design team and is commited to rebuilding the brand, the rich and complete product lines fully meets consumers' one-stop purchasing.

DEFINITION

Global creative technology industry group

MISSION

To develop products and services that meet the needs, exceeding the expectation of customers across the globe

VISION

Become a trustworthy and respected enterprise

MANUFACTURING CENTERS

Ningbo
Suzhou
Hangzhou
Vietnam
Bangladesh

DELI BRANCHES

Vietnam
Thailand
Cambodia
Indonesia
Malaysia
Philippines
Bangladesh
India
Pakistan
Russia
Kazakhstan
Poland
Dubai
Egypt
Morocco
Nigeria
Kenya
Zambia
Angola
South Africa
Mexico
Argentina
Colombia
Japan
South Korea
United States

INNOVATION CENTERS

Hamburg
South Korea
Los Angeles
Shanghai
Ningbo
Wuhan
Shenzhen



GLOBAL PRESENCE

TOP 2
Hand Tools Brand

85+
Countries Presence

CONTENTS

RED SERIES TOOLS

Professional tools, known for their exceptional performance, reliable quality, and thoughtful design, are widely applied across various construction and heavy-duty operation sectors.

Cordless Power Tools	**15-37**
Corded Power Tools	**38-50**
Hand Tools	**51-72**



P07-72

DIY SERIES TOOLS

DIY tools are designed as lightweight tools aimed at general household consumers. They emphasize ease of use and safety, offering an economical, practical solution with refined and attractive designs.



P273-294

YELLOW SERIES TOOLS

Semi-pro strike the perfect balance between performance, quality, and price, making them ideal for users with higher demands who engage in light-duty construction work.

Cordless Power Tools	**73-86**
Corded Power Tools	**87-122**
Hand Tools	**123-272**



P73-272

GARDEN SERIES TOOLS

Gardening tools are primarily used for tasks such as trimming trees and shrubs, watering, and weed removal. They provide garden enthusiasts with a convenient, safe, and visually appealing selection of tools.



P295-314

deli

RED SERIES TOOLS

POWER TOOLS
HAND TOOLS



ULTRA MOTOR

New design and development

ULTRA MOTOR

More suitable for long time continuous operation needs

ANSYS simulation analysis, more accurate

Low iron loss, high efficiency, more suitable for long time continuous use of the work requirements

Powerful and fast working

20% more power and 30% more torque in the same volume



Low iron loss Long life

Low iron loss, low heat generation, not easy to demagnetize, the same working conditions, motor life increased by 2 times

Low energy consumption Long life span

high motor efficiency, 15% increase in single pack life span



2nd SMD punching sheet

20% higher flux rate

SH grade high temperature resistant magnetic tile

Stable and non-demagnetizing, life +100%

High density motor winding process

More copper wires, +20% power

Lightweight and compact



20% volume reduction for the same power
Cross-sectional area: -30%
Height: -10%

Compact Design



INNOLINK

Smart Energy Management System

Multi -machine sharing

1000 Times Harsh Test,Worry -free Warranty

Endurance increases by 12%



Innovative Intelligent Electronic Control System

Independent Research And Continuous Innovation

64 million Hz main frequency, 24 channels, 32-bit algorithm
Integrate 15 intelligent security algorithms for greater efficiency and security



Intelligent Recognition And Precise Control



Quick Response Safe And Reliable

Apply self-developed electronic control solutions to products through algorithm modeling and code compilation

INNOLINK

Battery Sharing Platform

20V INNOLINK



Battery

Battery
EDE-DC16A2



16V VOLTAGE | 2.0Ah LITHIUM-ION BATTERY

Battery
EDE-DC20A2 HOT



20V VOLTAGE | 2.0Ah LITHIUM-ION BATTERY

Battery
EDE-DC20A4 HOT



20V VOLTAGE | 4.0Ah LITHIUM-ION BATTERY

Specification

Voltage	16V	20V	20V
Lithium-Ion battery	2.0Ah	2.0Ah	4.0Ah
Packed	by color box	by color box	by color box
Pack qty	1:PCS 30:CAR	1:PCS 20:CAR	1:PCS 20:CAR

Sales Point

- Smart Energy Management System Multi-machine sharing
- Continuous And Efficient Discharge
- High Magnification Battery
- Multiple Protective Structures

- Smart Energy Management System Multi-machine sharing
- Continuous And Efficient Discharge
- Super Long Fitting Track
- High Magnification Battery
- Multiple Protective Structures

- Smart Energy Management System Multi-machine sharing
- Continuous And Efficient Discharge
- Super Long Fitting Track
- High Magnification Battery
- Multiple Protective Structures

Charger

Charger
EDE-CD20A2E



20V OUTPUT VOLTAGE
2A CHARGE CURRENT

Charger
EDE-CD20D4 NEW



20V OUTPUT VOLTAGE
4A CHARGE CURRENT

Specification

Input Voltage	100-240V~50/60Hz	100-240V~50/60Hz
Input Power	45W	90W
Output Voltage	20V	20V
Charge Current	2A	4A
Packed	by color box	by color box
Pack qty	1:PCS 20:CAR	1:PCS 24:CAR

Sales Point

-Intelligent Recognition And Precise Control
- Safe charging, fast and efficient

-The dual port quick charger is for use with Deli 20V Lithium batteries
-Dual port allows for two charging models that allows one battery to quickly charge or both with 2 batteries
-Long cord provides flexibility to charge your battery in various locations
-Each port has its own light to let you know when the battery is fully charged and ready to go
-Compatible with all Deli 20V , outdoor power and lifestyle products
-With wall mount, so you can have a permanently installed charging station that's up and out of the way and not taking up space on your workbench

Battery

Battery
EDE-CM20A2E HOT



20V OUTPUT VOLTAGE
2.0 Ah*2 LITHIUM-ION BATTERY

Battery
EDE-CM20A4E HOT



20V VOLTAGE
4.0Ah *2 LITHIUM-ION BATTERY

Specification

battery	2Pcs 2Ah（EDE-DC20A2）	2Pcs 4Ah （EDE-DC20A4）
charge	1Pcs（EDE-CD20A2E）	1Pcs（EDE-CD20A2E）
Input Voltage	100-240V~50/60Hz	100-240V~50/60Hz
Input Power	45W	45W
Output Voltage	20V	20V
Charge Current	2A	2A
Packed	double blister	by double blister
Pack qty	1:PCS 10:CAR	1:PCS 10:CAR

Sales Point

- Smart Energy Management System Multi-machine sharing
- High Magnification Battery
- Intelligent Recognition And Precise Control
- Set combination, ultra -long battery life



Ref. No.	Specification								Max drilling capacity	
	Rated voltage	Battery	No-load speed	Chuck capacity	Torque setting	Max torque	Pack qty	Packing typ	Wood	Steel
EDE-DZ16-1D2	16V	2.0Ah*2	0-450/0-1800min	10mm	20+1	45N.m	1/-/8	Color box	25mm	10mm
EDE-DZ20-1	20V	/	0-450/0-1800/min	10mm	20+1	50N.m	1/-/20	Color box	25mm	10mm
EDE-DZ20-1D2	20V	2.0Ah*2	0-450/0-1800/min	10mm	20+1	50N.m	1/-/6	Color box	25mm	10mm
EDE-DZ20-2	20V	/	0-500/0-2100/min	13mm	20+1	70N.m	1/-/20	Color box	35mm	13mm
EDE-DZ20-2D2	20V	2.0Ah*2	0-500/0-2100/min	13mm	20+1	70N.m	1/-/6	Color box	35mm	13mm

EDE-DZ16-1D2





Specification	Electric Drill EDE-DZ16-1D2 HOT	Electric Drill EDE-DZ20-1 EDE-DZ20-1D2 HOT	Electric Drill EDE-DZ20-2 EDE-DZ20-2D2
			
	16V RATED VOLTAGE · 10mm CHUCK APACITY · 45Nm MAX TORQUE	20V RATED VOLTAGE · 10mm CHUCK CAPACITY · 50Nm MAX TORQUE	20V RATED VOLTAGE · 13mm CHUCK CAPACITY · 70Nm MAX TORQUE
Rated Voltage	Brushless Motor	Brushless Motor	Brushless Motor
No-load Speed	16V	20V	20V
Max torque	0-450/0-1800rpm	0-450/0-1800rpm	0-500/0-2100rpm
Torque Settings	45N.m	50N.m	70N.m
Chuck Capacity	20+1	20+1	20+1
Battery	Φ10mm	Φ10mm	Φ13mm
Charge Volts	2.0Ah*2	-/2.0Ah*2	-/2.0Ah*2
Packed	220-240V~50/60Hz	-/220-240V~50/60Hz	-/220-240V~50/60Hz
Pack qty	by color box	by color box	by color box
	1:PCS 8:CAR	1:PCS 20:CAR/1:PCS 6:CAR	1:PCS 20:CAR/1:PCS 6:CAR
Accessory List	› 1pcs Cr-V 65mm bit	-/› 1pcs Cr-V 65mm bit	-/› 1pcs Cr-V 65mm bit
Sales Point	-Fast work and high efficiency High torque, high speed -Long range Deli Ultra Ultra motor, copper wire precision row, motor energy efficiency ratio is higher Deli Ultra Ultra motor, copper wire precision row, motor energy efficiency ratio is higher -Good human-machine experience, more comfortable work 16V range, 12V grip -Brushless motor	- Fast work (high torque/high speed) 2 nd high-density motor design (the same volume more Power), with fine-tuned transmission system, torque up to 50Nm, speed 1800RPM, fearless load, metal drilling more easily. - Long endurance (large-capacity battery pack) High energy efficiency ratio Ultra motor, low power consumption and high conversion. Large-capacity battery pack + Deli TPM heat management system, longer endurance and longer life. - Excellent quality (intelligent safety algorithm) Large computing power chip + 8 kinds of intelligent security algorithms, Deli quality whole process monitoring and production, Deli laboratory assessment, quality can be relied on."	- Fast work (high torque/high speed) 2 nd high-density motor design (the same volume more Power), with fine-tuned transmission system, torque up to 70Nm, speed 1800RPM, fearless load, metal drilling more easily. - Long endurance (large-capacity battery pack) High energy efficiency ratio Ultra motor, low power consumption and high conversion. Large-capacity battery pack + Deli TPM heat management system, longer endurance and longer life. - Excellent quality (intelligent safety algorithm) Large computing power chip + 8 kinds of intelligent security algorithms, Deli quality whole process monitoring and production, Deli laboratory assessment, quality can be relied on.


deli
ULTRA BLMOTOR
Brushless Motor
High Speed
Slim Body
1000 Times Charge/Discharge
EDE-DZ20-2
EDE-DZ20-2D2
20V 70N.m
LITHIUM-ION
CORDLESS DRILL

EDE-DZ20-2D2


Multi-gear Torque Adjustment
Dual Speed Adjustment
Powerful Motor
Precisely Transmission System
Variable Speed Drive
Comfortable Grip
Compact Size
Longer Runtime
deli
2.0Ah
20V
INNOLINK



Ref. No.	Specification									Max drilling capacity		
	Rated voltage	Battery	No-load speed	Impact frequency	Chuck capacity	Torque setting	Max torque	Pack qty	Packing typ	Wood	Steel	Brick wall
EDE-CZ16-1A2	16V	2.0Ah*1	0-450/ 0-1800min	0-7650/ 30600bpm	10mm	20+1+1	45N.m	1/-/4	Injection box	25mm	10mm	8mm
EDE-CZ16-1D2	16V	2.0Ah*2	0-450/ 0-1800/min	0-7650/ 30600bpm	10mm	20+1+1	45N.m	1/-/8	Color box	25mm	10mm	8mm
EDE-CZ20-2	20V	/	0-450/ 1800/min	0-7650/ 30600bpm	10mm	20+1+1	50N.m	1/-/20	Color box	25mm	10mm	8mm
EDE-CZ20-2A4	20V	4.0Ah*1	0-450/ 1800/min	0-7650/ 30600bpm	10mm	20+1+1	50N.m	1/-/4	Injection box	25mm	10mm	8mm
EDE-CZ20-2D2	20V	2.0Ah*2	0-450/ 1800/min	0-7650/ 30600bpm	10mm	20+1+1	50N.m	1/-/6	Color box	25mm	10mm	8mm
EDE-CZ20-1	20V	/	0-500/ 0-2100/min	0-8000/ 33600bpm	13mm	20+1+1	70N.m	1/-/18	Color box	35mm	13mm	10mm
EDE-CZ20-1D2	20V	2.0Ah*2	0-500/ 0-2100/min	0-8000/ 33600bpm	13mm	20+1+1	70N.m	1/-/6	Color box	35mm	13mm	10mm

Impact Drill

Impact Drill
EDE-CZ16-1A2 NEW
EDE-CZ16-1D2 HOT



16V RATED VOLTAGE | 10mm CHUCK APACITY | 45Nm MAX TORQUE

Impact Drill
EDE-CZ20-1 NEW
EDE-CZ20-1D2



20V RATED VOLTAGE | 13mm CHUCK CAPACITY | 70Nm MAX TORQUE

Specification		
Rated Voltage	Brushless Motor	Brushless Motor
No-load Speed	16V	20V
Impact Frequency	0-450/0-1800rpm	0-500/0-2100rpm
Max torque	0-7650/30600bpm	0-8000/33600bpm
Torque Settings	45N.m	70N.m
Chuck Capacity	20+1+1	20+1
Battery	Φ10mm	Φ13mm
Charge Volts	2.0Ah*1/2.0Ah*2	-/2.0Ah*2
Packed	220-240V~50/60Hz	-/220-240V~50/60Hz
Pack qty	by BMC/by color box	by color box
	1:PCS 4:CAR/1:PCS 8:CAR	1:PCS 18:CAR/1:PCS 6:CAR
Accessory List	› 1pcs Cr-V 65mm bit	-/› 1pcs Cr-V 65mm bit
Sales Point	-Fast work and high efficiency High torque, high speed -Long range Deli Ultra Ultra motor, copper wire precision row, motor energy efficiency ratio is higher Deli Ultra Ultra motor, copper wire precision row, motor energy efficiency ratio is higher -Good human-machine experience, more comfortable work 16V range, 12V grip -Brushless motor	- Fast work (high torque/high speed) 2 nd high-density motor design (the same volume more Power), with fine-tuned transmission system, torque up to 70 N.m, speed 2100RPM, fearless load, metal drilling more easily. - Long endurance (large-capacity battery pack) High energy efficiency ratio Ultra motor, low power consumption and high conversion. Large-capacity battery pack + Deli TPM heat management system, longer endurance and longer life. - Excellent quality (intelligent safety algorithm) Large computing power chip + 8 kinds of intelligent security algorithms, Deli quality whole process monitoring and production, Deli laboratory assessment, quality can be relied on.

Impact Drill

Impact Drill

EDE-CZ20-2

EDE-CZ20-2A4 NEW

EDE-CZ20-2D2 HOT



20V	10mm	50Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Specification	
	Brushless Motor
Rated Voltage	20V
No-load Speed	0-450/0-1800rpm
Impact Frequency	0-7650/30600bpm
Max torque	50N.m
Torque Settings	20+1+1
Chuck Capacity	Φ10mm
Battery	-/4.0Ah*1/2.0Ah*2
Charge Volts	-/220-240V~50/60Hz/220-240V~50/60Hz
Packed	by color box/by BMC/by color box
Pack qty	1:PCS 20:CAR/1:PCS 4:CAR/1:PCS 6:CAR

Accessory List

-/› 1pcs Cr-V 65mm bit/› 1pcs Cr-V 65mm bit

Sales Point

- Fast work (high torque/high speed)
2 nd high-density motor design (the same volume more Power), with fine-tuned transmission system, torque up to 50Nm, speed 1800RPM, fearless load, metal drilling more easily.
- Long endurance (large-capacity battery pack)
High energy efficiency ratio Ultra motor, low power consumption and high conversion. Large-capacity battery pack + Deli TPM heat management system, longer endurance and longer life.
- Excellent quality (intelligent safety algorithm)
Large computing power chip + 8 kinds of intelligent security algorithms, Deli quality whole process monitoring and production, Deli laboratory assessment, quality can be relied on.

Impact Driver

Impact Driver

EDE-QZ20-1

EDE-QZ20-1A4 NEW

EDE-QZ20-1D2



20V	200Nm
RATED VOLTAGE	MAX TORQUE

Specification	
	Brushless Motor
Rated Voltage	20V
No-load Speed	0-3600/3100/2100/1100rpm
Impact Frequency	0-3600/3400/2400/1400bpm
Max torque	200N.m
Chuck Capacity	6.35mm（1/4""）Hex
Torque Setting	4
Battery	-/4.0Ah*1/2.0Ah*2
Charge Volts	-/220-240V~50/60Hz/220-240V~50/60Hz
Packed	by color box/by BMC/by color box
Pack qty	1:PCS 20:CAR/1:PCS 4:CAR/1:PCS 6:CAR

Accessory List

› 1pcs Cr-V 65mm bit

Sales Point

- Compact and powerful
116mmm long, light and easy to use, 200N.m+, 0-3600RPM.
0-3600RPM powerful high-speed and smooth screwing
- Intelligent safety
4+4 intelligent safety mode is simple and efficient
- Long-lasting life
Low energy consumption and high conversion.
15C battery cell + HDC heat management system
15% increase in battery life
- Worry-free quality
Large computing power chip + 12 intelligent security management method
De quality control strictly control the quality, quality can be relied upon.

Impact Wrench

Impact Wrench

EDE-BS20-1

EDE-BS20-1D2 HOT



20V RATED VOLTAGE | 350Nm MAX TORQUE

Impact Wrench

EDE231Z NEW HOT

EDE231



20V RATED VOLTAGE | 500Nm MAX TORQUE

Specification		
	Brushless Motor	Brushless Motor
Rated Voltage	20V	20V
No-load Speed	0-2300/2800rpm	0-2400/2900rpm
Impact Frequency	0-3200/3600bpm	0-3200/3700bpm
Max torque	350N.m	500N.m
Chuck diameter	12.7mm(1/2")	12.7mm(1/2")
Battery	-/2.0Ah*2	-/2.0Ah*2
Charge Volts	-/220-240V~50/60Hz	-/220-240V~50/60Hz
Packed	by color box	by color box
Pack qty	1:PCS 20:CAR/1:PCS 6:CAR	1:PCS 16:CAR/1:PCS 6:CAR
Accessory List	-/› 3pcs Sockets(17 19 21mm)	› 3pcs Sockets(17 19 21mm)
Sales Point	- Super torque 350N.m high torque, more convenient tightening. - Precision-calibrated striking system Long-lasting, fine-calibrated striking overlap, more reliable for dry hammering. - Long-lasting battery life Low energy consumption and high conversion, 15C battery cell + HDC heat management system, 15% increase in range - Worry-free quality Large computing power chip + 10 kinds of intelligent security algorithms Deli quality control strictly control the quality, quality can be relied upon.	- Super torque 500N.m high torque, more convenient tightening. - Precision-calibrated striking system Long-lasting, fine-calibrated striking overlap, more reliable for dry hammering. - Long-lasting battery life Low energy consumption and high conversion, 15C battery cell + HDC heat management system, 15% increase in range - Worry-free quality Large computing power chip + 10 kinds of intelligent security algorithms Deli quality control strictly control the quality, quality can be relied upon.

Rotary Hammer

Rotary Hammer

EDE-DC20-2 NEW

EDE-DC20-2D4



20V RATED VOLTAGE | 22mm DRILLING CAPACITY

Specification	
	Brushless Motor
Rated Voltage	20V
No-load Speed	0-1350rpm
Impact Frequency	0-4750bpm
Impact energy	2J
Battery	-/4.0Ah*2
Charge Volts	-/220-240V~50/60Hz
Packed	by color box/by BMC
Pack qty	1:PCS 8:CAR/1:PCS 4:CAR
Drilling capacity	
Masonry	22mm
Steel	13mm
Wood	28mm
Accessory List	-/› 3pcs Hammer Drills(6mm、8mm、10mm) › 1pcs Chisels
Sales Point	- Ultra Motor The Ultra Motor is a high-efficiency, high-powered motor with a golden hammer drill ratio that delivers high efficiency and fast work. - Long battery life High-quality lithium battery, with the exclusive intelligent algorithm control, low energy consumption, discharge more durable, long life. - Dual clutch release design Electronic release (current monitoring) + mechanical release (torque monitoring), automatically stop when hitting hard objects to prevent arm sprains, high safety.

Angle Grinder

Angle Grinder
EDE-JM20-1 NEW
EDE-JM20-1D4 HOT



20V RATED VOLTAGE
100mm DISC DIAMETER

Specification	
	Brushless Motor
Rated Voltage	20V
No-load Speed	3500/6000/10000rpm
Disc Diameter	100mm
Spindle thread	M10
Battery	-/4.0Ah*2
Charge Volts	-/220-240V~50/60Hz
Packed	by color box
Pack qty	1:PCS 8:CAR/1:PCS 4:CAR

Accessory List

› 1pcs auxiliary handle
› Disc not included

Sales Point

- Fast work (high speed)
The highest speed can reach 10000r/min, metal cutting more powerful.
- Long endurance (large rate electric core)
Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Excellent quality (intelligent safety algorithm)
Big computing power chip + 8 kinds of intelligent security algorithms, Deli quality whole process monitoring and production, Deli laboratory assessment, quality is reliable.

Angle Grinder
EDE-JM20-3 NEW
EDE-JM20-3D4 HOT



20V RATED VOLTAGE
115mm DISC DIAMETER

	Brushless Motor
	20V
	3500/6000/10000rpm
	115mm
	M14
	-/4.0Ah*2
	-/220-240V~50/60Hz
	by color box
	1:PCS 8:CAR/1:PCS 4:CAR

› 1pcs auxiliary handle
› Disc not included

- Fast work (high speed)
The highest speed can reach 10000r/min, metal cutting more powerful.
- Long endurance (large rate electric core)
Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Excellent quality (intelligent safety algorithm)
Big computing power chip + 8 kinds of intelligent security algorithms, Deli quality whole process monitoring and production, Deli laboratory assessment, quality is reliable.

Angle Grinder
EDE-JM20-2 NEW
EDE-JM20-2D4 HOT



20V RATED VOLTAGE
125mm DISC DIAMETER

Specification	
	Brushless Motor
Rated Voltage	20V
No-load Speed	3500/6000/10000rpm
Disc Diameter	125mm
Spindle thread	M14
Battery	-/4.0Ah*2
Charge Volts	-/220-240V~50/60Hz
Packed	by color box
Pack qty	1:PCS 8:CAR/1:PCS 4:CAR

Accessory List

› 1pcs auxiliary handle
› Disc not included

Sales Point

- Fast work (high speed)
The highest speed can reach 10000r/min, metal cutting more powerful.
- Long endurance (large rate electric core)
Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Excellent quality (intelligent safety algorithm)
Big computing power chip + 8 kinds of intelligent security algorithms, Deli quality whole process monitoring and production, Deli laboratory assessment, quality is reliable.

Circular Saw

EDE-YJ20-1 NEW /EDE-YJ20-1D4

20V RATED VOLTAGE | 150mm DISC DIAMETER

-Ultra high power, strong and not jamming saws
  Ultra 25 stack long motor, power is 30%+ higher than the market
-Fierce depth of cut, one side, one wood, one cut.
  56mm large cutting depth, sawing more depth
-Worry-free quality
  Large computing power chip + 10 kinds of intelligent security algorithms
  Deli quality control strict quality control, quality can be relied upon



Specification	Brushless Motor
Rated voltage	20V
No-load speed	6900/min
Disc Diameter	150mm
Max cutting capacity:	
90°	56mm
45°	40mm
Bevel cutting range	0-45°
Battery	-/4.0Ah *2
Charge Volts	-/220-240V~50/60Hz
Packed	by color box
Pack qty	1:PCS 6:CAR/1:PCS 4:CAR

Accessory List

› 1 pcs 150mm TCT blade



EDE750



Nailing depth adjustment knob
Adjustable nailing depth to suit various density wood boards

Single/continuous nailing modes

Easily switch between single and continuous modes to meet various usage conditions



Compression cylinder patented dual cylinder compression technology for efficiency and durability

Switch wrench withstood over 100,000 life tests, ensuring safety and reliability

High-efficiency brushless motor

Brushless motor technology ensures an unlimited lifespan

High efficiency brushless motor

Effectively resolves the problem of motor burnout and thereby prolongs the service life
Strong power providing more efficient nailing

Double cylinder compression technology Long life,efficient and durable

More than 50,000+ lifetime tests
Good nailing effect , no damage to the surface
Maintenance-Free,does not require regular inflation
Safety and Convenience, nails get stuck easily

LED light

It can provide illumination in dim working environments

Traight Finish Nailer

EDE750Z NEW /EDE750 NEW HOT

20V RATED VOLTAGE | 30mm NAIL SPECIFICATIONS

-High efficiency brushless motor:Solve the problem of burning out the machine and extend the life.
-Compression cylinder:Patented dual cylinder compression technology, efficient and durable
-Precision electronic control technology:Rapid response, safe and reliable;Intelligent identification, precise control;Dual protection.
-Quick release magazine:One-touch start for loading and unloading of nails, enabling quick assembly and disassembly
-Remaining nail detection observation port: Through the observation port, the remaining nail status can be easily observed



Specification	Brushless Motor
Rated Voltage	20V
Nailing speed	Average 80 pcs/min
Maximum number of nails in the nail box:	100 pcs
Nail specifications	F30 (30mm 18GA straight nail)
Battery	-/2.0Ah *2
Charge Volts	-/220-240V~50/60Hz
Accessories	F30 straight nail
Packed	by Color box
Pack qty	1:PCS 8:CAR/1:PCS 6:CAR

Cordless Jobsite Blower
EDE820Z

20V RATED VOLTAGE

NEW

-Strong blowing, fast dust removal.
-Wireless freedom, long endurance.
- Multiple scenarios, one machine solution, household dust cleaning, wood dust blowing, hole blowing, etc.



Specification

	Brushless Motor
Rated Voltage	20V
Air flow	1、1.6m³/min
	2、2.2m³/min
	3、2.8m³/min
Packed	by color box
Pack qty	1:PCS 4:CAR

Accessory List

› 1 pcs dust suction pipe

Cordless Led Work Light
EDE830Z

20V RATED VOLTAGE

NEW

-Plug-in, battery dual use to meet indoor and outdoor lighting needs.
-The head has a handle and a hook at the top to meet different needs.
-Up and down 360° flip, lighting without dead corners.



Specification

Rated Voltage	20V
Color Temperature	6500K
Brightness	
High	3000LM
Medium	2000LM
Low	1200LM
Packed	by color box
Pack qty	1:PCS 4:CAR

Accessory List

› 1 pcs Power adapter

Electric Drill
EDE-DZ10-1E

500W RATED POWER | 10mm CHUCK CAPACITY

HOT

- High-efficiency punching motor
- Belt buckle design
- Large-aperture heat dissipation vent design
- Stepless speed control switch
- Soft rubberized handle



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	500W
No-load Speed	0-3300rpm
Chuck Capacity	10mm
Chuck type	keyless
Packed	by color box
Pack qty	1:PCS 10:CAR

Electric Drill
EDE-DZ10-2E

500W RATED POWER | 10mm CHUCK CAPACITY

HOT

- High-efficiency punching motor
- Metal chuck design
- Belt buckle design
- Large-aperture heat dissipation vent design
- Stepless speed control switch
- Soft rubberized handle



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	500W
No-load Speed	0-3300rpm
Chuck Capacity	10mm
Chuck type	key
Packed	by color box
Pack qty	1:PCS 10:CAR

Impact Drill
EDE-CZ13-1E

680W RATED POWER | 13mm CHUCK CAPACITY

HOT



- Pure copper motor has lower resistance, longer life and lower consumption
- Depth gauges
- 13 mm keyed chuck, so you can secure the chuck extremely tight
- Self lock button to free hands, safety and efficiency
- The use of stepless speed control wheel can arbitrarily set the speed of the impact drill.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	680W
No-load Speed	0-3000rpm
Impact frequency	48000bpm
Chuck Capacity	13mm
Chuck type	key
Packed	by color box
Pack qty	1:PCS 10:CAR



Ref. No.	Specification								
	Rated power	Rated voltage	Frequency	No-load speed	Disc diameter	Main shaft thread	Switch type	Pack qty	Packing typ
EDE-JM100-1E	790w	220-240v	50Hz/60Hz	12000/min	100mm	M10	Rear	1/-/8	Color box
EDE-JM100-2E	790w	220-240v	50Hz/60Hz	12000/min	100mm	M10	Side	1/-/8	Color box
EDE-JM115-1E	790w	220-240v	50Hz/60Hz	12000/min	115mm	M14	Side	1/-/8	Color box
EDE-JM125-2E	790w	220-240v	50Hz/60Hz	12000/min	125mm	M14	Side	1/-/8	Color box
EDE-JM100-3E	890w	220-240v	50Hz/60Hz	12000/min	100mm	M10	Rear	1/-/8	Color box
EDE-JM115-2E	890w	220-240v	50Hz/60Hz	12000/min	115mm	M14	Side	1/-/8	Color box
EDE-JM125-4E	890w	220-240v	50Hz/60Hz	12000/min	125mm	M14	Side	1/-/8	Color box
EDE-JM100-5E	1150w	220-240v	50Hz/60Hz	12000/min	100mm	M10	Rear	1/-/8	Color box
EDE-JM125-1E	1150w	220-240v	50Hz/60Hz	12000/min	125mm	M14	Side	1/-/8	Color box
EDE-JM150-1	1800w	220-240v	50Hz/60Hz	8500/min	150mm	M14	Rear	1/-/4	Color box
EDE-JM180-1E	2000w	220-240v	50Hz/60Hz	8500/min	180mm	M14	Rear	1/-/2	Color box
EDE-JM230-1E	2200w	220-240v	50Hz/60Hz	6600/min	230mm	M14	Rear	1/-/2	Color box
EDE-JM230-2E	2400w	220-240v	50Hz/60Hz	6400/min	230mm	M14	Rear	1/-/2	Color box

Angle Grinder
EDE-JM100-1E

HOT

Angle Grinder
EDE-JM100-2E





790w RATED POWER | 100mm REAR

790w RATED POWER | 100mm SIDE

Specification

	EDE-JM100-1E	EDE-JM100-2E
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	790W	790W
No-load Speed	12000rpm	12000rpm
Disc Diameter	100mm	100mm
Spindle thread	M10	M10
Switch type	Rear	Side
Packed	by color box	by color box
Pack qty	1:PCS 8:CAR	1:PCS 8:CAR

Accessory List

EDE-JM100-1E	EDE-JM100-2E
› 1pcs auxiliary handle › Disc not included	› 1pcs auxiliary handle › Disc not included

Sales Point

- Compact design, small
- High performance machined steel gears
- Triple guard spindle
- Ultra motor
- Slim waist for a comfortable grip

PROFESSIONAL POWER TOOLS
SEMI-PRO TOOLS
HOME SERIES
GARDEN TOOLS

Angle Grinder

Angle Grinder EDE-JM115-1E



790w RATED POWER | 115mm SIDE

Angle Grinder EDE-JM125-2E



790w RATED POWER | 125mm SIDE

Angle Grinder EDE-JM100-3E



890w RATED POWER | 100mm REAR

Angle Grinder EDE-JM115-2E



890w RATED POWER | 115mm SIDE

Angle Grinder EDE-JM125-4E



890w RATED POWER | 125mm SIDE

Specification

	EDE-JM115-1E	EDE-JM125-2E	EDE-JM100-3E	EDE-JM115-2E	EDE-JM125-4E
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	790W	790W	890W	890W	890W
No-load Speed	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm
Disc Diameter	115mm	125mm	100mm	115mm	125mm
Spindle thread	M14	M14	M10	M14	M14
Switch type	Side	Side	Rear	Side	Side
Packed	by color box	by color box	by color box	by color box	by color box
Pack qty	1:PCS 8:CAR	1:PCS 8:CAR	1:PCS 8:CAR	1:PCS 8:CAR	1:PCS 8:CAR

Accessory List

› With 1pcs auxiliary handle › Disc not included	› With 1pcs auxiliary handle › Disc not included	› With 1pcs auxiliary handle › Disc not included	› With 1pcs auxiliary handle › Disc not included	› With 1pcs auxiliary handle › Disc not included

Sales Point

- Compact design, small - High performance machined steel gears - Triple guard spindle - Ultra motor - Slim waist for a comfortable grip	- Compact design, small - High performance machined steel gears - Triple guard spindle - Ultra motor - Slim waist for a comfortable grip

Angle Grinder
EDE-JM100-5E



1150w RATED POWER
100mm REAR

Angle Grinder
EDE-JM125-1E



1150w RATED POWER
125mm SIDE

Angle Grinder NEW
EDE-JM150-1



1800w RATED POWER
150mm REAR

Angle Grinder HOT
EDE-JM180-1E



2000w RATED POWER
180mm REAR

Angle Grinder
EDE-JM230-1E



2200w RATED POWER
230mm REAR

Specification

	EDE-JM100-5E	EDE-JM125-1E	EDE-JM150-1	EDE-JM180-1E	EDE-JM230-1E
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	1150W	1150W	1800W	2000W	2200W
No-load Speed	12000rpm	12000rpm	8500rpm	8500rpm	6400rpm
Disc Diameter	100mm	125mm	150mm	180mm	230mm
Spindle thread	M10	M14	M14	M14	M14
Switch type	Rear	Side	Rear	Rear	Rear
Packed	by color box	by color box	by color box	by color box	by color box
Pack qty	1:PCS 8:CAR	1:PCS 8:CAR	1:PCS 4:CAR	1:PCS 2:CAR	1:PCS 2:CAR

Accessory List

EDE-JM100-5E	EDE-JM125-1E	EDE-JM150-1	EDE-JM180-1E	EDE-JM230-1E
› With 1pcs auxiliary handle › Disc not included	› With 1pcs auxiliary handle › Disc not included	› With 1pcs auxiliary handle › Disc not included	› With 1pcs auxiliary handle › Disc not included	› With 1pcs auxiliary handle › Disc not included

Sales Point

EDE-JM100-5E
- Compact design, small
- High performance machined steel gears
- Triple guard spindle
- Ultra motor
- Slim waist for a comfortable grip

EDE-JM150-1
- High performance machined steel gears
- Ultra motor
- Large cutting saw blade， more application applied
- Ergonomic soft grip handle design

Angle Grinder

Angle Grinder
EDE-JM230-2E

HOT



2200w RATED POWER

230mm REAR

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2200W
No-load Speed	6400rpm
Disc Diameter	230mm
Spindle thread	M14
Switch type	Rear
Packed	by color box
Pack qty	1:PCS 2:CAR

Accessory List

› With 1pcs auxiliary handle
› Disc not included

Sales Point

- High-performance 2400-watt motor
- 230 mm capacity grinding, more application applied
- Ergonomic soft grip handle design
- Spindle lock switch & side exhaust

Rotary Hammer
EDE-DC26-3E

1100w RATED POWER

26mm MAX DRILLING CAPACITY

- Large diameter cylinder
- Body and handle shock-absorbing slingshot structure
- Trip protection
- Fully sealed structure without oil leakage
- High power motor



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1100W
No-load Speed	0-1300rpm
Impact Rate	0-4800bpm
Impact Energy	5J
Max Drilling Capacity:	
Concrete	26mm
Steel	13mm
Wood	30mm
Packed	by BMC
Pack qty	1:PCS 4:CAR
SDS plus chuck system	

Accessory List

› SDS plus chuck system
› With 3 drills and 2 chisels
› With 1set extra carbon brushes

Demolition Breaker
EDE-DG5-2E

1200w RATED POWER

20J IMPACT ENERGY

- Energy-gathering air chamber design, good sealing performance, strong impact
- Stainless steel hexagonal shank chuck, more secure clamping
- Optimized air outlet for ventilation and heat dissipation, no burn-in after long-term use
- Shock-absorbing handle design
- Air inlet dustproof design



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1200W
Impact Rate	3900bpm
Impact Energy	20J
Chuck capacity	ϕ 17mm
Packed	by BMC
Pack qty	1:PCS 2:CAR
SDS HEX chuck system	

Demolition Breaker
EDE-DG15-2E

1800w RATED VOLTAGE | 65J IMPACT ENERGY



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1800W
Impact Rate	2100bpm
Impact Energy	65J
Chuck capacity	ϕ 30mm
Packed	by BMC
Pack qty	1:CAR 1:PCS
SDS HEX chuck system	

- 1800w high power motor + 56mm large volume cylinder, breaking strong and powerful
- New air outlet design, fast heat dissipation of the motor, long life of the machine
- The chuck optimization design, easy plugging and unplugging not stuck pick braze

Demolition Breaker
EDE-DG30-1E

2100w RATED VOLTAGE | 85J IMPACT ENERGY



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2100W
Impact Rate	1650bpm
Impact Energy	85J
Chuck capacity	ϕ 30mm
Packed	by BMC
Pack qty	1:CAR 1:PCS
SDS HEX chuck system	

- 2100w high power motor + 65mm large volume cylinder, breaking strong and powerful
- New air outlet design, fast heat dissipation of the motor, long life of the machine
- The chuck optimization design, easy plugging and unplugging not stuck pick braze

Marble Cutter
EDE-YS110-1E

1300w RATED POWER | 110mm BLADE DIAMETER



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1300W
No-load Speed	13000rpm
Blade Diameter	110mm
Max Cutting capacity	32mm
Spindle thread	M8
Packed	by color box
Pack qty	1:PCS 6:CAR

- High-efficiency punching motor
- Soft covered handle
- Latent air inlet, waterproof and dustproof
- Waterproof and dustproof self-locking opening
- Depth of cut adjustment key
- One-piece aluminum alloy gearbox
- Protective fenders

Cut Off Saw
EDE-XQ355-1E

2350w RATED POWER | 355mm DISC DIAMETER

HOT

- D-shape handle for easy gripping
- Lock-off button to prevent accidental starting
- Spark diversion guard for operators safety
- Spindle lock for easy accessory changes.
- Stamped steel base provides added rigidity and protects the base against job site abuse.
- An extra-large spark guard captures and deflects debris away from the surrounding area.
- The two-stage lock-off power button for operator convenience.



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2350W
No-Load Speed	3800/min
Disc Diameter	355mm
Max. Cutting Capacity:	
Round Pipe	100mm
Square Steel	100X100mm
Steel Bar	30mm
Packed	By Color Box
Pack qty	1:CAR 1:PCS

Cut Off Saw
EDE-XQ355-2

2400w RATED POWER | 355mm DISC DIAMETER

NEW

- 2400w high-power high-overload capacity motor, responding to various high-intensity applications
- External replaceable carbon brush, convenient and fast
- Reinforced chassis, enhancing support for the cut material, while reducing vibration during cutting
- Safety latch, fasten latch button for easy handling



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2400W
No-Load Speed	4000/min
Disc Diameter	355mm
Max. Cutting Capacity	
Round Pipe	110mm
Square Steel	110X110mm
Steel Bar	50mm
Packed	By Color Box
Pack qty	1:CAR 1:PCS

Accessory List

› 1 pcs cutting disc and 1 pcs wrench
› 1 set extra carbon brushes

Miter Saw
EDE570

2000w RATED POWER | 255mm DISC DIAMETER

NEW HOT

- High power, high precision cutting.
-45° bevel Angle precision cutting, widen and thicken the base.
- Transparent protective cover for safe use.
- Durable, all to the end.



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2000W
No-Load Speed	5000/min
Disc Diameter	255mmx30mm
Cutting Capacity: Miter/Bevel: Width X Height	
0°X0°	340mmx90mm
45°X0°	235mmx90mm
0°X45°	340mmx40mm
45°X45°	235mmx40mm
Miter cuts 0-45° left and right	
Bevel cuts up to 45° to the left	
Packed	By Color Box
Pack qty	1:CAR 1:PCS

Accessory List

› 1 pcs wood clamp and 1 pcs wrench
› 1 pcs dust bag and 2 pcs extension bars
› 1 set extra carbon brushes

Laminate Trimmer
EDE-XB550-1E

550w RATED POWER | 6mm CHUCK CAPACITY

- Ergonomics allow for comfortable, single-handed control.
- Perfect for most trimming, small edge forming, and hinge routing applications.
- The clear plastic fixed base provides long-term durability and a better line of sight while trimming.
- The spindle lock button allows for single-wrench bit changes.
- Led light and clear sub-base ensure maximum visibility in operation.
- Micro-set collar for quick and accurate bit height adjustments.



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	550W
No-load Speed	34500rpm
Chuck Capacity	6.35mm(6mm)
Packed	by color box
Pack qty	1:PCS 6:CAR

Miter Saw
EDE571

2000w RATED POWER | 305mm DISC DIAMETER

NEW

- High power, high precision cutting.
-45° bevel Angle precision cutting, widen and thicken the base.
- Transparent protective cover for safe use.
- Durable, all to the end.

Accessory List

› 1 pcs wood clamp and 1 pcs wrench
› 1 pcs dust bag and 2 pcs extension bars
› 1 set extra carbon brushes



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2000W
No-Load Speed	5000/min
Disc Diameter	305mmx30mm
Cutting Capacity: Miter/Bevel: Width X Height	
0°X0°	340mmx105mm
45°X0°	235mmx105mm
0°X45°L	340mmx60mm
45°X45°L	235mmx60mm
0°X45°R	340mmx40mm
45°X45°R	235mmx40mm
Miter cuts 0-45° left and right	
Bevel cuts up to 45° to the left	
Packed	By Color Box
Pack qty	1:CAR 1:PCS

deli

RED SERIES TOOLS

HAND TOOLS



Labor-Saving Professional Combination Pliers



- Up to 30% effort saving.
- Able to cut 1.6mm steel wire for over 3,000 times.
- Cr-V head with nicle plating
- Tri-color TPR handle

Item #	Spec	Pack Qty
EDL0004	7"	1/6/60
EDL0005	8"	1/6/48

Labor-Saving Professional Long Nose Pliers



- Up to 30% effort saving.
- Able to cut 1.6mm steel wire for over 3,000 times.
- Cr-V head with nicle plating
- Tri-color TPR handle

Item #	Spec	Pack Qty
EDL0103	6"	1/6/60
EDL0104	8"	1/6/60



Labor-Saving Professional Diagonal Cutting Pliers



- Up to 30% effort saving.
- Able to cut 1.6mm steel wire for over 3,000 times.
- Cr-V head with nicle plating
- Tri-color TPR handle

Item #	Spec	Pack Qty
EDL0204	6"	1/6/60

Professional Water Pump Pliers



- CRV
- Jaw diamond-shaped teeth
- Flexible clamping
- Maximum opening 50mm

Item #	Spec	Pack Qty
EDL2608Z	Size: 8", 200mm	1/6/60
EDL2610Z	Size: 10", 250mm	1/6/48
EDL2612Z	Size: 12",300mm	1/6/36

Bench Vice



- All steel precision casting,more durable
- Strengthen base design,Overall heat treatment

Item #	Spec	Pack Qty
EDL2904Z	Size: 4"	1/-/1
EDL2905Z	Size: 5"	1/-/1
EDL2906Z	Size: 6"	1/-/1
EDL2908Z	Size: 8"	1/-/1

Heavy Duty F Clamp



A3 Steel

- Thickness and width of iron ruler 5mm
- Max clamp force 2000N
- Diagonal of screw thread 12mm

Item #	Spec	Pack Qty
EDL110515Z	Size: 50x150mm	1/6/48
EDL110525Z	Size: 50x250mm	1/6/48
EDL110830Z	Size: 80x300mm	1/6/24
EDL111230Z	Size: 120x300mm	1/1/6
EDL111250Z	Size: 120x500mm	1/1/6
EDL111280Z	Size: 120x800mm	1/1/6

Slotted Screwdriver

S2



- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL3440	3x75mm	1/12/480
EDL3441	3x100mm	1/12/480
EDL3442	3x150mm	1/12/480
EDL3443	5x75mm	1/12/240
EDL3444	5x100mm	1/12/240
EDL3445	5x150mm	1/12/240
EDL3446	6x38mm	1/12/240
EDL3447	6x100mm	1/12/120
EDL3448	6x125mm	1/12/120
EDL3449	6x150mm	1/12/120
EDL3450	6x200mm	1/12/120
EDL3451	8x200mm	1/12/120
EDL3452	8x250mm	1/12/120

Slotted Screwdriver

S2



- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL3453	PH0x75mm	1/12/480
EDL3454	PH0x100mm	1/12/480
EDL3455	PH0x150mm	1/12/480
EDL3456	PH1x75mm	1/12/240
EDL3457	PH1x100mm	1/12/240
EDL3458	PH1x150mm	1/12/240
EDL3459	PH2x38mm	1/12/240
EDL3460	PH2x100mm	1/12/120
EDL3461	PH2x125mm	1/12/120
EDL3462	PH2x150mm	1/12/120
EDL3463	PH2x200mm	1/12/120
EDL3464	PH3x200mm	1/12/120
EDL3465	PH3x250mm	1/12/120

Labor-saving Hand Riveter



- Cr-Mo alloy steel, better riveting performance
- Aluminum alloy shell, light weight and durable
- Labor-saving structure,30% labor-saving

Item #	Spec	Pack Qty
EDL236004	Size:8"	1/6/24



Folding Knife

NEW

SK2



-Zinc alloy blade body, strong and durable, comfortable grip
-Blackened blade,more beautiful and rust-proof

Item #	Spec	Pack Qty
EDL040	SK2+3CK75	1/12/72

Heavy Duty Hacksaw

NEW



- All-aluminum heavy-duty steel frame: heavy and durable
- Plastic handle with Rubber coated: comfortable and durable
- Double metal blade: sharp and durable
-Adjustment knob for easy cutting at two angles 45°/90°

Item #	Spec	Pack Qty
EDL353812G	12"	1/6/24

18mm Snap-off Knife

NEW

SK2



- 0.6mm SK2 blade material
- 0.8mm thickened blade track
- TPR+ABS+Zinc alloy body
- Rubber and double sided teeth push button

Item #	Spec	Pack Qty
EDL4254	SK2 Blade, 60°	1/12/144

18mm Snap-off Knife

NEW

SK2



-SK2 Blade thickened to 0.6mm
-Blackened blade,more beautiful and rust-proof
-Double lock tooth structure,automatic locking blade
-Track thickness increased to 0.8mm,can withstand 50kg force
-Laser skin texture technology,fully rubber body, more comfortable to hold

Item #	Spec	Pack Qty
EDL018G	SK2 Blade, 60°	1/10/120
EDL025G	SK2 Blade, 60°	1/10/80







Steel Tape Measure

NEW

ABS
TPR



-3m blade standout
-Wear-resistant ruler tape
-Base Brake Setting
-ABS shell with TPR cover

Item #	Spec	Pack Qty
EDL370528	5m*28mm	1/12/72
EDL377528	7.5m*28mm	1/8/48

Steel Tape Measure

NEW

ABS
TPR



-3m blade standout
-Wear-resistant ruler tape
-Base Brake Setting
-ABS shell with TPR cover

Item #	Spec	Pack Qty
EDL370528Y	5m/16ft*28mm	1/12/72
EDL377528Y	7.5m/25ft*28mm	1/8/48

Long Tape Measure

NEW

ABS
TPR



- Level-II precision tape
- TPR soft rubber coating
- PVC tape coating
- Double-side metric and inch scale
- 3:1 gear ratio

Item #	Spec	Pack Qty
EDL9920Y	20m/65ft*14.5mm	1/1/10/40
EDL9930Y	30m/98ft*14.5mm	1/1/10/40

Spirit Level With Dual-View

NEW



- 3-in-1 function: horizontal, vertical, 45° measurement
- 0.5mm/m accuracy
- Double-milled measurement surface,improved accuracy of measurements
- 1.5mm thickness
- Sight glass function,easy side reading
- Strong magnet

Item #	Spec	Pack Qty
EDL290400K	400mm	1/10/40
EDL290600K	600mm	1/10/40
EDL290800K	800mm	1/5/20
EDL2901000K	1000mm	1/5/20

Infrad Thermometer

ABS
Material



- Temperature measurement range:-30℃ ~380℃
- 0.5s fast response
- Object distance ratio D:S=8:1
- ℃ / °F dual measurement mode conversion
- LCD digital display screen, HD backlight display

Item #	Spec	Pack Qty
EDL333380A	-30℃ ~380℃	1/5/60
EDL333550	-40℃ ~600℃	1/5/60



Digital Multimeter

ABS
Material



-Max 1999 display, CAT III, manual ranging.
-Measures AC/DC voltage, DC current, resistance.
-Features data hold, diode test, continuity check, low battery indicator, auto shutdown, and LCD backlight

Item #	Spec	Pack Qty
EDL334301	1999 counts	1/10/40
EDL334302	3999 counts	1/10/40
EDL334303	5999 counts	1/10/40



Solding Iron(Digital Temperature Control)

NEW



-Durable ceramic heating element
-Long-lasting copper tip
-Power indicator for status
-Auto sleep mode, alerts, temp conversion, and calibration
-Adjustable temperature for versatility

Item #	Spec	Pack Qty
EDL394460	Input power:60W	1/6/48
EDL394490	Input power:90W	1/6/48

Wire Stripper



-Stainless steel forged caliper, high hardness
-Quenched cutting edge for sharp, labor-saving cuts
-PVC+TPR handle for a comfortable grip

Item #	Spec	Pack Qty
EDL2667	7"	1/10/60

Multifunctional Digital Multimeter

ABS
Material



-Measures AC/DC voltage, resistance, frequency.
-Live wire detection, NCV, diode test, continuity, data hold, true RMS, low battery, auto shutdown, backlight, flashlight.

Item #	Spec	Pack Qty
EDL334501	3999 counts	1/1/10/40
EDL334504	5999 counts	1/1/10/40

Clamp-on Digital Multimeter

ABS
Material



-Max 1999 display, CAT III, auto ranging.
-Clamp size: 25mm.
-Measures AC/DC voltage, AC current, resistance.
-Features data hold, diode test, continuity, low voltage indicator, auto shutdown, dual-color LCD backlight.

Item #	Spec	Pack Qty
EDL334201	1999 counts	1/10/40
EDL334203	3999 counts	1/1/10/40
EDL334204	5999 counts	1/1/10/40

Wire Stripper



-Stainless steel forged caliper, high hardness
-Quenched cutting edge for sharp, labor-saving cuts
-PVC+TPR handle for a comfortable grip

Item #	Spec	Pack Qty
EDL383028	7"	1/6/72

3-IN-1 Automatic Wire Stripper



-The clamp body is made of zinc alloy material
-Chromium molybdenum vanadium wire stripping blade
-CrMoV blade, powerful spring, automated wire stripping

Item #	Spec	Pack Qty
EDL2017	8"	1/6/60

Soldering Iron

NEW



-Durable ceramic heater
-Long-lasting copper tip
-Power indicator for easy status check

Item #	Spec	Pack Qty
EDL394260	Input power:60W	1/6/48
EDL394280	Input power:80W	1/6/48

Solding Iron(Knob Temperature Control)

NEW



-Durable printed ceramic heating element
-Copper tip with thick coating for extended life
-Power indicator for clear status
-Adjustable temperature for versatile use

Item #	Spec	Pack Qty
EDL394360	Input power:60W	1/6/48
EDL394380	Input power:80W	1/6/48

Mini 2-IN-1 Automatic Wire Stripper



-Zinc pliers body, durable and rust-proof
-Ideal for stripping and cutting various wires
-Compact design, one-hand operation
-PP+TPR coated handle, comfortable, anti-slip, oil-resistant

Item #	Spec	Pack Qty
EDL2015	6.5"	1/6/60



SOCKETS AND ACCESSORIES

Ratchet

72T



-Quick release button
-72 Teeth for 5° arc swing
-Polished chrome finish
-Comfort Grip
-2X Lifespan

Item #	Spec	Pack Qty
DQ41802	Drive Size: 1/4in. Teeth: 72	1/6/72
DQ42802	Drive Size: 3/8in. Teeth: 72	1/6/72
DQ43802	Drive Size: 1/2in. Teeth: 72	1/6/48

More Torque

Max torque is 30% higher than DIN torque performance requirements.

2X Lifespan

The exclusive CrMo ratchet is processed with high precision by CNC machine, making life span two times that of others'.



Tight Confines

Teardrop low profile head and flush mounted On/Off switch 5° swing arc for easy access in tight spaces.





More Torque

Cold formed heat-treated 50VB30 and more evenly distributed force transmit 30%-40% more torque than DIN standard.

More Control

Off-corner loading design drives the side of the fastener, not the corner. This not only provides increased strength, but also avoids the rounding of rusted or damaged fasteners,which can occur when using a sharp cornered hex tool.

More Finish

High polish chrome plating results in a jewelry-like finish providing long life and maximum corrosion resistance.





More Control

1/4"Dr. Standard Socket

Cr-V



- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ2401	3.5MM	25	6.3	11.7	1/24/360
DQ2402	4MM	25	6.7	11.7	1/24/360
DQ2403	4.5MM	25	7.5	11.7	1/24/360
DQ2404	5MM	25	8	11.7	1/24/360
DQ2405	5.5MM	25	8.6	11.7	1/24/360
DQ2406	6MM	25	9.4	11.7	1/24/360
DQ2407	7MM	25	10.8	11.7	1/24/360
DQ2408	8MM	25	11.7	11.7	1/24/360
DQ2409	9MM	25	24.7	24.7	1/24/360
DQ2410	10MM	25	24.7	24.7	1/24/360
DQ2411	11MM	25	24.7	24.7	1/24/360
DQ2412	12MM	25	24.7	24.7	1/24/360
DQ2413	13MM	25	24.7	24.7	1/24/360
DQ2414	14MM	25	24.7	24.7	1/24/360

1/4"Dr. Deep Socket

Cr-V



- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ2424	4MM	50	6.7	11.7	1/24/360
DQ2425	5MM	50	8	11.7	1/24/360
DQ2426	6MM	50	9.2	11.7	1/24/360
DQ2427	7MM	50	11.7	11.7	1/24/360
DQ2428	8MM	50	11.7	11.7	1/24/360
DQ2429	9MM	50	13.7	13.7	1/24/360
DQ2430	10MM	50	13.7	13.7	1/24/360
DQ2431	11MM	50	15.7	15.7	1/24/360
DQ2432	12MM	50	16.7	16.7	1/24/360
DQ2433	13MM	50	17.7	17.7	1/24/360

1/4"Dr. Extension Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2332	Drive Size: 1/4in. Length: 2in.(55mm)	1/12/240
DL2334	Drive Size: 1/4in. Length: 4in.(100mm)	1/12/240

1/4"Dr. Sliding Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2344	Drive Size: 1/4in. Length: 4in.(100mm)	1/12/180

1/4"Dr. Flexible Extension Bar

Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2357	Drive Size: 1/4in. Length: 6in.(150mm)	1/12/240

1/4"Dr. Breaker Bar

Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2355	Drive Size: 1/4in. Length: 5in.(125mm)	1/12/240

1/4"Dr. Universal Joint

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2352	Drive Size: 1/4in.	1/24/360



1/4"Dr. Hex Bit Holder Socket

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2353	Drive Size: 1/4n. Hex Bit Size: 1/4in.	1/24/360

1/4"Dr. Adapter

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2354	M: 3/8"; F:1/4"	1/24/360

3/8" Dr. Universal Joint

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2472	Drive Size: 3/8in.	1/12/240

3/8"Dr. Hex Bit Holder Socket

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2476	Drive Size: 3/8n. Hex Bit Size: 1/4in.	1/12/360

3/8"Dr. Standard Socket

Cr-V



- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ2446	6MM	28	9.9	16.9	1/12/360
DQ2447	7MM	28	10.8	16.9	1/12/360
DQ2448	8MM	28	12	16.9	1/12/360
DQ2449	9MM	28	12.8	16.9	1/12/360
DQ2450	10MM	28	14.5	16.9	1/12/360
DQ2451	11MM	28	15.8	16.9	1/12/360
DQ2452	12MM	28	16.9	16.9	1/12/360
DQ2453	13MM	28	17.7	17.7	1/12/360
DQ2454	14MM	28	19.7	19.7	1/12/360
DQ2455	15MM	28	21.7	21.7	1/12/360
DQ2456	16MM	28	21.7	21.7	1/12/360
DQ2457	17MM	30	23.7	23.7	1/12/360
DQ2458	18MM	30	25.7	25.7	1/12/360
DQ2459	19MM	30	25.7	24	1/12/360
DQ2460	20MM	30	27.7	26	1/12/240
DQ2461	21MM	32	27.7	26	1/12/240
DQ2462	22MM	32	29.7	26	1/12/240
DQ2464	24MM	32	31.7	28	1/12/240

3/8"Dr. Deep Socket

Cr-V



- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ2478	8MM	64	12	16.7	1/12/360
DQ2479	9MM	64	13.4	16.7	1/12/360
DQ2480	10MM	64	14.5	16.7	1/12/360
DQ2481	11MM	64	15.8	16.7	1/12/360
DQ2482	12MM	64	17.7	17.7	1/12/360
DQ2483	13MM	64	18.6	18.6	1/12/360
DQ2484	14MM	64	19.9	19.9	1/12/360
DQ2485	15MM	64	21.6	21.6	1/12/180
DQ2486	16MM	64	21.7	21.7	1/12/180
DQ2487	17MM	64	23.7	23.7	1/12/180
DQ2488	18MM	64	25.7	25.7	1/12/180
DQ2489	19MM	64	25.7	25.7	1/12/180
DQ2490	20MM	64	27.7	27.7	1/12/180
DQ2491	21MM	64	27.7	27.7	1/12/180
DQ2492	22MM	64	29.7	29.7	1/12/180

3/8" Dr. 3-Way Socket Adapter

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4002	F: 3/8", M: 1/2"	1/12/120

3/8" Dr. Socket Adapter

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2474	F: 3/8", M: 1/4"	1/24/360
DL2475	F: 3/8", M: 1/2"	1/24/360

3/8 " Dr. Extension Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2469	Drive Size: 3/8in. Length: 75MM(3in.)	1/12/240
DQ2470	Drive Size: 3/8in. Length: 150MM(6in.)	1/12/240
DQ2471	Size: 3/8" Length: 250MM(10in.) Material:50BV30,Heat treatment Finish: Mirror, Chrome Packed by Carton Box	1/12/120

3/8 " Dr. Sliding Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2473	Drive Size: 3/8in. Length: 165MM(6.5in.)	1/6/72

3/8"Dr. Flexible Extension Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2557	Drive Size: 3/8in. Length: 200MM(8in.)	1/12/120

3/8 " Dr. Breaker Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2555	Size: 3/8" Length: 200MM(8in.)	1/12/120

1/2"Dr. Universal Joint

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4000	Drive Size: 1/2in.	1/10/100

1/2"Dr. Hex Bit Holder Socket

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ4457	Drive Size: 1/2in. Hex Bit Size: 5/12in.	1/10/200

1/2"Dr. Standard Socket

Cr-V



- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
EDQ4008	8MM	38	13.8	21.9	1/10/200
EDQ4009	9MM	38	14.5	21.9	1/10/200
EDQ4010	10MM	38	15.5	21.9	1/10/200
EDQ4011	11MM	38	16.5	21.9	1/10/200
EDQ4012	12MM	38	17.8	21.9	1/10/200
EDQ4013	13MM	38	19	21.9	1/10/200
EDQ4014	14MM	38	20.3	21.9	1/10/200
EDQ4015	15MM	38	21.9	21.9	1/10/200
EDQ4016	16MM	38	21.9	21.9	1/10/200
EDQ4017	17MM	38	23.7	23.7	1/8/160
EDQ4018	18MM	38	25.7	25.7	1/8/160
EDQ4019	19MM	38	25.7	24.7	1/8/160
EDQ4020	20MM	38	27.7	26.7	1/8/160
EDQ4021	21MM	38	27.7	26.7	1/8/160
EDQ4022	22MM	38	29.7	26.7	1/8/160
EDQ4024	24MM	38	31.7	29.7	1/6/120
EDQ4027	27MM	44	35.7	32.7	1/5/100
EDQ4030	30MM	44	39.7	33.7	1/4/80
EDQ4032	32MM	44	41.8	35.7	1/4/80

1/2" Deep Socket

Cr-V



- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
EDQ4308	8MM	76	14.2	21.6	1/6/120
EDQ4310	10MM	76	16.5	21.6	1/6/120
EDQ4311	11MM	76	18	21.6	1/6/120
EDQ4312	12MM	76	18.5	21.6	1/6/120
EDQ4313	13MM	76	19.8	21.6	1/6/120
EDQ4314	14MM	76	21.6	21.6	1/6/120
EDQ4315	15MM	76	21.6	21.6	1/6/120
EDQ4316	16MM	76	21.6	21.6	1/6/120
EDQ4317	17MM	76	23.7	23.7	1/6/120
EDQ4318	18MM	76	25.7	25.7	1/5/100
EDQ4319	19MM	76	25.7	25.7	1/5/100
EDQ4320	20MM	76	27.7	27.7	1/5/100
EDQ4321	21MM	76	27.7	27.7	1/5/100
EDQ4322	22MM	76	29.9	29.9	1/4/80
EDQ4324	24MM	76	31.9	31.9	1/4/80
EDQ4327	27MM	76	33.7	33.7	1/2/40
EDQ4330	30MM	76	39.9	39.9	1/2/40
EDQ4332	32MM	76	41.9	41.9	1/2/40

1/2"Dr. 12PT Standard Socket

Cr-V



- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ4108	8MM	38	13.8	21.9	1/10/200
DQ4109	9MM	38	14.5	21.9	1/10/200
DQ4110	10MM	38	15.5	21.9	1/10/200
DQ4111	11MM	38	16.5	21.9	1/10/200
DQ4112	12MM	38	17.8	21.9	1/10/200
DQ4113	13MM	38	19	21.9	1/10/200
DQ4114	14MM	38	20.3	21.9	1/10/200
DQ4115	15MM	38	21.9	21.9	1/10/200
DQ4116	16MM	38	21.9	21.9	1/10/200
DQ4117	17MM	38	23.7	23.7	1/10/200
DQ4118	18MM	38	25.7	25.7	1/10/200
DQ4119	19MM	38	25.7	24.7	1/10/200
DQ4120	20MM	38	27.7	26.7	1/10/200
DQ4121	21MM	38	27.7	26.7	1/10/200
DQ4122	22MM	38	29.7	26.7	1/10/200
DQ4123	23MM	38	31.7	29.7	1/10/120
DQ4124	24MM	38	31.7	29.7	1/10/120
DQ4127	27MM	43	35.7	32.7	1/10/120
DQ4130	30MM	44	39.7	33.7	1/10/120
DQ4132	32MM	44	41.8	35.7	1/10/120

1/2"Dr. Socket Adapter

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4005	M: 3/8"; F:1/2"	1/12/120

1/2"Dr. Extension Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ4125	Drive Size: 1/2in. Length: 50in.(125mm)	1/6/60
DQ4250	Drive Size: 1/2in. Length: 10in.(250mm)	1/6/60

1/2"Dr. Extension Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4350	Drive Size: 1/2in. Length: 10in.(250mm)	1/6/60

1/2"Dr. Sliding Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4450	Drive Size: 1/2in. Length: 10in.(250mm)	1/10/60

1/2"Dr. Breaker Bar

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ4455	Drive Size: 1/2in. Length: 10in.(250mm)	1/6/60
DQ4456	Drive Size: 1/2in. Length: 15in.(275mm)	1/6/60

1/2"Dr. Hex Bit Socket

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	L(mm)	Pack Qty
DL4922	5MM	58	1/12/120
DL4923	6MM	58	1/12/120
DL4925	8MM	58	1/12/120
DL4926	10MM	58	1/12/120
DL4927	12MM	58	1/12/120
DL4928	14MM	58	1/12/120
DL4929	17MM	58	1/12/120

1/2"Dr. Deep Hex Bit Socket

Cr-V
S2



- Heat-treated Cr-V steel socket
- S2 bit
- Mirror chrome finish

Item #	Spec	L(mm)	Pack Qty
DQ48204	4MM	100	1/12/120
DQ48205	5MM	100	1/12/120
DQ48206	6MM	100	1/12/120
DQ48207	7MM	100	1/12/120
DQ48208	8MM	100	1/12/120
DQ48210	10MM	100	1/12/120
DQ48212	12MM	100	1/12/120
DQ48214	14MM	100	1/12/120
DQ48217	17MM	100	1/12/120

3/8"Dr. Thin Wall Spark Plug Socket

Cr-V



Thin wall design allow you to reach deep into spark plug wells

Item #	Spec	Pack Qty
DQ42824	Drive Size: 3/8in. Size: 14mm	1/12/360

3/8"Dr. Spark Plug Socket

Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	L(mm)	Pack Qty
DQ42816	Drive Size: 3/8in. Size: 16mm	100	1/12/360
DQ42821	Drive Size: 3/8in. Size: 21mm	100	1/12/240
DQ43816	Drive Size: 1/2in. Size: 16mm	100	1/12/240
DQ43821	Drive Size: 1/2in. Size: 21mm	100	1/12/120

Electronic Torque Wrench

NEW



- Material: CrMo Anvil
- 2 modes include PEAK/TRACKING
- Readout can be set to 4 different units:ft.-lb, in.-lb, Nm, kg-cm
- Features Buzzer, LED and LCD indicators for convenient use

Item #	Spec	Pack Qty
EDL170030S	Drive Size: 1/4 in. Torque Accuracy: +/- 2% Torque Range: 3-30N.m	1/-/6
EDL170100S	Drive Size: 3/8 in. Torque Accuracy: +/- 1% Torque Range: 10-100N.m	1/-/4
EDL170340S	Drive Size: 1/2 in. Torque Accuracy: +/- 1% Torque Range: 34-340N.m	1/-/4





3-Tier Plastic Service Cart



- Loading Capacity: 60KG
- Casters: 4 Swivel
- Product weight: 8.3KG
- Strengthen PP material

Item #	Spec	Pack Qty
DQ02103	Size(mm): 830W x 455D x 968H	1/-/1

3-Tier Steel Service Tool Cart



- 1.0mm SPCC
- Loading capacity: 80KG
- Steel thickness: 1.2MM
- Casters: 2 Swivel with brake , 2 fixed
- Product weight: 11.6KG
- pegboard design for hanging tools
- Powder-coated finish for corrosion resistance
- Push-bar side handle

Item #	Spec	Pack Qty
DQ02203	Size(mm): 760W x 375D x 845H	1/-/1

31in. Tool Cabinet- One Door and Two Drawers



- 1.2mm SPCC
- Overall loading capacity: 200KG
- Drawer loading capacity:35KG
- 5in. Dia.casters: 2 Swivel with brake, 2 fixed
- Product weight: 46.2KG
- Drawer size: 575 x 400 x 105mm
- Door Size: 605 x 400 x 395mm
- Smooth ball-bearing drawer slides
- Pegboard design for hanging tools
- Internal keyed locking system provides added security
- EVA mat in each drawer and on top for avoiding tools movement
- Rust resistant powder coat finish
- Push-bar side handle
- Easy assembly

Item #	Spec	Pack Qty
DQ02322	Size(mm): 790W x 475D x 950H	1/-/1

31in. Tool Cabinet- One Door and Four Drawers



- 1.2mm SPCC
- Overall loading capacity: 200KG
- Drawer loading capacity:35KG
- 5in. Dia.casters: 2 Swivel with brake, 2 fixed
- Product weight: 58.5KG
- Drawer size: 575 x 400 x 73mm
- Door Size: 605 x 400 x 405mm
- Smooth ball-bearing drawer slides
- Pegboard design for hanging tools
- Internal keyed locking system provides added security
- EVA mat in each drawer and on top for avoiding tools movement
- Rust resistant powder coat finish
- Push-bar side handle
- Easy assembly

Item #	Spec	Pack Qty
DQ02342	Size(mm): 790W x 475D x 1025H	1/-/1

31in. Tool Cabinet- Five Drawers



- 1.2mm SPCC
- Overall loading capacity: 240KG
- Drawer loading capacity:35KG
- 5in. Dia.casters: 2 Swivel with brake, 2 fixed
- Product weight: 56.7KG
- Drawer size: 575 x 400 x 105mm for #1/2/3, 575 x 400 x 159mm for #4/5
- Smooth ball-bearing drawer slides
- Pegboard design for hanging tools
- Internal keyed locking system provides added security
- EVA mat in each drawer and on top for avoiding tools movement
- Rust resistant powder coat finish
- Push-bar side handle
- Easy assembly

Item #	Spec	Pack Qty
DQ02305	Size(mm): 790W x 475D x 950H	1/-/1

44in. Tool Cabinet



- 1.2mm SPCC
- Overall loading capacity: 200KG
- Drawer loading capacity:35KG
- 5in. Dia.casters: 2 Swivel with brake, 2 fixed
- Product weight: 94KG
- Smooth ball-bearing drawer slides
- Pegboard design for hanging tools
- Internal keyed locking system provides added security
- EVA mat in each drawer and on top for avoiding tools movement
- Rust resistant powder coat finish
- Push-bar side handle
- Easy assembly

Item #	Spec	Pack Qty
DQ02308	Size(mm): 1130W x 465D x 1070H	1/-/1

deli

YELLOW SERIES TOOLS

POWER TOOLS
HAND TOOLS



Battery

	Battery EDL-DC12A2	Battery EDL-DC20A2 HOT	Battery EDL-DC20A4 HOT	Battery EDL-CM20A2E HOT	Battery EDL-CM20A4E HOT
					
	12V VOLTAGE; 2.0Ah LITHIUM-ION BATTERY	20V VOLTAGE; 2.0Ah LITHIUM-ION BATTERY	20V VOLTAGE; 4.0Ah LITHIUM-ION BATTERY	20V VOLTAGE; 2.0 Ah*2 BATTERY	20V VOLTAGE; 4.0 Ah*2 BATTERY
Specification					
Voltage	12V	20V	20V	/	/
Lithium-Ion battery	2.0Ah	2.0Ah	4.0Ah	/	/
Packed	by color box	by color box	by color box	by double blister	by double blister
Pack qty	1:PCS 30:CAR	1:PCS 20:CAR	1:PCS 20:CAR	1:PCS 20:CAR	1:PCS 10:CAR
Battery	/	/	/	2Pcs（EDL-DC20A2）	2Pcs（EDL-DC20A2）
Charge	/	/	/	1Pcs（EDL-CD20A2E）	1Pcs（EDL-CD20A2E）
Input Voltage	/	/	/	100-240V~50/60Hz	100-240V~50/60Hz
Input Power	/	/	/	45W	45W
Output Voltage	/	/	/	20V	20V
Charge Current	/	/	/	2A	2A
Sales Point					
	- Continuous And Efficient Discharge Multiple Protective Structures	- Smart Energy Management System Multi-machine sharing - Continuous And Efficient Discharge - Super Long Fitting Track - High Magnification Battery - Multiple Protective Structures	- Smart Energy Management System Multi-machine sharing - Continuous And Efficient Discharge - Super Long Fitting Track - High Magnification Battery - Multiple Protective Structures	- Smart Energy Management System Multi-machine sharing - High Magnification Battery - Intelligent Recognition And Precise Control - Set combination, ultra -long battery life	- Smart Energy Management System Multi-machine sharing - High Magnification Battery - Intelligent Recognition And Precise Control - Set combination, ultra -long battery life

Charger
EDL-CD20A2E

Charger



20V	2A
OUTPUT VOLTAGE	CHARGE CURRENT

Specification

Input Voltage	100-240V~50/60Hz
Input Power	45W
Output Voltage	20V
Charge Current	2A
Packed	by color box
Pack qty	1:PCS 20:CAR

Sales Point

- Intelligent Recognition And Precise Control
- Safe charging, fast and efficient



Electric Drill
Impact Drill



Ref. No.	Specification									Max drilling Capacity		
	Rated voltage	Battery	No-load speed	Impact frequency	Chuck Capacity	Torque setting	Max Torquel	Pack qty	Packing typ	Wood	Steel	Brick wall
EDL-DZ12-4A2	12V	2.0Ah*1	0-400/ 0-1500/min	/	10mm	18+1	30N.m	1/-/12	Color box	16mm	8mm	/
EDL-DZ12-5A2	12V	2.0Ah*1	0-400/ 0-1500/min	/	10mm	18+1	30N.m	1/-/12	BMC	16mm	8mm	/
EDL-DZ12-6A2	12V	2.0Ah*1	0-400/ 0-1500/min	/	10mm	18+1	30N.m	1/-/5	BMC	16mm	8mm	/
EDC041	12V	2.0Ah*2	0-400/ 0-1500/min	/	10mm	18+1	30N.m	1/-/12	BMC	16mm	8mm	/
EDC120	20V	2.0Ah*2	0-550/ 0-1800/min	/	10mm	20+1	45N.m	1/-/6	Color box	25mm	10mm	/
EDC120Z	20V	/	0-550/ 0-1800/min	/	10mm	20+1	45N.m	1/-/20	Color box	25mm	10mm	/
EDC150	20V	2.0Ah*2	0-550/ 0-1800/min	0-8250/ 27000bpm	10mm	20+1+1	50N.m	1/-/6	Color box	25mm	10mm	10mm
EDC150Z	20V	2.0Ah*2	0-550/ 0-1800/min	0-8250/ 27000bpm	10mm	20+1+1	50N.m	1/-/20	Color box	25mm	10mm	10mm

Electric Drill

Electric Drill
EDL-DZ12-4A2 HOT



12V RATED VOLTAGE | 10mm CHUCK CAPACITY | 30Nm MAX TORQUE

Electric Drill
EDL-DZ12-5A2



12V RATED VOLTAGE | 10mm CHUCK CAPACITY | 30Nm MAX TORQUE

Specification		
Rated Voltage	12V	12V
No-load Speed	0-400/0-1500rpm	0-400/0-1500rpm
Max torque	30N.m	30N.m
Torque Settings	18+1	18+1
Chuck Capacity	Φ10mm	Φ10mm
Battery	2.0Ah*1	2.0Ah*1
Charge Volts	220-240V~50/60Hz	220-240V~50/60Hz
Packed	by color box	by BMC
Pack qty	1:PCS 12:CAR	1:PCS 12:CAR
Max drilling Capacity		
Wood	Φ16mm	Φ16mm
Steel	Φ8mm	Φ8mm
Accessory List	› 1PCS Cr-V 65mm bit	› 1PCS Cr-V 65mm bit

Sales Point

- lithium battery: long-lasting range, strong power
- electronic speed control, lighting: easy to operate, more practicality
- Compact body, flexible maneuvering, easy to carry

Electric Drill

Electric Drill
EDL-DZ12-6A2



12V RATED VOLTAGE | 10mm CHUCK CAPACITY | 30Nm MAX TORQUE

Electric Drill
EDC041



12V RATED VOLTAGE | 10mm CHUCK CAPACITY | 30Nm MAX TORQUE

Electric Drill
EDC120Z NEW
EDC120 NEW HOT



20V RATED VOLTAGE | 10mm CHUCK CAPACITY | 45Nm MAX TORQUE

Impact Drill

Impact Drill
EDC150Z NEW
EDC150 NEW HOT



20V RATED VOLTAGE | 10mm CHUCK CAPACITY | 45Nm MAX TORQUE

Specification				
Rated Voltage	12V	12V	Brushless Motor 20V	Brushless Motor 20V
No-load Speed	0-400/0-1500rpm	0-400/0-1500/min	0-550/0-1800rpm	0-550/0-1800rpm
Max torque	30N.m	30N.m	45N.m	45N.m
Torque Settings	18+1	18+1	21+1	21+1+1
Chuck Capacity	Φ10mm	Φ10mm	Φ10mm	Φ10mm
Battery	2.0Ah*1	2.0Ah*2	-/2.0Ah *2	-/2.0Ah *2
Charge Volts	220-240V~50/60Hz	220-240V~50/60Hz	-/100-240V~50/60Hz	-/100-240V~50/60Hz
Packed	by BMC	by BMC	by color box	by color box
Pack qty	1:PCS 5:CAR	1:PCS 12:CAR	1:PCS 20:CAR/1:PCS 6:CAR	1:PCS 20:CAR/1:PCS 6:CAR
Max drilling Capacity				
Wood	Φ16mm	Φ16mm	/	
Steel	Φ8mm	Φ8mm	/	
Accessory List	› 3、4、5、6mm Wood Drill Bit › 5-13mm Socket › 5-6mm Glass Drill Bits › 1pcs Flexible Shaft	› 1PCS Cr-V 65mm bit	-/› 1PCS Cr-V 65mm bit	-/› 1PCS Cr-V 65mm bit
Sales Point	- lithium battery: long-lasting range, strong power - electronic speed control, lighting: easy to operate, more practicality - Compact body, flexible maneuvering, easy to carry		- Super power brushless motor, 45N.m high torque, high working efficiency - Compact design. Comfortable to hold - Metal ratchet self-locking chuck	- Super power brushless motor, 50N.m high torque, high working efficiency - Compact design. Comfortable to hold - Metal ratchet self-locking chuck

Impact Wrench

Impact Wrench
EDC230Z NEW!
EDC230 HOT



20V RATED VOLTAGE
320Nm MAX TORQUE

Specification	Brushless Motor
Rated voltage	20V
No-load speed	0-1600/2000rpm
Impact frequency	0-2500/3000bpm
Chuck Capacity	12.7mm
Max torque	320N.m
Battery	-/4.0Ah*2
Charge Volts	-/100-240V~50/60Hz
Packed	by color box
Pack qty	1:PCS 12:CAR/1:PCS 6:CAR

Accessory List

-/› 3 pcs socket（17 19 21mm）

Sales Point

-High drilling efficiency
-Small and compact body, no fear of narrow working conditions
-Constant power operation, torque will not be reduced with power loss

Rotary Hammer

Rotary Hammer
EDC300Z NEW!
EDC300



20V RATED VOLTAGE
22mm DRILLING CAPACITY

Specification	Brushless Motor
Rated voltage	20V
No-load speed	0-1400/min
Impact frequency	0-4500bpm
Impact energy	2J
Batter	-/4.0Ah *2
Charge Volts	-/100-240V~50/60Hz
Packed	by color box
Pack qty	1:PCS 8:CAR/1:PCS 4:CAR

Accessory List

-/› 3pcs SDS-PLUS Hammer Drill Bit
（6mm、8mm、10mm）
› 1pcs SDS-PLUS Chisel

Sales Point

- Brushless motor
- Anti-oil leakage design
- Dual-port design, safe to use
- Lightweight design, comfortable to use

Drilling capacity

Concrete	22mm
Steel	13mm
Wood	28mm

Angle Grinder

Angle Grinder
EDC600Z NEW!
EDC600 HOT



20V RATED VOLTAGE
100mm DISC DIAMETER

Specification	Brushless Motor
Rated Voltage	20V
No-load Speed	3500/6000/8500rpm
Disc Diameter	100mm
Spindle thread	M10
Battery	-/4.0Ah*2
Charge Volts	-/100-240V~50/60Hz
Packed	by color box
Pack qty	1:PCS 9:CAR/1:PCS 6:CAR

Accessory List

› 1pcs auxiliary handle
› Disc not included

Sales Point

- Fast work (high speed), metal cutting more vigorously
- Comfortable to hold
- 20V INNOLINK platform

Angle Grinder

Angle Grinder
EDC601Z NEW
EDC601 HOT



20V RATED VOLTAGE · 115mm DISC DIAMETER

Angle Grinder
EDC602Z NEW
EDC602 NEW HOT



20V RATED VOLTAGE · 125mm DISC DIAMETER

Specification		
	Brushless Motor	Brushless Motor
Rated Voltage	20V	20V
No-load Speed	3500/6000/8500rpm	3500/6000/8500rpm
Disc Diameter	115mm	125mm
Spindle thread	M14	M14
Battery	-/4.0Ah*2	-/4.0Ah*2
Charge Volts	-/100-240V~50/60Hz	-/100-240V~50/60Hz
Packed	by color box	by color box
Pack qty	1:PCS 9:CAR/1:PCS 4:CAR	1:PCS 9:CAR/1:PCS 4:CAR
Accessory List	› 1pcs auxiliary handle › Disc not included	› 1pcs auxiliary handle › Disc not included
Sales Point	- Fast work (high speed), metal cutting more vigorously - Comfortable to hold - 20V INNOLINK platform	- Fast work (high speed), metal cutting more vigorously - Comfortable to hold - 20V INNOLINK platform

Marble Cutter

Marble Cutter
EDC551Z NEW



20V RATED VOLTAGE · 165mm DISC DIAMETER

Marble Cutter
EDC552Z NEW



20V RATED VOLTAGE · 185mm DISC DIAMETER

Specification		
	Brushless Motor	Brushless Motor
Rated Voltage	20V	20V
Disc Diameter	165mm	185mm
No-load Speed	4700rpm	4700rpm
Bevel Angle	0-45°	0-45°
Cutting Depth At 45°	34mm	45mm
Cutting Depth At 0°	51mm	65mm
Battery	/	/
Packed	by color box	by color box
Pack qty	1:PCS 4:CAR	1:PCS 2:CAR
Accessory List	› Disc not included	› Disc not included
Sales Point	- High rotating speed for efficient cutting - 0-45° bevel cutting with adjustable angle to suit various cutting needs	

Angle Grinder



Ref. No.	Specification								
	Rated Power	Rated Voltage	Frequency	Switch type	Disc Diameter	Main shaft thread	No-load speed	Pack qty	Packing typ
EDL-JM100-3	540W	220-240v	50Hz/60Hz	Rear	100mm	M10	12000/min	1/-/10	Color box
EDL-JM100-E1	750w	220-240v	50Hz/60Hz	Rear	100mm	M10	12000/min	1/-/10	Color box
EDC662A	750w	220-240v	50Hz/60Hz	Side	100mm	M10	12000/min	1/-/10	Color box
EDL-JM115-E1	750w	220-240v	50Hz/60Hz	Side	115mm	M14	12000/min	1/-/10	Color box
EDL-JM125-E2	750w	220-240v	50Hz/60Hz	Side	125mm	M14	12000/min	1/-/10	Color box
EDL-JM100-E2	900w	220-240v	50Hz/60Hz	Rear	100mm	M10	12000/min	1/-/10	Color box
EDL-JM115-E2	900w	220-240vz	50Hz/60Hz	Side	115mm	M14	12000/min	1/-/10	Color box
EDL-JM125-E1	900w	220-240v	50Hz/60Hz	Side	125mm	M14	12000/min	1/-/10	Color box
EDL-JM100-E4	1100w	220-240v	50Hz/60Hz	Rear	100mm	M10	11000/min	1/-/10	Color box
EDL-JM125-E3	1100w	220-240v	50Hz/60Hz	Rear	125mm	M14	11000/min	1/-/10	Color box
EDL-JM125-E4	1200w	220-240v	50Hz/60Hz	Side	125mm	M14	12000/min	1/-/10	Color box
EDC691	2400w	220-240v	50Hz/60Hz	Rear	230mm	M14	6600rpm	1/-/2	Color box
EDL-JM180-E1	2000w	220-240v	50Hz/60Hz	Rear	180mm	M14	8450/min	1/-/2	Color box
EDL-JM230-E2	2400w	220-240v	50Hz/60Hz	Rear	230mm	M14	6600/min	1/-/2	Color box

Angle Grinder

Angle Grinder
EDL-JM100-3 NEW



540w RATED POWER
100mm REAR

Angle Grinder
EDL-JM100-E1 HOT



750w RATED POWER
100mm REAR

Specification

	EDL-JM100-3	EDL-JM100-E1
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	540W	750W
No-load Speed	12000rpm	12000rpm
Disc Diameter	100mm	100mm
Spindle thread	M10	M10
Switch type	Rear	Rear
Packed	by color box	by color box
Pack qty	1:PCS 10:CAR	1:PCS 10:CAR

Accessory List

EDL-JM100-3	EDL-JM100-E1
› 1pcs auxiliary handle › Disc not included	› 1pcs auxiliary handle › Disc not included

Sales Point

EDL-JM100-3	EDL-JM100-E1
- 540W high efficiency motor - Low vibration - Comfortable grip: thin handle, low temperature	- 750W high efficiency motor - Low vibration - Comfortable grip: thin handle, low temperature"

PROFESSIONAL POWER TOOLS
SEMI-PRO TOOLS
HOME SERIES
GARDEN TOOLS

Angle Grinder

Angle Grinder EDC662A



750w RATED POWER | 100mm SIDE

Specification	
Rated Voltage	220-240V~50/60Hz
Rated Power	750W
No-load Speed	12000rpm
Disc Diameter	100mm
Spindle thread	M10
Switch typer	Side
Packed	by color box
Pack qty	1:PCS 10:CAR
Accessory List	› 1pcs auxiliary handle
Sales Point	- Ergonomic handle, comfortable to grip - High input power, strong polishing - Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder EDL-JM115-E1



750w RATED POWER | 115mm SIDE

	220-240V~50/60Hz
	750W
	12000rpm
	115mm
	M14
	Side
	by color box
	1:PCS 10:CAR
Accessory List	› 1pcs auxiliary handle › Disc not included
Sales Point	- Ergonomic handle, comfortable to grip - High input power, strong polishing - Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder EDL-JM125-E2



750w RATED POWER | 125mm SIDE

	220-240V~50/60Hz
	750W
	12000rpm
	125mm
	M14
	Side
	by color box
	1:PCS 10:CAR
Accessory List	› 1pcs auxiliary handle › Disc not included
Sales Point	- Ergonomic handle, comfortable to grip - High input power, strong polishing - Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder EDL-JM100-E2



900w RATED POWER | 100mm REAR

	220-240V~50/60Hz
	900W
	12000rpm
	100mm
	M10
	Rear
	by color box
	1:PCS 10:CAR
Accessory List	› 1pcs auxiliary handle › Disc not included

Angle Grinder EDL-JM115-E2



900w RATED POWER | 115mm SIDE

	220-240V~50/60Hz
	900W
	12000rpm
	115mm
	M14
	Side
	by color box
	1:PCS 10:CAR
Accessory List	› 1pcs auxiliary handle › Disc not included

Angle Grinder

Angle Grinder
EDL-JM125-E1 HOT



900w RATED POWER | 125mm SIDE

Angle Grinder
EDL-JM100-E4



1100w RATED POWER | 100mm REAR

Angle Grinder
EDL-JM125-E3



1100w RATED POWER | 125mm REAR

Angle Grinder
EDL-JM125-E4



1200w RATED POWER | 125mm SIDE

Specification

	EDL-JM125-E1	EDL-JM100-E4	EDL-JM125-E3	EDL-JM125-E4
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	900W	1100W	1100W	1200W
No-load Speed	12000rpm	11000rpm	11000rpm	12000rpm
Disc Diameter	125mm	100mm	125mm	125mm
Spindle thread	M14	M10	M14	M14
Switch typer	Side	Rear	Rear	Side
Packed	by color box	by color box	by color box	by color box
Pack qty	1:PCS 10:CAR	1:PCS 10:CAR	1:PCS 10:CAR	1:PCS 10:CAR

Accessory List

EDL-JM125-E1	EDL-JM100-E4	EDL-JM125-E3	EDL-JM125-E4
› 1pcs auxiliary handle › Disc not included	› 1pcs auxiliary handle › Disc not included	› 1pcs auxiliary handle › Disc not included	› 1pcs auxiliary handle › Disc not included

Sales Point

EDL-JM125-E1	EDL-JM100-E4	EDL-JM125-E3	EDL-JM125-E4
- Ergonomic handle, comfortable to grip - High input power, strong polishing - Small and exquisite head shell, suitable for grinding and use in small spaces	- 1100w all-copper motor, surging power, invincible - Long handle design of rear switch for more convenient cutting operation - Switch lock button, easier work for a long time - External replaceable carbon brush design, self-changing carbon brush without worry	- 1100w all-copper motor, surging power, invincible - Long handle design of rear switch for more convenient cutting operation - Switch lock button, easier work for a long time - External replaceable carbon brush design, self-changing carbon brush without worry	- Ergonomic handle, comfortable to grip - High input power, strong polishing - Small and exquisite head shell, suitable for grinding and use in small spaces



Angle Grinder

Angle Grinder
EDL-JM180-E1



2000w RATED POWER
180mm REAR

Angle Grinder
EDL-JM230-E2



2400w RATED POWER
230mm REAR

Specification

Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	2000W	2400W
No-load Speed	8450/min	6600/min
Disc Diameter	180mm	230mm
Spindle thread	M14	M14
Switch typer	Rear	Rear
Packed	by color box	by color box
Pack qty	1:PCS 2:CAR	1:PCS 2:CAR

Accessory List

› Handle×1 › Carbon Brush×1 › Wrench×1 › Protective Cover×1	› Handle×1 › Carbon Brush×1 › Wrench×1 › Protective Cover×1

Sales Point

- Ergonomic handle, comfortable to grip
- High input power, strong polishing
- External carbon brush design, easy to replace



Polisher
EDL-PG180-E1

1200w PRODUCT SPECIFICATION | 180mm REAR

- 6-geared speed adjustment to suit various polishing needs
- 1200w pure copper motor, robust power
- Self-locking switch, safe operation
- High-quality polishing disc, convenient installation and simple operation



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1200W
No-load Speed	800-3000rpm
Polishing pad diameter	180mm
Spindle thread	M14
Switch type	Rear
7-Geared Variable speed control	
Packed	by color box
Pack qty	1:PCS 6:CAR

Accessory List

› 1pcs Polishing Pad
› 1pcs auxiliary handle
› Disc not included

Mini Grinder
EDL-DM03-E1

130w RATED POWER | 3mm CHUCK SIZE

- 6-geared speed adjustment, suitable for various working conditions
- Meet various applications such as polishing, cutting, grinding and drilling
- External carbon brushes for convenient replacement
- Non-slip encapsulated handle for comfortable grip



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	130W
No-load Speed	10000-32000rpm
Chuck Capacity	φ3.2mm
6-Geared Variable speed control	
Packed	by color box
Pack qty	1:PCS 8:CAR

Accessory List

› 41pcs accessories

Electric Drill



Ref. No.	Specification						
	Rated Power	Rated Voltage	Frequency	No-load speed	Chuck capacity	Pack qty	Packing typ
EDL-DZ10-3E	370W	220-240V	50Hz/60Hz	0-3300/min	10mm	1/-/10	Color box
EDC174	380w	220-240V	50Hz/60Hz	0-3000/min	10mm	1/-/10	Color box
EDL-DZ10-E2	500w	220-240V	50Hz/60Hz	0-3300/min	10mm	1/-/10	Color box
EDL-DZ10-E3	500w	220-240V	50Hz/60Hz	0-3300/min	10mm	1/-/10	Color box
EDL-DZ16-E1	1200w	220-240V	50Hz/60Hz	0-1000/min	16mm	1/-/5	Color box

Electric Drill

Electric Drill
EDL-DZ10-3E



370w RATED POWER
10mm CHUCK CAPACITY

Electric Drill NEW
EDC174



380w RATED POWER
10mm CHUCK CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	370W	380W
No-load Speed	0-3300rpm	0-3000rpm
Chuck Capacity	10mm	10mm
Packed	by color box	by color box
Pack qty	1:PCS 10:CAR	1:PCS 10:CAR

Accessory List

› Variable speed control
› Froward/Reverse switch
› 1Set extra carbon brushes

› Variable speed control
› Froward/Reverse switch
› 1Set extra carbon brushes

Sales Point

- Three-jaw chuck prevents bits loose
- Forward and reverse rotation design for convenient screw driving
- Lock-on function to allow long-term use and less fatigue

- Input power: 380w
- Chuck capacity: ø10mm
- Forward and reverse rotation design for convenient screw driving
- Lock-on function to allow long-term use and less fatigue

Electric Drill

Electric Drill
EDL-DZ10-E2

HOT



500w RATED POWER

10mm CHUCK CAPACITY

Electric Drill
EDL-DZ10-E3

HOT



500w RATED POWER

10mm CHUCK CAPACITY

Electric Drill
EDL-DZ16-E1



1200w RATED POWER

16mm CHUCK CAPACITY

Specification

	EDL-DZ10-E2	EDL-DZ10-E3	EDL-DZ16-E1
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	500W	500W	1200W
No-load Speed	0-3300rpm	0-3300rpm	0-1000rpm
Chuck Capacity	10mm	10mm	16mm
Packed	by color box	by color box	by color box
Pack qty	1:PCS 10:CAR	1:PCS 10:CAR	1:PCS 5:CAR

Accessory List

EDL-DZ10-E2
› 10mm keyless chuck
› Variable speed control
› Froward/Reverse switch
› 1Set extra carbon brushes

EDL-DZ10-E3
› Variable speed control
› Froward/Reverse switch
› 1Set extra carbon brushes

EDL-DZ16-E1
› Variable speed control
› Froward/Reverse switch
› 1pcs auxiliary handle
› 1pcs rear handle
› 1Set extra carbon brushes

Sales Point

EDL-DZ10-E2
- All-copper motor, strong power
- Three-jaw design for stable clamping
- Switch lock, easier work for a long time
- Forward/reverse rotation function for convenient operation

EDL-DZ16-E1
- Strong torque, meet various applications such as drilling and mixing
- 16mm high-precision chuck, high strength, small eccentric oscillation
- High-precision aluminum housing, stable and low noise

Impact Drill



Ref. No.	Specification							
	Rated Power	Rated Voltage	Frequency	No-load speed	Impact frequency	Chuck capacity	Pack qty	Packing typ
EDC181	550W	220-240V	50Hz/60Hz	0-2800/min	42000bpm	13mm	1/-/10	Color box
EDL-CZ13-E5	650w	220-240V	50Hz/60Hz	0-3000/min	0-48000bpm	13mm	1/-/10	Color box
EDC180	650w	220-240V	50Hz/60Hz	0-3000/min	0-48000bpm	10mm	1/-/6	BMC
EDL-CZ13-E6	820w	220-240V	50Hz/60Hz	0-3000/min	0-48000bpm	13mm	1/-/10	Color box
EDL-CZ13-E3	1050w	220-240V	50Hz/60Hz	0-3000/min	0-48000bpm	13mm	1/-/8	Color box

Impact Drill

Impact Drill
EDC181 NEW



550w RATED POWER
13mm CHUCK CAPACITY

Impact Drill
EDL-CZ13-E5 HOT



650w RATED POWER
13mm CHUCK CAPACITY

	EDC181	EDL-CZ13-E5
Specification		
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	550W	650W
No-load Speed	0-2800rpm	0-3000rpm
Impact Rate	42000bpm	0-48000bpm
Chuck Capacity	13mm	13mm
Packed	by color box	by color box
Pack qty	1:PCS 10:CAR	1:PCS 10:CAR
Accessory List	› Variable speed control › Froward/Reverse switch › 1pcs auxiliary handle › 1Set extra carbon brushes	› Variable speed control › Froward/Reverse switch › Hammer function › 1pcs auxiliary handle › 1Set extra carbon brushes
Sales Point	- Input power: 550w - Chuck capacity: ø13mm - Switch lock, easier work for a long time - One key switch of flat drill and impact drill - Metal chuck, sturdy and durable	- Pure copper motor - Three-jaw design for stable clamping - Switch lock, easier work for a long time - One key switch of flat drill and impact drill - Metal chuck, sturdy and durable

PROFESSIONAL POWER TOOLS
SEMI-PRO TOOLS
HOME SERIES
GARDEN TOOLS

Impact Drill

Impact Drill EDC180

NEW



650w RATED POWER

13mm CHUCK CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	650W
No-load Speed	0-3000rpm
Impact Rate	0-48000bpm
Chuck Capacity	13mm
Packed	by BMC
Pack qty	1:PCS 6:CAR

Accessory List

› Variable speed control
› Froward/Reverse switch
› Hammer function
› 5、6、8mm Wood Drill Bit
› 5、6、8mm Hss Drill Bit
› 5、6、8mm Masonry Drill Bit
› 1pcs Connecting Rod

Sales Point

- Pure copper motor
- Three-jaw design for stable clamping
- Switch lock, easier work for a long time
- One key switch of flat drill and impact drill
- Metal chuck, sturdy and durable

Impact Drill EDL-CZ13-E6

HOT



820w RATED POWER

13mm CHUCK CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	820W
No-load Speed	0-3000rpm
Impact Rate	0-48000bpm
Chuck Capacity	13mm
Packed	by color box
Pack qty	1:PCS 10:CAR

Accessory List

› Variable speed control
› Froward/Reverse switch
› Hammer function
› 1pcs auxiliary handle
› 1Set extra carbon brushes

Sales Point

- Pure copper motor
- Three-jaw design for stable clamping
- Switch lock, easier work for a long time
- One key switch of flat drill and impact drill
- Metal chuck, sturdy and durable

Impact Drill EDL-CZ13-E3



1050w RATED POWER

13mm CHUCK CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1050W
No-load Speed	0-3000rpm
Impact Rate	0-48000bpm
Chuck Capacity	13mm
Packed	by color box
Pack qty	1:PCS 8:CAR

Accessory List

› Variable speed control
› Froward/Reverse switch
› Hammer function
› 1pcs auxiliary handle
› 1Set extra carbon brushes

Sales Point

- Easy switch of impact gear/flat drill gear, applicable for various usage scenarios
- 1050w all-copper motor, strong power
- Aluminium gearbox casing, sturdy and durable
- Switch lock button, easier work for a long time

Mixer

Mixer EDC176 NEW



1400w RATED POWER

Mixer EDC177 NEW



1800w RATED POWER

Specification	Mixer EDC176	Mixer EDC177
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	1400W	1800W
No-load Speed	0-480/0-800 rpm	180-480/250-650 rpm
Mixing Pad Thread	M14	M14
Packed	by color box	by color box
Pack qty	1:PCS 2:CAR	1:PCS 2:CAR

Accessory List

Mixer EDC176	Mixer EDC177
› Variable speed control › 2pcs wrenches › 1pcs mixing paddle › 1 set extra carbon brushes	› Variable speed control › 2pcs wrenches › 2pcs mixing paddle › 1 set extra carbon brushes

Sales Point

- Pure copper motor
- Soft star and constant speed control
- Electronic switch for infinitely variable speed control and smooth power transmission;No splashing even at full power.
- The gears are capable of high performance. A maximum resukt without loss of power is achieved.

Rotary hammer

Rotary hammer EDC368 NEW HOT



600w RATED POWER

22mm MAX DRILLING CAPACITY

Specification	Rotary hammer EDC368
Rated Voltage	220-240V~50/60Hz
Rated Power	600W
No-load Speed	0-1700rpm
Impact Rate	0-5500bpm
Impact Energy	2J
Packed	by BMC
Pack qty	1:PCS 5:CAR

Accessory List

› SDS plus chuck system
› 3 drills
› 1Set extra carbon brushes

Sales Point

- The Rotary hammer from Deli - with 650 watts and 1.7 joules of impact energy
-Thanks to its compact and lightweight design at only 4kg, It is ideal for fatigue-free work overhead Versatile applications as is suitable for drilling and chiselling in concrete, masonry, metal and even wood For loosening jammed drills

Max drilling Capacity

Concrete	22mm
Steel	13mm
Wood	30mm

Rotary Hammer

Rotary hammer EDL-DC26-E1

HOT



800w RATED POWER

26mm MAX DRILLING CAPACITY

Rotary hammer EDL-DC26-E2





800w RATED POWER

26mm MAX DRILLING CAPACITY

Specification	EDL-DC26-E1	EDL-DC26-E2
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	800W	800W
No-load Speed	0-1100rpm	0-1100rpm
Impact Rate	0-4900bpm	0-4900bpm
Impact Energy	3J	3J
Packed	by BMC	by BMC
Pack qty	1:PCS 4:CAR	1:PCS 4:CAR
Max drilling Capacity		
Concrete	26mm	26mm
Steel	13mm	13mm
Wood	30mm	30mm
Accessory List	› SDS plus chuck system › 3 drills and 2 chisels › 1pcs keyless quick-change chuck › 1Set extra carbon brushes	› SDS plus chuck system › 3 drills and 2 chisels › 1pcs keyless quick-change chuck › 1Set extra carbon brushes
Sales Point	- Three modes: drill, rotary hammer, demolition hammer - SDS-Plus quick-change collet - Glue covered handle - Replaceable three-jaw chuck	- Three modes: drill, rotary hammer, demolition hammer - SDS-Plus quick-change collet - Glue covered handle - Replaceable three-jaw chuck

Rotary hammer EDL-DC28-E2

NEW



1000w RATED POWER

28mm MAX DRILLING CAPACITY

Rotary hammer EDL-DC28-E3





1000w RATED POWER

28mm MAX DRILLING CAPACITY

Specification	EDL-DC28-E2	EDL-DC28-E3
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	1000W	1000W
No-load Speed	0-1100rpm	0-1100rpm
Impact Rate	0-4900bpm	0-4900bpm
Impact Energy	3.2J	3.2J
Packed	by BMC	by BMC
Pack qty	1:PCS 4:CAR	1:PCS 4:CAR
Max drilling Capacity		
Concrete	28mm	28mm
Steel	13mm	13mm
Wood	30mm	30mm
Accessory List	› SDS plus chuck system › 3 drills and 2 chisels › 1Set extra carbon brushes	› SDS plus chuck system › 3 drills and 2 chisels › 1pcs keyless quick-change chuck › 1Set extra carbon brushes
Sales Point	- Three modes: drill, rotary hammer, demolition hammer - SDS-Plus quick-change collet - Glue covered handle	- Three modes: drill, rotary hammer, demolition hammer - SDS-Plus quick-change collet - Glue covered handle - Replaceable three-jaw chuck

Rotary Hammer
EDL-DC28-E1

1050w RATED POWER | 28mm DRILLING CAPACITY | 17J IMPACT ENERGY

Accessory List
› SDS plus chuck system
› 3 drills and 2 chisels
› 1Set extra carbon brushes

HOT

- Three modes: drill, rotary hammer, demolition hammer
- SDS-Plus quick-change collet
- Glue covered handle



Specification

Rated Voltage	220-240V~50/60Hz	Max Drilling Capacity	
Rated Power	1050W	Concrete	28mm
No-load Speed	0-900rpm	Steel	13mm
Impact Rate	0-4300bpm	Wood	35mm
Impact Energy	17J	Pack qty	1:PCS 3:CAR
Packed	by BMC		

Demolition Breaker
EDC369

1500w RATED POWER | 5.5J IMPACT ENERGY

Accessory List
› 3 pcs drill bit *3（8、10、12mm/150mm)
› 2 pcs chisel (14*250mm)
› 1 pcs wrench
› 1 pcs engine oil
› 1 set extra carbon brushes

NEW

- Three modes with adjustment function: drill, rotary hammer, demolition hammer
- SDS-Plus quick-change collet
- Glue covered handle



Specification

Rated Voltage	220-240V~50/60Hz	Steel	13mm
Rated Power	1500W	Wood	40mm
Impact Rate	4300bpm	Packed	by BMC
Impact Energy	5.5J	Pack qty	1:PCS 2:CAR
Concrete	32mm		

Demolition Breaker
EDC380

1250w RATED POWER | 17J IMPACT ENERGY

Accessory List
› 2 pcs chisels

HOT

- Big impact energy, more efficient
- Handle shockproof system, use it without numbness



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1250W
Impact Rate	3900bpm
Impact Energy	17J
Packed	by BMC
Pack qty	1:PCS 3:CAR

Demolition Breaker
EDC390

1600w RATED POWER | 65J IMPACT ENERGY

Accessory List
› 1pcs Flat Chisel

NEW

- Big impact energy, more efficient
- Handle shockproof system, use it without numbness



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1600W
Impact Rate	1900bpm
Impact Energy	65J
Packed	by BMC
Pack qty	1:CAR 1:PCS

Marble Cutter
EDL-YS110-E1

1250w RATED POWER | 110mm CUTTING BLADE

Accessory List
› 1 set extra carbon brushes

HOT

- High rotating speed for efficient cutting
- Copper motor with robust power
- 0-45° bevel cutting with adjustable angle to suit various cutting needs



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1250W
No-load Speed	13500rpm
Maximum Cutting Depth	33mm
Cutting Blade Size	φ110mm
Packed	by color box
Pack qty	1:PCS 6:CAR

Circular Saw
EDL-YJ185-E1

1400w RATED POWER | 185mm (7-1/4") DISC DIAMETER

Accessory List
› Spindle Thread:M8
› 1 pcs 24T TCT blade and 1 pcs spanner
› 1 pcs guide ruler

HOT

- High load motor, high temperature resistance, safe to use
- Arbitrary adjustment of 0~45° cutting, wide application range
- Anti-self-locking switch, preventing accidental touch, safe and reliable
- One-piece aluminum shield, which can be connected to a vacuum cleaner for clean work
- High-load motor, high temperature resistance, safe to use



Specification

Rated Voltage	220-240V~50/60Hz	Cutting Depth At 45°	42mm
Rated Power	1400W	Cutting Depth At 90°	61mm
No-load Speed	5300rpm	Spindle Thread	M8
Disc Diameter	185×20mm	Packed	by color box
Angle Range	0-45°	Pack qty	1:PCS 4:CAR

Circular Saw
EDL-YJ235-E1

2200w RATED POWER | 235mm (9-1/4") DISC DIAMETER

Accessory List
› 1 pcs 40T TCT blade and 1 pcs spanner
› 1 pcs guide ruler

- High load motor, high temperature resistance, safe to use
- Arbitrary adjustment of 0~45° cutting, wide application range
- Anti-self-locking switch, preventing accidental touch, safe and reliable
- One-piece aluminum shield, which can be connected to a vacuum cleaner for clean work
- High-load motor, high temperature resistance, safe to use



Specification

Rated Voltage	220-240V~50/60Hz	Cutting Depth At 90°	80mm
Rated Power	2200W	Spindle Thread	M8
No-load Speed	4200rpm	Packed	by color box
Disc Diameter	235x25.4mm	Pack qty	1:PCS 2:CAR
Angle Range	0-45°		
Cutting Depth At 45°	52mm		

Cut Off Saw
EDL-XQ355-E1

2300w RATED POWER | 355mm DISC DIAMETER

Accessory List
› 1 pcs abrasive blade and 1 pcs wrench
› 1 set extra carbon brushes

HOT

- 2300w high-power high-overload capacity motor, responding to various high-intensity applications
- External replaceable carbon brush, convenient and fast
- Reinforced chassis, enhancing support for the cut material, while reducing vibration during cutting
- Safety latch, fasten latch button for easy handling



Specification

Rated Voltage	220-240V~50/60Hz	Square Steel	100X100mm
Rated Power	2300W	Steel Bar	30mm
No-Load Speed	3900/min	Packed	By Color Box
Disc Diameter	355mm	Pack qty	1:CAR 1:PCS
Max. Cutting Capacity:			
Round Pipe	100mm		

Cut Off Saw
EDC730

2300w RATED POWER | 355mm DISC DIAMETER

Accessory List
› 1 pcs cutting disc and 1 pcs wrench
› 1 set extra carbon brushes

NEW HOT

- 2300w high-power high-overload capacity motor, responding to various high-intensity applications
- External replaceable carbon brush, convenient and fast
- Reinforced chassis, enhancing support for the cut material, while reducing vibration during cutting
- Safety latch, fasten latch button for easy handling



Specification

Rated Voltage	220-240V~50/60Hz	Square Steel	90X90mm
Rated Power	2300W	Steel Bar	30mm
No-Load Speed	3800/min	Packed	By Color Box
Disc Diameter	355mm	Pack qty	1:CAR 1:PCS
Max. Cutting Capacity:			
Round Pipe	110mm		

Miter Saw
EDC573

1400w RATED POWER | 210mm DISC DIAMETER

Accessory List
› 1 pcs dust bag and1pcs wrench
› 1 set extra carbon brushes

NEW

- 1400w high-power high-overload capacity motor, responding to various high-intensity applications
- High cutting precision, ensuring smooth splicing of materials
- Non-slip base, stable cutting with high proficiency
- Thickened shield, ensuring all-round work safety
- Applicable working conditions: cutting various wood and aluminum



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1400W
No-Load Speed	5500/min
Disc Diameter	210mmx25.4mm
Cutting Capacity: Miter/Bevel: Width X Height	
0° x 0°	120mmx55mm
45° x 0°	83mmx55mm
0° x 45°	120mmx30mm
45° x 45°	83mmx30mm
Miter cuts 0-45° left and right	
Bevel cuts up to 45° to the left	
Packed	By Color Box
Pack qty	1:CAR 1:PCS

Miter Saw
EDC574

1800w RATED POWER | 255mm DISC DIAMETER

Accessory List
› 1 pcs wood clamp and 1 pcs wrench
› 1 pcs dust bag
› 1 set extra carbon brushes

NEW HOT

- 1800w high-power high-overload capacity motor, responding to various high-intensity applications
- High cutting precision, ensuring smooth splicing of materials
- Non-slip base, stable cutting with high proficiency
- Thickened shield, ensuring all-round work safety
- Applicable working conditions: cutting various wood and aluminum



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1800W
No-Load Speed	5000/min
Disc Diameter	255mmx30mm
Cutting Capacity: Miter/Bevel: Width X Height	
0°X0°	70mmx140mm
0°X45°	70mmx95mm
45°X0°	38mmx140mm
45°X45°	38mmx95mm
Miter cuts 0-45° left and right	
Bevel cuts up to 45° to the left	
Packed	By Color Box
Pack qty	1:CAR 1:PCS

Electric planer
EDC591

550w RATED POWER | 82mm PLANNING WIDTH & DEPTH | 2.5 mm

NEW

- Pure copper motor
- Flexible belt
- Flat bottom plate
- High-speed steel blade
- Can be freely adjusted

Accessory List

› 1 pcs tool carriage
› 1 pcs knife sharpener
› 1 pcs socket wrench
› 1 pcs parallel guide
› 1 set extra carbon brushes



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	550W
No-load Speed	15800 rpm
Rabbeting Depth	9mm
Planning Width & Depth	82x1mm
Packed	by color box
Pack qty	1:PCS 6:CAR

Electric planer
EDC592

800w RATED POWER | 82mm PLANNING WIDTH & DEPTH | 2.5 mm

NEW

- Pure copper motor
- Flexible belt
- Flat bottom plate
- High-speed steel blade
- Can be freely adjusted

Accessory List

› 1 set parallel guide assembly
› 1 pcs depth guide
› 1 pcs wrench
› 1pcs Hex key
› 3 sets screw assemblies
› 1pcs dust bag



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	800W
No-load Speed	17000 rpm
Rabbeting depth	0-11mm
Planning Width & Depth	82x2.5mm
Packed	color box
Pack qty	1:PCS 4:CAR

Laminate Trimmer
EDL-XB06-E1

550w RATED POWER | 6mm CHUCK SIZE

- Multi-purpose machine for trimming, carving, grinding, grooving
- Transparent base, providing better work visibility
- Quick cutter changing chuck, convenient and fast when changing different cutter heads
- Dust-proof switch, extending switch lifespan



Specification

Rated Voltage	220-240V~ 50/60Hz
Rated Power	550W
No-load Speed	30000rpm
Chuck Size	6mm(1/4"")
Packed	by color box
Pack qty	1:PCS 10:CAR

Accessory List

› With 1 pcs hex wrench and 2 pcs open end wrench
› 1 pcs right angle guide rule and 1 pcs dust transparent cover
› 1 pcs guide block and 1 pcs straight guide ruler and 1 pcs screw
› 1 set extra carbon brushes

Electric Router
EDL-MX12-E1

1600w RATED POWER | 12mm CHUCK SIZE

- Outstanding motor performance to significantly improve chipping efficiency
- Quick and convenient replacement of milling head
- Transparent dust cover for easier dust collection and unblocked sight
- Depth adjusting screw for simple operation and precise control of milling depth



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1600W
No-load Speed	23000rpm
Chuck Size	12mm(1/2"")
Packed	by color box
Pack qty	1:PCS 4:CAR

Accessory List

› With 1 pcs parallel rod and 1 pcs plastic baffle plate
› With 1 pcs guide pulley and 1 pcs small spanner
› With 1 pcs big spanner and 1 pcs parallel guide and 1 pcs guide ruler
› With 8mm chuck bushing and 6mm chuck bushing and depth adjustment knob
› With 1 set extra carbon brushes

Multi-function tools
EDC650

300w RATED POWER

NEW

- High quality pure copper motor, strong power, efficient cutting and grinding
- High frequency 3° swing Angle vibration, reciprocating swing principle safe cutting, cutting speed fast
- The switch is at the top, push it can be started, easy and convenient
- 6 speed adjustment, to meet the needs of different operation speed
- Quick replacement of accessories, free installation, flexible response to a variety of operations



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	300W
No Load Speed	15000-22000 /min
Oscillation angle	3°
Packed	by color box
Pack qty	1:PCS 6:CAR

Accessory List

› Delta sand pad*1
› Sand papers*10(80#*3、120#*3、180#*3、240#*1)
› Cutting saw blade*3(28mm、32mm、62mm)
› Flexibel scraper blade*1

Jig Saw
EDC575

400w RATED POWER | 65mm MAX CUTTING DEPTH

- 0-45° bevel cutting with adjustable angle to suit various cutting needs
- Sturdy base plate for stable cutting

Accessory List

› Woodblades *1
› Carbon brush *1
› Dust tube *1
› Hex key *1

NEW HOT



Specification

Rated Voltage	220-240V~50/60Hz	Steel	4mm
Rated Power	400W	Plastic	10mm
No-load Speed	3000rpm	Packed	by Color Box
Cutting Angle Range	0~45°	Pack qty	1:PCS 10:CAR
Max Cutting Depth In			
Wood	65mm		

Jig Saw
EDC576

600w RATED POWER | 80mm MAX CUTTING DEPTH

- 4-gear blade lift for flexible cutting
- 0-45° bevel cutting with adjustable angle to suit various cutting needs
- Sturdy base plate for stable cutting
- Encapsulated handle for comfortable grip
- Adjustable speed to meet different working conditions

Accessory List

› Wood blades *1
› Metal blades *1
› PVC blades *1
› Carbon brush *1
› Dust tube *1
› Hex key *1
› Oil level gauge *1

NEW



Specification

Rated Voltage	220-240V~50/60Hz	Steel	8mm
Rated Power	600W	Plastic	10mm
No-load Speed	1000-3000rpm	Packed	by Color Box
Cutting Angle Range	0~45°	Pack qty	1:PCS 10:CAR
Max Cutting Depth In			
Wood	80mm		

Jig Saw
EDC579

800w RATED POWER | 85mm MAX CUTTING DEPTH

- 0-45° bevel cutting with adjustable angle to suit various cutting needs
- Sturdy base plate for stable cutting
- Encapsulated handle for comfortable grip
- Adjustable speed to meet different working conditions

Accessory List

› 5 pcs wood blades
› 1 pcs Metal blades
› 1 pcs PVC blades
› 1 set extra carbon brushes
› 1pcs dust tube
› 1pcs oil level gauge

NEW



Specification

Rated Voltage	220-240V~50/60Hz	Steel	8mm
Rated Power	800W	Plastic	15mm
No-load Speed	1000-3200rpm	Packed	by Color Box
Cutting Angle Range	0~45°	Pack qty	1:PCS 6:CAR
Max Cutting Depth In			
Wood	85mm		



Sander

Palm Sander
EDL-SG110-E1



300w RATED POWER

110x100 mm BASE

Finishing Sander
EDL-SG180-E2



300w RATED POWER

93x185 mm BASE

Rotary Sander
EDL-SG125-E3



360w RATED POWER

φ125 mm BASE

Specification

	EDL-SG110-E1	EDL-SG180-E2	EDL-SG125-E3
Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz	230-240V~50/60Hz
Rated Power	300W	300W	360W
No-load Speed	10000rpm	12000rpm	6000-12000rpm
Base	110mmx100mm	93*185mm	φ125mm
Packed	by color box	by color box	by color box
pack qty	1:PCS 12:CAR	1:PCS 10:CAR	1:PCS 4:CAR

Accessory List

EDL-SG110-E1	EDL-SG180-E2	EDL-SG125-E3
› 5 pcs 210mm sander paper › 1 set extra carbon brushes	› 5 pcs 220mm sander paper › 1 set extra carbon brushes	› 5 pcs 125mm sander paper and 1 pcs dust-collection port › 1 set extra carbon brushes

Sales Point

EDL-SG110-E1	EDL-SG180-E2	EDL-SG125-E3
- Compact size, strong power - Dust-proof switch design, effectively extending switch lifespan - Well-designed clamping system, strong, durable, easy to operate and replace	- Well-designed clamping system, strong, durable, easy to operate and replace - Soft grip, comfortable hand feeling, non-slip and low vibration - Lock switch, work for a long time without fatigue - Dust-proof switch design, effectively extending switch lifespan	- 360w robust motor to ensure very high material removal rate and smooth operation - 6-geared speed adjustment to suit various polishing needs - Dust-proof switch design, effectively extending switch lifespan - Dust collection interface, protecting operator's health

Belt Sander

Belt Sander NEW
EDC096



1200w RATED POWER

Specification

Rated Voltage	230-240V~50/60Hz
Rated Power	1200W
Belt speed	500m/min
Belt size	100x610mm
Packed	by BMC
Pack qty	1:PCS 3:CAR

Accessory List

› 3 pcs sander paper
› 1 set extra carbon brushes
› 1pcs dust tube

Sales Point

- High power pure copper motor, more powerful
- With the belt adjustment knob, the belt can be adjusted to prevent the belt from wearing the support
- External dust collection bag, can dust, to provide a safe working environment
- Switch lock button, start and stop switch press to the end, press the lock button, the machine can run at constant speed

Spray Gun

Spray Gun EDC090 NEW HOT	Spray Gun EDC091 NEW	Spray Gun EDC091-1 NEW
		
450w RATED POWER / Integral TYPE	500w RATED POWER / Split TYPE	500w RATED POWER / Split TYPE

Specification

Rated Power	450W	500W	500W
Rated Voltage	220-240V	220-240V	220-240V
Paint Reservior	800ml	800ml	800ml
Max. Viscosity	50din/sec	50din/sec	50din/sec
Max. Flow	700ml/rpm	850ml/rpm	850ml/rpm
Nozzle	Φ1.8/2.6mm	Φ2.6mm	Φ2.6mm
Packed	by color box	by color box	by color box
Pack qty	1:PCS 6:CAR	1:PCS 4:CAR	1:PCS 4:CAR
Canister Material	Plastic	Plastic	Metal

Accessory List

› Nozzle of metal › 1pc viscosity measuring cup › 1pc 2.6mm nozzle	› 1pcs viscosity measuring cup › 1pcs 1.8m hose › 1pcs shoulder belt	› 1pcs viscosity measuring cup › 1pcs 1.8m hose › 1pcs shoulder belt

Sales Point

- Multiple spraying patterns. - Quick release function for easy clean. - Quick filter change. - Soft grip handle. - Adjustable spray flow.	- Multiple spraying patterns. - Adjustable spray flow. - Quick replaceable filter. - Dust proof and moisture proof on-off switch.



Aspirator Blower
EDL-GF03-E1

500w RATED POWER | 2.0m³/min WIND VOLUME

HOT

- Blow-suction dual-function, suitable for different working conditions
- Small and light, comfortable for holding
- Switch locking, for easy dust blowing

Accessory List

› 1 pcs dust bag



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	500W
No-load Speed	13000rpm
Wind Volume	2.0m³/min
Packed	by color box
Pack qty	1:PCS 12:CAR

Aspirator Blower
EDL-GF35-E1

600w RATED POWER | 2.5m³/min WIND VOLUME

- Blow-suction dual-function, suitable for different working conditions
- Small and light, comfortable for holding
- Switch locking, for easy dust blowing
- Six-geared speed regulation for strong wind

Accessory List

› 1 pcs dust bag



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	600W
No-load Speed	15000rpm
Wind Volume	2.5m³/min
Packed	by color box
Pack qty	1:PCS 8:CAR

deli

YELLOW SERIES TOOLS

HAND TOOLS





PLIERS

Universal Plier
Pipe Wrench
Circlip Pliers
Locking Pliers
Leather Hole Punch
Bench Vice/G Clamp
Other Pliers



Combination Plier

High Carbon Steel



- #55 Carbon Steel
- Classic handle
- Edge cutting life exceeds 10,000 times

Item #	Spec	Pack Qty
EDL2008C	8" Combination Plier	1/6/60
EDL2106C	6" Long Nose Plier	1/6/72
EDL2206C	6" Diagonal Cutting Plier	1/10/100
EDL2008C-3	3 Pcs Plier Set	1/6/24

Combination Pliers

HOT

High Carbon Steel



- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2006	6"	1/6/72
EDL2007	7"	1/6/60
EDL2008	8"	1/6/60

Long Nose Pliers

HOT

High Carbon Steel



- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2106	6"	1/6/72
EDL2108	8"	1/6/60

Diagonal Cutting Pliers

HOT

High Carbon Steel



- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2206	6"	1/6/72
EDL2207	7"	1/6/60

Heavy-duty diagonal cutting pliers

HOT

High Carbon Steel



- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2017H	7"	1/6/60

Bent Nose Pliers

HOT

High Carbon Steel



- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2306	7"	1/6/72

3 Pcs Pliers Sets

HOT

High Carbon Steel



- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2008-3	8" Combination Plier 6" Long Nose Plier, 6" Diagonal Plier	1/6/24

Labor-Saving Combination Pliers

NEW

High Carbon Steel



-Up to a 15% effort saving.
-Improved grip and control with ergonomic handle design.
-One-piece cast construction for exceptional durability.

Item #	Spec	Pack Qty
EDL0001	6"	1/6/72
EDL0002	7"	1/6/60
EDL0003	8"	1/6/60

Labor-Saving Long Nose Pliers

NEW

High Carbon Steel



-Up to a 15% effort saving.
-Improved grip and control with ergonomic handle design.
-One-piece cast construction for exceptional durability.

Item #	Spec	Pack Qty
EDL0101	6"	1/6/72
EDL0102	8"	1/6/60

Labor-Saving Diagonal Cutting Pliers

NEW

High Carbon Steel



-Up to a 15% effort saving.
-Improved grip and control with ergonomic handle design.
-One-piece cast construction for exceptional durability.

Item #	Spec	Pack Qty
EDL0201	6"	1/6/72
EDL0202	7"	1/6/60

3 Pcs Pliers Sets

NEW

High Carbon Steel



-Up to a 15% effort saving.
-Improved grip and control with ergonomic handle design.
-One-piece cast construction for exceptional durability.

Item #	Spec	Pack Qty
EDL0003-3	8" Combination Plier 6" Long Nose Plier, 6" Diagonal Plier	1/6/24

Labor-Saving Combination Pliers

NEW

Cr-V



- Up to 15% effort saving.
- Unique designed Cr-V head
- High frequency quenching of cutting edge
- Two-color TPR handle

Item #	Spec	Pack Qty
EDL2006Z	6"	1/6/72
EDL2007Z	7"	1/6/60
EDL2008Z	8"	1/6/60

3 Pcs Pliers Sets

NEW

Cr-V



- Up to 15% effort saving.
- Unique designed Cr-V head
- High frequency quenching of cutting edge
- Two-color TPR handle

Item #	Spec	Pack Qty
EDL2008Z-3	8" Combination Plier 6" Long Nose Plier, 6" Diagonal Plier	1/6/24

Multifunctional Long Nose Pliers

Cr-V 30% Less Effort



- Cr-V
- PVC handle
- Eccentric structure design
- Applicable to multiple scenarios

Item #	Spec	Pack Qty
DL101207	7" (175mm)	1/6/60

Multifunctional Combination Pliers

Cr-V 30% Less Effort



- Clamp head material: CRV
- Effort-saving
- Black hair Treatment
- Twisting, clamping, cutting, stripping, crimping

Item #	Spec	Pack Qty
EDL100008	8.5"(215mm)	1/6/60



Labor-Saving Long Nose Pliers

NEW

Cr-V



- Up to 15% effort saving.
- Unique designed Cr-V head
- High frequency quenching of cutting edge
- Two-color TPR handle

Item #	Spec	Pack Qty
EDL2106Z	6"	1/6/72
EDL2108Z	8"	1/6/60

Labor-Saving Diagonal Cutting Pliers

NEW

Cr-V



- Up to 15% effort saving.
- Unique designed Cr-V head
- High frequency quenching of cutting edge
- Two-color TPR handle

Item #	Spec	Pack Qty
EDL2206Z	6"	1/6/72
EDL2207Z	7"	1/6/60

Multifunctional Long Nose Pliers

Cr-V 30% Less Effort



- Clamp head material: CRV
- Effort-saving
- Black hair Treatment
- Twisting, clamping, cutting, stripping, crimping

Item #	Spec	Pack Qty
EDL101008	9"(220mm)	1/6/60

Multifunctional Diagonal Cutting Pliers

Cr-V 30% Less Effort



- Clamp head material: CRV
- Effort-saving
- Black hair Treatment
- Twisting, clamping, cutting, stripping, crimping

Item #	Spec	Pack Qty
EDL102008	8"(200mm)	1/6/60

Mini Combination Pliers



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103201	5"/115mm	1/10/240

Mini Needle Nose Pliers



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103202	5"/150mm	1/10/240

3 Pcs Mini Pliers Set



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103201-3	5"(115mm) Combination pliers 5"(110mm) Diagonal cutting pliers 5"(125mm) Long nose pliers	1/6/24

Mini Long Nose Pliers



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting

Item #	Spec	Pack Qty
EDL20026	5"(125mm)	1/10/240

Mini End Cutting Pliers



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103203	4"/100mm	1/10/240

Mini Bent Nose Pliers



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103204	5"/125mm	1/10/240

Mini Diagonal Pliers



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting

Item #	Spec	Pack Qty
EDL20025	5"(110mm)	1/10/240

Mini Combination Pliers



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103045	4.5"(109mm)	1/10/240

Mini Long Nose Pliers



- Head material: Carbon Steel
- Two color handle,comfortable for holding
- Edge high frequency quenching,more sharper than normal

Item #	Spec	Pack Qty
EDL103205	5"(125mm)	1/10/240

Mini Diagonal Pliers



- Head material: Carbon Steel
- Two color handle,comfortable for holding
- Edge high frequency quenching,more sharper than normal

Item #	Spec	Pack Qty
EDL103206	4.5"(109mm)	1/10/240

Mini Needle Nose Pliers



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103006	6"	1/10/240

3 Pcs Mini Pliers Set



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103205-3	4.5"Diagonal Plier 4.5"Combination Plier 5"Long Nose Plier	1/6/48

6 Pcs Mini Pliers Set

Rebound
High Carbon Steel



- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103205-6	4"End Cutting Plier 6"Needle Nose Plier 4.5"Diagonal Plier 4.5"Combination Plier 5"Long Nose Plier 5"Flat Nose Plier	1/6/36

Internal Straight Circlip Plier

Cr-V



- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL0341	Size: 7"	1/6/96

Internal Straight Circlip Plier



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL104007	Size: 7"	1/6/60

External Straight Circlip Plier



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL104107	Size: 7"	1/6/60

External Straight Circlip Plier

Cr-V



- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL0342	Size: 7"	1/6/96

Internal Bent Circlip Plier

Cr-V



- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL0343	Size: 7"	1/6/96

Internal Bent Circlip Plier



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL104207	Size: 7"	1/6/60

External Bent Circlip Plier



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL104307	Size: 7"	1/1/60

External Bent Circlip Plier

Cr-V



- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL0344	Size: 7"	1/6/96

4 Pcs Circlip Pliers Set

Cr-V



- Portabale fabric pouch set
- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL104407	Size: 7"	1/4/16

4 Pcs Circlip Pliers Set



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL20521-4	Size: 7"	1/6/24

5in1 Circlip Pliers



- Forged with high quality carbon steel
- 4 replaceable heads of pliers for convenient operation

Item #	Spec	Pack Qty
EDL104506	Size: 6"	1/6/60

Curved Jaw Locking Pliers





- Maximum opening: 40mm
- Adjustable sScrew: variable opening
- Teeth jaws for firm clamping
-Quick release handle

Item #	Spec	Pack Qty
EDL2001-7	Size: 7"	1/10/60
EDL2001	Size: 10"	1/6/48

Sheet Metal Locking Plier



- High carbon steel
- Strong clamping force

Item #	Spec	Pack Qty
EDL20016	Size: 10"	1/2/24

C-Clamp Locking Pliers 11"



- Maximum opening: 78mm
- Adjustable sScrew: variable opening
- Teeth jaws for firm clamping
-Quick release handle

Item #	Spec	Pack Qty
EDL20011	Size: 11"	1/10/40

Straight Jaw Locking Plier



- High carbon steel
- Maximum opening 65mm

Item #	Spec	Pack Qty
EDL109010	Size: 10"	1/10/60

Long Nose Locking Pliers



- Maximum opening: 70mm
- Adjustable sScrew: variable opening
- Teeth jaws for firm clamping
- Quick release handle

Item #	Spec	Pack Qty
EDL20015B	Size: 9"	1/10/60

Curved Jaw Locking Plier

Cr-V



- Cr-V
- Maximum opening 50mm

Item #	Spec	Pack Qty
EDL109107Z	Size: 7"	1/10/60
EDL0381	Size: 10"	1/10/60

Straight Jaw Locking Plier

Cr-V



- Cr-V
- Maximum opening 65mm

Item #	Spec	Pack Qty
EDL109010Z	Size: 10"	1/6/36

Chain Clamp Locking Plier



- High carbon steel
- Strong clamping force

Item #	Spec	Pack Qty
EDL20018	Size: 10"	1/5/30

Welding Locking Plier



- High carbon steel
- Strong clamping force

Item #	Spec	Pack Qty
EDL20017	Size: 10"	1/2/24



Long Nose Locking Plier

Cr-V



- Cr-V
- Maximum opening 100mm
- Small space operation

Item #	Spec	Pack Qty
EDL109209Z	Size: 9"	1/10/40

Blackened Curved Jaw Locking Pliers

High Carbon Steel



- Tight jaws, no slippage due to bite force
- One-handed operation, quick clip and quick release
- Suitable for clamping tubular workpieces

Item #	Spec	Pack Qty
DL109110H	Size: 10" Length:200mm	1/10/60

Blackened Straight Jaw Locking Plier

High Carbon Steel



- Tight jaws, no slippage due to bite force
- One-handed operation, quick clip and quick release
- Suitable for clamping tubular workpieces

Item #	Spec	Pack Qty
DL109010H	Size: 10" Length:200mm	1/10/60



Leather Hole Punch

HOT



- Turntable type punch, switch at will
- CRV, heat treatment, strong and durable shear sharp
- Self-locking structure, safe and reliable

Item #	Spec	Pack Qty
EDL1919C	Size: 9" Length:230mm	1/10/50

Leather Hole Punch

HOT



- The head adopts Cr-V steel and overall heat treatment
- Rotating punching head with 6 adjustable round holes for quick punching

Item #	Spec	Pack Qty
EDL1919	Size: 9" Length:230mm	1/6/48

Leather Hole Punch

HOT



- Double lever design, efficient and labor-saving
- 6 kinds of punches
- Range of application: leather, cloth, paper card

Item #	Spec	Pack Qty
EDL1919A	Size: 9" Length:230mm	1/10/50

Pipe Wrench

High Carbon Steel



-Maximum opening: 40mm
-Heat-treated jaws, high carbon steel

Item #	Spec	Pack Qty
EDL2508C	Size: 8" Length:200mm	1/1/72

Pipe Wrench

High Carbon Steel



-Knurled nuts for smooth, easy adjustment
-Heat-treatment
-Ergonomic,anti-slip handle
-Stable clamping with toothed jaws
-Adjustable pitch

Item #	Spec	Pack Qty
EDL2508	Size: 8"	1/1/72
EDL2510	Size: 10"	1/1/48
EDL2512	Size: 12"	1/1/36
EDL2514	Size: 14"	1/1/24
EDL2518	Size: 18"	1/1/12
EDL2524	Size: 24"	1/1/6
EDL2536	Size: 36"	1/1/4
EDL2548	Size: 48"	1/1/2



Aluminum Alloy Pipe Wrench

Cr-Mo



-Maximum opening: 48cm
-Chrome-molybdenum steel plier head
-25% lighter than standard pipe pliers

Item #	Spec	Pack Qty
EDL105014	Size:14"	1/1/12
EDL105018	Size:18"	1/1/12
EDL105024	Size:24"	1/1/6

Water Pump Pliers

High Carbon Steel



- Applicable range: 6-35mm
- Five-position adjustment
- Coarse teeth clamping: stable and non-slip

Item #	Spec	Pack Qty
EDL2608	Size: 8" Length:200mm	1/6/60
EDL2610	Size: 10" Length:250mm	1/10/60
EDL2612	Size: 12" Length:300mm	1/6/36
EDL2616	Size: 16" Length:400mm	1/6/12

Water Pump Pliers

High Carbon Steel



- Applicable range: 8-55mm
- Flexible clamping
- Coarse teeth clamping
- Two-color rubberized handle, comfortable grip

Item #	Spec	Pack Qty
EDL2610E	Size: 10" Length:250mm	1/6/48

Swedish Pipe Wrench

High Carbon Steel



-High Carbon steel
-Max clamping diameter: 40mm
-Light use and powerful clamping

Item #	Spec	Pack Qty
EDL105140	Jaws:90° Size:1"	1/1/24
EDL105155	Jaws:90° Size:1.5"	1/1/16
EDL105167	Jaws:90° Size:2"	1/1/10
EDL105240	Jaws:45° Size:1"	1/1/24
EDL105255	Jaws:45° Size:1.5"	1/1/16
EDL105267	Jaws:45° Size:2"	1/1/10

Slip Joint Pliers

High Carbon Steel



- Use range: 4-25mm
- Double-position adjustment for flexible clamping
- Support cutting and clamping functions
- Coarse teeth clamping: stable and antislip

Item #	Spec	Pack Qty
EDL25506	6"	1/10/100
EDL25508	8"	1/10/80
EDL25510	10"	1/6/60

Rabbet Pliers



- High carton steel.
- High-Frequency heat-treatment.
- Precision cutting edge.
- Blacking treatment.

Item #	Spec	Pack Qty
EDL111008	Size:8"	1/6/60
EDL111009	Size:9"	1/6/60
EDL111010	Size:10"	1/6/48
EDL20308	Size:8"	1/6/60

Fence Plier



- Multifunctional:hammer stakes,twist wire,split wood, and more for all your gardening needs.
-High-carbon steel: One-piece forged for maximum durability.
- Non-slip striking surface: Ensures safe and easy use.

Item #	Spec	Pack Qty
EDL100310	Size:10"	1/6/24



Keel Pliers

Cr-V



- Cr-V punch head
- For the use in fixing aluminum alloy and steel frame quickly and efficiently

Item #	Spec	Pack Qty
DL2012	Size:12"	1/6/24

FASTENING TOOLS



Screwdriver
Precision Screwdriver
Hex Keys
Staple Gun
Hand Riveter

Slotted Screwdriver



- Cr-V Shaft
- Classic handle

Item #	Spec	Pack Qty
EDL623075IT	3×75mm	1/12/480
EDL625075IT	5×75mm	1/12/240
EDL625100IT	5×100mm	1/12/240
EDL626038IT	6×38mm	1/12/240
EDL626100IT	6×100mm	1/12/120
EDL626150IT	6×150mm	1/12/120
EDL628200IT	8×200mm	1/12/120

Phillips Screwdriver



- Cr-V Shaft
- Classic handle

Item #	Spec	Pack Qty
EDL623075T	PH0×75mm	1/12/480
EDL625075T	PH1×75mm	1/12/240
EDL625100T	PH1×100mm	1/12/240
EDL626038T	PH2×38mm	1/12/240
EDL626100T	PH2×100mm	1/12/120
EDL626150T	PH2×150mm	1/12/120
EDL628200T	PH3×200mm	1/12/120

Slotted Screwdriver



- PP coated handle, long lasting and durable
- Anti-slip handle for comfortable use

Item #	Spec	Pack Qty
EDL6230751	SL3x75mm	1/12/480
EDL6231001	SL3x100mm	1/12/480
EDL6231501	SL3x150mm	1/12/480
EDL6250751	SL5x75mm	1/12/240
EDL6251001	SL5x100mm	1/12/240
EDL6251251	SL5x125mm	1/12/240
EDL6251501	SL5x150mm	1/12/240
EDL6252001	SL5x200mm	1/12/240
EDL6260381	SL6x38mm	1/12/240
EDL6261001	SL6x100mm	1/12/120
EDL6261251	SL6x125mm	1/12/120
EDL6261501	SL6x150mm	1/12/120
EDL6262001	SL6x200mm	1/12/120
EDL6262501	SL6x250mm	1/12/120
EDL6263001	SL6x300mm	1/12/120
EDL6282001	SL8x200mm	1/12/120
EDL6282501	SL8x250mm	1/12/120
EDL6283001	SL8x300mm	1/12/120

Phillips Screwdriver



- PP coated handle, long lasting and durable
- Anti-slip handle for comfortable use

Item #	Spec	Pack Qty
EDL623075	PH0x75mm	1/12/480
EDL623100	PH0x100mm	1/12/480
EDL623150	PH0x150mm	1/12/480
EDL625075	PH1x75mm	1/12/240
EDL625100	PH1x100mm	1/12/240
EDL625125	PH1x125mm	1/12/240
EDL625150	PH1x150mm	1/12/240
EDL625200	PH1x200mm	1/12/240
EDL626038	PH2x38mm	1/12/240
EDL626100	PH2x100mm	1/12/120
EDL626125	PH2x125mm	1/12/120
EDL626150	PH2x150mm	1/12/120
EDL626200	PH2x200mm	1/12/120
EDL626250	PH2x250mm	1/12/120
EDL626300	PH2x300mm	1/12/120
EDL628200	PH3x200mm	1/12/120
EDL628250	PH3x250mm	1/12/120
EDL628300	PH3x300mm	1/12/120

2 In 1 Screwdriver



- Rubber-plastic bi-material handle
- Hexagonal shank with pass thru design
- Interchangeable shank with strong magnet
- Anti-drop design to prevent removal of shank

Item #	Spec	Pack Qty
EDL626001	6/PH2x100mm	1/12/120
EDL626150S	6/PH2x150mm	1/12/120

2 In 1 Ratchet Screwdriver



- Three-way adjustable high-torque ratchet
- Interchangeable bit with adjustable length
- PP&TPR bi-material handle
- Quenched Cr-V shank

Item #	Spec	Pack Qty
EDL626010	6/PH2x85mm	1/12/240
EDL626011	6/PH2x180mm	1/12/144

13 In 1 Ratchet Screwdriver



- Replaceable head design
- Material of batch head: CR-V
- TPR soft glue
- Strong magnetic bit head, easy to use

Item #	Spec	Pack Qty
EDL260206	6.35*65mm: PH1/SL5 8.00*75mm: PH2/SL6 Two-way Sleeve: 6.35mm, 8mm	1/12/144

21 Pcs Multi-Purpose Screwdriver Set



1.8 in 1 function to meet the daily needs
- Cr-V bits with magnetic, easy to use
- Rubber-plastic bi-material handle
- Exquisite transparent plastic box

Item #	Spec	Pack Qty
EDL636009	9 pcs	1/-/30

13 In 1 Ratchet Screwdriver



-Cr-V bits with heat-treatment
-Bits are magnetically charged
-Precision-machined tip
-High-torque ratchet

Item #	Spec	Pack Qty
EDL260113	1 Ratcheting Screwdriver+12 bits	1/12/48

2 Pcs Massage Screwdriver Set



- Tool holder material Cr-V
- Rubber-plastic dual-material handle
- Surface bump design, anti-skid, anti-scratch

Item #	Spec	Pack Qty
EDL260002B	1 pcs SL5×100mm 1 pcs PH1×100mm	1/12/96

	Deli Classic	Deli Classic Pass-thru	Deli 62	Deli 63N	Deli Morehelp®
Range	⊖x7 ⊕x7	⊖x7 ⊕x7	⊖x18 ⊕x18	⊖x16 ⊕x16 ○x5 ○x3	⊖x13 ⊕x13
Shaft	Cr-V	Cr-V	Cr-V	Cr-V	S2
Handle	PVC	PP	PP	PP+TPR	PP+TPR
Color	Yellow	Black	Yellow	Yellow + Black	Red + Black+ White
Position	Classic Choice	Classic Choice	Economic Choice	Cost-Effective	Premium



2 Pcs Screwdriver Set



- Cr-V shaft
- Comfortable ABS grip

Item #	Spec	Pack Qty
EDL620002	SL6 x 125mm PH2 x 125mm 2pcs/set Material: Cr-V Packed by plastic hanger	1/20/80
EDL620004	5 x 100mm 6 x 150mm PH2 x 150mm PH1 x 100mm 4pcs/set Material: Cr-V Packed by plastic hanger	1/12/48
EDL620006	5 x 75mm 5 x 100mm 6 x 150mm PH2 x 150mm PH1 x 100mm PH1 x 75mm 6pcs/set Material: Cr-V Packed by plastic hanger	1/6/36

Slotted Screwdriver



- Rubber-plastic bi-material handle
- SUP11 steel shaft
- Magnetic tip holds screws securely
- Improved contact reduces slippage

Item #	Spec	Pack Qty
EDL6330751	3x75mm	1/12/480
EDL6331001	3x100mm	1/12/480
EDL6331501	3x150mm	1/12/480
EDL6350751	5x75mm	1/12/240
EDL6351001	5x100mm	1/12/240
EDL6351251	5x125mm	1/12/240
EDL6351501	5x150mm	1/12/240
EDL6360381	6x38mm	1/12/240
EDL6361001	6x100mm	1/12/120
EDL6361251	6x125mm	1/12/120
EDL6361501	6x150mm	1/12/120
EDL6362001	6x200mm	1/12/120
EDL6382001	8x200mm	1/12/120
EDL6382501	8x250mm	1/12/120
EDL6383001	8x300mm	1/12/120



Phillips Screwdriver



- Rubber-plastic bi-material handle
- SUP11 steel shaft
- Magnetic tip holds screws securely
- Improved contact reduces slippage

Item #	Spec	Pack Qty
EDL633075	PH0x75mm	1/12/480
EDL633100	PH0x100mm	1/12/480
EDL633150	PH0x150mm	1/12/480
EDL635075	PH1x75mm	1/12/240
EDL635100	PH1x100mm	1/12/240
EDL635125	PH1x125mm	1/12/240
EDL635150	PH1x150mm	1/12/240
EDL636038	PH2x38mm	1/12/240
EDL636100	PH2x100mm	1/12/120
EDL636125	PH2x125mm	1/12/120
EDL636150	PH2x150mm	1/12/120
EDL636200	PH2x200mm	1/12/120
EDL638200	PH3x200mm	1/12/120
EDL638250	PH3x250mm	1/12/120
EDL638300	PH3x300mm	1/12/120

Slotted Screwdriver



-30% thicker TPR grip for comfort
-Magnetic tip holds screws securely
-Improved handle contact reduces slippage
-Durable Cr-V shaft resists bending

Item #	Spec	Pack Qty
EDL6330751N	3x75mm	1/12/480
EDL6331001N	3x100mm	1/12/480
EDL6331501N	3 X150mm	1/12/480
EDL6350751N	5x 75mm	1/12/240
EDL6351001N	5x 100mm	1/12/240
EDL6351251N	5x 125mm	1/12/240
EDL6351501N	5 x 150mm	1/12/240
EDL6360381N	6 x 38mm	1/12/240
EDL6361001N	6x 100mm	1/12/120
EDL6361251N	6x125mm	1/12/120
EDL6361501N	6 X 150mm	1/12/120
EDL6362001N	6 x 200mm	1/12/120
EDL6381501N	8 X 150mm	1/12/120
EDL6382001N	8 X 200mm	1/12/120
EDL6382501N	8 x 250mm	1/12/120
EDL6383001N	8 x 300mm	1/12/120



Phillips Screwdriver



-30% thicker TPR grip for comfort
-Magnetic tip holds screws securely
-Improved handle contact reduces slippage
-Durable Cr-V shaft resists bending

Item #	Spec	Pack Qty
EDL633075N	PH0x 75mm	1/12/480
EDL633100N	PH0 x 100mm	1/12/480
EDL633150N	PH0 x 150mm	1/12/480
EDL635075N	PH1x 75mm	1/12/240
EDL635100N	PH1x 100mm	1/12/240
EDL635125N	PH1 x 125mm	1/12/240
EDL635150N	PH1 x 150mm	1/12/240
EDL636038N	PH2 x 38mm	1/12/240
EDL636100N	PH2 x 100mm	1/12/120
EDL636125N	PH2 X 125mm	1/12/120
EDL636150N	PH2 X 150mm	1/12/120
EDL636200N	PH2 X 200mm	1/12/120
EDL638150N	PH3 X 150mm	1/12/120
EDL638200N	PH3 X 200mm	1/12/120
EDL638250N	PH3 X 250mm	1/12/120
EDL638300N	PH3 x 300mm	1/12/120

Dual head Screwdriver



-30% thicker TPR grip for comfort
-Magnetic tip holds screws securely
-Improved handle contact reduces slippage
-Durable Cr-V shaft resists bending

Item #	Spec	Pack Qty
EDL632101	SL6/PH2×75mm	1/12/240
EDL632102	SL6/PH2×135mm	1/12/120
EDL632103	SL6/PH2×160mm	1/12/120

Torx Screwdriver



-30% thicker TPR grip for comfort
-Magnetic tip holds screws securely
-Improved handle contact reduces slippage
-Durable Cr-V shaft resists bending

Item #	Spec	Pack Qty
EDL6310010T	T10×100mm	1/12/240
EDL6310015T	T15×100mm	1/12/240
EDL6310020T	T20×100mm	1/12/240
EDL6310025T	T25×100mm	1/12/120
EDL6310030T	T30×100mm	1/12/120

Pozidriv Screwdriver



-30% thicker TPR grip for comfort
-Magnetic tip holds screws securely
-Improved handle contact reduces slippage
-Durable Cr-V shaft resists bending

Item #	Spec	Pack Qty
EDL631001P	PZ1×75mm	1/12/240
EDL631002P	PZ2×100mm	1/12/120
EDL631003P	PZ3×150mm	1/12/120

Screwdriver Set



-30% thicker TPR grip for comfort
-Magnetic tip holds screws securely
-Improved handle contact reduces slippage
-Durable Cr-V shaft resists bending

Item #	Spec	Pack Qty
EDL630002N	6 x 125mm, PH2 x 125mm	1/12/96
EDL630004N	5 x 100mm, 6 x 150mm, PH2 x 150mm, PH1 x 100mm	1/12/48
EDL630006N	5 x 75mm, 5 x 100mm, 6 x 150mm, PH2 x 150mm, PH1 x 100mm, PH1 x 75mm	1/12/48

Slotted Screwdriver With Pass-Thru Shank



- Hexagonal shank with pass thru design
- Quenched Cr-V shank for high hardness
- Matte treated
- Rubber-plastic bi-material handle

Item #	Spec	Pack Qty
EDL6270041	6×100mm	1/12/120
EDL6270061	6×150mm	1/12/120
EDL6270081	8×200mm	1/12/120
EDL6270101	8×250mm	1/12/120
EDL6270121	9.5×300mm	1/12/72

Philipps Screwdriver With Pass-Thru Shank



- Hexagonal shank with pass thru design
- Quenched Cr-V shank for high hardness
- Matte treated
- Rubber-plastic bi-material handle

Item #	Spec	Pack Qty
EDL627004	PH2x100mm	1/12/120
EDL627006	PH2x150mm	1/12/120
EDL627008	PH3x200mm	1/12/120
EDL627010	PH3x250mm	1/12/120
EDL627012	PH4x300mm	1/12/72

6 Pcs Clock Precision Screwdriver



- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL3206	PH00 PH0 PH1 SL 1.4mm 2.0mm 2.4mm	1/12/96

7 Pcs Clock Precision Screwdriver



- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL241007	SL2, SL2.5, SL3, PH00, PH0, T6	1/6/48



33 Pcs Electronic Precision Screwdriver Set



- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL1033D	SL1.5,SL2,SL2.5,SL3,SL3.5 PH(1.5,2,2.5,3,3.5) T3,T4,T5,T6,T7,T8,T9,T10,T15,T20 H1.3,H1.5,H2,H2.5,H3,H4 P0.8 1pcs Anti-slip Screwdriver Handle 1pcs Extension Rod H4x60mm 1pcs Tweezers 115mm Y shape2.0mm Triangle 2.0mm 1pcs U shape 2.6mm	1/25/100

65 Pcs Precision Screwdriver Set



- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL3565	65 pcs 3pcs Phillips: 1,2,3 5pcs Torx: T4,T5,T6,T7,T8 3pcs Hex Key: 0.9,1.3,1.5 1pcs Y shape: Y2 1pcs Triangle: 2.3 1pcs U type: 2.6 2pcs Star: 0.8,1.2 1pcs 4.0 Extension rod 1pcs 4.0 Handle 6.3Series 4pcs Slotted: 4,5,6,7 4pcs Phillips: 4,5,6,6.5 6pcs Hex Key: 2.2,5,3,4,5,6 11pcs Torx: T4,T5,T6,T7,T8,T9,T10,T15,T20,T25,T30 3pcs Pozidriv: PZ1,PZ2,PZ3 1pcs Y shape: Y3 2pcs U shape: 6.8 1pcs Jointer6.3 9pcs 6.3mm Sockets: M4,M5,M6,M7,M8,M9,M10,M11,M12 1pcs 6.3mm Extension Rod 1pcs 6.3mm Ratchet Wrench	1/6/24

13Pcs Impact Driver Set



- Material:Cr-V
- Heat treatment and Nickel plated
- With 1 pcs powerful impact driver

Item #	Spec	Pack Qty
EDL8901	13 pcs	1/1/20

2 Pcs Screwdriver Bits Set

S2



- S2 industrial steel
- Chrome plating surface with magnet
- Head geometry design for higher precision

Item #	Spec	Pack Qty
EDL251001	PH1*25mm	1/100/800
EDL251002	PH2*25mm	1/100/800
EDL251003	PH3*25mm	1/100/800
EDL501002	PH0*50mm	1/100/800
EDL652001	PH2*65mm	1/100/800

2 Pcs Screwdriver Bits Set

S2



- S2 industrial steel
- Chrome plating surface with magnet
- Head geometry design for higher precision

Item #	Spec	Pack Qty
EDL251004	SL5*25mm	1/100/800
EDL251005	SL6*25mm	1/100/800
EDL501005	SL6*50mm	1/100/800

2 Pcs Screwdriver Bits Set

S2



- S2 industrial steel
- Chrome plating surface with magnet
- Head geometry design for higher precision

Item #	Spec	Pack Qty
EDL251007	PZ1*25mm	1/100/800
EDL251008	PZ2*25mm	1/100/800
EDL251009	PZ3*25mm	1/100/800

2 Pcs Dual use Screwdriver Bits Set

S2



- S2 industrial steel
- Chrome plating surface with magnet
- Head geometry design for higher precision

Item #	Spec	Pack Qty
EDL653001	6/PH2*65mm	1/100/800

10 pcs Screwdriver Bit

S2



-Material: S2
-High torque, 20% higher than regular models
-Magnetic type
-Sand blasting for rust prevention

Item #	Spec	Pack Qty
EDL6902	PH2x65mm	1/12/120
EDL6903	PH2x110mm	1/12/120

10 pcs Dual use Screwdriver Bit

S2



-Material: S2
-High torque, 20% higher than regular models
-Magnetic type
-Sand blasting for rust prevention

Item #	Spec	Pack Qty
EDL6904	6/PH2*65mm	1/10/120

2 Pcs Impact Screwdriver Bits Set

NEW

S2



-Heat-treatment S2 bits
-Slim waist design,Impact resistance
-Long-lasting magnetic tip

Item #	Spec	Pack Qty
EDL251002Z	PH2*25mm	1/100/800
EDL251003Z	PH3*25mm	1/100/800
EDL501002Z	PH2*50mm	1/100/800
EDL501003Z	PH3*50mm	1/100/800

2 Pcs Impact Screwdriver Bits Set

NEW

S2



-Heat-treatment S2 bits
-Slim waist design,Impact resistance
-Long-lasting magnetic tip

Item #	Spec	Pack Qty
EDL251005Z	SL6*25mm	1/100/800
EDL501005Z	SL6*50mm	1/100/800

2 Pcs Dual Head Impact Screwdriver Bits Set

NEW

S2



-Heat-treatment S2 bits
-Slim waist design,Impact resistance
-Long-lasting magnetic tip

Item #	Spec	Pack Qty
EDL652001Z	PH2*65mm Dual Head	1/100/800
EDL653001Z	SL6/PH2*65mm Dual Head	1/100/800

10 Pcs Impact Screwdriver Bit Set

NEW

S2



-Heat-treatment S2 bits
-Slim waist design,Impact resistance
-Long-lasting magnetic tip

Item #	Spec	Pack Qty
EDL251050	PH2*50mm	1/10/200
EDL252202	PH2x65mm	1/12/144
EDL253202	PH2x100mm	1/12/72
EDL251100	PH2*100mm	1/10/100
EDL251150	PH2*150mm	1/10/50
EDL251200	PH2*200mm	1/10/50

10 Pcs Dualhead Impact Screwdriver Bit Set

NEW

S2



-Heat-treatment S2 bits
-Slim waist design,Impact resistance
-Long-lasting magnetic tip

Item #	Spec	Pack Qty
EDL252202D	SL6/PH2*65mm Dual Head	1/10/120

Bits with Magnetic rings

NEW

S2

Magnetic



-With magnetic rings, effectively hold screws
-Heat-treatment S2 bits
-Slim waist design,Impact resistance
-Long-lasting magnetic tip

Item #	Spec	Pack Qty
EDL255065	PH2*65mm	1/10/120
EDL255100	PH2*100mm	1/10/100

Impact Socket Adapter

NEW

Cr-V



-Allowing quick changes to 1/4" chuck systems
-Easily transforming drill into a power nut driver.

Item #	Spec	Pack Qty
EDL110002	1/4" 3/8" 1/2" 3pcs	1/20/160

15Pcs Screwdriver Bits Set

S2



- S2 industrial steel
- Chrome plating surface with magnet
- Head geometry design for higher precision
- With one high torque holder

Item #	Spec	Pack Qty
EDL251201	15Pcs	1/10/120

Screwdriver Bits Holder



- EDL107401 with quick release function
- One piece construction for large torque

Item #	Spec	Pack Qty
EDL107401	60mm	1/20/160
EDL106002	60mm	1/20/160

Flat End Hex Key Set



- Material: CRV;
- Process: Nickel plating on the surface;
- Size: 1.5/2/2.5/3/3.5/4/5/5.5/6

Item #	Spec	Pack Qty
EDL230008	8 Pcs	1/20/120
EDL230009	9 Pcs	1/10/60

9Pcs Hex Key Set With Black Finish



- Cr-V Materail for better performance
- Plastic frame for better appearance and easy carry
- Laser scale for clear identity and abrasion resistance
- Specifications: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Item #	Spec	Pack Qty
EDL231209H	Long Flat End	1/6/60
EDL232209H	Long Ball End	1/6/60
EDL234209H	Long Torx End	1/6/60
EDL231309H	Extra Long Flat End	1/6/48
EDL232309H	Extra Long Ball End	1/6/48

9Pcs Hex Key Set With Chrome Finish

HOT



- High quality Cr-V steel for excellent performance
- Plastic frame for better appearance and easy carry
- Laser marking, clear and wear-resistant; chrome-plated surface, beautiful and rustproof
- Specifications: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Item #	Spec	Pack Qty
EDL3590	Long Flat End	1/6/60
EDL3088	Long Ball End	1/6/60
EDL3091	Long Torx End	1/6/60
EDL3089	Extra Long Flat End	1/6/48
EDL3090	Extra Long Ball End	1/6/48

9Pcs S2 Hex Key Set

S2



- Material: S2
- Torque increased by 20%
- Specifications: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Item #	Spec	Pack Qty
EDL230708G	Long Flat End	1/6/60
EDL230709G	Long Ball End	1/6/60
EDL230707G	Long Torx End	1/6/60
EDL230808G	Extra Long Flat End	1/6/48
EDL230809G	Extra Long Ball End	1/6/48

Image	Ref.No	Material	Length			Range
			Standard	Long	Extra Long	
	EDL230008	Cr-V	Flat end			1.5-6mm
	EDL230009	Cr-V	Flat end			1.5-10mm
	EDL231209H	Cr-V		Flat end		1.5-10mm
	EDL232209H	Cr-V		Ball end		1.5-10mm
	EDL234209H	Cr-V		Torx end		T10-T50
	EDL234209H	Cr-V			Flat end	1.5-10mm
	EDL232309H	Cr-V			Ball end	1.5-10mm
	EDL3590	Cr-V		Flat end		1.5-10mm
	EDL3088	Cr-V		Ball end		1.5-10mm
	EDL3091	Cr-V		Torx end		T10-T50
	EDL3089	Cr-V			Flat end	1.5-10mm
	EDL3089	Cr-V			Ball end	1.5-10mm
	EDL230708G	Cr-V		Flat end		1.5-10mm
	EDL230709G	Cr-V		Ball end		1.5-10mm
	EDL230707G	Cr-V		Torx end		T10-T50
	EDL230808G	Cr-V			Flat end	1.5-10mm
	EDL230809G	Cr-V			Ball end	1.5-10mm



8 Pcs Flat End Hex Key Set



- CR-V material, superior performance, complete specifications and configurations and universal applications
- Nickel-plated surface for good appearance and rust resistance

Item #	Spec	Pack Qty
EDL3080	Range: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm	1/20/120
EDL3100	Range: 1.5, 2, 2.5, 3,3.5,4, 5, 6, 8, 10mm	1/10/60

8Pcs Foldable Flat End Hex Key Set

Cr-V



- Cr-V Materail for better performance
- Folding desing for easy carry

Item #	Spec	Pack Qty
EDL230308	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8mm	1/20/120
EDL234308	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8mm	1/20/120

8 Pcs T-Type Flat End Hex Key

Cr-V



- Cr-V Materail for better performance
- Coated handle for comfortable grip

Item #	Spec	Pack Qty
EDL233108	2x75mm,2.5x75mm,3x100mm,4x100mm,5x150mm,6x150mm,8x200mm,10x200mm	1/6/24
EDL233208	2x75mm,2.5x75mm,3x100mm,4x100mm,5x150mm,6x150mm,8x200mm,10x200mm	1/6/24



Plastic Staple Gun



- Suitable for 0.7mm door-shaped nails

Item #	Spec	Pack Qty
EDL238002	4-10mm	1/10/40

Staple Gun



- Full steel structure for long lasting
- Compact size for easy carry and emergent use
- Suitable for 4-8mm D nail

Item #	Spec	Pack Qty
EDL238001	4-8mm	1/10/40

Staple Gun



- Full steel structure for long lasting
- Compact size for easy carry and emergent use
- Suitable for 4-14mm D nail

Item #	Spec	Pack Qty
EDL238003	4-14mm	1/10/40

3 In 1 Staple Gun

HOT



- Full steel structure for long lasting
- Adjustable hitting force
- Suitable for D/U/T nails

Item #	Spec	Pack Qty
EDL1313	4-14mm	1/10/40
EDL238104	1 pcs EDL1313, 2000pcs D,U,T type staples	1/-/18
EDL238105	1 pcs EDL1313, 2000 pcs D,U,T type staples 1 pcs staple lifter	1/-/12

1000pcs Staple(D-Type)



- Carbon material
- Hanging color box packaging
- 8*11.2*0.7mm*1000pcs

Item #	Spec	Pack Qty
EDL238014-1	Crown: 11.2mm length: 8mm Width: 0.7mm	1/25/100

2000pcs Staple(D-Type)



- Carbon material
- 8*11.2*1.2mm*2000pcs

Item #	Spec	Pack Qty
EDL238011	Crown: 11.2mm length:8mm Width: 1.2mm	1/24/96



1000pcs Staple(D-Type)



- Carbon material
- Hanging color box packaging
- 10*11.2*1.2mm*1000pcs

Item #	Spec	Pack Qty
EDL238015-1	Crown: 11.3mm length:10mm width:1.2mm	1/25/100

1000pcs Staple(D-Type)



- Carbon material
- Hanging color box packaging
- 12*11.2*1.2mm*1000pcs

Item #	Spec	Pack Qty
EDL238016-1	Crown: 11.3mm length:12mm width:1.2mm	1/25/100

2000pcs T Nail



- Carbon material
- 10*2*1.2mm*2000pcs

Item #	Spec	Pack Qty
EDL238010	Crown: 2mm length:10mm width:1.2mm	1/24/96

2000pcs U Nail



- Carbon material
-12*6.3*1.2mm*2000pcs

Item #	Spec	Pack Qty
EDL238012	Crown: 6.3mm length:12mm width:1.2mm	1/24/96
EDL2310	Size:10"	1/-/40

Hand Riveter



- 20Cr alloy steel for better riveting performance
- Replaceable nose for convenient operation
- Coated handle for comfortable grip, labor-saving and convenient

Item #	Spec	Pack Qty
EDL236910	Size:10.5"	1/10/40

Hand Riveter



- 20Cr alloy steel for better riveting performance
- Replaceable nose for convenient operation
- Coated handle for comfortable grip

Item #	Spec	Pack Qty
EDL236910T	Size:10.5"	1/6/24

Hand Riveter



- Cr-Mo alloy steel
- Aluminum alloy shell
- Replaceable nose
- Coated handle for comfortable grip

Item #	Spec	Pack Qty
EDL236911	Size:10.5"	1/6/24

360°Swivel Head-Hand Riveter



- EDL23691IW 360 degrees of rotation in the head
- Applicable rivet
EDL23691IW:2.4mm,3.2mm,4.0mm,4.8mm

Item #	Spec	Pack Qty
EDL23691IW	Size:10.5"	1/6/24

Folding Hand Riveter



EDL236932: 3.2mm,4.0mm,4.8mm,6.0mm,6.4mm

Item #	Spec	Pack Qty
EDL236932	815mm,32"	1/1/8

Hand Riveter



- Cr-Mo alloy steel
- Replacable guide nozzle
- Ergonomic handle

Item #	Spec	Pack Qty
EDL2320	Size:17"	1/1/24

Hand Riveter



- Cr-Mo alloy steel
- Replacable guide nozzle
- Ergonomic handle

Item #	Spec	Pack Qty
EDL236913	Size:13"	1/1/12

5-In-1 Rivets



- Plastic box package
- Rivets diameter: -4mm,-2mm,-0mm,-8mm, -0mm, 15pcs each

Item #	Spec	Pack Qty
EDL236906	5 in 1	1/24/96

Pick and Hook Set



- S2 industrial steel
- Chrome plating surface with magnet
- Head geometry design for higher precision

Item #	Spec	Pack Qty
EDL3104	4 pcs	1/12/120

Claw Hammer

HOT



- Forged Steel hammer head
- Embedding process to avoid falling of head
- High strength Fiberglass Handle for comfortable grip

Item #	Spec	Pack Qty
EDL5001	Size:8oz(0.25kg)	1/6/36
EDL5002	Size:16oz(0.5kg)	1/6/36

Claw Hammer

HOT



- Forged Steel hammer head
- Embedding process to avoid falling of head
- High strength Fiberglass Handle for comfortable grip

Item #	Spec	Pack Qty
EDL5027Y	Size:27mm	1/6/24

Multifunctional Claw Hammer

NEW



- Drop-forged and plastic-sprayed hammerhead
- Magnetic nail Function and anti-slip Function
- Anti slip face

Item #	Spec	Pack Qty
EDL5001F	Size: 8OZ (0.25KG)	1/6/48
EDL5002F	Size: 16OZ (5KG)	1/6/24

Claw Hammer

NEW



- Material:carbon steel
- Overall forging technology
- plastic-sprayed hammerhea

Item #	Spec	Pack Qty
EDL5072	Size: 8OZ (0.25KG)	1/4/16
EDL5073	Size: 8OZ (0.25KG)	1/4/16

Roofing Hammer

NEW



- Material:carbon steel
- Unique design fiberglass handle
- Drop-forged and Heat treatment hammerhead

Item #	Spec	Pack Qty
EDL5060	600g	1/4/16



Claw Hammer



- High quality high Carbon Steel hammer head
- Green Gump wood hammer handle, comfortable grip
- Hammer head edge steel special tempering Treatment

Item #	Spec	Pack Qty
EDL5240	8OZ	1/6/48
EDL5250	Size:16oz(0.5kg) length:330mm	1/6/36
EDL5050	Size:16oz(0.5kg)	1/6/36

Mini Claw Hammer



- High Carbon Steel hammerhead
- TPR soft grip
- Heat treatment hardening

Item #	Spec	Pack Qty
EDL441008	Size:8oz(0.25kg)	1/6/48

Sledge Hammer



- High Carbon Steel hammerhead
- Fiber Handle
- Heat treatment hardening

Item #	Spec	Pack Qty
EDL447003	Size:3lb(1.5kg)	1/6/12
EDL447004	Size:4lb(2kg)	1/-/6
EDL6911	Size:6lb(3kg)	1/-/4
EDL6912	Size:8lb(4kg)	1/-/4
EDL6913	Size:10lb(5kg)	1/-/4
EDL6914	Size:12lb(6kg)	1/-/4

Ball Pein Hammer



- High quality Carbon Steel hammer head
- High strength Fiberglass Handle for comfortable grip
- Embedding process to avoid falling of head

Item #	Spec	Pack Qty
EDL443016	Size:1lb(0.5kg)	1/6/36
EDL443024	Size:1.5lb(0.75kg)	1/6/24
EDL443020	Size:2lb(1kg)	1/6/12

PROFESSIONAL POWER TOOLS
SEMI-PRO TOOLS
HOME SERIES
GARDEN TOOLS

Rubber Hammer



- Rubber hammerhead
- Unique design fiberglass handle
- Non-spark,Non-marring plastic faces,Protect workpiece surface

Item #	Spec	Pack Qty
EDL5908	Size: 8OZ (0.25KG)	1/6/36
EDL5916	Size: 16OZ (5KG)	1/6/24

Stoning Hammer



- High quality Carbon Steel hammer head with Input power coated surface
- High strength Fiberglass Handle for comfortable grip
- Embedding process to avoid falling of head

Item #	Spec	Pack Qty
EDL447010	Size:2lb(1kg)	1/4/12
EDL447030	Size:6lb(3kg)	1/-/4

Machinist Hammer



- Rubber hammerhead
- Unique design fiberglass handle
- Drop-forged and plastic-sprayed hammerhead
- Magnetic nail Function and anti-slip Function

Item #	Spec	Pack Qty
EDL442300	Size:10oz(0.3kg)	1/6/48
EDL442003	Size:8oz(0.25kg)	1/6/36
EDL442005	Size:16oz(0.5kg)	1/6/36
EDL442010	Size:32oz(1kg)	1/4/16

Stoning Hammer



- Rubber hammerhead
- Unique design fiberglass handle
- Drop-forged and plastic-sprayed hammerhead
- Magnetic nail Function and anti-slip Function

Item #	Spec	Pack Qty
EDL448010	1000g	1/4/12

Rubber Hammer



- Double-sided hammer head is made of PVC, resistant to knocking, not easy to deformation
- Rubber coated steel pipe handle, comfortable grip

Item #	Spec	Pack Qty
EDL5616	Size:16oz(0.5kg)	1/6/36
EDL5612	Size:12oz(0.34kg)	1/6/36

Installation Hammer



- Rubber material hammer head, no loss of striking surface
- Hammer head contains iron sand, no rebound when striking
- Rubber coated steel pipe handle, comfortable grip

Item #	Spec	Pack Qty
EDL5340	Size:40mm	1/6/36

Fiber Handle Axe



- High-quality steel axe with high hardness, great strength and wear resistance.
- Axe handle treated with glue pouring, not easy to fall off.
- Fiberglass Handle, TPR encapsulated, non-slip, comfortable and durable.

Item #	Spec	Pack Qty
EDL5708	Size:21oz(0.6kg)	1/6/24
EDL5709	Size:28oz(0.8kg)	1/6/24

Wrecking Bar



- Sprayed surface, rust and wear resistant
- Overall quenching

Item #	Spec	Pack Qty
EDL448901	Size:24"	1/2/8
EDL448902	Size:36"	1/2/8



CUTTING TOOLS



Utility Knife
Pipe Cutter
File
Blades
Bolt Cutter
Carving Knife
Tin Snip
Hacksaw
Scissors
Cable Cutter

18mm Snap-off Knife

SK5



- Three blades included
- Automatic replacement of blades
- ABS and TPR coated shell for comfortable grip

Item #	Spec	Pack Qty
EDL009	SK5 Blade, 60°	1/12/96

18mm Snap-off Knife

SK5



- Aluminum alloy shell, lightweight and long lasting
- SK2 blade for sharp cutting

Item #	Spec	Pack Qty
EDL4255	SK5 Blade, 60°	1/12/144

9mm Snap-off Knife

SK5



- High quality SK5 blade, smooth cutting
- Electrophoretic blade body, beautiful and corrosion-resistant
- Push button self-locking, easy to use
- Tail cover foldable blade, easy to replace

Item #	Spec	Pack Qty
EDL007B	SK5 Blade, 60°	1/50/600
EDL007H	SK5 Blade, 30°	1/50/600

9mm Snap-off Knife

SK5



- High-quality ABS body
- High quality SK5 blade for sharp cutting
- Double-teeth slot for a smooth push

Item #	Spec	Pack Qty
EDL009A	SK5 Blade, 60°	1/50/600
EDL009B	SK5 Blade, 60°	1/50/300

18mm Snap-off Knife

SK2



- 0.6mm SK2 blade material
- 0.8mm thickened blade track
- TPR+ABS+Aluminum alloy body
- Rubber and double sided teeth push button

Item #	Spec	Pack Qty
EDL4256	SK2 Blade, 60°	1/12/144

25mm Snap-off Knife

SK5



- High-quality SK4 blade for sharp cutting
- Double-teeth structure of blade holder for smooth push
- Auto-lock push button for convenient use

Item #	Spec	Pack Qty
EDL025	SK5 Blade, 60°	1/10/80
EDL0035	SK4 Blade, 60°	1/12/144

18mm Snap-off Knife

SK5



- High-quality ABS body
- High quality SK5 blade for sharp cutting
- Double-teeth slot for a smooth push

Item #	Spec	Pack Qty
EDL003	SK5 Blade, 60°	1/25/300
EDL003A	SK5 Blade, 60°	1/25/300
EDL003C	SK5 Blade, 60°	1/25/300
EDL003B	24 pcs SK5 Blade, 60°	1/1/12

18mm Snap-off Knife

SK5



- High quality SK5 blade, smooth cutting
- Electrophoretic blade body, beautiful and corrosion-resistant
- Push button self-locking, easy to use
- Tail cover foldable blade, easy to replace

Item #	Spec	Pack Qty
EDL018B	SK5 Blade, 60°	1/50/300
EDL018	SK4 Blade, 60°	1/20/120
EDL018Z	SK2 Blade, 60°	1/10/120

Folding Knife

SK5



-High quality SK2blade, smooth cutting
-Zinc alloy blade body, strong and durable, comfortable grip
-Built-in 3 spare blades, easy to replace

Item #	Spec	Pack Qty
EDL006K	SK5+3CK75	1/12/144

Folding Knife

SK5



-Zinc alloy blade body, strong and durable, comfortable grip
-Built-in 5 spare blades, easy to replace

Item #	Spec	Pack Qty
EDL008Z	SK5	1/12/96

Folding Knife

SK2



- High quality SK2blade, smooth cutting
- Zinc alloy blade body, strong and durable, comfortable grip
- Built-in 5 spare blades, easy to replace

Item #	Spec	Pack Qty
EDL006Z	SK2+3CK5	1/12/96

Folding Knife

SK2



- SK2 blade material
- Stainless steel+Zinc alloy body
- Foldable design,with 6pcs SK2 blade

Item #	Spec	Pack Qty
EDL007Z	SK2+3CK5	1/12/96

Utility Knife

SK2



- Aluminum alloy shell, lightweight and long lasting
- Adjustable screws for 3 positions of blades
- SK2 blade for sharp cutting
- Three blades included

Item #	Spec	Pack Qty
EDL4260	SK2 Blade Aluminum Shell	1/12/144

Utility Knife

SK5



- High-quality aluminum alloy shell coated with TPR
- Three adjustable postions
- High-quality SK5 blade, sharp and durable
- Quick blade replacement

Item #	Spec	Pack Qty
EDL410	SK5 Blade Zinc Shell	1/12/72

10 Pcs Knife Blade Set



- Integrally heat-treated alloy steel
- 2-stage blade design for sharp cutting
- V-shaped engraved line

Item #	Spec	Pack Qty
EDL-DP092	9mm, CK75, 60°	1/10/240
EDL-DP	18mm, CK75, 60°	1/24/288
EDL-DP05	25mm, CK75, 60°	1/10/120
EDL-DP30A	T type, CK75, 60°	1/20/300

10 Pcs SK4 Knife Blade Set

SK4



-Blade life extended by 50% with a 20% sharper edge
-High-temperature heat treatment for superior hardness
-Rust-resistant coating for long-lasting performance.

Item #	Spec	Pack Qty
EDL-DP091	9mm,SK4, 60°	1/10/300
EDL-DP181	18mm, SK4, 60°	1/10/240
EDL-DP251	25mm, SK4, 60°	1/10/120
EDL-DP30	T type, SK4, 60°	1/20/300

Utility Knives

Image	Ref. No.	Type	Blade size	Blade Spec
	EDL007B	Snap-off Knife	9mm	SK5 Blade, 60°
	EDL007H	Snap-off Knife	9mm	SK5 Blade, 60°
	EDL009A	Snap-off Knife	9mm	SK5 Blade, 60°
	EDL009B	Snap-off Knife	9mm	SK5 Blade, 60°
	EDL003	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL003A	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL003C	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL003B	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL018B	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL018	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL018Z	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL009	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL4255	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL4256	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL025	Snap-off Knife	25mm	SK5 Blade, 60°
	EDL0035	Snap-off Knife	25mm	SK5 Blade, 60°
	EDL006K	Folding Knife	Utility Blade 19mm	SK5 Blade
	EDL008Z	Folding Knife	Utility Blade 19mm	SK5 Blade
	EDL006Z	Folding Knife	Utility Blade 19mm	SK5 Blade
	EDL007Z	Folding Knife	Utility Blade 19mm	SK5 Blade
	EDL4260	Utility Knife	Utility Blade 19mm	SK5 Blade
	EDL410	Utility Knife	Utility Blade 19mm	SK5 Blade

Repacement Blades

EDL-DP092	9mm	CK75, 60°
EDL-DP	18mm	CK75, 60°
EDL-D05P	25mm	CK75, 60°
EDL-DP30A	Utility Blade, 19mm	CK75, 60°
EDL-DP091	9mm	SK4, 60°
EDL-DP181	18mm	SK4, 60°
EDL-DP251	25mm	SK4, 60°
EDL-DP30	Utility Blade, 19mm	SK4, 60°
EDL-DPJ09B	18mm	Alloy Steel, 60°

10 Pcs 18mm Sharp Knife Blades Set



- Two-stage cutting edge and grinding process,the blade is sharper
- Deli patent design
- Overall heat treatment,Longer service life
- 15 cutter head design, multiple breaks, increase the use time

Item #	Spec	Pack Qty
EDL-DPJ09B	18mm, 60°	1/10/280

PVC Pipe Cutter 33mm



- The knife shell is made of G38W rigid plastic, which is light in weight and convenient to use
- The blade is made of 65Mn, cutting sharp
- The blade adopts Teflon processing technology, the cutting surface is flat, and the cutting is easy

Item #	Spec	Pack Qty
EDL350033	Teflon-Treated Blade Rigid Plastic Handle Buckle At Tail Continuous Fast Cutting	1/10/100

PVC Pipe Cutter 42mm



- 65Mn Stainless steel blade, waterproof and rust-proof
- Aluminum alloy body, lightweight and durable
- Ratchet structure, easy and effortless cutting

Item #	Spec	Pack Qty
EDL350042	Cutting Range: 42mm Aluminum Alloy Handle 65Mn	1/6/60
EDL2509	Stainless Steel Blade Aluminum Alloy Handle Buckle At Tail 3Cr13 Steel	1/5/20
EDL2507	Cutting Range: 42mm 3Cr13 Steel	1/6/48

Metal Pipe Cutter 3-32mm



- High-quality stainless steel cutting edge with polished surface for water proof and rust resistance
- Dual-color coated handle for comfortable grip
- Heat-treated surface for strong corrosion resistance and cutting performance. Suitable for copper and aluminum.

Item #	Spec	Pack Qty
EDL2504	Cutting Range: 3~32mm Sicr Alloy Steel	1/10/50

Medium-tooth File



- T12 material
- Heat treatment
- Two-color handle

Item #	Spec	Pack Qty
EDL75108	200mm Flat File	1/10/100
EDL76108	200mm Half Round File	1/10/100
EDL77108	200mm Triangle File	1/10/100
EDL78108	200mm Round File	1/10/100
EDL79108	200mm Square File	1/10/100
EDL353083	Size: 200mm	1/5/20

Medium-tooth File TPR Handle



- T12 material
- Heat treatment
- Two-color rubber handle

Item #	Spec	Pack Qty
EDL65108	200mm Flat File	1/10/100
EDL66108	200mm Half Round File	1/10/100
EDL67108	200mm Triangle File	1/10/100
EDL68108	200mm Round File	1/10/100
EDL4538	200mm Square File	1/10/100
EDL351083	Size: 200mm (Flat\Half Round\Round)	1/5/20

Coarse-tooth Flat File



- T12 material
- Heat treatment
- Two-color rubber handle

Item #	Spec	Pack Qty
EDL65208	200mm Flat File	1/10/100
EDL66208	200mm Half Round File	1/10/100
EDL68208	200mm Round File	1/10/100
EDL352083	8" Round file 8"Half round file 8"Flat file	1/5/20

File Set 5pcs



- T12 steel
- Rubber covered plastic handle
- Hardened through quenching process

Item #	Spec	Pack Qty
EDL352085	8"Flat File 8"Triangle File 8"Square File 8"Round File 8"Half Round File	1/5/20

Assorted File Set File 6pcs



- High-quality bearing steel file
- PVC-coated handle for comfortable grip
- 6 different shapes, suitable for various polishing

Item #	Spec	Pack Qty
EDL2141	Flat, pointed half-round, pointed square, pointed equilateral triangular, pointed round, pointed double-sided curved, pointed knife, pointed single-sided triangular, pointed curved, pointed rhombic.	1/10/120

Multifunction Putty Scraper



- All-in-one utility blade
- Crafted from 2mm thick stainless steel and heat-treated for extra durability.

Item #	Spec	Pack Qty
EDL-HD03	Size: 3x75mm	1/12/96

Putty Knife 1"



- Stainless steel cutting edge with polished surface
- Dual-color coated handle
- Wide range of applications

Item #	Spec	Pack Qty
EDL-HD1	Size: 1"/25mm 12mm Length Stainless Steel	1/12/240
EDL-HD2	Size: 2"/50mm 12mm Length Stainless Steel	1/12/240
EDL-HD2-5	Size: 2.5"/63mm 12mm Length Stainless Steel	1/12/240
EDL-HD3	Size: 3"/75mm 12mm Length Stainless Steel	1/12/240
EDL-HD4	Size: 4"/100mm 12mm Length Stainless Steel	1/12/240
EDL-HD5	Size: 5"/125mm 12mm Length Stainless Steel	1/12/240
EDL-HD6	Size: 6"/148mm 12mm Length Stainless Steel	1/12/240

Bricklaying trowel



- Wear-resistant manganese steel Material:Wear-resistant
-Precision welding:strong and durable

Item #	Spec	Pack Qty
EDL509208	Size: 8"	1/12/96

Basic Scarper



- Alloy blade with heat-treated surface for sharp cutting
- HIPS handle, lightweight and durable

Item #	Spec	Pack Qty
EDL4723C	Length: 145mm	1/10/120
EDL4723	1pcs Scrapper, 10 supply blades	1/10/120

Scraper

SK5



- SK5 blade with heat-treated surface for sharp cutting
- Aluminum alloy cutter head
- PP handle, and can be extended with wood stick

Item #	Spec	Pack Qty
EDL359210	Length: 210mm	1/10/120

Scraper

SK5



- SK5 blade with heat-treated surface for sharp cutting
- Aluminum alloy cutter head
- ABS handle for comfortable grip
- Metal scraper handle with a thick tail that for knocking and tapping

Item #	Spec	Pack Qty
EDL4725	300mm	1/10/60
EDL4726	600mm	1/10/60
EDL4727	900mm	1/10/60

2pcs Putty Knife Set



- Three types of blades for multiple scenarios

Item #	Spec	Pack Qty
EDL359204	2 pcs	1/-/50

Wire Cutter

65
Mn



- Using 65Mn blackened pliers, rust and corrosion resistance
- Plier head hardness up to 56HRC, shear sharp

Item #	Spec	Pack Qty
EDL2685C	Size:8"	1/10/60

Bolt Cutter

Cr-Mo



- Using Cr-Mo pliers hardness up to 56HRC, strong and durable
- Shear hardness up to 30HRC, shear sharp

Item #	Spec	Pack Qty
EDL2687	Size:12"	1/-/24
EDL2688	Size:14"	1/-/24
EDL2618	Size:18"	1/-/10
EDL2624	Size:24"	1/-/8
EDL2630	Size:30"	1/-/5
EDL2636	Size:36"	1/-/4
EDL2642	Size:42"	1/-/2

Cable Cutter



- Alloy forging
- Heat treatment
- Maximum cutting cable diameter 9mm

Item #	Spec	Pack Qty
EDL20048	Size:6"	1/6/120
EDL20038	Size:8"	1/10/60
EDL20028	Size:10"	1/6/48

Heavy Duty Cable Cutter



- Alloy forging
- Heat treatment
- Maximum cutting cable diameter 16mm

Item #	Spec	Pack Qty
EDL20138	Size:10"	1/6/60

Cable Cutter



- High-frequency heat-treatment
- The handle is made of PVC Material
- Used for cutting multi-strand copper and aluminum wires, up to 500mm²

Item #	Spec	Pack Qty
EDL45018	Size: 18"	1/1/12
EDL60024	Size: 24"	1/1/10
EDL90036	Size: 36"	1/1/5

Tile cutter



- Maximum cutting length: 600mm
- Maximum cutting thickness: 12mm
- Cutting life: over 700 meters

Item #	Spec	Pack Qty
EDL354060	Size:600mm Net weight:4KG	1/1/4
EDL354080	Size:800mm Net weight:9KG	1/1/2

Tile cutter blade



- YG6X blade with sharp cutting edge, wear-resistant
- Cutting life: ≥700m
- Edge hardness: up to 88HRA

Item #	Spec	Pack Qty
EDL354001	Size:15×6×1.5mm Net weight:0.01KG	1/150/300
EDL354002	Size:22×6×2mm Net weight:0.02KG	1/150/300

Carving Knife



-25° sharp acute angle, S5 high-carbon steel blade.
-Lightweight aluminum handle designed for a comfortable grip.

Item #	Spec	Pack Qty
EDL359201A	146 x 9 mm; S5 Blade x 10 (Grey)	1/20/160
EDL359201B	146 x 9 mm; S5 Blade x 10 (Blue)	1/20/160

Diamond Glass Knife



- Surface heat treatment, cutting sharpness
- Tool shank can be rotated and dismantled, easy to replace

Item #	Spec	Pack Qty
EDL2701	Size:180mm	1/6/120

Chisel



-High-carbon steel for exceptional durability and impact resistance.
-Equipped with hand guard for enhanced safety.

Item #	Spec	Pack Qty
EDL6310	Size: 10"	1/6/24
EDL6312	Size: 10"	1/6/24

Chisel



-High-carbon steel for exceptional durability and impact resistance.
-Equipped with hand guard for enhanced safety.

Item #	Spec	Pack Qty
EDL6410	Size: 10"	1/6/24
EDL6412	Size: 10"	1/6/24

Mini Hacksaw



- Saw blade material:65Mn
- Can saw wood, PVC pipe

Item #	Spec	Pack Qty
EDL353206	150mm/6"	1/24/240

Image	Ref.No	Frame Material	Size	Bi Metal	Ajustable Blade Length	Quick Blade Switch
	EDL353206	Steel	6"			
	EDL6007	aluminum alloy	6"			
	EDL353106	Square tube	6"			
	EDL353112	aluminum alloy	12"			
	EDL353212	Square tube	12"			
	EDL353712	Square tube	12"			
	EDL6008	Steel bar	8"-10"-12"	●	●	
	EDL353012	Square tube	12"	●		
	EDL6001	Square tube	12"	●		
	EDL353812	aluminum alloy	12"	●		
	EDL353812G	aluminum alloy	12"	●		●



Mini Hacksaw



- Aluminum alloy frame for easy carry and convenient use
- 65Mn steel saw blade for good toughness, high abrasion resistance, and sharp cutting, suitable for decoration, cutting wood boards, plastics, aluminum, copper, stainless steel, and other materials
- Adjustable screw for quick change of saw blades
- Coated handle for comfortable grip

Item #	Spec	Pack Qty
EDL6007	Size: 6",150mm	1/26/104
EDL353106	Size: 6",150mm	1/12/48

Mini Hacksaw



- Small space operation
- Bimetal saw blade
- Aluminum alloy saw body

Item #	Spec	Pack Qty
EDL353112	Size: 12",300mm	1/25/100

Plastic handle Hacksaw



- Falt steel frame, strong and durable
- Adjustable screw for quick change of saw blades
- Ergonomic handle designed for optimal comfort and anti-slip grip.
- 12" (300mm) blade, specifically designed for use with 300mm saw blades.

Item #	Spec	Pack Qty
EDL353212	12",300mm Saw Blade	1/6/36
EDL353712	12", 300mm Saw Blade	1/6/36

Adjustable Hacksaw



- Three gears adjustable 8"-10"-12"
- Flat steel saw body
- Adjustable cutting angle: 45 ° - 90

Item #	Spec	Pack Qty
EDL6008	12"	1/10/40

Square Tube Hacksaw



- Bi-metal saw blade
- Flat steel saw body
- Non-slip handle
- Knob adjustment

Item #	Spec	Pack Qty
EDL353012	12"	1/6/24
EDL6001	Aluminium alloy frame,12"	1/6/24

Heavy Duty Hacksaw



- All-aluminum heavy-duty steel frame: heavy and durable
- Plastic handle with Rubber coated: comfortable and durable
- Double metal blade: sharp and durable

Item #	Spec	Pack Qty
EDL353812	12"	1/6/24



10 pcs Mini Hacksaw Blade



- Saw blade Material:65Mn
- Size:6"
- Saw Blade Teeth:24T

Item #	Spec	Pack Qty
EDL353001	Size: 6"	1/50/200

1 pcs Hacksaw Blade



- M42+D6A Material
- Applicable for stainless steel and die steel cutting
- Paint treatment, not easy to rust

Item #	Spec	Pack Qty
EDL353810A	12" (300mm) 18T	1/100/1000
EDL353410A	12" (300mm) 24T	1/100/1000

5 pcs Hacksaw Blade



- M42+D6A Material
- Applicable for stainless steel and die steel cutting
- Paint treatment, not easy to rust

Item #	Spec	Pack Qty
EDL353805A	12" (300mm) 18T	1/20/120
EDL353405A	12" (300mm) 24T	1/20/120

Hacksaw Blade



- Bi-metal
- Applicable for stainless steel and die steel cutting
- 24T
- Paint treatment, not easy to rust

Item #	Spec	Pack Qty
EDL4673	Size: 12"	1/20/120

Scissor



- Material: 65Mn
- Blackening for rust prevention
- Reinforced rivet
- High temperature quenching

Item #	Spec	Pack Qty
EDL2615	Size:200mm	1/10/80
EDL2613	Size:195mm	1/8/72

Scissor



-High-quality stainless steel
-Ergonomic handle for comfortable grip.

Item #	Spec	Pack Qty
EDL358215	Size: 5×75mm	1/12/144

Multifunction Scissor



-All-in-one kitchen tool
-Made of high-quality stainless steel
-Ergonomic handle for comfortable grip.

Item #	Spec	Pack Qty
EDL358019	Size: 5×100mm	1/12/72

Tin Snips



- Two-color Plastic-dipped handle
- Carbon steel 0.8mm,Stainless steel 0.5mm

Item #	Spec	Pack Qty
EDL25910	Size:10"	1/6/48
EDL25912	Spec: 12" (300mm)	1/6/36

Tin Snips



- The cutting edge is made of forging and pressing of alloy steel, and the surface is high-frequency quenched for sharp cutting
- Plastic handle, comfortable grip

Item #	Spec	Pack Qty
EDL4371	Spec:10" (250mm)	1/6/48

Tin Snips



Stainless steel cutting edge

Item #	Spec	Pack Qty
EDL351215	Size:8.5" 215mm	1/10/60



Aviation Snip(Straight)

Cr-V



- 60 Cr-v cutting edge with high-frequency quenched and polished surface, serrated sides for easy clamping and cutting
- Dual-color PVC handle for a good appearance and a comfortable grip
- Suitable for cutting - 2mm cold rolled steel and 0.7mm stainless steel

Item #	Spec	Pack Qty
EDL20030	Spec:10" (255mm)	1/6/48
EDL20031	Spec:10" (250mm)	1/6/48
EDL20032	Spec:10" (250mm)	1/6/48





TAPE MEASURE



Tape Measure
Spirit Level
Distance Measuring Wheel
Angle Ruler
Straight Edge
Other Measuring Tools

Steel Tape Measure

ABS
Material



-Durable steel blade, ABS shell
-Auto-correct hook for precision
-Double button

Item #	Spec	Pack Qty
EDL9002B	2m*13mm	1/12/240
EDL9003B	3m*16mm	1/12/180
EDL9035B	3.5m*16mm	1/12/180
EDL9005B	5m*19mm	1/12/120
EDL9025B	5m*25mm	1/12/96
EDL9075B	8m*25mm	1/6/60
EDL9010B	10m*25mm	1/6/48

Steel Tape Measure

ABS
Material



-Durable steel blade, ABS shell
-Auto-correct hook for precision
-Double button

Item #	Spec	Pack Qty
EDL9003Y	3m/10ft×16mm	1/12/180
EDL9005Y	5m/16ft×19mm	1/12/120
EDL9025Y	5m/16ft×25mm	1/12/120
EDL9075Y	8m/26ft×25mm	1/6/60
EDL9010Y	10m/33ft×25mm	1/6/48

Performance Improvement Tape Standout



Stronger Tape

Extra-thick steel with special techniques generaters more stiffness than 1 in/25 mm standard tape measures



Performance Improvement Lifecycle

Have user+20 Times /Day+MON to FRI Week

1Month
Brand A-Mainstream brands on the market

2.5Month
Brand B-Great brands on the market

6+Month
Deli Brand-Product after improvement



Performance Improvement Tape resistance

Tape printing+Anti rust+Corrosion resisting

Store at room temperature for 12 months



Rival



DELI



*The data comes from the sand flushing experiment using a tape measure. Sand flushing experiment: It is a testing method used to evaluate the durability and surface treatment quality of tape measures

Type	Sale Point	Width	Standout	Extra
	Economic	16mm-19mm-25mm	1.4m-2m-2.6m	/
	High Cost-Performance	16mm-19mm-25mm	1.4m-2m-2.6m	
	Auto Lock	16mm-19mm-25mm	1.4m-2m-2.6m	
	Wear-Resistent	16mm-19mm-25mm	1.4m-2m-2.6m	
	High-Rigidity	28mm	3m	



Steel Tape Measure

ABS Material



-Durable steel blade
-ABS shell with TPR cover
-Auto lock function
-One button

Item #	Spec	Pack Qty
EDL3795Y	3m/10ft×16mm	1/12/180
EDL3796Y	5m/16ft×19mm	1/12/120
EDL3797Y	5m/16ft×25mm	1/12/120
EDL3798Y	75m/25ft×25mm	1/6/60
EDL3799Y	10m/33ft×25mm	1/6/48

Steel Tape Measure

HOT

ABS Material



-Durable steel blade, ABS shell with TPR cover
-Auto lock function
-One button

Item #	Spec	Pack Qty
EDL3795	3m*16mm	1/12/180
EDL3796	5m*19mm	1/12/120
EDL3798	75m*25mm	1/6/60
EDL3799	10m*25mm	1/6/48

Steel Tape Measure

NEW

ABS Material



-Nylon coated
-Base brake design
-Nylon lanyard
-ABS durable case

Item #	Spec	Pack Qty
EDL9003PY	3m/10ft*16mm	1/12/180
EDL9005PY	5m/16ft*19mm	1/12/120
EDL9008PY	8m/26ft*25mm	1/6/60
EDL9010PY	10m/33ft*25mm	1/6/48

Steel Tape Measure

NEW

ABS Material



-Nylon coated
-Base brake design
-Nylon lanyard
-ABS durable case

Item #	Spec	Pack Qty
EDL9003P	3m*16mm	1/12/180
EDL9005P	5m*19mm	1/12/120
EDL9008P	8m*25mm	1/6/60
EDL9010P	10m*25mm	1/6/48

Steel Tape Measure

NEW

Chrome ABS Material



-Wear-resistant and drop-resistant
-Buffering design
-Continuous readings
-1.8 m of standout

Item #	Spec	Pack Qty
EDL270005CY	5m/16ft*19mm	1/12/120
EDL270008CY	8m/26ft*25mm	1/6/60
EDL270010CY	10m/33ft*25mm	1/6/48

Steel Tape Measure

ABS Material



-Durable steel blade, ABS shell
-Auto-correct hook for precision
-One button

Item #	Spec	Pack Qty
EDL280316Y	3m/10ft*16mm	1/12/180
EDL280519Y	5m/16ft*19mm	1/12/120
EDL280525Y	5m/16ft*25mm	1/12/120
EDL287525Y	8m/26ft×25mm	1/6/60
EDL281025Y	10m/33ft*25mm	1/6/48

Steel Tape Measure

ABS Material



-Durable steel blade, ABS shell
-Auto-correct hook for precision
-One button

Item #	Spec	Pack Qty
EDL280316	3m*16mm	1/12/180
EDL280519	5m*19mm	1/12/120
EDL280825	8m*25mm	1/6/60
EDL281025	10m*25mm	1/6/48

Steel Tape Measure



- Brand new PC shell, resistant to falling
- Double brake design, push twist + bottom brake
- Transparent design, pure shell + transparent label

Item #	Spec	Pack Qty
EDL270316TY	3m/10ft×16mm	1/12/180
EDL270519TY	5m*19mm	1/12/120

Long Tape Measure

NEW

ABS+TPR



- Ruler tape glass fiber + PVC on the glue process, tensile, toughness
- Metric and imperial ruler tape design, metric accuracy of 2 levels, accurate measurement

Item #	Spec	Pack Qty
EDL9820ZY	20m*12.5mm	1/10/40
EDL9830ZY	30m*12.5mm	1/10/40
EDL9850ZY	50m*12.5mm	1/5/20

Fibreglass Measuring Tape

NEW

ABS Material



-PVC tape, 24 fiberglass, durable
-ABS plastic shell
-Clear, wear-resistant printing

Item #	Spec	Pack Qty
EDL98050Y	50m/164ft*14.5mm	1/-/20
EDL98100Y	100m/328ft*14.5mm	1/-/20

Fibreglass Measuring Tape

NEW

ABS
Material



- MID certified steel band
- Rubber-wrapped case,anti-fall
- The ruler shell is made of high-strength ABS plastic
- Rocker design for easy recycling
- The printing is clear, read able and wear-resistant

Item #	Spec	Pack Qty
EDL9820GY	20m/65ft*12.5mm	1/1/40
EDL9830GY	30m/98ft*12.5mm	1/1/40

Spirit Level

Magnetic



-High-precision vials, CNC-machined smooth surface
--Soft rubber ends for shock resistance
-Magnet for easy use
-1mm/m accuracy leveling vials

Item #	Spec	Pack Qty
EDL700400B	400mm	1/10/60
EDL700600B	600mm	1/10/60
EDL700800B	800mm	1/10/60
EDL7001000B	1000mm	1/5/30

Type	Class	Accuracy	Thickness	Magnetic	Scale	End Cap	Advantages
	Easy to carry	1mm/m	1mm	√	√	TPR	/
	Economic	1mm/m	0.7mm	√	√	ABS	Aluminum
	High cost-performance	0.5mm/m	1mm	√	√	TPR	Fine milled
	Sight Glass Function	0.5mm/m	1.5mm	Powerful	√	Thickened TPR	Double-milled measurement surface / Strong magnetism / Sight glass function
	Easy to carry	1.5mm/m	/	√	/	/	/
	High rigidity	1mm/m	2mm	/	/	/	Reinforcement
	Thick aluminum	0.5mm/m	1.5mm	Powerful	/	TPR	Bridged die casting

Spirit Level



- 3-in-1 function: horizontal, vertical, 45° measurement
- Accuracy:0.5mm/m
- Single-sided precision milling bottom
- TPR rubber end caps
-1mm thickness body

Item #	Spec	Pack Qty
EDL290300	300mm	1/10/60
EDL290400	400mm	1/10/60
EDL290500	500mm	1/10/60
EDL290600	600mm	1/10/60
EDL290800	800mm	1/10/60
EDL291000	1000mm	1/5/30
EDL291200	1200mm	1/5/30
EDL291500	1500mm	1/5/30

Heavy-Duty Mason'S Level

NEW



- 3-in-1 function: horizontal, vertical, 45° measurement
- Accuracy:0.5mm/m
- Single-sided precision milling bottom
- TPR rubber end caps
-2mm thickness body

Item #	Spec	Pack Qty
EDL290400Q	400mm 0.5mm/m	1/10/60
EDL290600Q	600mm 0.5mm/m	1/10/40

Spirit Level

NEW



-Spray painting process
-1mm/m accuracy
-2mm body thickness

Item #	Spec	Pack Qty
EDL29600G	600mm 1mm/m	1/10/60
EDL29800G	800mm 1mm/m	1/10/60
EDL291000G	1000mm 1mm/m	1/10/60

Spirit Level

ABS
Material



- Magnetic bottom, stable measurement
- 3-in-1 function: horizontal, vertical, 45° measurement
- ABS body

Item #	Spec	Pack Qty
EDL290230	230*40*17mm	1/-/100

Mechanical Measuring Wheel



- Division value: 0.1mm, Accuracy: ±0.5%
- 2-stage aluminum scalable handle for easy storage and carrying
- High strength ABS wheel hub
- Non-slip wheel for different measuring conditions

Item #	Spec	Pack Qty
EDL330060	150mm (6")	1/-/10

Mechanical Measuring Wheel



- Division value: 01mm, Accuracy: ±0.5%
- Foldable design for easy storage
- Non-slip wheel for different measuring conditions

Item #	Spec	Pack Qty
EDL330112	300mm (12.5")	1/-/6

Digital Measuring Wheel



- Metric and imperial switch
- Large LCD digital display, 5 sets of data storage
- 3-stage aluminum scalable handle for easy storage and carrying

Item #	Spec	Pack Qty
EDL9713	150mm (6")	1/-/10

Digital Measuring Wheel



- Metric and imperial switch
- Large LCD digital display, 5 sets of data storage
- 3-stage aluminum scalable handle for easy storage and carrying

Item #	Spec	Pack Qty
EDL4179	300mm (12.5")	1/-/6

Laser distance detector

ABS
TPR



- 50m maximum measurement
- 30 group data storage
- ±3mm measurement accuracy

Item #	Spec	Pack Qty
EDL331040B	0.05~50m	1/5/50

Laser distance detector

HOT

ABS
TPR



- 30 groups of data storage
- 1.7 inch display
- Dual laser projection
- Millimeter-level accuracy

Item #	Spec	Pack Qty
EDL4168	0.05~60m	1/5/50
EDL4169	0.05~80m	1/5/50
EDL4170	0.05~100m	1/5/50
EDL4171	0.05~120m	1/5/50

Vernier Caliper

HOT

ABS
Material



- Carbon fiber full plastic ruler body
- One button switch between metric and English
- One button reset

Item #	Spec	Pack Qty
EDL90150	0-150mm	1/1/10/60

Type	Class	Division	Accuracy	Unit	Advantages
	Carbon Steel	0.02mm	≤0.08mm	Metric	
	Stainless Steel	0.02mm	≤0.03mm	Metric and inch	
	Carbon Fibre	0.01mm	0.2mm	Metric and inch	
	Stainless Steel	0.01mm	0.03mm	Metric and inch	
	Stainless Steel	0.01mm	0.2mm	Metric and inch	



Vernier Caliper

HOT

Carbon Steel



- Carbon steel material, laser-etching scale
- Measures ID, OD, depth, step

Item #	Spec	Pack Qty
EDL92150	0-150mm	1/5/30
EDL92200	0-200mm	1/5/30

Vernier Caliper

NEW

Stainless Steel



- Metric Inch Scale
- One-piece design for greater accuracy
- Stainless steel body, not easy to rust
- 0.02mm accuracy, professional measurement

Item #	Spec	Pack Qty
EDL92150C	150mm	1/5/30
EDL92200C	200mm	1/5/30

Digital Vernier Caliper

NEW

Stainless Steel



- Stainless steel blade with 3-button operation
- Large LED display for fast measurement and clear reading
- Measurement accuracy±0.03mm
- Input powered by 1.5v LR44 button battery

Item #	Spec	Pack Qty
EDL91150B	150mm	1/5/30
EDL91200B	200mm	1/5/30

Vernier Caliper

Stainless Steel



- Stainless steel blade with 3-button operation
- Large LED display for fast measurement and clear reading
- Zn-alloy meter shell
- Input powered by 1.5v LR44 button battery

Item #	Spec	Pack Qty
EDL91150	0-150mm	1/5/30
EDL91200	0-200mm	1/5/30

Mini Laser 2 Line Projector



-Automatic leveling time ≤ 4s
-Red enhanced beam
-2 * AA battery

Item #	Spec	Pack Qty
EDL332102	2 Red Line	1/1/30

Laser Level 2 Beam



- LD green beam, outdoor use
- Long operating time: >8H
- Touch button, convenient and responsive
- Laser enhancement, fine beam, easy to use

Item #	Spec	Pack Qty
EDL332302	LD2 Line	1/-/8
EDL332303	LD3 Line	1/-/8
EDL332305	LD5 Line	1/-/8

Tape Measure

ABS
TPR



- 2-in-1 function: laser measurement(50m) and tape measurement (5m)
- Polymer battery for repeated use
- LED digital display and two measurement basis
- Changeable unit in m/in/ft,

Item #	Spec	Pack Qty
EDL4172B	Length & Width: 5m+50m	1/1/30

Infrad Thermometer

ABS
Material



- Temperature measurement range:-30℃ ~380℃
- 0.5s fast response
- Object distance ratio D:S=8:1
- ℃ / ℉ dual measurement mode conversion
- LCD digital display screen, HD backlight display

Item #	Spec	Pack Qty
EDL333380	-30~380℃	1/5/60

Water Quality Tester

ABS
Material



-Sensitive probe, faster and more accurate
-With a gentle press, the data will be displayed
-Can detect heavy metal ions, ionic organic compounds, soluble salts

Item #	Spec	Pack Qty
EDL339010	0-9990PPM	1/10/80

Coating Thickness Gauge



-Automatically identify the type of substrate
-High definition rotatable color screen
-1500 data storage records
-1000mA lithium battery

Item #	Spec	Pack Qty
EDL333301	0~1300μm/67mil	1/1/20

Sound Level Meter

ABS
Material



- A-weighted, ambient noise measurement
- 30dBA~130dBA, measurement range
- Sampling rate 2 times/second
- Condenser microphone for quick measurements

Item #	Spec	Pack Qty
EDL333201	30~130dBA	1/10/40

Digital Lux Meter

ABS
Material



- Lux/FC, double unit switching
- Silicone diode, more accurate measurement,
- 0-200000Lu*; measuring range
- Temperature measurement, -9.9℃-49.9℃

Item #	Spec	Pack Qty
EDL333215	0-200000Lux	1/10/40



Digital Humidity&Temperature Meter

ABS
Material



- 62% screen-to-body ratio
- 0.1℃ graduation,temperature range -10℃ ~60℃
- High-definition with backlight
- Snooze alarm clock

Item #	Spec	Pack Qty
EDL336001	Backlight	1/12/96
EDL336003	Backlight+Alarm clock	1/12/96

Stand For Laser Level

Aluminum alloy



- Smooth and flexible rocker
- 2-gear retractable structure for flexible applications
- Comes with level vial
- Abrasion resistant, stands firmly

Item #	Spec	Pack Qty
EDL4161-2	0.45~1.2m	1/1/20

ELECTRICIAN TOOLS



Electrician Cutting Pliers
Wire Stripping Pliers
Ethernet Pliers
Electrical Consumables

Hot Melt Glue Gun



-Aluminum outlet with stop valve
-PTC core for stable glue flow
-Silicone guard for safety

Item #	Spec	Pack Qty
EDL5044	Input power:20W	1/12/48
EDL2560	Input power:60W	1/6/36

Hot Melt Glue Gun



-PTC heating for stable glue flow
-Eco-friendly shell, RoHS certified
-Glue stop valve prevents overflow
-3C-certified power cord for safety

Item #	Spec	Pack Qty
EDL402020	Input power:20W	1/12/48
EDL402040	Input power:40W	1/12/48
EDL402060	Input power:60W	1/12/36

Hot Melt Glue Stick

- Strong adhesion
-Pure and free of impurities

Item #	Spec	Pack Qty
EDL5042	φ7x200 mm	1/50/300
EDL5043	φ 11x200 mm	1/30/120

Soldering Iron



-Fast-heating nickel-chromium core
-Insulated mica sheet
-Heat-resistant PRT handle

Item #	Spec	Pack Qty
EDL8830	Input power:30W	1/12/96
EDL8840	Input power:40W	1/12/96
EDL8860	Input power:60W	1/12/96
EDL88101	Input power:100W	1/10/50

Electrical Tools

Soldering Iron



-Temperature sensor for precise control
-Ceramic core for fast heating
-Stainless steel, corrosion-resistant
-Durable copper alloy soldering tip

Item #	Spec	Pack Qty
EDL8820	Input power:60W	1/6/48

Soldering Iron



-Fast-heating Ni-Cr core
-Insulated mica sheet
-Heat-resistant PRT handle

Item #	Spec	Pack Qty
EDL88060	Input power:60W	1/12/96
EDL88100	Input power:100W	1/10/50

Soldering Iron



-Precise sensor control
-Fast ceramic heating
-Corrosion-resistant steel
-Durable copper tip

Item #	Spec	Pack Qty
EDL88035A	Input power:35W	1/6/96

Heat Gun



- Fast temperature rise
-Overheat protection

Item #	Spec	Pack Qty
EDL391201	Input power: 2000W	1/-/10

Heat Gun



- Fast temperature rise
-Overheat protection
- Infinitely adjustable temperature

Item #	Spec	Pack Qty
EDL391202	Input power: 2000W	1/-/10

Heat Gun



- Fast temperature rise
-Overheat protection
- Infinitely adjustable temperature

Item #	Spec	Pack Qty
EDL5200	Input power: 1600W	1/-/10

Heat Gun

HOT



- Fast temperature rise
-Overheat protection
- Infinitely adjustable temperature
-LCD digital display

Item #	Spec	Pack Qty
EDL5318	Input power: 1600W	1/-/10

Plastic Tube Welding Tool



-Dual control switch, knob adjustment
-Copper hole for fast heat conduction
-Polished aluminum plate for quick heating
-Teflon-coated head for non-stick use
-Quick connection for PPR, PE, and PB tubes

Item #	Spec	Pack Qty
EDL397263	Sockets:16,20,25,32mm	1/-/10

Plastic Tube Welding Tool

-Dual control switch with speed and temperature adjustment
-Multifunctional aluminum bracket
-Copper through-hole for fast heat conduction
-Polished aluminum plate for rapid heating
-Teflon-coated head for non-stick use and durability
-Fast connection for PPR, PE, and PB tubes

Item #	Spec	Pack Qty
EDL397363	Sockets:20,25,32,40,50,63mm	1/-/5

Tube Welding Machine

-Polished aluminum plate for rapid heating
-Teflon-coated head for non-stick melting and durability
-Fast connection for PPR, PE, and PB tubes

Item #	Spec	Pack Qty
EDL82032	Sockets:20, 25, 32mm	1/1/6

Electrician Knife

NEW

-Durable 3Cr13 steel edge
-Comfortable rosewood handle
-Efficient for electrical systems

Item #	Spec	Pack Qty
EDL0060	Over length: 200mm	1/10/80
EDL0070	Over length: 200mm	1/10/80

Plastic Cutting Nippers

-Stainless steel forged body, heat-treated for sharpness (48-52HRC)
-Non-slip PP + TPR rubber cover for a comfortable grip

Item #	Spec	Pack Qty
EDL2908	8"	1/6/72

Plastic Cutting Nippers



-45# high carbon steel caliper, high hardness
-Quenched edge for sharp cuts
-Comfortable PVC handle

Item #	Spec	Pack Qty
EDL2705	4.5"	1/12/144

Plastic Cutting Nippers



-Forged carbon steel, sharp cuts
-Quenched edges, 50-60HRC hardness
-Cuts copper, aluminum, and non-ferrous wire

Item #	Spec	Pack Qty
EDL2706	6"	1/6/120
EDL2715	5"	1/6/120

Plastic Cutting Nippers

-55# high carbon steel pliers, sharp cuts
-High-frequency quenched edge, 56-60HRC hardness
-Reset spring for labor-saving cuts
-PVC handle for a comfortable grip

Item #	Spec	Pack Qty
EDL0305A	5"	1/6/120
EDL0306A	6"	1/6/120

Wire Stripper

4Cr13

-45# high carbon steel forged caliper, high hardness
-Quenched cutting edge for sharp, labor-saving cuts
-PVC handle for a comfortable grip

Item #	Spec	Pack Qty
EDL2607	7"	1/10/60



Wire Stripper



-The clamp body is made of zinc alloy material
-Chromium molybdenum vanadium wire stripping blade
-SK5 blade, powerful spring, automated wire stripping

Item #	Spec	Pack Qty
EDL2018	0.2-6mm²	1/10/60

Wire Stripper



-50# carbon steel
-Nylon injection non-slip handle + carbon steel, comfortable grip
-Built-in spring, light and labor-saving
-Strips and cuts, versatile functions

Item #	Spec	Pack Qty
EDL2003	6.5"	1/6/72

7-IN-1 Wire Stripper

NEW



-PVC coating, easy to use
-Corrosion resistant, not easy to rust
-High strength carbon steel with good hardness

Item #	Spec	Pack Qty
EDL2661	8.5"	1/10/60
EDL2662	10"	1/10/60

Ethernet Crimper



-Forged cold-rolled steel, electrophoresis-treated surface
-PVC handle for comfortable grip
-Ideal for wire cutting, stripping, and crimping

Item #	Spec	Pack Qty
EDL2468	4P/6P/8P	1/6/48

Ethernet Crimper



-Forged cold-rolled steel, electrophoresis-treated surface
-PVC handle for comfortable grip
-Ideal for wire cutting, stripping, and crimping

Item #	Spec	Pack Qty
EDL2468C	4P/6P/8P	1/6/48

Ethernet Crimper 8P



-Three-in-one stripping & cutting
-Cold-rolled steel body, blackened, rust-resistant
-SK5 blade, sharp
-Plastic handle, wear-resistant, non-slip

Item #	Spec	Pack Qty
EDL381008	8P	1/6/72

Ethernet Crimper(4P,6P,8P)



-A3 steel body, heat-treated, durable
-PVC + TPR handle, comfortable grip
-Ratchet mechanism, force-saving, good crimping
-Cuts, strips UTP/STP and flat phone lines

Item #	Spec	Pack Qty
EDL4971	4P/6P/8P	1/6/72

Ratchet Crimping Plier

NEW



-Crimps insulated and non-insulated terminals to a quadrilateral shape.
-Range: 0.25 - 10mm² (AWG23-7)

Item #	Spec	Pack Qty
EDL-L11	Crimping Range:0.25-10mm²	1/6/48
EDL-L12	Crimping Range:0.25-6mm²	1/6/48

Type	Material	Wire Stripping Spec.(mm²)	Crimp Range (mm²)	Peel	Cut Line
	50#carbon steel	0.2-4.0	/	/	/
	50#carbon steel	0.6/0.8/1/1.3 1.6/2/2.6	1-2.5	/	√
	4Cr13	0.6/0.8/1/1.3 1.6/2/2.6	1-2.5	√	√
	4Cr13	0.2/0.3/0.4 0.5/0.6/0.8	1-2.5	√	√
	4Cr13	0.2-6	/	√	√
	4Cr13	0.2-6	0.5-6	√	√
	4Cr13	0.2-6	0.5-6	√	√

Alkaline Battery



- 10-Year warranty, long-term energy Gathering
- Mercury free and environmental

Item #	Spec	Pack Qty
EDL-JD05-E1	AA(LR6)	1/20/120
EDL-JD07-E1	AAA(LR03)	1/20/120

Paint Pen



-Good coverage with bright color
-Fiber pen head not easy to deform and suitable for writing on various materials
-Waterproof and fast drying oily ink that is not easy to fade

Item #	Spec	Pack Qty
EDL-YQ01-E1	Black	1/12/144/864
EDL-YQ02-E1	White	1/12/144/864
EDL-YQ03-E1	Silver	1/12/144/864

Voltage Tester

S2



- No battery required, convenient and economical.
-Easy identification with LED display
- Induction breakpoint test function to easyily find the breakpoint position
- Suitable for 12/36/55/110/220V AC/DC voltage
-Do not use it as an ordinary screwdriver

Item #	Spec	Pack Qty
EDL8003	AC/DC 12-250V	1/24/480

Voltage Tester

S2



- LED high brightness
- Zero live wire detection
- On-off detection

Item #	Spec	Pack Qty
EDL8004	AC 12-250V	1/12/96

Permanent Marker



-Oil ink not easy to fade
-Fiber pen head with smooth writing
-Excellent wear resistance

Item #	Spec	Pack Qty
EDL-JH01-E1	Black	1/10/120/960
EDL-JH02-E1	Blue	1/10/120/960
EDL-JH03-E1	Red	1/10/120/960

Electical Tape



-No plumbum, flame retardant
-RoHS detection
-Temperature range: 0-80

Item #	Spec	Pack Qty
EDL5261	0.13mm*18mm*9.15mm	1/10/250
EDL5262	0.13mm*18mm*10m	1/10/250
EDL5263	0.13mm*18mm*10m	1/10/250
EDL5265	0.13mm*18mm*10m	1/10/250
EDL5266	0.13mm*18mm*10m	1/10/250

Voltage Tester

S2



-Detects and displays AC/DC voltages (12-250V) on LCD.
-Checks circuit continuity, distinguishes live and neutral wires, finds breaks.
-Non-contact voltage detection.
-Built-in light for dark environments, doubles as a flashlight.
-Pen clip for easy carrying.

Item #	Spec	Pack Qty
EDL8005	12-250V AC	1/12/72

Voltage Tester



-Non-contact live detection, safe and reliable.
-Compact with clip, easy to carry.
-Sound and light alarms, easy to operate.
-Built-in light for dark environments, doubles as a flashlight.
-Detects live and neutral wires, nearby EM radiation.
-Meets CAT IV 1000V AC safety standard.

Item #	Spec	Pack Qty
EDL8008	90-1000V AC	1/12/96

Socket Tester



-RCD leakage protection test
-Convenient and compact, one handed control
-ABS flame retardant shell

Item #	Spec	Pack Qty
EDL333010	Working voltage: 220-250V	1/20/100

Voltage Tester

S2



-40Cr shank with heat treatment and nickel-plated surface for rust resistance,hardness≥50HRC for long lasting
-Easyplug-inhead,convenient use for narrow sockets

Item #	Spec	Pack Qty
EDL8001	AC 100-500V	1/24/480
EDL8002	AC 100-500V	1/24/480

Contactless Test Pen



- No battery required, convenient and economical.
-Easy identification with LED display
- Induction breakpoint test function to easyily find the breakpoint position
- Suitable for 12/36/55/110/220V AC/DC voltage
-Do not use it as an ordinary screwdriver

Item #	Spec	Pack Qty
EDL8011	12/48-1000V AC	1/12/96

Clamp-on Digital Multimeter

ABS
Material



-Compact clamp-shaped watch, 600A DC output.
-For electrical maintenance, power parameter detection, and equipment inspection.

Item #	Spec	Pack Qty
EDL8440	1999 counts	1/1/10/50

TOOL SETS

Socket Sets
Sockets & Accessories
Ratchet Wrench



32PC. 1/2"Dr. Socket Set

HOT

Cr-V

Includes:
(19) 1/2"Dr. standard 6PT sockets: 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30,32MM
(2) 1/2"Dr. extension bar: 5in. (125mm), 10in. (250mm)
(1) 1/2"Dr. quick release ratchet
(2) 1/2"Dr. spark plug socket:16mm, 21mm
(6) 1/2"Dr. 12PT sockets: 10,12,14,15,17,19mm
(1) 1/2" Dr. Sliding bar
(1) 1/2" Dr. Universal joint
(1) 3-way adaptor: 3/8"(F) X 1/2"(M)



Item #	Spec	Pack Qty
EDL1032	Drive Size: 1/2in.	1/1/5

46PC. 1/4"Dr. Socket Set

HOT

Cr-V

Includes:
(13) 1/4"Dr. standard 6PT sockets: 4,4.5,5,5.5,6,6.7,8,9,10,11,12,13,14mm
(1) 1/4" Dr. quick release ratchet
(2) 1/4" Dr. extension bar:2in.,4in.
(1) 1/4" Dr. sliding bar
(1) 1/4" Dr. flex extension bar
(1) 1/4" Dr. universal joint
(1) 1/4" Dr. bit adapter
(1) 1/4"Dr. spinner handle
(4) Hex key: 1.27,1.5,2,2.5mm
(21) 1/4" Dr. bit socket:
Pozi: PZ1,PZ2,PZ3
Philips: PH1,PH2,PH3
Hex: H3,H4,H5,H6,H7,H8
Star: T10,T15,T20,T25,T30,T40



Item #	Spec	Pack Qty
EDL1046	Drive Size: 1/4in.	1/1/12

Stackable Tool Box

NEW



- Stackable Modular Storage System
- Adjustable compartment size for storaging parts and tools
- Secure snap fit locks
- Strengthen PP material

Item #	Spec	Pack Qty
EDL1201	Size:340W x 260D x 70H MM	1/-/16

4-Piece Household Tool Set

NEW



Includes:
(1) 8" Combination Pliers
(1) 7" Diagonal Cutting Pliers
(1) 6" Long Nose Pliers
(1) 10" Water Pump Pliers

Item #	Spec	Pack Qty
EDL1204	Size:340W x 260D x 70H MM	1/-/6

44PC. 1/2"+1/4"Dr.Socket Set

HOT

Cr-V

Includes:
(13) 1/4"Dr. sockets: 4,4.5,5,9,10,11,12,13,14mm
(18) 1/2"Dr. sockets: 8,10,12,13,14,15,16,18,19,20,21,22,24,24,27,30,32mm
(2) Spark plug sockets: 6mm,21mm
(1) 1/2"Dr. 45T quick release ratchet
(1) 1/4"Dr. 45T quick release ratchet
(1) 1/4"Dr. universal joint
(2) 1/4"Dr. Extension bar: 2in.,4in.
(1) 1/4"Dr. 114mm sliding bar
(1) 1/4"Dr. 150mm flex extension bar
(1) 1/2"Dr. Universal joint
(2) 1/2"Dr. extension bar: 5in.,10in.
(1) 3-way adaptor: 3/8"(F) X 1/2"(M)



Item #	Spec	Pack Qty
EDL1044	Drive Size: 1/4in.+1/2 in.	1/1/4

10PC. 1/4"Dr. Socket Set

HOT

Cr-V



Includes:
(1) 1/2" L shape bar: 10in.
(9) 1/2" sockets: 10, 12, 13, 14, 17, 19, 21, 22, 24mm

Item #	Spec	Pack Qty
EDL2010T	Drive Size: 1/4in.	1/1/12

11-Piece Household Tool Set

NEW

Includes:
(1) 8oz Claw Hammer
(1) 7" Combination Pliers
(1) 6" Adjustable Wrench
(1) Test Pen 100-500V
(1) 3m Tape Measure
(1) 18mm Utility Knife
(1) Slotted Screwdriver SL6x100mm
(1) Phillips Screwdriver PH2x100mm
(1) Slotted Precision Screwdriver 3.0×40mm
(1) Phillips precision screwdriver PH0×40mm
(1) Bubble Level



Item #	Spec	Pack Qty
EDL1211	Size:340W x 260D x 70H MM	1/-/6

29-Piece Household Tool Set

NEW

Includes:
(1) 7" Combination Pliers
(1) 6" Diagonal Cutting Pliers
(1) 8" Adjustable Wrench
(1) Test Pen 100-500V
(1) 3m Tape Measure
(1) 18mm Utility Knife
(1) 170mm Scissors
(1) Magnetic Bit Holder
(1) Bubble Level
(10) Screwdriver Bits Set
(Hex 1/8",5/32",3/16",1/4"; Star T10,15,20,25,30,40)
(10) Screwdriver Bits Set
(Slotted 1/8",5/32",3/16",1/4"; Phillips PH1,PH2,PH3, Pozidriv PZ1,PZ2,PZ3)



Item #	Spec	Pack Qty
EDL1229	Size:340W x 260D x 70H MM	1/-/6

More Torque

Cold formed heat-treated 50VB30 and more evenly distributed force transmit 30%-40% more torque than DIN standard.

More Control

Off-corner loading design drives the side of the fastener, not the corner. This not only provides increased strength, but also avoids the rounding of rusted or damaged fasteners,which can occur when using a sharp cornered hex tool.

More Finish

High polish chrome plating results in a jewelry-like finish providing long life and maximum corrosion resistance.





More Control



24PC. 1/2"Dr. Socket Set

HOT

Cr-V

Includes:
(18) 1/2" Dr. sockets:10,11,12,13,14,15,16,17,18,19,20,21,22,23,,24,27,30,32mm
(2) 1/2" Dr. extension bar: 125,250mm
(1)1/2" Dr. breaker bar: 380mm
(1) 1/2"sliding bar: 250mm
(1)1/2" Dr. universal joint
(1)1/2" Dr. 45 teeth Ratchet



Item #	Spec	Pack Qty
EDL2024T	Drive Size: 1/2in.	1/1/4

8PC. Household Tool Set

Includes:
(1) Test pencil
(1) Electrical tape
(1) Long nose pliers 160mm (6 inches)
(1) Tape measure 2m
(1) Dual use screwdriver 5/PH2x75(mm)
(1) 18mm utility knife
(1) Precision screwdriver PH0*40mm
(1) Precision screwdriver 3.0*40mm
(1) Blow Case



Item #	Spec	Pack Qty
EDL1008J	Number Of Pieces: 8	1/1/20

11PC. Electrician Tools Set

Includes:
(1) 5" mini long nose pliers
(1) 5" mini Diagonal plier
(1) 7" Wire strippers
(1) Slotted screwdriver SL6x100mm
(1) Phillips screwdriver PH2 x100mm
(1) Utility knife
(1) Insulation Tape
(1) Tweezers
(1) Electrician scissors
(1) Test Pencil 100-500V AC
(1) Storage bag



Item #	Spec	Pack Qty
EDL-C1011E	Number Of Pieces: 11	1/1/10

13PC. Electrician Tools Set

Includes:
(1) 5" mini long nose plier
(1) 5" mini Diagonal plier
(1) Precision slotted screwdriver
(1) Precision phillips screwdriver
(1) Slotted screwdriver SL6x100mm
(1) Phillips screwdriver PH2 x100mm
(1) Electrician scissors
(1) Electric soldering iron
(1) Soldering iron stand
(1) Solder wire
(1) Vacuum tin pump
(1) Pointed tweezers
(1) Test pencil
(1) Storage bag



Item #	Spec	Pack Qty
EDL-C1013E	Number Of Pieces: 13	1/1/10

18PC. Household Tool Set

Includes:
(1) Test pen
(1) Electrical tape 3m
(1) Long nose pliers 160mm (6 inches)
(1) Tape measure 2m
(1) Slotted screwdriver 5x75 (mm)
(1) Phillips screwdriver PH1x75mm
(1) 18mm utility knife
(1) 18mm utility knife (10 pieces)
(1) Steel pipe handle claw hammer
(1) 0.25kg parts box (cement nails, self-tapping screws),
(8) Hex key set (1.5, 2, 2.5, 3, 4, 5, 5.5, 6)
(1) Blow Case



Item #	Spec	Pack Qty
EDL1018J	Number Of Pieces: 18	1/1/12

7PC. Electrician Tools Set

Includes:
(1) digital multimeter
(1) Digital Clamp Meter
(1) Test pencil
(1) Wire strippers
(1) Insulation Tape
(1) Electrician scissors
(1) Electrician knife
(1) Storage bag



Item #	Spec	Pack Qty
EDL-C1007E-Z	Number Of Pieces: 7	1/1/10

Rachet Wrenches

45T Cr-Mo



- Handle forged with 40# chrome steel
- Ratchet and driving heads are forged with 42 Cr-Mo steel
- 45T ratchet head with reversing paddles and quick removal

Item #	Spec	Pack Qty
EDL2323	Drive Size: 1/4 in. Length:150MM	1/6/36
EDL2421	Drive Size: 3/8in. Length:200MM	1/6/36
EDL2521	Drive Size: 1/2in. Length:254MM	1/6/24

28PC. Household Tool Set

Includes:
(1) Test pen
(1) Electrical tape 3m
(1) Long nose pliers 160mm (6 in.)
(1) Tape measure 3m
(1) Slotted screwdriver 5x75 (mm)
(1) Phillips screwdriver PH1x75mm
(1) 18mm utility knife
(1) 18mm utility knife (10 pieces)
(1) 8oz Claw hammer
(1) 0.25kg parts box (cement nails, self-tapping screws)
(8) Hex key set (1.5, 2, 2.5, 3, 4, 5, 5.5, 6)
(1) 8in. adjustable wrenches
(1) Raw tape
(1) Tweezer
(1) Bent Tweezer
(6) Precision screwdriver set (PH00, PH0, PH1, 1.0, 1.2, 1.6mm)
(1) Blow Case



Item #	Spec	Pack Qty
EDL1028J	Number Of Pieces: 28	1/1/10

38PC. Household Tool Set

Includes:
(1) Test pen
(1) Electrical tape 3M
(1) Long nose pliers 160mm (6 inches)
(1) Tape measure 3m
(1) Slotted screwdriver 5x75 (mm)
(1) Phillips screwdriver PH1x75mm
(1) 18mm utility knife
(1) 18mm utility knife (10 pieces)
(1) Steel pipe handle claw hammer
(1) 0.25kg parts box (cement nails, self-tapping screws),
(8)8-piece hex key set (1.5, 2, 2.5, 3, 4, 5, 5.5, 6)
(1) 8in. adjustable wrenches
(1) Raw tape
(1) Tweezer
(6) precision screwdriver set (PH00, PH0, PH1, 1.0, 1.2, 1.6mm)
(1) 75in. scissors
(1) Spirit level (225mm)
(1) 6.3mm socket handle
(8) 6.3mm Sockets Set (4,4.5,5,6,7,8,9,10mm)
(1) Blow Case



Item #	Spec	Pack Qty
EDL1038J	Number Of Pieces: 38	1/1/8



Rachet Wrench with Bent Handle

72T Cr-Mo



- Handle forged with chrome steel
- Ratchet and driving heads are forged with 42 Cr-Mo steel
- 72T ratchet head with reversing paddles and quick removal
- Bent and ergonomic handle to effectively protect finger joints

Item #	Spec	Pack Qty
EDL2324	Drive Size: 1/4in. Teeth: 72 Length:150MM	1/6/36
EDL2422	Drive Size: 3/8in. Length:200MM	1/6/36
EDL2522	Drive Size: 1/2in. Length:254MM	1/6/24

12PC. 1/4"Dr. Socket Set

HOT

Cr-V



Includes:
(10) 1/4"Dr. socket: 5,6,7,8,9,10,11,12,13,14mm
(1) 1/4"Dr. 4in.(100mm) extension bar
(1) 1/4"Dr. 45T quick release ratchet

Item #	Spec	Pack Qty
EDL0012T	Drive Size: 1/4in. Number Of Pieces: 12	1/6/24

12PC. 1/2"Dr. Socket Set

HOT

Cr-V



Includes:
(10) 1/2"Dr. socket:10, 11, 12, 13, 14, 15, 17, 19, 21, 24mm
(1) 1/2"Dr. 45T quick release ratchet
(1) 1/2"Dr. 4in.(100mm) extension bar

Item #	Spec	Pack Qty
EDL2012T	Drive Size: 1/2in. Number Of Pieces: 12	1/6/12

3PC. 1/2"Dr. Socket Set

Cr-Mo



- Protective outer sheath: prevents damage to the wheel
- Thin-walled design: for use in confined spaces

Item #	Spec	Pack Qty
EDL2003Q	Drive Size: 1/2in. Number Of Pieces: 3 Socket Size: 17,19,21mm	1/6/36

Magnetic Nut Driver Set

Magnetic



Strong magnet
Corrosion-resistant sandblasted finish
Forged and hardened chrome vanadium steel

Item #	Size	Length	Piece Count	Pack Qty
EDL4808T	8mm	65MM	3	1/10/80
EDL4810T	10mm	65MM	3	1/10/80
EDL4812T	12mm	65MM	3	1/10/80

Magnetic Nut Driver Set

Magnetic



Strong magnet
Corrosion-resistant Phosphate finish
Forged and hardened chrome vanadium steel

Item #	Size	Length	Piece Count	Pack Qty
EDL4805T	8mm	48MM	5	1/10/80



Jaw No Back Movement

Proprietary 5-thread adjustment screw make jaws won't back off and improve adjustment accuracy.
Note: Self-adjustment is a big frustration when using lesser quality adjustable wrenches. You set the jaw opening turn a fastener,reset the wrench position for another turn, and find that the opening width has changed.Having to adjust the wrench opening with the thumb wheel every turn or couple of turns of a fastener can really



More Torque

Exceeds DIN torque performance requirements.

Adjustable Wrench

HOT



- Precision 5-thread knurl - jaws little back off and improves adjustment accuracy
- Parallel jaws won't slip or damage finish surfaces
- Chrome plated surface for an elegant appearance and rust prevention
- Laser-etched scale for easier reading

Item #	Size	Jaw Capacity	Knurl Thread	Pack Qty
EDL006A	6in. (150mm)	0-22mm	5	1/6/108
EDL008A	8in. (200mm)	0-28mm	5	1/6/60
EDL010A	10in. (250mm)	0-30mm	5	1/6/48
EDL012A	12in. (300mm)	0-36mm	5	1/6/36
EDL015A	15in. (350mm)	0-46mm	4	1/1/20
EDL018A	18in. (450mm)	0-55mm	4	1/1/12
EDL024A	24in. (600mm)	0-62mm	4	1/1/6

Adjustable Wrench- Dual Color



- Laser-etched scale for easier reading
- Adjustable knurl for convenient and labor-saving operation
- Parallel jaws won't slip or damage finish surfaces
- Chrome plated surface for an elegant appearance and rust prevention

Item #	Size	Jaw Capacity	Knurl Thread	Pack Qty
EDL30106	6in. (150mm)	0-22mm	4	1/6/108
EDL30108	8in. (200mm)	0-28mm	4	1/6/60
EDL30110	10in. (250mm)	0-33mm	4	1/6/48
EDL30112	12in. (300mm)	0-36mm	4	1/6/36

3 PCs Adjustable Wrench Set

HOT



- Precision 5-thread knurl - jaws little back off and improves adjustment accuracy
- Parallel jaws won't slip or damage finish surfaces
- Chrome plated surface for an elegant appearance and rust prevention
- Laser-etched scale for easier reading

Item #	Size	Jaw Capacity	Knurl Thread	Pack Qty
EDL006A-3	6/8/10in.	0-22/28/30mm	5	1/4/24

2 PCs Multifunctional Wrench Set



- Tight tooth pattern design, occlusal fastening is not easy to slip
- Two-color TPR rubberized handle, comfortable to hold
- Overall quenching treatment, enhanced hardness, strong and durable

Item #	Spec	Pack Qty
EDL932-2	Jaw Capacity: 23-32mm/9-22mm	1/15/30

Adjustable Wrench-Dipped Handle

PVC Handle



- Laser-etched scale for easier reading
- Adjustable knurl for convenient and labor-saving operation
- Parallel jaws won't slip or damage finish surfaces
- Chrome plated surface for an elegant appearance and rust prevention

Item #	Size	Jaw Capacity	Knurl Thread	Pack Qty
EDL120006	6in. (150mm)	0-22mm	4	1/6/120
EDL120008	8in. (200mm)	0-28mm	4	1/6/120
EDL120010	10in. (250mm)	0-30mm	4	1/6/60
EDL120012	12in. (300mm)	0-36mm	4	1/6/48







More Torque

High-quality steel and more evenly distributed force transmit more torque.

More Control

Rounded corners distribute pressure through the fastener wall instead of the fragile points of traditional corers.

More Finish

High chrome plating offers long life and maximum corrosion resistance.

Longer Lifespan

The ratchet of exclusive heat-treated CRMO is processed with high precision, making life span three times that of others' (Ratcheting wrenches)



TRADITIONAL 12-POINT

Puts pressure on the corners of the box end.

VS

DELI 12-POINT

Rounded corners distribute pressure through the fastener wall.More torque and control, without the fear of rounding the fastener.



Combination Wrench

HOT

Matte





- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip

Item #	Size	S	D1	D2	T1	T2	L	Pack Qty
EDL140006L	6mm	6	13.5	10.6	4.3	4.7	110.31	1/10/480
EDL140007L	7mm	7	15.1	12	4.6	4.8	120.31	1/10/480
EDL140008L	8mm	8	18	13.4	5.3	5.6	123.75	1/10/480
EDL140009L	9mm	9	19.5	14.8	5.6	5.9	127.71	1/10/360
EDL140010L	10mm	10	21.5	10	5.7	7	141.27	1/10/360
EDL140011L	11mm	11	23.5	10.5	6.2	7	152.76	1/10/360
EDL140012L	12mm	12	25.5	11.5	6.4	7.2	161.27	1/10/360
EDL140013L	13mm	13	27.5	12	6.6	7.5	170.68	1/10/240
EDL140014L	14mm	14	29.5	13	6.8	7.9	181.67	1/10/240
EDL140015L	15mm	15	31.5	23.2	7.1	7.9	182.12	1/10/180
EDL140016L	16mm	16	33.5	24.6	7.5	8.1	194.16	1/10/180
EDL140017L	17mm	17	35.5	26	7.1	8.4	206.83	1/10/120
EDL140018L	18mm	18	37.5	27.4	7.6	8.8	217.78	1/10/120
EDL140019L	19mm	19	39.5	28.8	7.9	9.4	229.60	1/10/120
EDL140020L	20mm	20	41	30.2	8.3	9.3	239.52	1/10/80
EDL140021L	21mm	21	42.5	31.6	8.5	9.9	250.50	1/10/80
EDL140022L	22mm	22	44.5	33	8.7	10.5	263.61	1/10/60
EDL140024L	24mm	24	48.5	35.8	9.1	11.5	290.07	1/5/60
EDL140027L	27mm	27	54.5	39.5	9.7	12	306.91	1/5/30
EDL140030L	30mm	30	59.5	43.7	10.9	13	341.54	1/5/30
EDL140032L	32mm	32	64.5	46.5	11.4	13.9	355.36	1/5/30
EDL140036L	36mm	36	70.5	55.5	12.4	15.3	410.85	1/5/20
EDL130101	1/4"	1/4"	13.5	10.6	4.3	4.7	110.00	1/10/240
EDL130102	5/16"	5/16"	18	13.4	5.3	5.6	124.00	1/10/240
EDL130103	3/8"	3/8"	21.5	16.2	5.7	7	142.00	1/10/240
EDL130104	7/16"	7/16"	23.5	17.6	6.2	7	154.00	1/10/240
EDL130105	1/2"	1/2"	27.5	20.4	6.6	7.5	172.00	1/10/240
EDL130106	9/16"	9/16"	29.5	21.8	6.8	7.9	183.00	1/10/240
EDL130107	5/8"	5/8"	33.5	24.6	7.5	8.1	195.00	1/10/180
EDL130108	11/16"	11/16"	35.5	26	7.5	8.4	207.00	1/10/120
EDL130109	3/4"	3/4"	39.5	28.8	7.9	9.4	230.00	1/10/120
EDL130110	13/16"	13/16"	42.5	31.6	8.5	9.9	251	1/10/80
EDL130111	7/8"	7/8"	44.5	33	8.7	10.5	264	1/10/60
EDL130112	15/16"	15/16"	48.5	35.8	8.8	11.5	291	1/5/60
EDL130113	1"	1"	50.5	37	9	12	303	1/5/60
EDL130114	1-1/16"	1-1/16"	54.5	39.5	9.7	12	307	1/5/30
EDL130115	1-1/8"	1-1/8"	57.5	42	10.5	12.5	330	1/5/30

Ratcheting Wrench

HOT





- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip

Item #	Size	S	D1	D2	T1	T2	L	Pack Qty
EDL34108	8mm	8	17.1	17.7	5.3	6.6	140	1/12/240
EDL34110	10mm	10	21.3	22.1	6	7.8	160	1/12/240
EDL34112	12mm	12	25.5	25.4	6.6	8.7	172	1/12/240
EDL34113	13mm	13	27.6	26.9	6.8	9.1	179	1/12/240
EDL34114	14mm	14	29.7	28.5	7.1	9.5	192	1/12/120
EDL34115	15mm	15	31.8	30.1	7.4	10	210	1/12/120
EDL34116	16mm	16	35	31.9	7.7	10.4	210	1/12/120
EDL34117	17mm	17	36.8	33.3	7.9	10.8	226	1/12/60
EDL34118	18mm	18	38.5	34.8	8.6	11.3	238	1/12/60
EDL34119	19mm	19	40	36.1	8.8	11.3	247	1/12/60
EDL34121	21mm	21	46.3	42.2	9.2	13.1	293	1/5/50
EDL34122	22mm	22	46.3	42.2	9.2	13.1	293	1/5/50
EDL34124	24mm	24	51.8	49.2	10	14.6	335	1/5/40
EDL34127	27mm	27	56.5	53.2	10.8	15.6	359	1/5/30
EDL34130	30mm	30	62.7	58.5	12	17.1	405	1/4/24
EDL34132	32mm	32	66.5	62	12.5	17.6	425	1/4/24
EDL341101	1/4"	1/4"	13.6	17.7	4.6	6.6	126	1/12/240
EDL341102	5/16"	5/16"	17.1	17.7	5.3	6.6	140	1/12/240
EDL341103	3/8"	3/8"	21.3	22.1	6	7.8	160	1/12/240
EDL341104	7/16"	7/16"	23.4	23.4	6.4	8.3	166	1/12/240
EDL341105	1/2"	1/2"	27.6	26.9	6.8	9.1	179	1/12/240
EDL341106	9/16"	9/16"	29.7	28.5	7.1	9.5	192	1/12/120
EDL341107	5/8"	5/8"	35	31.9	7.7	10.4	210	1/12/120
EDL341108	3/4"	3/4"	40	36.1	8.8	11.3	247	1/12/60

Double Open End Wrench



- Hardened and tempered
- Ends are slanted 15 degree for quick access

Item #	Size	S1	S2	T1/T2	D1	D2	L	Pack Qty
EDL160607L	6×7mm	6	7	4.2	15.5	17.5	109.8	1/10/480
EDL160809L	8×9mm	8	9	4.7	18.9	21.6	124.6	1/10/360
EDL160011L	10×11mm	10	11	5.2	22.5	25.5	136.8	1/10/360
EDL160213L	12×13mm	12	13	5.6	27.5	31.5	152.8	1/10/180
EDL160415L	14×15mm	14	15	6.1	31.5	32.5	162.7	1/10/180
EDL160617L	16×17mm	16	17	6.4	32.5	36.5	174.8	1/10/120
EDL160819L	18×19mm	18	19	7.1	36.5	40	189.0	1/10/80
EDL160022L	20×22mm	20	22	7.8	40	44.5	209.1	1/10/80
EDL160123L	21×23mm	21	23	8.6	43.4	46.3	219.8	1/10/60
EDL160427L	24×27mm	24	27	9.1	49.5	54.5	249.7	1/5/40
EDL160528L	25×28mm	25	28	9.9	54.5	58.5	264.2	1/5/40
EDL160032L	30×32mm	30	32	10.5	58.5	64.5	277.7	1/5/30
EDL160101	1/4" × 5/16"	1/4"	5/16"	4.2	15.5	17.5	110	1/10/240
EDL160102	5/16" × 3/8"	5/16"	3/8"	4.7	18.9	21.6	125	1/10/240
EDL160103	3/8" × 7/16"	3/8"	7/16"	5.2	22.5	25.5	137	1/10/240
EDL160104	7/16" × 1/2"	7/16"	1/2"	5.6	25.5	28.5	145	1/10/240
EDL160105	1/2" × 9/16"	1/2"	9/16"	5.8	27.5	32.5	156	1/10/180
EDL160106	9/16" × 5/8"	9/16"	5/8"	6.4	31.5	36.5	169	1/10/80
EDL160107	5/8" × 3/4"	5/8"	3/4"	7.1	36.5	40	189	1/10/80

45° Offset Double Box End Wrench



- Hardened and tempered
- 45° offset for better access in tight spaces

Item #	Size	S1	S2	T1/T2	D1	D2	L	Pack Qty
EDL150607L	6×7mm	6	7	5	10.7	12	116.6	1/10/240
EDL150809L	8×9mm	8	9	5.5	13.7	16.2	135.9	1/10/240
EDL150011L	10×11mm	10	11	6.5	16.2	18.8	159.0	1/10/240
EDL150213L	12×13mm	12	13	7.5	18.8	21.3	184.1	1/10/180
EDL150415L	14×15mm	14	15	8.9	21.3	24	211.0	1/10/120
EDL150617L	16×17mm	16	17	8.4	24	26.5	213.5	1/10/80
EDL150819L	18×19mm	18	19	9.4	26.1	27.8	246.6	1/10/80
EDL150022L	20×22mm	20	22	10.1	28.8	32	286.4	1/10/80
EDL150123L	21×23mm	21	23	11.3	32	34.8	288.2	1/5/60
EDL150427L	24×27mm	24	27	12.2	34.8	39	335.7	1/5/40
EDL150528L	25×28mm	25	28	12.8	39	44	365.6	1/5/40
EDL150032L	30×32mm	30	32	14	44	47	393.1	1/5/40
EDL150101	1/4" × 5/16"	1/4"	5/16"	5	10.7	12	123	1/10/240
EDL150102	3/8" × 7/16"	3/8"	7/16"	6.5	16.2	18.8	165	1/10/240
EDL150103	1/2" × 9/16"	1/2"	9/16"	8.2	20	24	191	1/10/180
EDL150104	5/8" × 11/16"	5/8"	11/16"	8.3	24	26.5	224	1/10/80
EDL150105	3/4" × 7/8"	3/4"	7/8"	10	27.8	32	299	1/10/80
EDL150106	15/16" × 1"	15/16"	1"	11.7	34.8	39	350	1/5/40

8PC. Combination Wrenches Set - Metric



- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL130008A	Include:6mm,8mm,10mm,12mm,14mm,15mm,17mm,19mm	1/5/20

6PC. Combination Wrenches Set - Inch



- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL130106T	Includes: 5/16, 3/8, 7/16, 1/2, 9/16,5/8	1/5/20

11PC. Combination Wrenches Set - Inch



- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL130111T	Includes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16,5/8,11/16,3/4,13/16, 7/8	1/5/20

8PC. Double Open End Wrenches Set - Metric



- Hardened and tempered
- Ends are slanted 15 degree for quick access
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL160008A	Include: 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm	1/5/20

5PC. Double Open End Wrenches Set - Inch



- Hardened and tempered
- Ends are slanted 15 degree for quick access
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL160105T	Includes: 1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 9/16x 5/8, 5/8x3/4	1/5/20

8PC. 45° Offset Double Box End Wrench - Metric



- Hardened and tempered
- 45° offset for better access in tight spaces
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL150008A	Include: 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm	1/5/20

5PC. 45° Offset Double Box End Wrench - Inch



- Hardened and tempered
- 45° offset for better access in tight spaces
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL150105T	Includes: 1/4x5/16,3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 7/8	1/5/20

8PC. Ratcheting Combination Wrenches Set - Metric



- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL140108T	Includes: 8,10,12,13,14,15,17,19mm	1/5/20

8PC. Ratcheting Combination Wrenches Set - Inch



- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL341108T	Includes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16,5/8,3/4	1/5/20

8PC. Flex Head Ratcheting Combination Wrenches Set - Metric



- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip
- Meets or exceeds DIN specifications
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL140208T	Includes:8mm,10mm,12mm,13mm,14mm,15mm,17mm,19mm	1/5/20

12PC. 45° Offset Double Box End Wrench - Metric



- Hardened and tempered
- 45° offset for better access in tight spaces
- Meets or exceeds DIN specifications
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL150012A	Includes: 6x7mm,8x9mm,10x11mm,12x13mm,14x-15mm,16x17mm,18x19mm,20x22mm,21X23mm,24X-27mm,25X28mm,30X32mm	1/4/8

6PC. Ratcheting Combination Wrench Set - Metric



- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip
- Meets or exceeds DIN specifications
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL140106T	Include: 19mm, 22mm, 24mm, 27mm, 30mm, 32mm	1/1/6

12PC. Combination Wrenches Set - Metric



- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Meets or exceeds DIN specifications
- Included oxford pouch for storage and organization

Item #	Spec	Pack Qty
EDL130012A	Includes:6mm,8mm,10mm,11mm,12mm,13mm,14m-m,15mm,17mm,19mm,22mm,24mm	1/4/8

14PC. Combination Wrenches Set - Metric



- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Meets or exceeds DIN specifications
- Included oxford pouch for storage and organization

Item #	Spec	Pack Qty
EDL130014A	Includes: 6mm,7mm,8mm,9mm,10mm,11mm,12m-m,13mm,14mm,15mm,17mm,19mm,22mm,24mm	1/4/8

14PC. Combination Wrenches Set - Metric



- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Meets or exceeds DIN specifications
- Included oxford pouch for storage and organization

Item #	Spec	Pack Qty
EDL130014B	Includes: 10mm,11mm,12mm,13mm,14mm,16mm,17m-m,18mm,19mm,21mm,24mm,27mm,30mm,32mm	1/4/8

12PC. Double Open End Wrenches Set - Metric



- Hardened and tempered
- Ends are slanted 15 degree for quick access
- Meets or exceeds DIN specifications
- Included oxford pouch for storage and organization

Item #	Spec	Pack Qty
EDL160012A	Includes: 6x7mm,8x9mm,10x11mm,12x13mm,14x-15mm,16x17mm,18x19mm,20x22mm,21X23mm,24X-27mm,25X28mm,30X32mm	1/4/8

Pre-Set Torque Wrench



- 72 Teeth delivers 5-degree arc swing
- CrMo ratchet head
- Click alert when the preset value is reached
- Twist lock ring locking mechanism

Item #	Drive Size	Torque Range	Accuracy	Length	Pack Qty
EDL170025	3/8in.	5-25N.M	+/- 3%	240MM	1/1/10
EDL170050	3/8in.	10-50N.M	+/- 3%	305MM	1/1/10
EDL-YN-20100	1/2in.	20-100N.M	+/- 3%	425MM	1/1/10
EDL-YN-40200	1/2in.	40-200N.M	+/- 3%	505MM	1/1/6
EDL-YN-60300	1/2in.	60-300N.M	+/- 3%	560MM	1/1/6
DL-YN-150450	3/4in.	150-450N.M	+/- 4%	685MM	1/-/4
DL-YN-280760	3/4in.	280-760N.M	+/- 4%	835MM	1/-/4
DL-YN-2001000	3/4in.	200-1000N.M	+/- 4%	900+570MM	1/-/1
DL-YN-7502000	1in.	750-2000N.M	+/- 4%	1010+870MM	1/-/1

L-Angled socket wrench



Item #	Socket Size	Product Size	Pack Qty
EDL4208	8mm	115mm	1/25/300
EDL4210	10mm	130mm	1/20/240
EDL4212	12mm	150mm	1/20/120
EDL4213	13mm	160mm	1/20/120
EDL4214	14mm	160mm	1/15/90
EDL4217	17mm	185mm	1/10/60
EDL4219	19mm	210mm	1/10/60

T-Handle Socket Wrench



Item #	Spec	Pack Qty
EDL08	Socket Size: 8mm	1/20/80
EDL10	Socket Size: 10mm	1/20/80
EDL12	Socket Size: 12mm	1/20/80
EDL13	Socket Size: 13mm	1/20/80
EDL14	Socket Size: 14mm	1/20/80
EDL17	Socket Size: 17mm	1/20/80
EDL19	Socket Size: 19mm	1/20/80

T-Handle Socket Wrench



Item #	Spec	Pack Qty
EDL08B	Socket Size: 8mm	1/20/80
EDL10B	Socket Size: 10mm	1/20/80
EDL12B	Socket Size: 12mm	1/20/80
EDL13B	Socket Size: 13mm	1/20/80
EDL14B	Socket Size: 14mm	1/20/80
EDL17B	Socket Size: 17mm	1/20/80
EDL19B	Socket Size: 19mm	1/20/80

Cross Wrench Sets



Item #	Spec	Pack Qty
EDL4416K	Size:17/19mm+21/23mm	1/-/12

Torque Wrench



- Chrome Finish for resisting rust and corrosion

Item #	Spec	Pack Qty
EDL300	Drive Size: 1/2in. Torque Range: 0-300N.M Head Material: Cr-V Body Material: Carbon Steel Length: 480mm	1/-/20

Oil Filter Wrench

Cr-V



- Heat-treated Cr-V steel
- Rubber handle

Item #	Size	Capacity	Material	Max Torque	Pack Qty
DL7408	8in.	55-75mm	Cr-V	100N.M	1/6/60
DL7410	8in.	75-95mm	Cr-V	100N.M	1/6/60

7 Pieces Tyre Repair Kit



- PP+butyl rubber
- No glue needed
- Includes:
(1) T-handle reamer tool
(1) T-handle plugger tool
(5) Black tire plugs, 10-ply and odorless

Item #	Piece Count	Material	Pack Qty
EDL120001	7	PP+butyl rubber	1/24/96

Y-Handle Automotive Wrenches



Item #	Socket Size	Product Size	Pack Qty
EDL81012	8×10×12mm	140mm	1/20/80
EDL101214	10×12×14mm	140mm	1/20/80

14 in. Cross Wrench



Item #	Socket Size	Product Size	Pack Qty
EDL4414	17mm,19mm,21mm,22mm	14 in.(350mm)	1/-/20
EDL4416	17mm,19mm,21mm,22mm	16 in.(400mm)	1/-/20
EDL4418	17mm,19mm,21mm,22mm	18 in.(450mm)	1/-/16

Three-Jaw Filter Wrench

Cr-V



- Heat-treated Cr-V steel
- High precision gears
- Peak torque: 60N

Item #	Spec	Pack Qty
EDL7400B	Capacity: 54-116mm	1/-/50

Strap Wrenches



- Connecting head with anti-skid teeth, not easy to slip

Item #	Handle Length	Capacity	Pack Qty
DL7309	230mm	60-140mm	1/10/60

Chain Wrenches





- The chain is tightly connected, strong support and not easy to slip

Item #	Handle Length	Capacity	Pack Qty
DL7409	230mm	30-160mm	1/10/60

Bearing Puller



- Made of 45 steel with heat treatment

Item #	Size	Travel Distance	Maximum Spacing	Maximum grip	Pack Qty
EDL-E103	3"	65mm	8mm	600kg	1/-/50
EDL-E104	4"	80mm	40mm	800kg	1/-/40
EDL-E106	6"	90mm	55mm	1200kg	1/-/30

Three Jaws Puller

- Made of 45 steel with heat treatment

Item #	Size	Open size	Maximum grip	Pack Qty
EDL-S3	3"	50mm	1000kg	1/-/30
EDL-S4	4"	100mm	1500kg	1/-/30
EDL-S6	6"	150mm	2700kg	1/-/16

Hydraulic Puller



- Processed and formed by a whole piece of steel
- With pressure relief safety valve to prevent overload design
- Can be switched between two and three claws
- The handle can be rotated 360°, detachable design

Item #	Pulling Capacity	"Pulling Capacity: 5T Stroke Length"	Reach	Pack Qty
DL-ZL5	5T	50	50-200	1/1/3
DL-ZL10	10T	50	50-200	1/1/2
DL-ZL15	15T	50	100-350	1/-/2
DL-ZL20	20T	76	100-350	1/-/2
DL-ZL30	30T	80	150-400	1/-/1
DL-ZL50	50T	80	200-500	1/-/1



Hydraulic Rebar Cutter



- Working pressure 8T, shear labor-saving
- Shear range φ4-φ16, the use of a large range
- Cutter head material using Cr12, good shear performance

Item #	Specifications	Pressure	Pack Qty
EDL-YQ16	Φ4-16mm	8T	1/-/4

Hydraulic Rebar Cutter



- Working pressure 8T, shear labor-saving
- Shear range φ4-φ16, the use of a large range
- Cutter head material using Cr12, good shear performance

Item #	Specifications	Crimping Force	Cutting Range	Pack Qty
EDL-YQ70	6-70mm²	45KN	12mm	1/-/5
EDL-YQ120	10-120mm²	70KN	14mm	1/-/4
EDL-YQ240	16-240mm²	85KN	15mm	1/-/4

Hydraulic bottle jack





-Welding process, not easy to leak oil
-With safety valve, safe and reliable
-Finish drawing oil cylinder, enhanced service life
-Thick base, strong stability

Item #	Capacity	Min height	Max height	Lift height	Adjustable height	With safety valve	Product weight	Package	Pack Qty
EDQ71002	2 Ton	180mm	333mm	105mm	48mm	Yes	2.5KG	Color Box	1/-/6
EDQ71004	4 Ton	190mm	370mm	120mm	60mm	Yes	3.2KG	Color Box	1/-/6
EDQ71006	6 Ton	210mm	420mm	140mm	70mm	Yes	4.2KG	Color Box	1/-/4
EDQ71010	10 Ton	230mm	460mm	150mm	80mm	Yes	5.8KG	Color Box	1/-/4
EDQ71012	12 Ton	235mm	470mm	155mm	80mm	Yes	6.8KG	Color Box	1/-/3
EDQ71020	20 Ton	240mm	460mm	160mm	60mm	Yes	8.7KG	Color Box	1/-/2
EDQ71032	32Ton	260mm	430mm	170mm	-	Yes	15.8KG	Color Box	1/-/1
EDQ71050	50Ton	280mm	470mm	190mm	-	Yes	22.6KG	Color Box	1/-/1

Single Pump Horizontal Jack



- All steel structure
- Small size, easy to carry and use
- 360-degree universal rear wheels, 360-degree rotating top plate
- Safety valve design to prevent overload

Item #	Capacity	Min Height	Max Height	Lift Height	Product Weight	Pack Qty
DQ-WD1.5T290	1.5 Ton	135mm	290mm	155mm	5.9KG	1/-/1

Single Pump Horizontal Jack



- All steel structure
- Small size, easy to carry and use
- 360-degree universal rear wheels, 360-degree rotating top plate
- Safety valve design to prevent overload

Item #	Capacity	Min Height	Max Height	Lift Height	Product Weight	Pack Qty
DQ-WD2T330	2 Ton	135mm	340mm	205mm	8.2KG	1/-/1

Single Pump Horizontal Low Jack



- All steel structure
- Low-profile design
- 360-degree universal rear wheels, 360-degree rotating top plate
- Safety valve design to prevent overload

Item #	Capacity	Min Height	Max Height	Lift Height	Product Weight	Pack Qty
DQ-WD2.5T380	2.5 Ton	85mm	380mm	295mm	11.8KG	1/-/1

Double Pump Horizontal Low Jack



- All steel structure
- Double pump design, fast lifting
- Low-profile design,
- 360-degree universal rear wheels, 360-degree rotating top plate
- Safety valve design to prevent overload

Item #	Capacity	Min Height	Max Height	Lift Height	Product Weight	Pack Qty
DQ-WD3T505D	3 Ton	80mm	508mm	428mm	31.5KG	1/-/1

Plastic Oil Can



-Made of engineering plastic with plastic nozzle and copper head
-The product has stable oil output and is not prone to oil leakage

Item #	Spec	Pack Qty
EDL2402	Capacity: 250ml Product height: 148mm	1/10/120

Plastic Oil Can



-Made of engineering plastic with plastic nozzle and copper head
-The product has stable oil output and is not prone to oil leakage

Item #	Spec	Pack Qty
DL468250	Capacity: 250ml Product height: 160mm	1/10/120

Chain Block



- Specification IT;
- CE and GS certified hooks, safe and reliable;
- Galvanized national standard 80 grade chain, rust resistant and durable;
- Dual pawl system, stable and safe;

Item #	Rating lift weight	Lift Height	Hook to Hook Distance	Chainpull to lift full load	Product Weight	Pack Qty
EDL301	1Ton	3M	300mm	322.5N	12.2kg	1/-/1
EDL302	2Ton	3M	300mm	345N	13.5kg	1/-/1
EDL303	3Ton	3M	300mm	404N	21.5kg	1/-/1
EDL305	5Ton	3M	300mm	476N	35kg	1/-/1

High Pressure Metal Oil Can



- All-steel body, durable and rust-resistant
- Seamless drawn body to prevent leaks at the bottom
- Detachable plastic spout with a pure copper oil nozzle for even distribution

Item #	Spec	Pack Qty
EDL2401	Capacity: 180ml Product height: 128mm	1/10/120
EDL468300	Capacity: 220ml Product height: 145mm	1/10/120

High Pressure Metal Oil Can



- All-steel body, durable and rust-resistant
- Seamless drawn body to prevent leaks at the bottom
- Detachable plastic spout with a pure copper oil nozzle for even distribution

Item #	Spec	Pack Qty
EDL2403	Capacity: 350ml Product height: 145mm	1/10/100
EDL2404	Capacity: 500ml Product height: 250mm	1/10/100

Grease Gun



- Alloy aluminum precision die-casting gun head, more wear-resistant, more pressure-resistant
- Self-priming function structure design, easy and fast to use
- Includes flexible hose, hard tube, flat nozzle, pointed nozzle, can be used for different use environment

Item #	Capacity	Working Pressure	Maximum Pressure	Oil Output	Pack Qty
EDL471400	400CC /14oz	4500psi	6000psi	1oz\40 times	1/-/20

Grease Gun



- Alloy aluminum precision die-casting gun head, more wear-resistant, more pressure-resistant
- Self-priming function structure design, easy and fast to use
- Non-slip knurling for sure grip handling
- Includes flexible hose, hard tube, flat nozzle, pointed nozzle, can be used for different use environment

Item #	Capacity	Working Pressure	Maximum Pressure	Oil Output	Pack Qty
EDL2602	400CC /14oz	4500psi	6000psi	1oz\40 times	1/1/20

Grease Gun



- Alloy aluminum precision die-casting gun head, more wear-resistant, more pressure-resistant
- Self-priming function structure design, easy and fast to use
- Includes flexible hose, hard tube, flat nozzle, pointed nozzle, can be used for different use environment

Item #	Capacity	Working Pressure	Maximum Pressure	Oil Output	Pack Qty
EDL2603	400CC /14oz	6000psi	10000psi	1oz\40 times	1/-/20

Grease Gun



- Alloy aluminum precision die-casting gun head, more wear-resistant, more pressure-resistant
- Self-priming function structure design, easy and fast to use
- Non-slip knurling for sure grip handling
- Includes flexible hose, hard tube, flat nozzle, pointed nozzle, 45° nozzle, 90° nozzle

Item #	Capacity	Working Pressure	Maximum Pressure	Oil Output	Pack Qty
EDL2602A	400CC /14oz	8000psi	15000psi	1oz\40 times	1/-/20

Grease Gun



- Alloy aluminum precision die-casting gun head, more wear-resistant, more pressure-resistant
- Self-priming function structure design, easy and fast to use
- Non-slip knurling for sure grip handling
- Includes flexible hose, hard tube, flat nozzle, pointed nozzle, 45° nozzle, 90° nozzle

Item #	Capacity	Working Pressure	Maximum Pressure	Oil Output	Pack Qty
EDL2601B	600CC /21oz	4500psi	10000psi	3oz\40 times	1/-/10

High Pressure Oil Nozzle



- High pressure resistant nozzle
- Dual handle press structure, labor-saving and more efficient;
- Fast oil injection
- 10000psi

Item #	Spec	Pack Qty
DL471002	Head diameter: 15mm	1/12/120



Insulated Labor-saving Combination Plier



- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL512006	Size: 6in. (169mm)	1/6/60
EDL512007	Size: 7in. (180mm)	1/6/60
EDL512008	Size: 8in. (200mm)	1/6/60

Insulated Labor-saving diagonal cutting plier



- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL512207	Size: 7in. (180mm)	1/6/60

Insulated Labor-saving long nose plier



Cr-V
1000V

- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL512106	Size: 6in. (160mm)	1/6/60
EDL512108	Size: 8in. (200mm)	1/6/60

Insulated Wire Stripping Plier



Cr-V
1000V

- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL515006	Size: 6in. (160mm)	1/6/60

Insulated Labor-saving Diagonal Cutting Plier



Cr-V
1000V

- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL512206	Size: 6in. (160mm)	1/6/60

Insulated Cable Cutter Plier



Cr-V
1000V

- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL515106	Size: 6in. (160mm)	1/6/60

Insulated Pump Pliers



Cr-V
1000V

- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
DQ90210	Size: 10in. Max Capacity: 38mm	1/6/36



Insulated Adjustable Wrench



1000V

- VDE and GS certification
- IEC 60900 standard
- TPE handle

Item #	Spec	Pack Qty
DQ90408	Size: 8in. Jaw Capacity: 0-25MM	1/6/36
DQ90410	Size: 10n. Jaw Capacity: 0-30MM	1/6/36
DQ90412	Size: 10n. Jaw Capacity: 0-35MM	1/6/24

Insulated Billhook Cable Stripping Knife



1000V

- Heat-treated stainless steel, 58-62HRC
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
DL515180	Size: 180mm	1/6/60

Insulated slotted screwdriver 4.0*100mm



Cr-V
1000V

- PP+TPR dual-color insulated plastic handle
- Shank blackening treatment

Item #	Spec	Pack Qty
EDL5141001	Size: 4.0*100mm	1/12/240
EDL5151251	Size: 5.5*125mm	1/12/240
EDL5161501	Size: 6.5x150mm	1/12/120
EDL513060	Size: PH0*60mm	1/12/480
EDL514080	Size: PH1*80mm	1/12/240
EDL516100	Size: PH2x100mm	1/12/120
EDL518150	Size: PH3*150mm	1/12/120

Insulated Flat Cable Stripping Knife



1000V

- Heat-treated stainless steel, 58-62HRC
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
DL515185	Size: 185mm	1/6/60

Insulated Cutting Nippers



Cr-V
1000V

- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
DQ90301	Size: 160mm	1/6/72

Insulated Test Pen



- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
DL515250	Size: 140mm Rated AC Voltage: 110V~250V	1/12/360

Insulation Tool Set



- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard
- Includes:
(1) Testing pencil 125-250 V
(1) Adjustable Wrench 8"
(1) Labor Saving Wire Pliers 6"
(1) Phillips screwdriver PH2*100mm
(1) Slotted Screwdriver SL2.5*0.4*75mm
(1) Slotted Screwdriver SL5.5*1*125mm

Item #	Spec	Pack Qty
DQ91001	Number of Pieces: 6	1/1/10

7Pcs Insulation Tool Set



- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard
- Includes:
(1)SL 2.5*75mm screwdriver
(1)SL 4*100MMGscrewdriver
(1)SL 5.5*125mm screwdriver
(1)SL 6.5*150mm screwdriver
(1)PH 0*60mm screwdriver
(1)PH 1*80mm screwdriver
(1)PH 2*100mm screwdriver

Item #	Spec	Pack Qty
DL510007	Number of Pieces: 7	1/1/6/24

Insulation Tool Set



- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard
- Includes:
(1) Saving Wire Pliers 6"
(1) Labor Saving Diagonal Nose Pliers 6"
(1) Labor Saving Needle Nose Pliers 6"
(1) Cable cutter 185mm
(1) Phillips screwdriver PH1*80mm
(1) Phillips screwdriver PH2*100mm
(1) Slotted screwdriver SL3*0.5*100mm
(1) Slotted screwdriver SL5.5*1*125mm

Item #	Spec	Pack Qty
DQ91002	Number of Pieces: 8	1/1/10

Insulation Tool Set



- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard
- Includes:
(1) Testing pencil 125-250 V
(1) Labor Saving Needle Nose Pliers 6"
(1) Labor Saving Wire Pliers 7"
(1) Diagonal Nose Pliers 7"
(1) Phillips screwdriver PH0*75mm
(1) Phillips screwdriver PH1*80mm
(1) Phillips screwdriver PH2*100mm
(1) Slotted Screwdriver SL2.5*0.4*75mm
(1) slotted screwdriver SL4*0.8*100mm
(1) slotted screwdriver SL5.5*1*125mm

Item #	Spec	Pack Qty
DQ91003	Number of Pieces: 10	1/1/10

7Pcs Insulation Tool Set



- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard
- Includes:
(1) SL 0.5*3*100mm screwdriver
(1) SL 0.8*4*100mm screwdriver
(1) SL 1*5.5*100mm screwdriver
(1) PH 1*80mm screwdriver
(1) PH 2*100mm screwdriver
(1) Quick change rubber handle
(1) Triangle electrical box key wrench
(1) Quadrangle electrical box key wrench

Item #	Spec	Pack Qty
DL510107	Number Of Pieces: 7	1/1/24

5Pcs Insulation Tool Set



- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard
- Includes:
(1) SL 5.5*125mm screwdriver
(1) SL 3*100mm screwdriver
(1) PH 2*100mm screwdriver
(1) PH 1*80mm screwdriver
(1) 250V test pencil

Item #	Spec	Pack Qty
DL510005	Number of Pieces: 5	1/1/6/24

12Pcs Insulation Tool Set



- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard
- Includes:
(1) SL 0.5*3*100mm screwdriver
(1) SL 0.8*4*100mm screwdriver
(1) SL 1*5.5*100mm screwdriver
(1) SL 1.2*6.5*100mm screwdriver
(1) PH 1*80mm screwdriver
(1) PH 2*100mm screwdriver
(1) PZ 1*80mm screwdriver
(1) PZ 2*100mm screwdriver
(1) T10*100mm screwdriver
(1) T15*100mm screwdriver
(1) T20*100mm screwdriver
(1) Rubber handle
(1) 250V testing pen

Item #	Spec	Pack Qty
DL510012	Number Of Pieces: 12	1/1/12

TOOL STORAGE

Tool Box
Tool Bag
Tool Cart



Parts Box



- Environmental PP, safe and non-toxic
- Detachable insert, compartmentalized storage
- Robust and durable, can be either hung or placed

Item #	Spec	Pack Qty
DL432001	Size:138×70×30mm	1/-/64
DL432002	Size:200×135×45mm	1/-/36

Parts Box



- Environmental PP, safe and non-toxic
- Detachable insert, compartmentalized storage
- Robust and durable, can be either hung or placed

Item #	Spec	Pack Qty
DL432003	Size:315×280×60mm	1/-/24

Parts Box

New PP



- Frosted cover design
- New PP material
- Free division, anti-drop and pressure resistance
- Seiko buckle

Item #	Spec	Pack Qty
DL432301	Size:13.5 x 10.5 x 3cm	1/12/144
DL432302	Size:20 x 15.5 x 3cm	1/12/96
DL432303	Size:18.5 x 16 x 4.4cm	1/12/72
DL432304	Size:26 x 13.5 x 4.4cm	1/12/48
DL432305	Size:22.5 x 18.5 x 6cm	1/12/48
DL432306	Size:27.5 x 19 x 4.4cm	1/12/48
DL432307	Size:28 x 18 x 6cm	1/6/24
DL432308	Size:33.5 x 23 x 6cm	1/6/24

Auto Maintenance And Repair Tools

Parts Cabinet



- Back can hang on the wall
- The inserts can be taken
- Versatile storage

Item #	Spec	Pack Qty
DL432039	Size:475×380×160mm	1/1/4

Plastic Tool Box

New PP



- Three layers collapsible, partition structure design
- Can be equipped with safety lock, anti-theft keyhole
- Environmental protection material, new PP material

Item #	Spec	Pack Qty
EDL432013A	Size:13in.(325 x 200 x 145mm)	1/-/20

Plastic Tool Box

New PP



- Three layers collapsible, partition structure design
- Can be equipped with safety lock, anti-theft keyhole
- Environmental protection material, new PP material

Item #	Spec	Pack Qty
EDL432013B	Size:13in.(325 x 200 x 145mm)	1/-/20

Plastic Tool Box

HOT



- High-strength engineering plastics
- Two-layer folding structure for excellent storage capacity
- Multi-functional parts boxes for easy access

Item #	Spec	Pack Qty
EDL432412	Size:12in.(305 x 130 x 105mm)	1/-/36
EDL432413	Size:13in. (330 x 160 x 125mm)	1/-/20
EDL432414	Size:14" (355 x 180 x 150mm)	1/-/20
EDL432417	Size:17"(380 x 200 x 180mm)	1/-/16

Tool Box

HOT



- High-strength engineering plastics
- Two-layer folding structure for excellent storage capacity
- Multi-functional parts boxes for easy access
- Bottom reinforcement line design

Item #	Spec	Pack Qty
EDL432612	Size:12.5 in. (290 x 155 x 130mm) Net Weight: 0.4KG	1/-/20
EDL432615	Size:15 in. (350 x 180 x 170mm) Net Weight: 0.7KG	1/-/12
EDL432618	Size:18 in. (400 x 210 x 190mm) Net Weight: 0.9KG	1/-/9
EDL432620	Size:20 in. (455 x 220 x 190mm) Net Weight: 1.1KG	1/-/6

Thicken Tool Box

HOT



- High-strength engineering PP material
- Metal buckle
- Anti-slip handle
- Two-layer folding structure

Item #	Spec	Pack Qty
EDL6211	Size:12in.(300 x 155 x 125mm) Net Weight: 0.5KG	1/-/20
EDL-TC240	Size:14in.(360 x 160 x 180mm) Net Weight: 1.0KG	1/-/12
EDL-TC270	Size:17in.(400 x 200 x 200mm) Net Weight: 1.2KG	1/-/9
EDL-TC290	Size:19in.(470 x 250 x 220mm) Net Weight: 1.6KG	1/-/6

Fashion Tool Box



- Double-layer large space
- Wave pattern top cover
- Hidden shaft
- Strengthen the wall thickness

Item #	Spec	Pack Qty
DL432814	Size:14in.(350 x 170 x 150mm) Net Weight: 1.05KG	1/1/12
DL432817	Size:17in.(408 x 195 x 170mm) Net Weight: 1.3KG	1/1/9
DL432819	Size:19in.(460 x 210 x 200mm) Net Weight: 1.65KG	1/1/6

Anti Impact Tool Box



- Copolymerized PP
- Double storage
- Strengthen muscles and bones

Item #	Spec	Pack Qty
DL432912	Size:12in. (300 x 155 x 130mm) Net Weight: 0.45KG	1/-/18
DL432915	Size:15in. (355 x 180 x 160mm) Net Weight: 0.9KG	1/-/12
DL432918	Size:18in. (425 x 230 x 195mm) Net Weight: 1.5KG	1/-/9

Stainless Steel Tool Box

HOT

Stainless Steel



- Product material: stainless steel +PP material
- Maximum load: 18kg
- Two layer design

Item #	Spec	Pack Qty
EDL432717	Size:17in. (400 x 180 x 180mm) Net Weight: 1.4KG	1/-/8
EDL432020	Size:20in. (470 x 220 x 220mm) Net Weight: 2.0KG	1/-/6

Cold Rolled Steel Tool Box

Cold Rolled Steel



- All-in-one cold-rolled steel
- Portable tool box
- Handle for packing glue

Item #	Spec	Pack Qty
EDL6161	Size:350 x 160 x 150mm Net Weight: 1.55KG	1/1/6
EDL6162	Size:480 x 160 x 150mm Net Weight: 1.95KG	1/1/4

Three-layer Folding Tool Box



- Three-layer folding structure
- Multifunctional part box design

Item #	Spec	Pack Qty
DL432117	Size:17in. (430 x 200 x 190mm) Net Weight: 1.6KG	1/-/9
DL432021	Size:21in. (490 x 260 x 220mm) Net Weight: 2.3KG	1/-/4

Wide Body Tool Box



- Large capacity, widened and heightened, impact drill/hammer can be laid flat, aspect ratio 4:3
- Up and down can be combined, double boxes can be combined for lifting
- New material, metal lock, strong and durable

Item #	Spec	Pack Qty
DL432522A	Size:22in. (435 x 330 x 210mm) Net Weight: 2.2KG	1/-/4
DL432522B	Size:22in. (435 x 330 x 260mm) Net Weight: 2.3KG	1/-/4

Cantilever Steel Tool Box

Cold Rolled Steel



- High quality thickened cold rolled Steel
- Double handles for stronger load bearing capacity
- Powder coated surface prevents corrosion and rust

Item #	Spec	Pack Qty
EDL6231	Size:450 x 200 x 160mm Net Weight: 4.45KG Layers: 2	1/1/4
EDL6232	Size:450 x 200 x 215mm Net Weight: 4.45KG Layers: 3	1/1/4

Trolley Tool Box



- Three boxes combined and detachable
- Retractable pulling handle
- Powder-coated finish for corrosion resistance

Item #	Spec	Pack Qty
EDL-TS3C-20	Size(mm): 520W x 320D x 720H	1/-/1

Three-layer Strengthened Tool Box



- Three layers of storage
- Large capacity
- Metal buckle
- Strengthened body design

Item #	Spec	Pack Qty
DL432519	Size:19in. (445 x 240 x 230mm) Net Weight: 2.6KG	1/-/6
DL432521	Size:21in. (510 x 280 x 255mm) Net Weight: 3.2KG Layers: 2	1/-/4



Drills Holster

HOT



- Strong and wear-resistant oxford cloth

Item #	Spec	Pack Qty
EDL430004	Size(mm): 150W x 260H	1/-/30

Utility Pouch

HOT



- Strong and wear-resistant oxford cloth
- Multi-pocket for easy storage

Item #	Spec	Pack Qty
EDL430003	Size(mm): 120W x 250H	1/-/30

Electrition Tool Pouch



- Wear-resistant , tear resistant, water-resistant
- Multi functional pockets
- High elasticity EVA
- Velcro design

Item #	Spec	Pack Qty
EDL-P4	Size(mm): 220W x 140D x 200H	1/-/30
EDL-P5	Size(mm): 250W x 140D x 210	1/-/30

Tool Pouch



- Wear-resistant , tear resistant, water-resistant
- Multi functional pockets
- High elasticity EVA
- Velcro design

Item #	Spec	Pack Qty
EDL5864	Size(mm): 600 x 145 x 50	1/-/48

Tool Pouch



- 1680D Oxford
- Wear-resistant , tear resistant, water-resistant
- Multi functional pockets
- Rivet reinforcement for durability
- Leather side pockets

Item #	Spec	Pack Qty
EDL5865	Size(mm): 250 x 110 x 250	1/12/24

Tool Bag



- Multi functional pockets
- Wear-resistant , tear resistant
- Steel bar inside to avoid deformation
- Velcro design

Item #	Spec	Pack Qty
EDL430013	Size:13in. (310 x 170 x 220mm)	1/-/30
EDL430016	Size:16in. (360 x 180 x 250mm)	1/-/30
EDL430018	Size:18in. (400 x 200 x 270mm)	1/-/30

Tool Bag



- High grade polyester cloth Material
- Multifunctional pocket design

Item #	Spec	Pack Qty
EDL-P1	Size:13in. (290 x 240 x 230mm)	1/10/20
EDL-P2	Size:16in. (340 x 260 x 300mm)	1/10/20

Tool Bag



- Densified Oxford cloth for abrasion resistance
- Multifunctional pockets for easy use
- Reinforced steel bar inside to avoid deformation

Item #	Spec	Pack Qty
EDL430113	Size:13in. (310 x 170 x 220mm)	1/10/20
EDL430116	Size:16in. (360 x 180 x 250mm)	1/10/20
EDL430117	Size:175n. (400 x 200 x 270mm)	1/10/20
EDL430118	Size:18n. (430 x 200 x 290mm)	1/10/20

16 in. Open Top Tool Bag



- Water-resistant hard base
- Reinforced side walls
- Reflective stripes for increased visibility
- Open-top design for excellent visibility and access to all contents

Item #	Spec	Pack Qty
EDL586111	Size:16in. (410 x 220 x 310mm)	1/1/6

16 in. Wide Open Tool Bag



- Water-resistant hard base
- Spacious storage compartment
- Reinforced side walls
- Adjustable and removable shoulder strap
- Reflective stripes for increased visibility

Item #	Spec	Pack Qty
EDL586112	Size:16in. (360 x 220 x 270mm)	1/1/12

Tool Vest



- Light and breathable construction for increased user comfort
- Reflective stripes for increased visibility
- Frees up the hands for increased safety on ladders, roofs and scaffolding

Item #	Spec	Pack Qty
EDL586113	Size: All in one	1/1/20

Flat Cart



- High-strength engineering PP platform
- 4 TPR mute bearing wheels
- Casters: 2fixed, 2 Swivel

Item #	Size	Loading Capacity	Net Weight	Pack Qty
DL6111	470W x 730D x 800H mm	150KG	7.5KG	1/-/1
DL6112	580W x 870D x 900H mm	300KG	12.82KG	1/-/1

65L Wheel Barrow



- Water Capacity: 65L
- Load bearing: 140kg
- Bucket thickness:0.8mm
- Wheel: 16/4.00-8,Pneumatic wheel
- L*H*C*A*B*h (mm) :1440*550*500*840*685*205
- Net Weight: 11.65KG

Item #	Spec	Pack Qty
EDL436065	65L	1/-/50

Trolley Cart



- Aluminum alloy construction for durability
- Adjustable height for custom use
- Foldable design for space-saving storage
- Mute PVC rubber wheels

Item #	Size	Folded Size	Loading Capacity	Wheels	Pack Qty
DL431070	380W x 280D x 610/810/1110H mm	645W x 400D x 70H mm	70KG	PVC, 2 x 12CM Dia.	1/-/6

Trolley Cart



- Aluminum alloy construction for durability
- Adjustable height for custom use
- Foldable design for space-saving storage
- Mute PVC rubber wheels

Item #	Size	Folded Size	Loading Capacity	Wheels	Pack Qty
DL431071	380W x 280D x 660/870/1070H mm	645W x 400D x 70H mm	70KG	PVC, 2 x 12CM Dia. + 4 Swivel small casters	1/-/6

Trolley Cart



- Three-speed adjustment lever
- Triangular wheel for climbing stairs
- Aluminum alloy construction for durability
- Adjustable height for custom use
- Mute TPR rubber wheels

Item #	Size	Folded Size	Loading Capacity	Wheels	Pack Qty
DL431072	380W x 280D x 630/900/1000H mm	630W x 400D x 100H mm	70KG/Ground,20KG/Stair	TPR, 3 x 9.5CM Dia.	1/1/4

Trolley Cart



- Daily household, convenient and quick
- Large capacity, safe to install
- Strong load-bearing capacity, durable

Item #	Spec	Pack Qty
DL431002A	45L	1/-/6
DL431004A	65L	1/1/4
DL431008A	65L	1/1/4

Trolley Cart



- Daily household, convenient and quick
- Large capacity, safe to install
- Strong load-bearing capacity, durable

Item #	Spec	Pack Qty
DL431002B	45L	1/1/6
DL431004B	65L	1/1/4
DL431008B	65L	1/1/4

Steel Service Tool Cart



- Heavy duty sheet steel construction
- Push-bar side handle
- Powder-coated finish for corrosion resistance

Item #	Size(mm)	Loading Capacity	Steel Thickness	Casters	Product Weight	Pack Qty
EDL433013	610W x 260D x 585H mm	90KG	1MM	2 fixed, 2 Swivel with brakes	4.1KG	1/1/4
EDL433023	755W x 355D x 765H mm	215KG	1.2MM	2 Swivel , 2 Swivel with brakes	6.4KG	1/1/4



ACCESSORY

Drilling
Cutting
Grinding



HSS TWIST DRIL BIT				
Materials	M35	M2	HSS-G	HSS-R
Steel (N/mm²)900	●●●	●●●	●●●	●●●
Steel (N/mm²)1100	●●●	●●	/	/
Steel (N/mm²)1300	●●	●	/	/
Stainless steels	●●●	●●	/	/
Aluminium	●●●	/	●●●	/
Brass	●●●	●●●	●●●	●●
Bronze	●●	●●	●●	●●
Plastics	●●●	●●●	●●●	/
Cast iron	●●●	●●	●●●	●●

●●● Excellent choice
●● suitable for occassional use

MANUFACTURING METHOD



Helical grinding
This process involves cutting the helix from a round rod.These bits are extremely precise and used for quality work.A cut bit is normally identifiable by its silver colour.



Roller pressing
More simple bits are manufactured using a (hot)roll-er-pressing process.A round metal bar is clamped by a mould,thus giving it a helical shape.These bits are perfect for rough work.Roller-pressed bits are often identifiable by their black colour

HSS Drill Bit



HSS 4341,roller pressing
118° Drill Angle
Cutting edge design for easy chip removal
Double helix for easy chip removal
High hardness, efficient drilling with a longer service life

Item #	Spec	Pack Qty
EDH-MHZ020-E1	2mm	1/10/100/3000
EDH-MHZ025-E1	2.5mm	1/10/100/1500
EDH-MHZ030-E1	3mm	1/10/100/1500
EDH-MHZ035-E1	3.5mm	1/10/100/1500
EDH-MHZ040-E1	4mm	1/10/100/1500
EDH-MHZ045-E1	4.5mm	1/10/100/800
EDH-MHZ050-E1	5mm	1/10/100/800
EDH-MHZ055-E1	5.5mm	1/10/100/800
EDH-MHZ060-E1	6mm	1/10/100/800
EDH-MHZ065-E1	6.5mm	1/10/100/500
EDH-MHZ070-E1	7mm	1/10/100/500
EDH-MHZ075-E1	7.5mm	1/10/100/500
EDH-MHZ080-E1	8mm	1/5/50/500
EDH-MHZ085-E1	8.5mm	1/5/50/500
EDH-MHZ090-E1	9mm	1/5/50/500
EDH-MHZ095-E1	9.5mm	1/5/50/500
EDH-MHZ100-E1	10mm	1/5/50/400
EDH-MHZ105-E1	10.5mm	1/5/50/250
EDH-MHZ110-E1	11mm	1/5/50/250
EDH-MHZ115-E1	11.5mm	1/5/50/250
EDH-MHZ120-E1	12mm	1/5/50/250
EDH-MHZ125-E1	12.5mm	1/5/50/250
EDH-MHZ130-E1	13mm	1/5/50/250
EDH-MHZ140-E1	14mm	1/5/50/200
EDH-MHZ150-E1	15mm	1/5/10/200
EDH-MHZ160-E1	16mm	1/5/10/150

4341 HSS Drill Bit



HSS 4341
Fully ground flute,135°
Highly-precise and durable with best finish in metal

Item #	Spec	Pack Qty
EDH-MHZ010-E3	1mm	1/20/80
EDH-MHZ015-E3	1.5mm	1/20/80
EDH-MHZ020-E3	2mm	1/20/80
EDH-MHZ025-E3	2.5mm	1/20/80
EDH-MHZ030-E3	3mm	1/20/80
EDH-MHZ035-E3	3.5mm	1/20/80
EDH-MHZ040-E3	4mm	1/20/80
EDH-MHZ045-E3	4.5mm	1/20/80
EDH-MHZ050-E3	5mm	1/20/80
EDH-MHZ055-E3	5.5mm	1/10/60
EDH-MHZ060-E3	6mm	1/10/60
EDH-MHZ065-E3	6.5mm	1/10/60
EDH-MHZ070-E3	7mm	1/10/60
EDH-MHZ075-E3	7.5mm	1/10/60
EDH-MHZ080-E3	8mm	1/10/60
EDH-MHZ085-E3	8.5mm	1/10/60
EDH-MHZ090-E3	9mm	1/10/60
EDH-MHZ095-E3	9.5mm	1/10/60
EDH-MHZ100-E3	10mm	1/10/40
EDH-MHZ105-E3	10.5mm	1/10/40
EDH-MHZ110-E3	11mm	1/10/40
EDH-MHZ115-E3	11.5mm	1/10/40
EDH-MHZ120-E3	12mm	1/8/32
EDH-MHZ125-E3	12.5mm	1/8/32
EDH-MHZ130-E3	13mm	1/8/32

M2 HSS Drill Bit



HSS M2
Fully ground flute,135°
In special HSS quality for a long service life
Applications: Steel (alloy and non alloy), iron, castings, sheet metal, non-ferrous metals, plastics, steel and cast steel up to 1400 N/mm² strength

Item #	Spec	Pack Qty
EDL16020G	2mm	1/20/200/4800
EDL16025G	2.5mm	1/20/200/4800
EDL16030G	3mm	1/20/200/4800
EDL16035G	3.5mm	1/20/200/3200
EDL16040G	4mm	1/10/100/1600
EDL16045G	4.5mm	1/10/100/1600
EDL16050G	5mm	1/10/100/1600
EDL16055G	5.5mm	1/10/100/1600
EDL16060G	6mm	1/20/400
EDL16065G	6.5mm	1/20/400
EDL16070G	7mm	1/20/400
EDL16075G	7.5mm	1/20/400
EDL16080G	8mm	1/20/400
EDL16085G	8.5mm	1/20/400
EDL16090G	9mm	1/20/400
EDL16095G	9.5mm	1/20/400
EDL16100G	10mm	1/10/200
EDL16105G	10.5mm	1/10/200
EDL16110G	11mm	1/10/200
EDL16115G	11.5mm	1/10/200
EDL16120G	12mm	1/10/200
EDL16125G	12.5mm	1/10/200
EDL16130G	13mm	1/10/200

Hss-Co M35 Drill Bit



Unbeatable in high-alloy steel and stainless steel - the perfect solution for the most challenging drilling
Made of special HSS steel with 5% cobalt for extremely long life
Pinpoint centring thanks to split point grinding and 135° point angle
Precision tool as per DIN 338 RN for outstanding dimensional accuracy of the hole

Item #	Spec	Pack Qty
EDH-MHZ010-E2	1mm	1/200/400
EDH-MHZ015-E2	1.5mm	1/200/400
EDH-MHZ020-E2	2mm	1/200/400
EDH-MHZ025-E2	2.5mm	1/200/400
EDH-MHZ030-E2	3mm	1/200/400
EDH-MHZ032-E2	3.2mm	1/200/400
EDH-MHZ035-E2	3.5mm	1/200/400
EDH-MHZ040-E2	4mm	1/200/400
EDH-MHZ045-E2	4.5mm	1/200/400
EDH-MHZ050-E2	5mm	1/200/400
EDH-MHZ055-E2	5.5mm	1/200/400
EDH-MHZ060-E2	6mm	1/100/200
EDH-MHZ065-E2	6.5mm	1/100/200
EDH-MHZ070-E2	7mm	1/100/200
EDH-MHZ075-E2	7.5mm	1/100/200
EDH-MHZ080-E2	8mm	1/100/200
EDH-MHZ085-E2	8.5mm	1/100/200
EDH-MHZ090-E2	9mm	1/100/200
EDH-MHZ095-E2	9.5mm	1/50/100
EDH-MHZ100-E2	10mm	1/50/100
EDH-MHZ105-E2	10.5mm	1/50/100
EDH-MHZ110-E2	11mm	1/50/100
EDH-MHZ120-E2	12mm	1/50/100
EDH-MHZ130-E2	13mm	1/50/100
EDH-MHZ140-E2	14mm	1/30/60
EDH-MHZ160-E2	16mm	1/25/50

HSS Drill Bit Set



118° Drill Angle
High hardness, efficient drilling with a longer service life
Double helix for easy chip removal
Diverse specifications to meet various apertures

Item #	Spec	Pack Qty
EDH-MHZ013-ED1	1.5/2/2.5/3/3.2/3.5/4/4.5/4.8/5/5.5/6/6.5mm	1/10/60
EDH-MHZ019-ED1	1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10mm	1/10/40
EDH-MHZ025-ED1	1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10/10.5/11/11.5/12/12.5/13mm	1/-/20

4341 HSS Drill Bit Set



HSS 4341
Fully ground flute,135°
Highly-precise and durable with best finish in metal

Item #	Spec	Pack Qty
EDH-MHZ007-ED3	2/2/3/3/4/5/6mm	1/20/60
EDH-MHZ008-ED2	2/3/3/4/4/5/6/8mm	1/20/60
EDH-MHZ009-ED3	2/3/3.5/4/4.5/5/6/8/10mm	1/20/60
EDH-MHZ012-ED2	2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/8mm	1/20/60

4341 HSS Drill Bit Set



HSS 4341
Fully ground flute,135°
Highly-precise and durable with best finish in metal

Item #	Spec	Pack Qty
EDH-MHZ006-ED3	2,3,4,5,6,8mm	1/20/60
EDH-MHZ008-ED3	3/4/5/6/7/8/9/10mm	1/20/60
EDH-MHZ019-ED3	1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10mm	1/10/20

HSS M2 Drill Bits Set



Particularly long service life and great drilling performance thanks to titanium coating
In special HSS quality for a long service life
Split point grinding and 135° point angle for optimum centring during spot drilling
Precision tool as per DIN 338 RN for outstanding dimensional accuracy of the hole

Item #	Spec	Pack Qty
EDH-MHZ015-ED4	1/2/2.5/3/3.5/4/4.5/5/5.5/6/7/8/9/10/12mm	1/10/40

Step Drill Bit



Size:4-12mm,4-20mm,4-32mm
Step:4-6-8-10-12mm,4-6-8-10-12-14-16-18-20mm,4-6-8-10-12-14-16-18-20-22-24-26-28-30-32mm
Shank:round shank
Material:HSS 4241
3pcs/set
Titanium finishing

Item #	Spec	Pack Qty
EDH-JTZ0003-ED1	4-12mm 4-20mm 4-32mm	1/10/50



Step Drill Bit



Shank:1/4 HEX shank
Material:HSS 4341
Titanium finishing

Item #	Spec	Pack Qty
EDH-JTZ012-E1	4-12mm	1/25/500
EDH-JTZ020-E1	4-20mm	1/10/200
EDH-JTZ032-E1	4-32mm	1/10/100

Step Drill Bit



Shank:1/4 HEX shank
Material:HSS M2
Titanium finishing

Item #	Spec	Pack Qty
EDH-JTZ012-E2	4-12mm	1/25/500
EDH-JTZ020-E2	4-20mm	1/10/200
EDH-JTZ032-E2	4-32mm	1/10/100

Step Drill Bit



Shank:1/4 HEX shank
Material:HSS M35
Suitable for stainless steel

Item #	Spec	Pack Qty
EDH-JTZ012-E3	4-12mm	1/25/500
EDH-JTZ020-E3	4-20mm	1/10/200
EDH-JTZ032-E3	4-32mm	1/10/100

Countersink Bit



Shank:1/4 HEX shank
Material:HSS
Titanium finishing
For metal chamfering

Item #	Spec	Pack Qty
EDH-DJZ001-E1	8.3mm	1/40/320
EDH-DJZ002-E1	12.4mm	1/40/320
EDH-DJZ003-E1	20.5mm	1/20/100

X-Tip SDS Plus Hammer Drill



High quality carbide tip
Cross head carbide tip
Chrome alloy steel shank
Concrete with reinforced steel can be worn

Item #	Spec	Pack Qty
EDH-YCZ11006-E1	6x110mm	1/10/500
EDH-YCZ11008-E1	8x110mm	1/10/500
EDH-YCZ11010-E1	10x110mm	1/10/400
EDH-YCZ16006-E1	6x160mm	1/10/500
EDH-YCZ16008-E1	8x160mm	1/10/400
EDH-YCZ16010-E1	10x160mm	1/10/350
EDH-YCZ16012-E1	12x160mm	1/10/300
EDH-YCZ16014-E1	14x160mm	1/10/250
EDH-YCZ16016-E1	16x160mm	1/10/200

SDS Plus Hammer Drill



SDS-plus quick-change design for easy and quick replacement
Hard alloy cutter head for more powerful chip drilling, wear-resistant and durable,with a long service life
Large chip groove, smooth without clogging

Item #	Spec	Pack Qty
EDH-Y06110	6x110mm	1/20/500
EDH-Y08110	8x110mm	1/20/500
EDH-Y06160	6x160mm	1/20/400
EDH-Y08160	8x160mm	1/20/400
EDH-Y10160	10x160mm	1/20/300
EDH-Y12160	12x160mm	1/15/300
EDH-Y08210	8x210mm	1/15/300
EDH-Y10210	10x210mm	1/15/300
EDH-Y14210	14x210mm	1/10/150
EDH-Y16210	16x210mm	1/10/150

SDS Plus Hammer Drill

NEW



SDS-plus quick-change design for easy and quick replacement
Hard alloy cutter head for more powerful chip drilling, wear-resistant and durable,with a long service life
More suitable for wall perforations

Item #	Spec	Pack Qty
EDH-Y10310	10x310mm	1/10/150
EDH-Y12310	12x310mm	1/10/150
EDH-Y14310	14x310mm	1/10/120
EDH-Y16310	16x310mm	1/10/100
EDH-Y18310	18x310mm	1/10/80
EDH-Y20310	20x310mm	1/10/60
EDH-Y22310	22x310mm	1/10/50
EDH-Y25310	25x310mm	1/10/50



SDS Plus Chisel



Material:40Cr
Applicable materials: brick wall, cement wall, concrete, stone

Item #	Spec	Pack Qty
EDH-YJZ014-E1	14x250mm	1/20/80
EDH-YBZ20250-E1	14x250x20mm	1/20/80
EDH-YBZ40250-E1	14x250x40mm	1/15/60

Hex Chisel



Material:40Cr
Applicable materials: brick wall, cement wall, concrete, stone

Item #	Spec	Pack Qty
EDH-HJZ017-E1	17x280mm	1/10/60
EDH-HBZ25280-E1	17x280x25mm	1/10/60
EDH-HJZ030-E1	30x410mm	1/-/15
EDH-HBZ35410-E1	30x410x35mm	1/-/15

10 Pcs Hammer Drill Bits And Chisels Set

NEW



SDS plus shank
Concrete perforation and demolition mixing set

Item #	Spec	Pack Qty
EDH-YCZ010-EH1	8pcs SDS Plus hammer drill bits: 6X160mm 8X160mm 10X160mm 8X210mm 10X210mm 12X210mm 14X210mm 16X210mm 2pcs SDS Plus chisel: 14X250mm 14X250X20mm	1/-/16

Glass Drill Bit

NEW HOT

YG6X



High quality carbide tip
Cross head carbide tip, glass punching faster

Item #	Spec	Pack Qty
EDH-CZZ006-E1	6mm	1/10/100
EDH-CZZ008-E1	8mm	1/10/100
EDH-CZZ010-E1	10mm	1/10/100
EDH-CZZ012-E1	12mm	1/10/100

Glass Drill Bit

NEW

YG6X



High quality carbide tip
Glass perforation

Item #	Spec	Pack Qty
EDH-CZZ005-ED1	4/5/6/8/10mm	1/10/100

Glass Drill Bit

NEW

YG6X



High quality carbide tip
Cross head carbide tip, glass punching faster

Item #	Spec	Pack Qty
EDH-CZZ005-ED2	4/5/6/8/10mm	1/10/100

Ceramic Tile Drill Bit

NEW

YG6X



High quality carbide tip
It is mainly used for tile drilling

Item #	Spec	Pack Qty
EDH-CBZ003-E1	3mm	1/10/100
EDH-CBZ004-E1	4mm	1/10/100
EDH-CBZ005-E1	5mm	1/10/100
EDH-CBZ006-E1	6mm	1/10/100
EDH-CBZ008-E1	8mm	1/10/100
EDH-CBZ010-E1	10mm	1/10/50
EDH-CBZ012-E1	12mm	1/10/50

Multi-Function Drill Bit

NEW

YG6X



High quality carbide tip
Multi-purpose for stone, porcelain diamonds, marble, metal, wood, etc

Item #	Spec	Pack Qty
EDH-BWZ003-E1	3mm	1/10/100
EDH-BWZ004-E1	4mm	1/10/100
EDH-BWZ005-E1	5mm	1/10/100
EDH-BWZ006-E1	6mm	1/10/100
EDH-BWZ008-E1	8mm	1/10/100
EDH-BWZ010-E1	10mm	1/10/50
EDH-BWZ012-E1	12mm	1/10/50



Masonry Drill Bit

NEW

YG6X



High quality carbide tip
Multi-purpose for stone, porcelain diamonds, marble, metal, wood, etc

Item #	Spec	Pack Qty
EDH-JGZ030-E1	3x60mm	1/10/500
EDH-JGZ040-E1	4x75mm	1/10/500
EDH-JGZ050-E1	5x85mm	1/10/500
EDH-JGZ060-E1	6x100mm	1/10/500
EDH-JGZ080-E1	8x120mm	1/10/500
EDH-JGZ100-E1	10x120mm	1/10/500

Masonry Drill Bit Set



High quality carbide tip
Cement perforation

Item #	Spec	Pack Qty
EDH-JGZ005-ED1	4/5/6/8/10mm	1/20/120

5 PCS Wood Drill Bit Set



Extremely quick progress and chip removal in all types of wood. Plus lasting precision and reliability in the highest quality woods
Good chip removal thanks to large volume helix design
Clean, break-out free holes thanks to special precision grinding

Item #	Spec	Pack Qty
EDH-MGZ005-ED1	4/5/6/8/10mm	1/20/120

6 PCS Flat Wood Drill Bit Set



For all applications in wood and wooden materials
Fast and precise cutting thanks to specially hardened pre-cutters
Extremely accurate centring without tear-out at the edge of the hole
1/4" hexagonal shaft prevents the drill bit from slipping into the drill chuck

Item #	Spec	Pack Qty
EDH-MBZ006-ED1	10/12/16/18/20/25mm	1/20/80

Forstner Drill Bits

YG8



The perfect solution for drilling hinge holes in any panel material
Ideal for use in box column machines
Small centring tip protrusion enables drilling of hinge holes in thin panel materials
With HSS centring tip for maximised service life
Two carbide precutting edges and two carbide main cutting edges for long service life and precisely drilled holes

Item #	Spec	Pack Qty
EDH-MKK025-E1	25mm	1/20/400
EDH-MKK032-E1	32mm	1/10/200
EDH-MKK035-E1	35mm	1/10/200
EDH-MKK005-ED1	15/20/20/30/35mm	1/-/20

Wood Hole Saw Set



Size:26,32,38,45,50,56,63mm
Multi-size wood cut-outs

Item #	Spec	Pack Qty
EDH-MKK007-ED1	26/32/38/45 50/56/63*25mm	1/10/60
EDH-MKK007-ED2	26/32/38/45 50/56/63*50mm	1/10/60

Arbor for hole saw



Hex shank:3/8"
Material:HSS
Arbor for hole saw
Fit hole saws 13mm to 30mm

Item #	Spec	Pack Qty
EDH-SKZ001-E1	3/8"	1/20/100
EDH-SKZ002-E1	7/16"	1/10/60

Bi-metal Hole Saw



The drilling speed is fast and there is no clogging
It is manufactured with precision to form neat round holes
Alloy tool steel and solid mounting plate with shatterproof design
Accessories: Centering drill available separately

Item #	Spec	Pack Qty
EDH-SKK016-E1	16mm	1/20/100
EDH-SKK019-E1	19mm	1/10/100
EDH-SKK022-E1	22mm	1/10/100
EDH-SKK025-E1	25mm	1/10/100
EDH-SKK029-E1	29mm	1/10/100
EDH-SKK032-E1	32mm	1/10/100
EDH-SKK035-E1	35mm	1/10/100
EDH-SKK038-E1	38mm	1/10/100
EDH-SKK044-E1	44mm	1/10/100
EDH-SKK046-E1	46mm	1/10/100
EDH-SKK051-E1	51mm	1/10/100
EDH-SKK057-E1	57mm	1/10/100
EDH-SKK064-E1	64mm	1/10/100
EDH-SKK068-E1	68mm	1/10/100
EDH-SKK076-E1	76mm	1/10/60
EDH-SKK114-E1	114mm	1/10/20

Hole Core Bit





TCT blades
Wall cut-outs

Item #	Spec	Pack Qty
EDH-QKK050-E1	50X220mm	1/-/40
EDH-QKK065-E1	65X220mm	1/-/30
EDH-QKK080-E1	80X220mm	1/-/30
EDH-QKK100-E1	100X220mm	1/-/20
EDH-QKK065-E2	65x400mm	1/5/15
EDH-QKK080-E2	80x400mm	1/5/15

Diamond Hole Saw





High-quality thickened corundum drill bit, sharp and wear-resistant
Applicable materials: glass, ceramic tile, granite, marble, vitrified brick, etc

Item #	Spec	Pack Qty
EDH-BKK200-E1	20mm	1/20/320
EDH-BKK220-E1	22mm	1/20/320
EDH-BKK250-E1	25mm	1/20/320
EDH-BKK280-E1	28mm	1/10/160
EDH-BKK300-E1	30mm	1/10/160
EDH-BKK320-E1	32mm	1/10/160
EDH-BKK350-E1	35mm	1/10/160
EDH-BKK450-E1	45mm	1/10/60
EDH-BKK500-E1	50mm	1/10/60
EDH-BKK550-E1	55mm	1/10/60
EDH-BKK650-E1	65mm	1/10/60

TCT Hole Saw





Accessories: with adapter, pilot bit and ejector
Mainly suitable for stainless steel and metal

Item #	Spec	Pack Qty
EDH-TCT016-E1	16mm	1/10/200
EDH-TCT017-E1	17mm	1/10/200
EDH-TCT018-E1	18mm	1/10/200
EDH-TCT019-E1	19mm	1/10/200
EDH-TCT020-E1	20mm	1/10/200
EDH-TCT021-E1	21mm	1/10/200
EDH-TCT022-E1	22mm	1/10/200
EDH-TCT024-E1	24mm	1/10/200
EDH-TCT025-E1	25mm	1/10/200
EDH-TCT027-E1	27mm	1/10/200
EDH-TCT028-E1	28mm	1/10/200
EDH-TCT030-E1	30mm	1/10/200
EDH-TCT032-E1	32mm	1/8/120
EDH-TCT035-E1	35mm	1/8/120
EDH-TCT040-E1	40mm	1/8/120
EDH-TCT042-E1	42mm	1/6/90
EDH-TCT045-E1	45mm	1/6/90
EDH-TCT050-E1	50mm	1/6/90
EDH-TCT053-E1	53mm	1/6/90
EDH-TCT055-E1	55mm	1/6/90
EDH-TCT060-E1	60mm	1/6/90



MATERIAL	A	WA	GC
CUTTING FOR	Metal	Stainless	Stone

TYPE	T41	T42	T27
SHAPE			
APPLICATION	Cutting	Cutting	Grinding

Abrasive Metal Cutting Disc

HOT



The use of high-quality abrasives greatly improves the cutting life
Metal cutting wheels have an important role in industrial, trade and DIY applications, they are used for quickly
cutting different materials

Item #	Spec	Pack Qty
EDH-SZP107-E1	107X1.2X16.0mm,	1/50/800
EDH-SZP107-E2	107x1.2x16.0mm	1/50/800
EDH-SZP107-E3	107x1.2x16.0mm	1/100/800
EDH-SZP115-E1	115X1.2X22.2mm	1/50/400
EDH-SZP115-E2	115x1.2x22.2mm	1/50/400
EDH-SZP115-E3	115x1.0x22.2mm	1/50/600
EDH-SZP115-E4	115x1.0x22.2mm	1/-/6
EDH-SZP115-E5	115x1.2x22.2mm	1/-/40
EDH-SZP115-E6	115x1.2x22.2mm	1/-/12
EDH-SZP125-E1	125X1.2X22.2mm	1/50/400
EDH-SZP125-E2	125x1.2x22.2mm	1/50/400
EDH-SZP125-E3	125x1.0x22.2mm	1/50/600
EDH-SZP125-E4	125x1.2x22.2mm	1/5/40
EDH-SZP180-E1	180X1.6X22.2mm	1/50/200
EDH-SZP180-E2	180x1.6x22.2mm	1/50/200
EDH-SZP230-E1	230X1.6X22.2mm	1/50/100
EDH-SZP230-E2	230x1.6x22.2mm	1/50/100
EDH-SZP300-E1	300x3.0x25.4mm	1/-/25
EDH-SZP355-E1	355X3X25.4mm	1/-/25
EDH-SZP355-E2	355x3.0x25.4mm	1/-/25
EDH-SZP405-E1	405x3.0x25.4mm	1/5/25

Abrasive Metal Grinding Disc



Material:Resin,+carborundum
Depressed centre
Grinding disc for metal

Item #	Spec	Pack Qty
EDH-MGP100-E1	100X6X16.0mm	1/25/200
EDH-MGP115-E1	115X6.0X22.2mm	1/25/200
EDH-MGP125-E1	125X6.0X22.2mm	1/25/100
EDH-MGP180-E1	180X6.0X22.2mm	1/25/50
EDH-MGP230-E1	230X6.0X22.2mm	1/25/50
EDH-MGP100-E2	100x3.0x16.0mm	1/25/400
EDH-MGP115-E2	115x3.0x22.2mm	1/25/400
EDH-MGP125-E2	125x3.0x22.2mm	1/25/200
EDH-MGP180-E2	180x3.0x22.2mm	1/25/100
EDH-MGP230-E2	230x3.0x22.2mm	1/25/50



Diamond saw blade

Texture map					
Teeth Type	Segmented	Continuous	Turbo	Ultra-thin Fine Turbo	Ultra-thin Mesh Turbo
Cutting Method	Dry	Wet	Dry/Wet	Dry/Wet	Dry/Wet

Diamond saw blade-cutting object

Texture map						
SAW BLADE TYPE	BRICK	CONCRETE	MARBLEE	GRANITE	CERAMIC TILE	FLOOR TILE
Segmented	○	●	●	●	○	○
Continuous	●	●	●	●	●	●
Turbo	○	○	●	●	●	●
Ultra-thin Fine Turbo	○	○	●	●	●	●
Ultra -thin Mesh Turbo	●	●	●	●	●	●

Dry Diamond Disc



Material:Metal+Diamond
Segmented teeth,cutting fast
Stone cutting

Item #	Spec	Pack Qty
EDH-SQP100-E1	100x16mm	1/50/100
EDH-SQP110-E1	110x20mm	1/50/100
EDH-SQP115-E1	115x22.2mm	1/50/100
EDH-SQP125-E1	125x22.2mm	1/50/100
EDH-SQP180-E1	180x22.2m	1/-/50
EDH-SQP230-E1	230x22.2mm	1/-/25
EDH-SQP100-E2	100X16mm	1/10/100
EDH-SQP110-E2	110X20mm	1/10/100
EDH-SQP115-E2	115X22.2mm	1/10/100
EDH-SQP125-E2	125X22.2mm	1/10/100
EDH-SQP180-E2	180X22.2mm	1/10/50
EDH-SQP230-E2	230X22.2mm	1/10/20

Wet Diamond Disc



It is especially suitable for
ceramic tile and stone cutting

Item #	Spec	Pack Qty
EDH-SQP100-E3	100X16mm	1/10/100
EDH-SQP110-E3	110X20mm	1/10/100
EDH-SQP115-E3	115X22.2mm	1/10/100
EDH-SQP125-E3	125X22.2mm	1/10/100
EDH-SQP180-E3	180X22.2mm	1/10/50
EDH-SQP230-E3	230X22.2mm	1/10/20
EDH-SQP100-E4	100X16mm	1/10/100
EDH-SQP110-E4	110X20mm	1/10/100
EDH-SQP114-E4	100X20mm	1/10/100
EDH-SQP115-E4	115X22.2mm	1/10/100
EDH-SQP125-E4	125X22.2mm	1/10/100
EDH-SQP180-E4	180X22.2mm	1/10/50
EDH-SQP230-E4	230X22.2mm	1/10/20

Turbo Diamond Disc



It is especially suitable for ceramic tile and stone cutting

Item #	Spec	Pack Qty
EDH-CQP100-E1	100x16mm	1/50/100
EDH-CQP110-E1	110x20mm	1/50/100
EDH-CQP115-E1	115x22.2mm	1/50/100
EDH-CQP125-E1	125x22.2mm	1/50/100
EDH-CQP180-E1	180x22.2m	1/-/50
EDH-CQP230-E1	230x22.2mm	1/-/25
EDH-CQP100-E4	100x16mm	1/10/100
EDH-CQP110-E4	110x20mm	1/10/100
EDH-CQP115-E4	115x22.2mm	1/10/100
EDH-CQP125-E4	125x22.2mm	1/10/100
EDH-CQP180-E4	180x22.2m	1/10/50
EDH-CQP230-E4	230x22.2mm	1/10/20

Ultrathin Diamond Disc



Universal purpose:ceramic,tile,marble,brick
Forbidden to use for Vitrified brick (nano glass)

Item #	Spec	Pack Qty
EDH-CQP105-E3	105X20mm	1/10/100
EDH-CQP110-E3	110x20mm	1/10/100
EDH-CQP115-E3	115X22.2mm	1/10/100
EDH-CQP125-E3	125X22.2mm	1/10/100
EDH-CQP180-E3	180X22.2mm	1/10/50
EDH-CQP230-E3	230X22.2mm	1/10/20

Mesh Rim Ultrathin Diamond Disc



Universal purpose:ceramic,tile,marble,brick

Item #	Spec	Pack Qty
EDH-CQP105-E2	105X20mm	1/10/100
EDH-CQP110-E2	110x20mm	1/10/100
EDH-CQP115-E2	115X22.2mm	1/10/100
EDH-CQP125-E2	125X22.2mm	1/10/100
EDH-CQP180-E2	180X22.2mm	1/10/50
EDH-CQP230-E2	230X22.2mm	1/10/20

TCT Saw Blade



Material:Metal+YG8
Wood cutting

Item #	Spec	Pack Qty
EDH-MJP110-E2	110x20mm,30T	1/10/100
EDH-MJP110-E1	110x20mm,40T	1/50/100
EDH-MJP115-E1	115x22.2mm,40T	1/50/100
EDH-MJP185-E1	185x20mm,60T	1/-/50
EDH-MJP210-E1	210x30mm,48T	1/-/50
EDH-MJP235-E1	235x30mm,60T	1/-/25
EDH-MJP254-E1	254x30mm,60T	1/-/25



TCT Saw Blade For Aluminum



With 16mm and 25.4mm ring
Suitable for mitre saw
Aluminum cutting

Item #	Spec	Pack Qty
EDH-LJP254-E1	254x30mm,120T	1/10/20

Multi Tool Blade Sets



Material:HCS+BIM+Diamond

Item #	Spec	Pack Qty
EDH-BDJ017-EH1	17pcs/set 10pcs 80mm Sandpaper 1pcs 80mm Sander 1pcs 50mm Rigid Scraper 1pcs 50mm Bent Scraper 1pcs 34x40-18T HCS Milled Saw Blade 1pcs 34x40-14T HCS Ground Saw Blade 1Pcs 34x40-18T Bi - Metal Saw Blade 1pcs 87mm HCS Half Saw Blade	1/10/40

Diamond Cup Wheels



Polishing stone, marble, bricks, etc

Item #	Spec	Pack Qty
EDH-JML115-E1	115×22.2(20)mm	1/10/20
EDH-JML125-E1	125×22.2(20)mm	1/10/20
EDH-JML150-E1	150×22.2(20)mm	1/10/20

Diamond Cup Wheels



Polishing stone, marble, bricks, etc

Item #	Spec	Pack Qty
EDH-JML115-E2	115×22.2(20)mm	1/10/20
EDH-JML125-E2	125×22.2(20)mm	1/10/20
EDH-JML150-E2	150×22.2(20)mm	1/10/20





Flap Disc

NEW



Material:Calcine aluminum oxide
Suitable for high steel,steel,cast iron and sheet steel

Item #	Spec	Pack Qty
EDH-BYP10040-E1	100mm,P40	1/-/200
EDH-BYP10060-E1	100mm,P60	1/-/200
EDH-BYP10080-E1	100mm,P80	1/-/200
EDH-BYP11540-E1	115mm,P40	1/-/100
EDH-BYP11560-E1	115mm,P60	1/-/100
EDH-BYP11580-E1	115mm,P80	1/-/100
EDH-BYP12540-E1	125mm,P40	1/-/100
EDH-BYP12560-E1	125mm,P60	1/-/100
EDH-BYP12580-E1	125mm,P80	1/-/100

Zirconium Flap Disc

NEW



Material:Zirconium oxide material
Especially suitable for stainless steel
MPA approved

Item #	Spec	Pack Qty
EDH-BYP10040-E2	100mm,P40	1/-/200
EDH-BYP10060-E2	100mm,P60	1/-/200
EDH-BYP10080-E2	100mm,P80	1/-/200
EDH-BYP11540-E2	115mm,P40	1/-/100
EDH-BYP11560-E2	115mm,P60	1/-/100
EDH-BYP11580-E2	115mm,P80	1/-/100
EDH-BYP12540-E2	125mm,P40	1/-/100
EDH-BYP12560-E2	125mm,P60	1/-/100
EDH-BYP12580-E2	125mm,P80	1/-/100

Poly Disc

NEW



Size:115mm*22.2mm(4-1/2"*7/8")
Material:Poly
Especially suitable for stainless steel
MPA approved
Packed by label

Item #	Spec	Pack Qty
EDH-NLP115-E1	115mm	1/-/100
EDH-HMP115-E1	115mm	1/-/100
EDH-YMP115-E1	115mm	1/-/100



Jig Saw Blade For Wood



Length of tooth:74mm
Tooth:8TPI
Material:HCS
Basic for wood
HCS,milled
5pcs/set
Ideal for soft wood(4-50mm),chipboards,wood core plywood,fibre boards,quick cut
Packed by blister card

Item #	Spec	Pack Qty
EDH-QJT008-E1	5PCS T111C	1/25/250
EDH-QJT006-E2	5PCS T144D	1/25/250
EDH-QJT010-E3	5PCS T101B	1/25/250
EDH-QJT012-E4	5PCS T118B	1/25/250
EDH-QJT021-E4	5PCS T118A	1/25/250
EDH-QJT005-EH1	2PCS T111C 1PCS T127D 2PCS T118B	1/25/250
EDH-QJT015-ED1	15PCS T111C	1/25/100
EDH-QJT015-EH1	2pcs T118A ,76*8*0.92*21T HSS 2pcs T118B,76*8*0.92*12T HSS 1pcs T127D,100*8*0.92*8T BIM 2pcsT144D,100*8*1.2*6T HCS 2pcsT111C,100*8*1.2*8T HCS 2pcsT101BR,100*8*1.45*10T HCS 2pcsT101B,100*8*1.45*10T HCS 2pcsT101D,100*8*1.45*6T HCS	1/25/100
EDH-QJT008-EH1	1pcs for cutting aluminum 1pcs for cutting wood (clean surface) 2pcs for cutting metal 4pcs for cutting wood(fast cut)	1/25/100

Reciprocating Saw Blades For Wood



Size:150x19x1.2mm
Tooth:6TPI
Material:HCS
Basic for Wood
HCS-Milled
2pcs/set
1/2" shank,2pcs/set
Fast cutting for wood, composition materials and plastic(dia.<100mm)
Packed by blister card

Item #	Spec	Pack Qty
EDH-WJT006-E1	150mmx19mmx1.2mm ,6TPI	1/25/100

Reciprocating Saw Blades For Metal



Size:150mm(6")
Tooth:18TPI
Material:BIM
Flexible for metal
18T-BIM-Milled
2pcs/set
1/2" shank,2pcs/set
Cuts all metals including nonferrous pipe (<100mm) conduit, stainless and sheet metals(1.5-4mm)
Packed by blister card

Item #	Spec	Pack Qty
EDH-WJT018-E2	150mm(6"),18TPI	1/25/100

Reciprocating Saw Blades Set



10pcs/set
3pcs 150*19*1.2*6T,cutting for wood with nail
2pcs 150*19*0.92*18T,cutting for metal
3pcs 150*19*0.92*10T,cutting for metal
2pcs 200*19*1.2*6T,cutting for wood with nail
Materials: BI-Metal
Packed by sandwich

Item #	Spec	Pack Qty
EDH-WJT010-EH1	3pcs 150*19*1.2*6T,cutting for wood with nail 2pcs 150*19*0.92*18T,cutting for metal 3pcs 150*19*0.92*10T,cutting for metal 2pcs 200*19*1.2*6T,cutting for wood with nail	1/10/40

Wire Cup Brush



Dia: 75mm, 3"
Thread: M14x2
Wire dia: 0.3mm
Wire length: 23mm
RPM: 12500r/min
Material:Steel
Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams
Suitable for: Steel, Cast steel, Soft wood, Hard wood
Packed by double blister

Item #	Spec	Pack Qty
EDH-GSS075-E1	75mm, 3"	1/10/80
EDH-GSS100-E1	100mm, 4"	1/10/60
EDH-GSS125-E1	125mm, 5"	1/6/24

Wire Cup Brush



Dia: 75mm, 3"
Thread: M14x2
Wire dia: 0.5mm
Wire length: 23mm
RPM: 12500r/min
Material:Steel
Apply on: roughening, descaling/paint stripping, weld seams
Suitable for: Steel, Cast steel
Packed by double blister

Item #	Spec	Pack Qty
EDH-GSS075-E2	75mm, 3"	1/10/80
EDH-GSS100-E2	100mm, 4"	1/10/60
EDH-GSS125-E2	125mm, 5"	1/6/24

Wire Cup Brush



Dia: 50mm, 2"
Shank dia: 1/4"
Wire dia: 0.3mm
Wire length: 17mm
RPM: 4500r/min
Material:Steel
Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams
Suitable for: Steel, Cast steel, Soft wood, Hard wood
Packed by double blister

Item #	Spec	Pack Qty
EDH-GSS050-E3	50mm, 2"	1/12/144
EDH-GSS075-E3	75mm, 3"	1/10/120

Circular Grinding Wire Brush



Dia: 50mm, 2"
Shank dia: 1/4"
Wire dia: 0.3mm
Wire length: 10mm
RPM: 4500r/min
Material:Steel
Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams
Suitable for: Steel, Cast steel, Soft wood, Hard wood
Packed by double blister

Item #	Spec	Pack Qty
EDH-GSS050-E4	50mm, 2"	1/20/240
EDH-GSS075-E4	75mm, 3"	1/12/144
EDH-GSS100-E4	100mm, 4"	1/10/60

Wire Wheels



Dia: 100mm, 4"
Hole dia: 13mm
Wire dia: 0.3mm
Wire length: 23mm
RPM: 4500r/min
Material:Steel
Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams
Suitable for: Steel, Cast steel, Soft wood, Hard wood
Packed by double blister

Item #	Spec	Pack Qty
EDH-GSS100-E5	100mm, 4"	1/20/100
EDH-GSS125-E5	125mm, 5"	1/10/60
EDH-GSS200-E5	200mm, 8"	1/5/40

Pencil Brush



Dia: 25mm, 1"
Shank dia: 1/4"
Wire dia: 0.3mm
Wire length: 25mm
RPM: 4500r/min
Material:Steel
Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams
Suitable for: Steel, Cast steel, Soft wood, Hard wood
Packed by double blister

Item #	Spec	Pack Qty
EDH-GSS025-E6	25mm, 1"	1/20/240

Nylon Brush



Dia: 75mm, 3"
Shank dia: 1/4"
Wire dia: 1.2mm
Wire length: 23mm
RPM: 4500r/min
Material:Nylon
Apply on: roughening, structuring, descaling/paint stripping
Suitable for: Steel, Cast steel, Stainless steel, Non-ferrous metal, Aluminium, Soft wood, Hard wood
Packed by double blister

Item #	Spec	Pack Qty
EDH-NLS075-E1	75mm, 3"	1/10/120

Nylon Brush



Dia: 100mm, 4"
Shank dia: 1/4"
Wire dia: 1.2mm
Wire length: 10mm
RPM: 4500r/min
Material:Nylon
Apply on: roughening, structuring, descaling/paint stripping
Suitable for: Steel, Cast steel, Stainless steel, Non-ferrous metal, Aluminium, Soft wood, Hard wood
Packed by double blister

Item #	Spec	Pack Qty
EDH-NLS100-E2	100mm, 4"	1/10/100

Sanding Sheet Set



Size:145x114mm
Material:Aluminium Oxide
3pcs P80,2pcs P120
5pcs/set
Packed by label

Item #	Spec	Pack Qty
EDH-FSZ145-ED1	145x114mm	1/-/200

Sanding Sheet Set



Size:100x610mm
Material:Aluminium Oxide
P80,2pcs/set
Packed by label

Item #	Spec	Pack Qty
EDH-DSZ610-E1	100x610mm	1/-/100

Accessories For Die Grinder



5pcs/set Include
1 Pcs bullet type 13*20mm
1 Pcs cone 13*15mm
1 Pcs cone 13*23mm
1 Pcs T-type 12*13mm
1 Pcs round 12mm
Shank diameter: 3mm
Mainly grinding wood and metal
Packed by blister card

Item #	Spec	Pack Qty
EDH-ZMT001	5pcs/set Include 1 Pcs bullet type 13*20mm 1 Pcs cone 13*15mm 1 Pcs cone 13*23mm 1 Pcs T-type 12*13mm 1 Pcs round 12mm Shank diameter: 3mm	1/10/100

Sanding Sheet Set



Size:93X230mm
Material:Aluminium Oxide
3pcs P80,2pcs P120
5pcs/set
Packed by label

Item #	Spec	Pack Qty
EDH-FSZ093-ED1	93x230mm	1/-/200

Sanding Sheet Set



Size:280X115mm
Material:Aluminium Oxide
5pcs P120
5pcs/set
Packed by label

Item #	Spec	Pack Qty
EDH-FSZ280-ED1	280x115mm	1/-/200

Sanding Sheet For Random Orbital Sander



Size:125mm
Material:Aluminium Oxide
3pcs P80,2pcs P120
5pcs/set
Packed by label

Item #	Spec	Pack Qty
EDH-YSZ125-ED1	125mm	1/-/200
EDH-YSZ150-ED1	150mm	1/-/160
EDH-YSZ225-ED1	225mm	1/-/80

Delta Sanding Sheets



Size:80mm
Material:Aluminium Oxide
P40x4 P60x4 P80x6 P120x6
20Pcs/Set
20% more effecitve than normal red sand
Packed by label

Item #	Spec	Pack Qty
EDH-SSZ080-ED1	80mm	1/-/100

Accessories For Die Grinder

5pcs/set Include
1 Pcs cylindrical 18*25mm
1 Pcs bullet type 14*25mm
1 Pcs cone 25*38mm
1 Pcs T-type 25*14mm
1 Pcs round 25mm
Shank diameter: 6mm
Mainly grinding wood and metal
Packed by sliding card

Item #	Spec	Pack Qty
EDH-ZMT002	5pcs/set Include 1 Pcs cylindrical 18*25mm 1 Pcs bullet type 14*25mm 1 Pcs cone 25*38mm 1 Pcs T-type 25*14mm 1 Pcs round 25mm Shank diameter: 6mm	1/10/100

Accessories For Die Grinder



10pcs/set Include
1 Pcs bullet type 13*20mm
1 Pcs cone 13*15mm
1 Pcs cone 13*25mm
1 Pcs T-type 12*13mm
1 Pcs round 12mm
1 Pcs cylindrical 18*25mm
1 Pcs bullet type 14*25mm
1 Pcs cone 25*38mm
1 Pcs T-type 25*14mm
1 Pcs round 25mm
Mainly grinding wood and metal
Packed by sliding card

Item #	Spec	Pack Qty
EDH-ZMT003	10pcs/set Include 1 Pcs bullet type 13*20mm 1 Pcs cone 13*15mm 1 Pcs cone 13*25mm 1 Pcs T-type 12*13mm 1 Pcs round 12mm 1 Pcs cylindrical 18*25mm 1 Pcs bullet type 14*25mm 1 Pcs cone 25*38mm 1 Pcs T-type 25*14mm 1 Pcs round 25mm	1/10/100

Accessories For Die Grinder



5pcs/set Include
Shank diameter: 3.17mm
1pcs bullet type 9.5*19mm
1pcs bullet type 6*16mm
Shank diameter: 6.35mm
1 Pcs cone 19*28mm
1 Pcs T-type 19*19mm
1 Pcs round 25mm
Mainly grinding metals
Packed by sliding card

Item #	Spec	Pack Qty
EDH-ZMT004	5pcs/set Include Shank diameter: 3.17mm 1pcs bullet type 9.5*19mm 1pcs bullet type 6*16mm Shank diameter: 6.35mm 1 Pcs cone 19*28mm 1 Pcs T-type 19*19mm 1 Pcs round 25mm	1/10/100

Accessories For Die Grinder



7pcs/set Include
1 Pcs bullet type 22*50mm
1 Pcs bullet type 16*32mm
1 Pcs cone 19*28mm
1 Pcs T-type 25*14mm
1 Pcs T-type 19*19mm
1 Pcs Umbellate 32*6mm
1 Pcs round 25mm
Shank diameter: 6.35mm
Mainly grinding metals
Packed by double blister

Item #	Spec	Pack Qty
EDH-ZMT005	7pcs/set Include 1 Pcs bullet type 22*50mm 1 Pcs bullet type 16*32mm 1 Pcs cone 19*28mm 1 Pcs T-type 25*14mm 1 Pcs T-type 19*19mm 1 Pcs Umbellate 32*6mm 1 Pcs round 25mm Shank diameter: 6.35mm	1/5/40

Accessories For Die Grinder



5pcs/set Include
1 Pcs bullet type 16*32mm
1 Pcs cone 19*28mm
1 Pcs T-type 25*13mm
1 Pcs T-type 19*19mm
1 Pcs round 25mm
Shank diameter: 6.35mm
Mainly grinding metals
Packed by sliding card

Item #	Spec	Pack Qty
EDH-ZMT006	5pcs/set Include 1 Pcs bullet type 16*32mm 1 Pcs cone 19*28mm 1 Pcs T-type 25*13mm 1 Pcs T-type 19*19mm 1 Pcs round 25mm Shank diameter: 6.35mm	1/10/100

Accessories For Die Grinder



10pcs/set Include
1 Pcs bullet type 22*50mm
1 Pcs bullet type 16*32mm
1 Pcs cone 19*28mm
1 Pcs cone 19*63mm
1 Pcs T-type 25*14mm
1 Pcs T-type 19*19mm
1 Pcs T-type 25*50mm
1 Pcs Umbellate 32*6mm
1 Pcs horn 35*25mm
1 Pcs round 25mm
Shank diameter: 6.35mm
Mainly grinding metals
Packed by double blister

Item #	Spec	Pack Qty
EDH-ZMT007	10pcs/set Include 1 Pcs bullet type 22*50mm 1 Pcs bullet type 16*32mm 1 Pcs cone 19*28mm 1 Pcs cone 19*63mm 1 Pcs T-type 25*14mm 1 Pcs T-type 19*19mm 1 Pcs T-type 25*50mm 1 Pcs Umbellate 32*6mm 1 Pcs horn 35*25mm 1 Pcs round 25mm Shank diameter: 6.35mm	1/5/40

Polishing Pad With Flange



Diameter:180mm
Material:rubber
M14x2 nut
For wool polishing bonnet
Packed by color box

Item #	Spec	Pack Qty
EDH-YML180-E2	180mm	1/10/40

Wool Polishing Bonnet



Diameter:180mm
Material:wool
Drawstring design
Packed by color box

Item #	Spec	Pack Qty
EDH-YML180-E1	180mm	1/10/60

12 Pcs Router Bits Set

Shank diameter: 6mm
3pcs Straight bit:6mm,12mm,16mm
1pcs 1/2" 90°V-groove bit
1pcs 1/2" Dovetail bit
1pcs 32mm 45°Chamfer bit
1pcs 1/2" flush trim bits
2pcs Round over bit:1/4",3/8"
1pcs 1/4" Core box bit
1pcs 1/4" Core bit
1pcs R-4 Roman ogee bit
Packed by color sleeve



Item #	Spec	Pack Qty
EDH-MXD006-EH1	6mm	1/-/20

12 Pcs Router Bits Set

Shank diameter: 8mm
3pcs Straight bit:6mm,12mm,16mm
1pcs 1/2" 90°V-groove bit
1pcs 1/2" Dovetail bit
1pcs 32mm 45°Chamfer bit
1pcs 1/2" flush trim bits
2pcs Round over bit:1/4",3/8"
1pcs 1/4" Core box bit
1pcs 1/4" Core bit
1pcs R-4 Roman ogee bit
Packed by color sleeve



Item #	Spec	Pack Qty
EDH-MXD008-EH1	8mm	1/-/20

12 Pcs Router Bits Set

Shank diameter: 12mm
3pcs Straight bit:6mm,12mm,16mm
1pcs 1/2" 90°V-groove bit
1pcs 1/2" Dovetail bit
1pcs 32mm 45°Chamfer bit
1pcs 1/2" flush trim bits
2pcs Round over bit:1/4",3/8"
1pcs 1/4" Core box bit
1pcs 1/4" Core bit
1pcs R-4 Roman ogee bit
Packed by color sleeve



Item #	Spec	Pack Qty
EDH-MXD012-EH1	12mm	1/-/20



OTHER INDUSTRIAL TOOLS



Striking Tools
Else Industrial Tools
Pneumatic Tools
Welding Tools

Safety Helmet



Color: yellow
Cap Band Size:52-64mm
PE shell with vents
Chin strap included
8 Point suspension
Adjust head size by buckle
Packed by PE Bag + Label

Item #	Spec	Pack Qty
EDL525021	Cap Band Size:52-64mm	1/-/30
EDL525022	Cap Band Size:52-64mm	1/-/30
EDL525023	Cap Band Size:52-64mm	1/-/30
EDL525024	Cap Band Size:52-64mm	1/-/30

Safety Helmet



Color: yellow
Cap Band Size:52-64mm
PE shell with vents
Chin strap included
8 Point suspension
Adjust head size by ratchet knob
Packed by PE Bag + Label

Item #	Spec	Pack Qty
EDL525011	Cap Band Size:52-64mm	1/-/30
EDL525014	Cap Band Size:52-64mm	1/-/30

Safety Goggles



Size: 140x58x55mm
Material: PC
Size: 140x58x55mm
Material: PC
The length of temple can be adjusted in 4 different positions, temple line can be added for easier and safer use.
Integrated encircling type design gives flank protection
Packed by PE Bag

Item #	Spec	Pack Qty
EDL23901	Size:140x58x55mm	1/20/160

Safety Goggles



Size: 160x45x55mm
Material: PC
Size: 160x45x55mm
Material: PC
Conforms to ANSI Z87.1 and CE EN166
Full-view full-slice structure prevents UV and withstands impact
Fit to wearing the corrective glasses,also can be used as visitors glasses
Can defend against splash particles in the round
Packed by PE Bag

Item #	Spec	Pack Qty
EDL522012	Size:160x45x55mm	1/20/160

Safety Goggles



Size: 160x45x55mm
Material: PC
Size: 160x45x55mm
Material: PC
With fine workmanship, allowing it to effectively block many kinds of spatters
The supraorbital ridge and protective wing extend the glasses' service life
Packed by PE Bag

Item #	Spec	Pack Qty
EDL522901	Size:160x45x55mm	1/20/160

Knitted & PVC Dots Gloves



Size:L
Material: Polyester Fiber+PVC
Weight:58g/pair; 700g/dozen
Cotton class: A
Use for transporting and cargo handling worker, recycling worker,repairer etc
Anti- skid with PVC point palm beads, abrasion- resistant and ventilation
Packed in poly bag

Item #	Spec	Pack Qty
EDL521021L	Size:L	1/-/40
EDL521021XL	Size:XL	1/-/40

Nitrile Gloves



Size:L
Material: Polyester Fiber+Nitrile
Use for oil environment (Less oil)worker etc
High grade polyester shell
Nitrile coated palm, smooth and rough-texture palm finish
Packed by poly bag

Item #	Spec	Pack Qty
EDL521031L	Size:L	1/-/40
EDL521031XL	Size:XL	1/-/40

Latex Gloves



Size:L
Material: Polyester Fiber+Latex
Use for heavy cargo handling worker, slight sharp objects carrier etc
Cotton/polyester seamless knitted shell
Polyester is more flexible and breathable
Textured palm dip for extra grip and durability
Packed by poly bag

Item #	Spec	Pack Qty
EDL521033L	Size:L	1/-/40
EDL521033XL	Size:XL	1/-/40

Cut-Resistant Gloves

HOT



Size:L
Material: HPPE+PU
Use for timber and glass cutting worker, heavy sharp objects carriers etc
High grade HPPE shell, cut- resistance and abrasion, antistatic
PU coated palm,flexible and good feeling
HPPE shell,cut-resistance and abrasion
Antistatic
Packed by poly bag

Item #	Spec	Pack Qty
EDL521043L	Size:L	1/12/144
EDL521043XL	Size:XL	1/12/144



Safety boots



S3:steel toe cap + midsole+anti-static+anti-vibration
Category of protective footwear
Split leather upper
Dual density PU sole

Item #	Spec	Pack Qty
EDA-AQX39AH	39	1/1/10
EDA-AQX40AH	40	1/1/10
EDA-AQX41AH	41	1/1/10
EDA-AQX42AH	42	1/1/10
EDA-AQX43AH	43	1/1/10
EDA-AQX44AH	44	1/1/10
EDA-AQX45AH	45	1/1/10
EDA-AQX46AH	46	1/1/10

Cable Ties



Width x Length: 4x200mm
Color:white
100pcs/bag
Mechanical spraying
Reinforcement buckle
Packed by PE Bag

Item #	Spec	Pack Qty
EDL506141	4x200mm	1/-/120
EDL506151	5x300mm	1/-/80

Inverter MMA Welding Machine

Input voltage(V):1~220-240
Frequency(Hz):50/60
Output current(A):20-120
Duty cycle(%):120A@60%@25℃
No-load voltage(V):65±5
Max.output current(A):120
Diameter of electrode(mm):1.6-3.2
IGBT inverter technology
LCD display
Anti-stick/Hot start/Arc-force
With 1pcs electrode holder with cable
With 1pcs earth clamp with cable
With 1pcs wire brush and 1pcs helmet
Packed by color box



Item #	Spec	Pack Qty
EDL-ZX7-120-E1	Output Current:20-120A Duty Cycle:60% @25℃ Diameter of Electrode:1.6-3.2mm Rated Capacity:4.8KVA Output Voltage:24.8V No-load Voltage:65V±5	1/-/4

Air Compressor

Voltage:220-240V~50Hz
Input power: 1200W(1.6HP)
Tank:25L(6.6Gal)
No-load speed:2800rpm
Operation pressure: 0.7Mpa
Oil free system
Copper wire induction motor
Packed by Carton Box



Item #	Spec	Pack Qty
EDL-WKY25-E1	Air Tank Volume: 25L Flow Rate: 80L/min Exhaust Pressure: 0.7Mpa Rated Power: 1.2KW Rated Voltage: 220V Rated Current: 6A Rated Speed: 2800r/min Overall Dimension: 580×265×540mm	1/-/1

Air Compressor

Voltage:220-240V~50Hz
Input power: 1.5kW (2HP)
Tank:50L(13.2Gal)
No-load speed:960rpm
Operation pressure:max 0.8Mpa
Copper wire induction motor
Belt driving system
Pump lubricated with oil
Packed by wooden case



Item #	Spec	Pack Qty
EDL-PKY0.12/8-E1	Rated Voltage: 220V Rated Frequency:50Hz Rated Current:10A Rated Power:- 5KW Storage Tank Volume: 50L(26.4Gal) Nominal Volume Fow: 120L/min Speed Of Rotation: 960r/min	1/-/1

Air Compressor

Voltage:220-240V~50Hz
Input power: 2.2kW (3HP)
Tank:100L(26.4Gal)
No-load speed:960rpm
Operation pressure:max 0.8Mpa
Copper wire induction motor
Belt driving system
Pump lubricated with oil
Packed by wooden case



Item #	Spec	Pack Qty
EDL-PKY0.25/8-E1	Rated Voltage: 220V Rated Frequency:50Hz Rated Current:10A Rated Power:- 2KW Storage Tank Colume: 100L (26.4Gal) Nominal Volume Fow: 250L/min Speed Of Rotation: 960r/min	1/-/1

Peripheral Pump



Voltage:220-240V~50Hz
Rated power:370W(0.5HP)
Max.head:35m
Max.flow:35L/min
Max.suction:8m
Pipe diameter:1"x1"
Copper wire motor
Brass impeller
0.2m length cable
It is only suitable for agriculture, industrial scenes, and is not suitable for domestic drinking water
Packed by color Box

Item #	Spec	Pack Qty
EDL-WZB370-E1	Rated Voltage:220~240V Rated Grequency:50Hz Rated Power: 370W(0.5HP) Maximum Flow: 35L/min Maximum lift: 35m Suction Range: 8m Pipe Size:1"	1/1/4
EDL-WZB750-E1	Rated Voltage:220~240V Rated Frequency:50Hz Rated Power: 750W(1HP) Maximum flow: 50L/min Maximum lift: 55m Suction range: 8m Pipe size:1"	1/-/1

Inverter MIG/MMA Welding Machine

Input voltage(V):1~220-240
Frequency(Hz):50/60
Output current(A):20-160
Duty cycle(%):120A@40%@25℃
No-load voltage(V):65±5
Max.output current(A):160
Diameter of electrode(mm):1.6-4.0
IGBT inverter technology
LCD display
Anti-stick/Hot start/Arc-force
With 1pcs electrode holder with cable
With 1pcs earth clamp with cable
With 1pcs wire brush and 1pcs helmet
Packed by color box



Item #	Spec	Pack Qty
EDL-ZX7-160-E1	Output Current:20-160A Duty Cycle:40% @25℃ Diameter Of Electrode:1.6-4.0mm Rated Capacity:6.8KVA Output Voltage:26.4V No-load Voltage:65V±5	1/-/4

Inverter MMA Welding Machine

Input voltage(V):1~220-240
Frequency(Hz):50/60
MIG output current(A):30-120
MMA output current(A):20-120
Duty cycle(%):40%@25℃
MIG no-load voltage(V):55±5
MMA no-load voltage(V):55±5
MMA diameter of electrode(mm):0.8-1.0
Inverter MIG/MMA welding machine
LCD display
With pulse and spot function
With 1pcs electrode holder with cable
With 1pcs earth clamp with cable
With 1pcs wire brush and 1pcs helmet
Packed by color box



Item #	Spec	Pack Qty
EDL-MIG120-E1	Input Voltage:220V Frequency:50/60HZ Rated Idling voltage:55+5V Maximum Output Current:120A Welding Wire Diameter(mm):0.8/- 0mm MIG:30A/15.5V-120A/20V MMA:20A/20.8V-120A/2- 8V	1/1/4

Self-priming peripheral pump

Voltage:220-240V~50Hz
Rated power:370W(0.5HP)
Max.head:32m
Max.flow:35L/min
Max.suction:8m
Pipe diameter:1"x1"
Copper wire motor
Brass impeller
0.2m length cable
It is only suitable for agriculture, industrial scenes, and is not suitable for domestic drinking water
Packed by color Box



Item #	Spec	Pack Qty
EDL-GSP370-E1	Rated Voltage:220~240V Rated Frequency:50Hz Rated Power: 370W(0.5HP) Maximum Flow: 35L/min Maximum Lift: 32m Suction Range: 8m Pipe Size:1"	1/-/1

Self-priming Jet Pump

Voltage:220-240V~50Hz
Rated power:750W(1.0HP)
Max.head:51m
Max. flow:55L/min
Max.suction:9m
Pipe diameter:1"x1"
Copper wire motor
Stainless steel impeller
0.2m length cable
It is only suitable for agriculture, industrial scenes, and is not suitable for domestic drinking water
Packed by color Box



Item #	Spec	Pack Qty
EDL-JET750-E1	Rated Voltage:220~240V Rated Frequency:50Hz Rated Power: 750W(1HP) Maximum Flow:55L/min Maximum Lift:51m Suction Range:9m Pipe Size:1"	1/-/1

Gasoline generator

Rated voltage(V):220-240
Rated frequency(Hz):50
Max.output(kW):2.8
Rated output(kW):2.5
Rated speed(rpm):3000
Engine:4 stroke,OHV
Displacement(mL):210
Cooling system:Air-cooled
Ignition system:T.C.I
Starting system:Recoil
Fuel tank(L):15
Dry weight(kg):36
Aluminum coil alternator
Packed by carton box



Item #	Spec	Pack Qty
EDL-KFD28-E1	Maximum Power:2.8kW	1/-/1

Gasoline generator

Rated voltage(V):220-240
Rated frequency(Hz):50
Max.output(kW):3.5
Rated output(kW):2.8
Rated speed(rpm):3000
Engine:4 stroke,OHV
Displacement(mL):210
Cooling system:Air-cooled
Ignition system:T.C.I
Starting system:Recoil
Fuel tank(L):15
Dry weight(kg):39.5
Copper coil alternator
Packed by carton box



Item #	Spec	Pack Qty
EDL-KFD35-E1	Maximum Power:3.5kW	1/-/1

Air Impact Wrench

NEW



Square drive:12.5mm(1/2")
No-load speed:8000/min
Max.torque:650Nm(480Ft-lb)
Twin hammer mechanism
Packed by color box

Item #	Spec	Pack Qty
EDL-QDB21-550E1	1/2"(650N.m)	1/-/6

Air Impact Wrench

NEW



Square drive:19mm(3/4")
No-load speed:6200/min
Max.torque:1100Nm(811ft)
Twin hammer mechanism
Packed by color box

Item #	Spec	Pack Qty
EDL-QDB43-1180E1	3/4"(1100N.m)	1/-/6

Pneumatic Screwdriver

NEW



No Load Speed:12000r/min
Air Consumption:4.0cfm
Working air pressure:0.63Mpa
Maximum torque:48Nm
Multi-speed speed regulation, convenient and controllable
The concentric precision is high, and the force is concentrated and not easy to slip
Suitable for M3-M5
Packed by color box

Item #	Spec	Pack Qty
EDL-QDP05	48Nm	1/-/12

Pneumatic Screwdriver

NEW



No Load Speed:13500r/min
Air Consumption:4.0cfm
Working air pressure:0.63Mpa
Maximum torque:52Nm
Multi-speed speed regulation, convenient and controllable
The concentric precision is high, and the force is concentrated and not easy to slip
Suitable for M3-M6
Packed by color box

Item #	Spec	Pack Qty
EDL-QDP05Z	52Nm	1/-/12

Brad Nailer



Load capacity:75pcs
Brad size:18-64mm,ST64, 2.2×64mm
Operation pressure:0.4-0.7Mpa(60-100Psi)
Material:Aluminum Alloy
With safety trigger
With Europe type connector, USA type connector, Nitto type connector and Italy type connector
Packed by color box

Item #	Spec	Pack Qty
EDL-QDQ-ST64	ST64 Working air pressure: 0.4-0.7Mpa Nail Specifications:2.2×64mm	1/-/6

Brad Nailer



Load capacity:100pcs
Brad size:10-30mm,F30, 1.26×1.05×30mm
Working air pressure: 0.4-0.7Mpa
Material:Aluminum Alloy
Packed by color box

Item #	Spec	Pack Qty
EDL-QDQ-F30	F30 Working air pressure: 0.4-0.7Mpa Nail Specifications:1.26×1.05×30mm	1/-/12

Brad Nailer



Load capacity:100pcs
Brad size:10-30mm
F30B, 1.26×1.05×30mm
Working air pressure: 0.4-0.7Mpa
Material:Aluminum Alloy
Packed by color box

Item #	Spec	Pack Qty
EDL-QDQ-F30B	F30B Working air pressure: 0.4-0.7Mpa Nail Specifications:1.26×1.05×30mm	1/-/12

Brad Nailer



Load capacity: 100pcs
Brad size: 10-22mm
1013J, 0.6×10×13mm
Working air pressure: 0.4-0.7Mpa
Material:Aluminum Alloy
Packed by color box

Item #	Spec	Pack Qty
EDL-QDQ-1013J	1013J Working air pressure: 0.4-0.7Mpa Nail Specifications:6×10×13mm	1/-/20

Air Spray Gun



Standard nozzle: 1.5mm
Pattern width: 50-100mm
Spraying Distance: 150-200mm
Paint capacity: 400cc
Optional nozzle: 1.0/1.3/1.5/1.8mm
Operating pressure: 0.25-0.4Mpa
Air cons: 95-220l/min
Material:Aluminum Alloy
Suitable for base coat
Packed by color box

Item #	Spec	Pack Qty
EDL-QPQ-W71G	400CC Working air pressure:0.250.4Mpa Spraying Distance:150200mm	1/-/20

Air Spray Gun



Standard nozzle: 0.5mm
Pattern width: 50-100mm
Spraying Distance: 150-200mm
Paint capacity: 200cc
Optional nozzle: 1.0/1.3/1.5/1.8mm
Operating pressure: 0.25-0.4Mpa
Air cons: 180-350l/min
Material:Aluminum Alloy
Suitable for base coat
Packed by color box

Item #	Spec	Pack Qty
EDL-QPQ-K-3	100CC Working air pressure:0.250.4Mpa Spraying Distance:50100mm	1/10/40

Air Spray Gun



Standard nozzle: 2.5mm
Pattern width: 50-100mm
Spraying Distance: 100-200mm
Paint capacity: 1000cc
Optional nozzle: 2.0/2.5/3.0mm
Working air pressure: 0.25-0.4Mpa
Air cons: 180-350l/min
Material:Aluminum Alloy
Suitable for base coat
Packed by color box

Item #	Spec	Pack Qty
EDL-QPQ-W77S	1000CC Working air pressure:0.250.4Mpa Spraying Distance:100200mm	1/-/10

Air Spray Gun



Standard nozzle: 2.5mm
Pattern width: 50-100mm
Spraying Distance: 100-200mm
Paint capacity: 400cc
Optional nozzle: 2.0/2.5/3.0mm
Working air pressure: 0.25-0.4Mpa
Air cons: 180-350l/min
Material:Aluminum Alloy
Suitable for base coat
Packed by color box

Item #	Spec	Pack Qty
EDL-QPQ-990G	400CC	1/-/20

Air Spray Gun



Standard nozzle: 2.5mm
Pattern width: 50-100mm
Spraying Distance: 100-200mm
Paint capacity: 750cc
Optional nozzle: 2.0/2.5/3.0mm
Working air pressure: 0.25-0.4Mpa
Air cons: 180-350l/min
Material:Aluminum Alloy
Suitable for base coat
Packed by color box

Item #	Spec	Pack Qty
EDL-QPQ-990S	750CC	1/-/20

Air Spray Gun



Standard nozzle: 1.5mm
Pattern width: 130-180mm
Spraying Distance: 150-200mm
Paint capacity: 400cc
Optional nozzle: 2.0/2.5/3.0mm
Working air pressure: 0.25-0.4Mpa
Air cons: 180-350l/min
Material:Aluminum Alloy
Suitable for base coat
Packed by color box

Item #	Spec	Pack Qty
EDL-QPQ-F75G	400CC	1/-/20

Air Spray Gun



Standard nozzle: 1.5mm
Pattern width: 130-180mm
Spraying Distance: 150-200mm
Paint capacity: 750cc
Optional nozzle: 2.0/2.5/3.0mm
Working air pressure: 0.25-0.4Mpa
Air cons: 180-350l/min
Material:Aluminum Alloy
Suitable for base coat
Packed by color box

Item #	Spec	Pack Qty
EDL-QPQ-F75S	750CC	1/-/20

5 Pcs Air Tools Set

NEW



Air tools 5pcs set
Only with nitto type connector
Recoil hose length:5m
Recoil hose diameter:8mm
Air blow gun nozzle length:18mm
Air spray gun operating pressure:3-4bar
Air spray gun paint capacity:600cc
Air spray gun pattern width:180-250mm
Air washing gun operation pressure:4bar
Air washing gun washing capacity:750cc
Air tire inflating gun max pressure:12bar
Packed by color box

Item #	Spec	Pack Qty
EDL-QPQ-990G-5	5pcs/set	1/-/10

5 Pcs Air Tools Set

NEW



Air tools 5pcs set
Only with nitto type connector
Recoil hose Length:5m
Recoil hose Diameter:8mm
Air blow gun rated pressure:100PSI
Air blow gun max pressure:150PSI
Air spray gun air pressure:3.0-5.0bar
Air spray gun aluminum cap(lower):750cc
Air spray gun fluid nozzle:160mm-240mm
Air washing gun rated pressure:90PSI
Air washing gun max pressure:150PSI
Air washing gun capacity:750cc
Air tire inflating gun max pressure:120PSI
Packed by color box

Item #	Spec	Pack Qty
EDL-QPQ-990S-5	5pcs/set	1/-/10

Blow Gun



Trachea length: 100mm
Inflation flow: 350L/min
Material:A3 Steel
One-piece design feels more comfortable
A3 steel precision forging
Packed by sliding card

Item #	Spec	Pack Qty
EDL-XQ01	Trachea length: 100mm; Inflation flow: 350L/min	1/25/100
EDL7631	Trachea length: 250mm; Inflation flow: 350L/min	1/10/60

Blow Gun

NEW



Trachea length:100mm
Inflation flow:350L/min
Material:A3 Steel
Straight spout design
Packed by sliding card

Item #	Spec	Pack Qty
EDL-XQ11	100mm	1/10/120
EDL-XQ12	200mm	1/10/120
EDL-XQ13	300mm	1/10/120

Air Hose

NEW



Material:PU
Length:5m
Inner diameter:5mm
External diameter:8mm
Only with nitto type connector
Packed by label

Item #	Spec	Pack Qty
EDL-PU05	5m	1/-/25
EDL-PU10	10m	1/-/25
EDL-PU15	15m	1/-/25

Welding Glove



Size: 14 inch
Material:Cowhide
Made of split leather, wear-resistant and heat prevention
Protective seam stripe design to prevent exposure of stitching and rope burned out by splashes
Extended design to protect hands and arms
Packed by PE bag

Item #	Spec	Pack Qty
EDL-T1	14"	1/12/72

Welding Mask



Size: 320X220X140mm
Material: PP+
Tempered glass
Made of pp material, high temperature-resistant, shatterproof and anti-freeze
Integrated handle design, comfortable grip, safe and convenient to use
Tempered glass lens for safe protection
Packed by PVC bag

Item #	Spec	Pack Qty
EDL23900	320X220X140mm	1/-/40

Helmet Type Welding Mask



Size: 275X220X190mm
Material: PP+
Tempered glass
Made of pp material, high temperature-resistant, shatterproof and anti-freeze
Integrated handle design, comfortable grip, safe and convenient to use
Tempered glass lens for safe protection
Packed by PVC bag

Item #	Spec	Pack Qty
EDL23950A	275X220X190mm	1/-/25

Electrode Holder



Rated current: 300A
Electrode size: 4.0~6.3mm
Cable cross section: 35~50 ㎡
Suitable for MMA welding machine
Red copper conductive head, outstanding conductivity-Strong magnetic bit for easy use
DMC insulated handle, non-slip, resistance to wear, high temperature and impact
Packed by color box

Item #	Spec	Pack Qty
EDL23300A	300A	1/-/40
EDL23500A	500A	1/1/30
EDL23800A	800A	1/1/30

Magnetic Welding Holder



Pull Force: 25Lbs
Specifications:3"
Product Dimensions:118*83*15mm
Weight:320g
Angles:45°,90°,135°
Material:Magnet and Steel
Enables fast and accurate holding of any ferrous objects
Ideal for use as holder & positioner in welding, soldering, marking-off, pipe installation, etc
Packed by sliding card

Item #	Spec	Pack Qty
EDL-HDW25	25Lbs	1/-/48
EDL-HDW50	50Lbs	1/-/24
EDL-HDW75	75Lbs	1/12/24

6 Pcs Magnetic Welding Holder Set



Specifications:
4pcs Mini Magnet
2pcs 3" Magnet
Pull Force:
Mini 10Lbs
3" 25Lbs
Product Dimensions per pcs:
Mini 71.5*43*12mm
3" 118*83*15mm
Weight per pcs:
Mini 108g
3" 320g
Angles: 45°,90°,135°
Material: Magnet and Steel
Enables fast and accurate holding of any ferrous objects
Ideal for use as holder & positioner in welding, soldering, marking-off, pipe installation, etc
Packed by double blister

Item #	Spec	Pack Qty
EDL-HDW06-EH1	25Lbs*2 10Lbs*4	1/6/18

Iron Padlock



-With 3 pcs iron keys
-Brass lock cylinder
-With waterproof rubber cover

Item #	Spec	Pack Qty
EDL508901	32mm	1/6/120
EDL508902	38mm	1/6/120
EDL508903	50mm	1/6/48
EDL508904	63mm	1/6/36
EDL508909	75mm	1/6/36

Iron Padlock



-With 4 pcs iron keys
-Brass lock cylinder
-With waterproof rubber cover

Item #	Spec	Pack Qty
EDL508910	40mm	1/6/120
EDL508911	50mm	1/6/72
EDL508912	70mm	1/6/36

Series	Type	Ref. No.	Material	Size	Accessories
Padlock		EDL508901	Iron	32mm	3 pcs iron keys
		EDL508902		38mm	3 pcs iron keys
		EDL508903		50mm	3 pcs iron keys
		EDL508904		63mm	3 pcs iron keys
		EDL508909		75mm	3 pcs iron keys
		EDL508910	Iron	40mm	4 pcs iron keys
		EDL508911		50mm	4 pcs iron keys
		EDL508912		70mm	4 pcs iron keys
		EDL508907	Brass	20mm	3 pcs brass keys
		EDL508908		30mm	3 pcs brass keys
		EDL508905		40mm	3 pcs brass keys
		EDL508906		50mm	3 pcs brass keys
Bicycle Lock		EDL508051	PVC	10*1200mm	4 code wheels
		EDL508061		10*1000mm	2 pcs brass keys
		EDL508062		12*1000mm	2 pcs brass keys
		EDL508063		15*1200mm	2 pcs brass keys
		EDL508064		20*1200mm	2 pcs brass keys
U-Shaped Lock		DL508101	40Cr	120X145mm	4 Code Wheels
		DL508102		65X145mm	4 Code Wheels
		DL508301		180X330mm	4 Code Wheels
		DL508302		280X400mm	4 Code Wheels

Heavy Duty Brass Padlock



- Brass lock body
- With 3 pcs brass keys

Item #	Spec	Pack Qty
EDL508907	20mm	1/12/288
EDL508908	30mm	1/12/144
EDL508905	40mm	1/12/72
EDL508906	50mm	1/6/72

4 Digit Combination Bicycle Lock (With Lock Frame)

NEW



-PVC coated braided,waterproof and rustproof
-With 4 code wheels,10,000 password combinations
-Can be rolled up for easy storage

Item #	Spec	Pack Qty
EDL508051	10*1200mm	1/20/80

Bicycle Lock(With Lock Frame)

NEW



-PVC coated braided
-High quality wire rope
-Padlock rack for bicycle frame
-Can be rolled up for easy storage
-With 2 pcs brass keys

Item #	Spec	Pack Qty
EDL508061	10*1000mm	1/20/80
EDL508062	12*1000mm	1/15/60
EDL508063	15*1200mm	1/10/40
EDL508064	20*1200mm	1/10/30

Bar Lock



-High quality wire rope
-Padlock rack for bicycle frame, easy storage
-With 4 Code Wheels

Item #	Spec	Pack Qty
DL508041	10X470mm	1/1/10/80
DL508042	10X470mm	1/20/80



U-Shaped Lock

40Cr



-Padlock rack for bicycle frame
-With 2 keys
-Brass lock cylinder

Item #	Spec	Pack Qty
DL508101	120X145mm	1/1/5/20
DL508102	65X145mm	1/1/5/20
DL508301	180X330mm	1/5/10
DL508302	280X400mm	1/5/10

G Clamp



- Effective anti-bending
- T-shaped rotating handle

Item #	Spec	Pack Qty
EDL-G203	Size: 3"	1/6/48
EDL-G204	Size: 4"	1/5/50
EDL-G205	Size: 5"	1/6/36
EDL-G206	Size: 6"	1/5/30
EDL-G208	Size: 8"	1/2/12

Quick Bar Clamp

A3
Steel



- Trigger-type clamp
- Rubber chuck

Item #	Spec	Pack Qty
EDL110106	Size: 6"	1/6/36
EDL110112	Size: 12"	1/6/24
EDL110118	Size: 18"	1/6/24
EDL110124	Size: 24"	1/6/12
EDL110136	Size: 36"	1/6/12

F Clamp

A3
Steel



- Thickness and width of iron ruler -5mm
- Max clamp force 1000N
- Diagonal of screw thread 9.5mm

Item #	Spec	Pack Qty
EDL110515	Size: 50x150mm	1/6/48
EDL110525	Size: 50x250mm	1/6/48
EDL110830	Size: 80x300mm	1/6/24
EDL111230	Size: 120x300mm	1/6/12
EDL111250	Size: 120x500mm	1/6/12
EDL111280	Size: 120x800mm	1/6/12

Spring Clamp

NYLON



-Quick releasing and clamping
-Max clamp force: 12kgf
-Max clamping diameter:30mm

Item #	Spec	Pack Qty
EDL110004	Size 4"	1/12/480
EDL110006	Size 6"	1/6/120

Chalk Line Set

ABS
Material



- 30m nylon + polyester rope;
- Micro-particle blue powder, staining the thread without fading the color
- Level assisted judgment

Item #	Spec	Pack Qty
EDL25	30m	1/6/36

Ink Fountain

ABS
Material



- Anti-ink gasket
- Thread guide
- Automatic return line within 7.5m
- Thin wire 0.5mm

Item #	Spec	Pack Qty
EDL23	15m	1/6/72

Plumb Bob

ABS
Material



- 6m*400g specification
- Automatic retraction
- Strong magnetic attraction

Item #	Spec	Pack Qty
EDL22	6m	1/6/36



Chisel

NEW

Cr-V



-Handle material:PP+TPR
-Heat treatment surface

Item #	Spec	Pack Qty
EDL6206-E1	6mm	1/5/30
EDL6209-E1	9mm	1/5/30
EDL6212-E1	12mm	1/5/30
EDL6214-E1	14mm	1/5/30
EDL6216-E1	16mm	1/5/30
EDL6219-E1	19mm	1/5/30
EDL6222-E1	22mm	1/5/30
EDL6225-E1	25mm	1/5/30
EDL6203-ED1	12mm/19mm/25mm	1/5/20

Steel Angle Ruler



- Stainless steel body, die-cast aluminum base, durable
- Double-sided scale, precise and clear finish

Item #	Spec	Pack Qty
EDL302300	300mm	1/6/60
EDL302350	350mm	1/6/60
EDL302500	500mm	1/6/60

Angle Square

NEW

Stainless Steel



- Metric Inch Scale
- Aluminum profile handle for comfortable grip
- Stainless steel body, not easy to rust
- Two-color scale for easy recording of readings

Item #	Spec	Pack Qty
EDL4035Y	250mm/0.82ft	1/6/60
EDL4036Y	300mm/1ft	1/6/60

Combination Square

NEW

Stainless Steel



- Stainless steel blade
- Metric scale, bi-directional markings
- Multi-functional: right angle, 45° vertical, horizontal, wide and deep measurements

Item #	Spec	Pack Qty
EDL7300Y	300mm/1ft	1/10/60

Triangle Carpenter Square

NEW

Aluminum alloy



- Suitable for woodworking
- Aluminum body, not easy to rust

Item #	Spec	Pack Qty
EDL4041Y	180mm/0.6ft	1/10/60

Triangle Rule



- Stainless steel body, die-cast aluminum base, durable
- Double-sided scale, precise and clear finish

Item #	Spec	Pack Qty
EDL303150	150mm	1/10/60
EDL303200	200mm	1/10/60

Digital Display Angle Ruler



- One-click start/stop, reset, relative measurement
- Large knob lock design, easy and labor-saving
- HD digital display, fast and stable
- Stainless steel body, metric and inch scales
- Measuring range: 0-360°, graduation: 0.1°

Item #	Spec	Pack Qty
EDL305200	200mm	1/10/60

Angle Protractor



- 0-180° measuring range
- Stainless steel, laser-etching for high visibility and abrasion resistance
- Accuracy±0.5°

Item #	Spec	Pack Qty
EDL7306	150mm	1/10/60



T-Shaped Bevel Scale



-High-impact molded handle with level vial for easy reference
-Patented lightweight material for portability
-Easily transfers angles and measures depths
-Large diameter tension knob for easy adjustments
-Essential tool for woodworkers

Item #	Spec	Pack Qty
EDL7304	180mm/0.6ft	1/10/60

Steel Ruler



- 2Cr13 stainless steel ruler body, sturdy and durable
- Chemical corrosion scale, accurate and wear-resistant

Item #	Spec	Pack Qty
EDL8015Y	150mm	1/50/600
EDL8020Y	200mm	1/50/500
EDL8030Y	300mm	1/50/400
EDL8050Y	500mm	1/10/200
EDL8100Y	1000mm	1/20/60

Paint Brush



-For Oil-Based paint
-PET filaments

Item #	Spec	Pack Qty
EDL509151	1"	1/12/288
EDL509152	1.5"	1/12/288
EDL509153	2"	1/12/288
EDL509154	2.5"	1/12/288
EDL509155	3"	1/6/144
EDL509156	4"	1/6/144
EDL509157	3pcs/set	1/6/60

Paint Brush

-For Oil-Based paint
-Plastic handle



Item #	Spec	Pack Qty
EDL509111	1"	1/12/600
EDL509112	2"	1/12/360
EDL509113	3"	1/12/240
EDL509114	4"	1/12/120

Paint Brush

-For Oil-Based paint
-Wooden handle



Item #	Spec	Pack Qty
EDL509121	1"	1/12/600
EDL509122	2"	1/12/360
EDL509123	3"	1/12/240
EDL509124	4"	1/12/120



Paint Brush

NEW



-For Oil-Based paint
-Unique design plastic handle

Item #	Spec	Pack Qty
EDL509131	12mm	1/12/720
EDL509132	20mm	1/12/720
EDL509133	30mm	1/12/648
EDL509134	40mm	1/12/432
EDL509135	50mm	1/12/336
EDL509136	60mm	1/12/300
EDL509137	70mm	1/12/192
EDL509138	90mm	1/12/192
EDL509139	100mm	1/6/144

Paint Brush

NEW



-For Oil-Based paint
-High quality bristles
-Unique design plastic handle

Item #	Spec	Pack Qty
EDL509141	1"	1/12/144
EDL509142	1.5"	1/12/144
EDL509143	2"	1/12/144
EDL509144	2.5"	1/12/144
EDL509145	3"	1/6/72
EDL509146	4"	1/6/72

Cylinder Brush (Inner Wall)



-Suitable for inner wall
-With 1pcs roller cover
-With 4pcs assistant shank

Item #	Spec	Pack Qty
EDL509609	9",230mm	1/-/50
EDL509619	9",230mm	1/-/50
EDL509629	9",230mm	1/-/50

Mini Paint Roller Cover



-Suitable for inner wall
-With 1pcs roller cover

Item #	Spec	Pack Qty
EDL509514	4",100mm	1/-/100

Mini Paint Roller Cover



-Suitable for EDL509514, EDL509501
-Suitable for inner wall

Item #	Spec	Pack Qty
EDL509514-1	4",100mm	1/-/500

Roller Cover



-Suitable for EDL509629, EDL509601
-Used for inner wall

Item #	Spec	Pack Qty
EDL509609-1	9",230mm	1/-/100
EDL509619-1	9",230mm	1/-/100
EDL509629-1	9",230mm	1/-/100

Cylinder Brush Bracket



-Steel wire with zinc plated
-Dia of central shank: 6mm
-Suitable for EDL509514-1

Item #	Spec	Pack Qty
EDL509501	4"	1/-/100
EDL509601	9"	1/-/50

Cylinder Brush 3 In 1 Set



-Diameter of shank: 6mm
-With 1 pcs 9" acrylic cylinder brush
-With 1 pcs yellow paint tray
-Paint tray size: 10",435*300*7.5mm

Item #	Spec	Pack Qty
EDL509703	9",230mm	1/-/12

Cylinder Brush 4 In 1 Set



-Suitable for inner wall
-With 2pcs Acrylic Fibre Roller cover
-6mm central shank
-With 1pcs 4"/305*150mm paint tray

Item #	Spec	Pack Qty
EDL509704	4",100mm	1/-/12

Bricklaying Trowel



-Unique design handle
-Heat treatment surface

Item #	Spec	Pack Qty
EDL509206	6",150mm	1/12/120
EDL509308	8",200mm	1/12/96

Bricklaying trowel



-Unique design handle
-Heat treatment surface

Item #	Spec	Pack Qty
EDL509322	7"	1/12/72
EDL509323	8"	1/12/72

Bricklaying trowel



-Unique design handle
-Heat treatment surface

Item #	Spec	Pack Qty
EDL509324	60*100mm	1/12/72
EDL509325	80*110mm	1/12/72
EDL509326	100*120mm	1/12/72
EDL509327	120*130mm	1/12/72

Bricklaying trowel



-Teeth:8*8mm
-Soft grip

Item #	Spec	Pack Qty
EDL509310	230x100mm	1/12/72

Bricklaying trowel



-Teeth:10*10mm
-Soft grip

Item #	Spec	Pack Qty
EDL509312	280x130mm	1/12/48

Bricklaying trowel



-Unique design handle
-Heat treatment surface

Item #	Spec	Pack Qty
EDL509328	65*80*140mm	1/12/72
EDL509329	90*110*140mm	1/12/72
EDL509330	79*105*180mm	1/12/72
EDL509331	95*120*160mm	1/12/72
EDL509332	95*125*180mm	1/12/72

Bricklaying trowel

Stainless Steel



-Diameter of shank:75mm
-Unique design handle

Item #	Spec	Pack Qty
EDL509216	6"	1/12/72
EDL509217	7"	1/12/72
EDL509218	8"	1/12/72
EDL509219	9"	1/12/72

Bricklaying trowel



-Precision welding:strong and durable

Item #	Spec	Pack Qty
EDL509309	230*100mm	1/12/72

Bricklaying trowel



-Precision welding:strong and durable

Item #	Spec	Pack Qty
EDL509311	280*130mm	1/12/48

Bricklaying trowel

Stainless Steel



-Unique design handle
-Slight bow in blade good for working

Item #	Spec	Pack Qty
EDL509320	280x130mm	1/12/48

Bricklaying trowel

Stainless Steel



-Unique design handle
-Slight bow in blade good for working

Item #	Spec	Pack Qty
EDL509321	280x130mm	1/12/48

Caulking Gun

NEW

A3 Steel



-Aluminum handle
-Double push plate
-With needle
-With rotary function

Item #	Spec	Pack Qty
EDL2360	9",230mm	1/6/36

Caulking Gun

NEW

A3 Steel



-Iron shank with teeth
-With rotary function

Item #	Spec	Pack Qty
EDL2350	9",230mm	1/6/36

Caulking Gun

NEW

A3 Steel



-Strong aluminum handle
-With rotary function

Item #	Spec	Pack Qty
EDL2370	9",230mm	1/6/36

Caulking Gun

NEW

A3 Steel



-Strong aluminum handle
-With rotary function

Item #	Spec	Pack Qty
EDL2370A	10",250mm	1/6/36

Caulking Gun

NEW

A3 Steel



-Strong aluminum handle
-With rotary function

Item #	Spec	Pack Qty
EDL2380	15",380mm	1/-/24

Glass Sucker

NEW

ABS Material



- ABS disc body, sturdy and durable.
- Rubber sucker, robust suction

Item #	Spec	Pack Qty
EDL-XP21	118mm	1/-/40

Glass Sucker

NEW

ABS Material



- ABS disc body, sturdy and durable.
- Rubber sucker, robust suction

Item #	Spec	Pack Qty
EDL-XP22	118mm	1/-/20

Glass Sucker

NEW

ABS Material



- ABS disc body, sturdy and durable.
- Rubber sucker, robust suction

Item #	Spec	Pack Qty
EDL-XP23	118mm	1/-/10

Axe

NEW



-Drop-forged axe head
-Heat treatment,45# carbon steel
-Unique design fiberglass handle

Item #	Spec	Pack Qty
EDL5710	1000g	1/5/20

Axe

NEW



-Drop-forged axe head
-Heat treatment,45# carbon steel

Item #	Spec	Pack Qty
EDL5711	600g	1/6/24

Axe

NEW



-Drop-forged axe head
-Heat treatment,45# carbon steel

Item #	Spec	Pack Qty
EDL5712	800g	1/6/24



deli home.



WWW.DELITOOLSGLOBAL.COM

Lithium-Ion Cordless Screwdriver



- Compact size, easy storage
- Led work light for convenient use in a dark environment
- Magnetic chuck to prevent bit loose
- Type-c USB interface for easy charge
- High-quality rubber-coated griper for comfortable grip
- Forward and reverse rotation design for convenient screw driving
- 1/4"(6.4mm) hexagon spindle, suitable for most bits

Item #	Spec	Pack Qty
EDL-DP04-E2B1	Rated Voltage:3.6V No-load Speed:200/min Max torque:3N.m Chuck Capacity:1/4" Battery:1.5Ah With 10pcs Cr-V Drill Bit With 1pcs 50mm Magnetic Extension Rods With 1pcs 80cm Charging Cord Packed by color box	1:PCS 20:CAR

Lithium-Ion Cordless Screwdriver



- Compact and lightweight
- Led lighting
- Forward and reverse design
- Home design

Item #	Spec	Pack Qty
EDL-DP04-E3B1	Rated Voltage:3.6V No-load Speed:250/min Max torque:5N.m Battery:1.5Ah With 10pcs Cr-V Drill Bit With 1pcs Magnetic Extension With 1pcs 60mm Rod With 1pcs 80cm TYPE-C cable Packed by color box	1:PCS 20:CAR

Electric Precision Screwdriver Set



-High value
Furniture appearance style design, with storage tool box
-Comfortable to use
Fine and compact, marker pen shape design, more comfortable to hold
-Complete configuration of accessories
Precision batch head attachments, in line with the furniture maintenance scenarios, comfortably cope with multiple complex situations"

Item #	Spec	Pack Qty
EDY-DP04-1B1	Rated Voltage:3.7V No-load Speed:200/min Max torque:3N.m Battery:260mAh With 25pcs Cr-V Drill Bit With 1pcs Storage box (with magnetizing/demagnetizing function) With 1pcs TYPE-C cable Packed by plastic box	1:PCS 20:CAR

Lithium-ion Cordless Screwdriver



-Pure copper motor
-Strong power
-Long endurance
-Slim body

Item #	Spec	Pack Qty
EDC160	Rated Voltage:4V No-load Speed:300/min Max torque:5N.m Charging voltage/current:5V/2A Battery capacity:2000mAh With 4pcs 25mm screwdriver With 1pcs 60mm extension rod Packed by color box	1:PCS 20:CAR

Lithium-ion Cordless Screwdriver



-Pure copper motor
-Strong power
-Long endurance
-Slim body
-A variety of precision batches are available

Item #	Spec	Pack Qty
EDC161	Rated Voltage:4V No-load Speed:300/min Max torque:5N.m Charging voltage/current:5V/2A Battery capacity:2000mAh With 24pcs 25mm screwdriver With 1pcs 50mm screwdriver With 1pcs 60mm extension rod Packed by plastic box	1:PCS 20:CAR

4V Cordless Form Cutter



-This Foam Cutter cuts, shapes and shaves a variety of foam
-The Hot Wire Tip is ideal for carving, slicing, shaping your foam. Some great places to use this tip will be on upholstery foam when up-cycling furniture or shaping Styrofoam for a DIY project. *The Precision Engraving Tip adds texture or detail to your designs.
-The Holing Tip is ideal for cutting out different shapes or hole digging into Styrofoam.

Item #	Spec	Pack Qty
EDY811	Rated Voltage:4V Battery Capacity:18650/2000mAh Temperature:600°C With 1 pcs hot wire tip With 1 pcs precision engraving tip With 1 pcs holing tip With 1 pcs stand With 1 pcs USB C cable (0.5m) Packed by color box	1:PCS 10:CAR

4V Cordless Power Carver



-Ideal for carving on all types of wood and furniture restoration
-This product features an LED indicator to signal when the battery is charged (green) or has low battery (red) while in-use.

Item #	Spec	Pack Qty
EDY867	Rated Voltage:4V No-load Speed:14000/min Battery Capacity:18650/2000mAh Accessories:With 1 pcs straight chisel blade (Ideal for detailed carving and furniture resto-ration) With 1 pcs U-Gouge blade (Allows users to clear large amounts of wood while carving) With 1 pcs V-Gouge blade (Best for relief carving) With 1 pcs spanner With 1 pcs USB C cable (0.5m) Packed by color box	1:PCS 20:CAR

4V Cordless Water Sprayer



-Automatic water. Free your hands.
-Type-C universal charging cable is safe and convenient
-Fine atomization, large water output

Item #	Spec	Pack Qty
EDY890	Rated Voltage:4V Battery Capacity:18650/1200mAh Working pressure:>45PSI Flow rate:300-460ml/min Tank Capacity:0.55L Packed by color box	1:PCS 10:CAR

4V Cordless Welding Kit



-This versatility allows for precise repairs on a wide range of plastic products, including bumpers, dashboards, light sockets, radiators, spoilers, handles, headlights, plastic wings, and more.

Item #	Spec	Pack Qty
EDY812	Rated Voltage:4V Battery Capacity:18650/2000mAh Temperature:600°C Accessories:4x50Nails Packed by color box	1:PCS 20:CAR

18V Mini Grinder Kits



- 5-geared speed adjustment, suitable for various working conditions
- Meet various applications such as polishing, cutting, grinding and drilling
- Non-slip encapsulated handle for comfortable grip

Item #	Spec	Pack Qty
EDY866	Rated Voltage:18V No-load Speed:5000-22000/min Chuck Capacity:Max φ3.2mm Accessories:51pcs Packed by color box	1:PCS 10:CAR

Mini Heat Gun



-Pencil-like design and light weight make the hot air gun fit comfortably in your hand. And the mini heat gun is especially ideal for getting into hard-to-reach places and concentrating high heat on the tight area. Retractable bracket lets this heat shrink gun stand on the table stably and use it hands-free.
-Wide use and perfect for DIY projects. This mini heat gun can be used for shrink wrapping, soldering, paint removing, air bubble removing, candle making, electronics repairing, watercolor drying, defrosting and so on. If you like DIY, it is a great tool for you to make your own handmade work.

Item #	Spec	Pack Qty
EDY092	Rated Voltage:220-240V~50/60Hz No-load Speed:350W Temperature:I:230℃ II:400℃ Packed by color box Accessories: With 2 pcs nozzle	1:PCS 20:CAR

4V Mini Grinder Kits



- 5-geared speed adjustment, suitable for various working conditions
- Meet various applications such as polishing, cutting, grinding and drilling
- Non-slip encapsulated handle for comfortable grip

Item #	Spec	Pack Qty
EDY862	Rated Voltage:4V No-load Speed:5000-25000/min Speed Level:5Level Battery Capacity:18650/2000mAh Chuck Capacity:Max φ3.2mm Accessories:101pcs Packed by color box	1:PCS 20:CAR

8V Mini Grinder Kits



- 5-geared speed adjustment, suitable for various working conditions
- Meet various applications such as polishing, cutting, grinding and drilling
- Non-slip encapsulated handle for comfortable grip

Item #	Spec	Pack Qty
EDY864	Rated Voltage:8V No-load Speed:5000-30000RPM Speed Level:5Level Battery Capacity:18650/2000mAh Accessories:122pcs Packed by color box	1:PCS 10:CAR

Home° Combination Pliers



- Cr-v material
- Eccentric and labor-saving structure
- High-frequency quenching cutting edge

Item #	Spec	Pack Qty
EHT2007	7" (Black)	1/6/60
EHT2007L	7" (Green)	1/6/60

Home° Long Nose Pliers



- Cr-v material
- Eccentric and labor-saving structure
- High-frequency quenching cutting edge

Item #	Spec	Pack Qty
EHT2106	6" (Black)	1/6/72
EHT2106L	6" (Green)	1/6/72

Home° Screwdriver



- Cr-v material
- Magnetic cape
- Tail logo
- Elastic handle

Item #	Spec	Pack Qty
EHT1103	3×75mm	1/12/480
EHT1105	5×100mm	1/12/240
EHT1106	6×150mm	1/12/120
EHT1203	PH0x75mm	1/12/480
EHT1205	PH1x100mm	1/12/240
EHT1206	PH2x150mm	1/12/120

Home° Screwdriver



- Cr-v material
- Magnetic cape
- Tail logo
- Elastic handle

Item #	Spec	Pack Qty
EHT1055	2 in 1, 5mm/PH1x100mm	1/12/120
EHT1002	2 pcs set: 5x100,PH1x100	1/12/96
EHT1006	6 pcs set	1/12/48

10Pcs Impact Driver Set

S2



- Materia: Cr-V
- Heat treatment and Nickel plated
- Bits are magnetically charged for strong and long-lasting magnetic attraction.
- Precision-machined tip, effectively prevents slipping.

Item #	Spec	Pack Qty
EDL241010J	10 pcs SL1.5, SL2.0 PH00, PH0, PH1 H2.5 T6H, T8H P0.8	1/24/144

25 Pcs Household Precision Screwdriver Set

S2



- Aluminum alloy shank with rotating design
- Press and pull-out design, convenient and flexible in use
- Aluminum alloy shell, high-precision molding process, rounded arc edge for comfortable grip
- Sandblasted surface with anodized treatment, anti-sweat and anti-corrosion

Item #	Spec	Pack Qty
EDL3525	25 pcs SL1.0, SL1.5, SL2.0, SL3.0 PH000, PH00, PH0, PH1 T6H, T8H, T9H, T10H, T15H T3, T4, T5 H1.5, H2.0 U2.6 Y0.8, Y2.5 Triangle 2 P0.8, P1.2 1pcs Aluminum Alloy Handle Packed by plastic box	1/24/96

25 Pcs Household Precision Screwdriver Set

S2



- S2+Cr-V double material combination, the hardness and torque are strongly improved
- Aluminum alloy screw cap handle, continuous operation with one hand
- The batch head is magnetically absorbed, and it will not fall upside down
- The rotary rod has built-in strong magnetism, which makes the bit stable and not easy to shake.

Item #	Spec	Pack Qty
EDL241025	25 pcs SL1.0, SL1.5, SL2.0, SL3.0 PH000, PH00, PH0, PH1 T6H, T8H, T9H, T10H, T15H T3, T4, T5 H1.5, H2.0 U2.6 Y0.8, Y2.5 Triangle 2 P0.8, P1.2 1pcs Aluminum Alloy Handle Packed by plastic box	1/24/96

33Pcs Impact Driver Set

S2



- Materia: S2, Cr-V
- Heat treatment and Nickel plated
- Bits are magnetically charged for strong and long-lasting magnetic attraction.
- Precision-machined tip, effectively prevents slipping.

Item #	Spec	Pack Qty
EDL241033	33 pcs PH000, PH00, PH0, PH1, PH2 SL0.8, 1.0, 1.5, 2.0, 3.0 T3, T4, T5 T6H, T7H, T8H, T9H, T10H, T15H H1.5, H2.0, H2.5, H3.0 Y0.8, Y1.5, Y2.0, Y3.0, Y4.0 U2.6 TRIANGLE 2.3 P0.8, P1.2 Packed by color box	1/1/12/120



41 Pcs Household Precision Screwdriver Set

S2



- S2+Cr-V double material combination, the hardness and torque are strongly improved
- Aluminum alloy screw cap handle, continuous operation with one hand
- The batch head is magnetically absorbed, and it will not fall upside down
- The rotary rod has built-in strong magnetism, which makes the bit stable and not easy to shake.

Item #	Spec	Pack Qty
EDL241041	41 pcs SL1.0,SL1.5,SL2.0,SL2.5,SL3.0,SL3.5,SL4.0 PH000,PH00,PH0,PH1,PH2×2 T6H,T7H,T8H,T9H,T10H,T15H T2,T3,T4,T5 H0.9,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0 Y1.5,Y2.0,/Y3.0 U2.6 Triangle 2.3, 3.0 P0.8, 1.2 Cylinder 0.8 1pcs Aluminum Alloy Handle	1/6/48

57 Pcs Household Precision Screwdriver Set

S2



- S2+Cr-V double material combination, the hardness and torque are strongly improved
- Aluminum alloy screw cap handle, continuous operation with one hand
- The batch head is magnetically absorbed, and it will not fall upside down
- The rotary rod has built-in strong magnetism, which makes the bit stable and not easy to shake.

Item #	Spec	Pack Qty
EDL241057	SL1.0,SL1.5,SL2.0,SL2.5,SL3.0,SL35,SL4.0 PH000,PH00,PH0,PH1×2,PH2) T6H,T7H,T8H,T9H,T10H,T15H,T20 T1,T2,T3,T4,T5 H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0 Y0.8,Y1.5,Y2.0,Y2.5,Y3.0 U2.6,U3.0 TRI 2.0,2.3,3.0 P0.8 P1.2 1 pcs cylinder 0.8 1pcs ten letter version(0.8) 1pcs square(R1,R2) 3pcs rice word(PZ0,PZ1,PZ2) 1pcs Aluminum Alloy Handle	1/6/36

home series Ball Pein Hammer



- For home use
- Soft handle
- Good appreace

Item #	Spec	Pack Qty
EHT7008	Size:8oz(0.25kg)	1/6/36
EHT7008C	Size:8oz(0.25kg)	1/1/6/36
EHT7008L	Size:8oz(0.25kg)	1/6/36

home series Cutter



- Blade automatic rebound + self-locking dual function, rebound and self-locking can be switched freely
- Small and portable, convenient to travel with
- The product is suitable for express unpacking, cutting paper

Item #	Spec	Pack Qty
EHT4007	SK5 ABS	1/24/288

home series Cutter

SK2



- T-shaped blade
- SK2 blackened blade
- Telescopic structure
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4008	SK2,T type blade	1/10/120

home series Cutter

SK2



- T-shaped blade
- SK2 blackened blade
- Telescopic structure
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4008L	SK2,T type blade	1/24/120

home series Cutter

SK2



- 9mm blade
- SK2 blackened blade
- Telescopic structure
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4009	SK2,9mm	1/10/240

home series Cutter

SK2



- 9mm blade
- SK2 blackened blade
- Telescopic structure
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4009L	SK2,9mm	1/10/240

home series Cutter

SK2



- 18mm blade
- SK2 blackened blade
- Telescopic structure
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4018	SK2,18mm	1/10/120

home series Cutter

SK2



- 18mm blade
- SK2 blackened blade
- Telescopic structure
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4018L	SK2,18mm	1/10/120

home series Utility Knife Sets 3Pcs

SK2



- Push button self-locking
- SK2 blackened blade
- Removable knife at the tail
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4003	3pcs: 9mm, 18mm, T type	1/12/96

home series Utility Knife Sets

SK2



- Push button self-locking
- SK2 blackened blade
- Removable knife at the tail
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4003C	3pcs: 9mm, 18mm, T type	1/12/96

home series Utility Knife Sets

SK2



- Push button self-locking
- SK2 blackened blade
- Removable knife at the tail
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4003L	3pcs: 9mm, 18mm, T type	1/12/96



Steel Tape Measure

ABS
Material



-High-contrast black tri-color scale printing
-Minimalist design
-Non-slip rubber back pad

Item #	Spec	Pack Qty
EHT8316Y	3m/10ft*16mm Color: Black	1/1/12/180
EHT8519Y	5m/16ft*19mm Color: Black	1/1/12/120
EHT8316CY	3m/10ft*16mm Color: Orange	1/1/12/180
EHT8519CY	5m/16ft*19mm Color: Orange	1/1/12/120
EHT8316LY	3m/10ft*16mm Color: Green	1/1/12/180
EHT8519LY	5m/16ft*19mm Color: Green	1/1/12/120

Steel Tape Measure

ABS
Material



-High-contrast black tri-color scale printing
-Minimalist design
-Non-slip rubber back pad

Item #	Spec	Pack Qty
EHT8316	3m*16mm Color: Black	1/1/12/120
EHT8519	5m*19mm Color: Black	1/1/6/60
HT8316C	3m*16mm Color: Orange	1/1/12/180
HT8519C	5m*19mm Color: Orange	1/1/12/120
HT8316L	3m*16mm Color: Green	1/1/12/180
HT8519L	5m*19mm Color: Green	1/1/12/120

Steel Tape Measure

ABS
Material



- Ruler claw design, zero point correction
- Clear printing, wear- resisting and scratch- proof
- Fashion modeling, beautiful color matching

Item #	Spec	Pack Qty
H8003A	3m*16mm	1/1/12/180
H8005A	5m*19mm	1/1/12/120

Steel Tape Measure

ABS
Material



- Ruler claw design, zero point correction
- Clear printing, wear- resisting and scratch- proof
- Fashion modeling, beautiful color matching

Item #	Spec	Pack Qty
H8003B	3m*16mm	1/1/12/180
H8005B	5m*19mm	1/1/12/120

Steel Tape Measure

ABS
Material



- Minimal design,30% smaller shell
- New self- locking structure, no brakeband,no brakewearband,more stable brake

Item #	Spec	Pack Qty
H8103A	3m*19mm	1/1/12/180
H8105A	5m*19mm	1/1/12/120



Hot Melt Glue Gun



-PTC heating for stable glue flow
-Eco-friendly shell, RoHS certified
-Glue stop valve prevents overflow
-3C-certified power cord for safety

Item #	Spec	Pack Qty
EDL390021	Input power:20W (Blue)	1/12/48
EDL390022	Input power:20W (Pink)	1/12/48

8in. Adjustable Wrench



- Jaw capacity: 0-28mm
- Carbon steel material
- The nut opening is smooth
- Laser scale
- Rubberized handle

Item #	Spec	Pack Qty
EHT1508	Color: Black	1/6/60
HT1508C	Color: Orange	1/6/60
HT1508L	Color: Green	1/6/60

4PC. Home Series Tool Set



- Carbon steel material
- High-frequency quenching cutting edge
- Dual material handle

Includes:
(1) 6" long nose plier
(1) 3m tape measure
(1) Screwdriver SL5*100mm
(1) Screwdriver PH1*100mm

Item #	Spec	Pack Qty
HT0004	Color: Black	1/1/12
HT0004C	Color: Orange	1/1/12
HT0004L	Color: Green	1/1/12

6PC. Home Series Tool Set



- Carbon steel material
- High-frequency quenching cutting edge
- Dual material handle

Includes:
(1) 6" long nose plier
(1) 3m tape measure
(1) Installation hammer
(1) Screwdriver SL5*100mm
(1) Screwdriver PH1*100mm
(1) 18mm utility knife

Item #	Spec	Pack Qty
EHT0006	Color: Black	1/-/8
EHT0006L	Color: Orange	1/1/8
HT0006C	Color: Green	1/1/8



8PC. Home Series Tool Set



- Carbon steel material
- High-frequency quenching cutting edge
- Dual material handle

Includes:
(1) 6in. long nose pliers
(1) Dual head screwdriver SL5/PH1*100mm
(1) 8in. adjustable wrench
(1) 3M*16mm tape measure
(1) 18mm utility knife
(1) 80Z installation hammer
(1) PTFE tape 0.1mm*12mm*15m
(1) Electrical insulation tape 0.13mm*18mm*10m

Item #	Spec	Pack Qty
EHT0008	Color: Black	1/1/8
HT0008C	Color: Orange	1/1/8
EHT0008L	Color: Green	1/1/8

Storage Box



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-A	L*W*H:305*205*6mm	1/1/8

Parts Box



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-B	L*W*H:305*205*6mm	1/1/8

6-Piece DIY Tool Set



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-C	(1) 20W Hot melt glue gun (1) 7mm glue stick (1) 180mm Scissors (1) Steel ruler (1) Tweezers (1) 9mm utility knife	1/1/8

7-Piece Common Tool Set



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-D	(1) 7" combination plier (2) Slotted screwdriver SL3×75mm,SL5×100mm (2) Phillips screwdriver PH0×75mm,PH1×100mm (1) 18mm utility knife (1) 3m×16mm tape measure	1/1/8



34-piece installation tool set



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-E	(1) 6in. long nose plier (1) 8in adjustable wrench (1) Claw hammer 0.3KG (1) PTFE tape (1) Parts assortment pack (8) Hex key (1) Bit holder handle (20) Screwdriver bits	1/1/8

13 pieces lithium battery tool set



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-F	(1) 7.2V Lithium drill (1) Extension bar (2) Twist drills 4/6mm (8) Screwdriver bits (1) Screws set	1/1/8

Auto Air Compressor



-Max pressure: 140spi/10bar
-Inflation speed: ≤5min

Item #	Spec	Pack Qty
EDL8058	180W	1/-/8

Auto Air Compressor



-Max pressure: 101spi/7bar
-Inflation speed: ≤3min

Item #	Spec	Pack Qty
EDL8059	160W	1/1/6

Stackable Tool Set



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-ADE	Include:ADE	1/1/4
H1001-DEF	Include:DEF	1/1/4
H1001-ADEF	Include:ADEF	1/1/4
H1001-ABCDEF	Include:ABCDEF	1/1/1

6PC. Home Series Tool Set



- Carbon steel material
- Dual material handle
Includes:
(1) 7.2V Lithium drill
(2) Screwdriver SL5*100mm/PH1*100mm
(1) 3M tape measure
(1) 18mm utility knife
(1) 8pcs 25mm screwdriver bits

Item #	Spec	Pack Qty
HT0206	Color: Black	1/1/8

Auto Air Compressor



-Max pressure: 101psi/7bar
-Inflation speed: ≤3min

Item #	Spec	Pack Qty
EDL8060	180W	1/1/6

Auto Air Compressor

NEW



Power supply:DC12V
Rated current:10A
-Max.pressure:150PSI
-With 1PCS LED light
-With 3M cord with cigarette lighter
-With 1Pcs battery clips
-With 4pcs nozzle adapters

Item #	Spec	Pack Qty
EDL880280S	160W	1/1/8

6PC. Home Series Tool Set



- Carbon steel material
- Dual material handle
Includes:
(1) 7.2V Lithium drill
(2) Screwdriver SL5*100mm/PH1*100mm
(1) 3M tape measure
(1) 18mm utility knife
(1) 8pcs 25mm screwdriver bits

Item #	Spec	Pack Qty
HT0206C	Color: Orange	1/1/8

6PC. Home Series Tool Set



- Carbon steel material
- Dual material handle
Includes:
(1) 7.2V Lithium drill
(2) Screwdriver SL5*100mm/PH1*100mm
(1) 3M tape measure
(1) 18mm utility knife
(1) 8pcs 25mm screwdriver bits

Item #	Spec	Pack Qty
HT0206L	Color: Green	1/1/8

Vacuum Cleaner

- Air flow: ≥1.5m³/min
- Accessories: With 1pcs 1.5m hose
- 1pcs Flat Suction Nozzle
- 1pcs Sofa Suction Nozzle
- 1pcs Multi-functional Floor Brush
- 1pcs Metal Telesocpic Tube
- 1pcs HEPA filter
- 1pcs Muffler
- 1pcs Dust Collection Bag



Item #	Spec	Pack Qty
EDL881815	15L	1/-/1

Vacuum Cleaner

-Air flow: ≥1.8m³/min
-With 1pcs 2.5m hose
-With 1pcs Large flat suction nozzle
-With 2pcs Metal pipe
-With 1pcs Dust scraping brush
-With 1pcs Water scraping brush
-With 1pcs Large round brush
-With 1pcs HEPA filter
-With 4pcs Universal wheels
-With 1pcs Dust collection bag



Item #	Spec	Pack Qty
EDL881825	25L	1/-/1

Vacuum Cleaner



-Rotating speed: 40000r/min
-Wireless and portable
-Skin-friendly feel

Item #	Spec	Pack Qty
EDL8080	60W	1/-/1

High Pressure Washer



-Rated flow: 5L/min
-Max flow: 8L/min
-T177Water temperature: 0-40℃

Item #	Spec	Pack Qty
EDL882201	1400W	1/-/1

High Pressure Washer



-Rated plow: 5L/min
-Max flow: 8L/min
-Water temperature: 0-40℃

Item #	Spec	Pack Qty
EDL882101	1200W	1/-/1

High Pressure Washer

NEW



-Flow rate:6.5L/min
-1set water spray gun
-1pcs 8m high pressure hose
-1pcs 1.5m inlet hose
-1pcs quick connecter

Item #	Spec	Pack Qty
EDL882102	1400W	1/-/1
EDL882103	1800W	1/-/1
EDL882104	2100W	1/-/1

Storage Box

NEW



- Environmentally friendly PP material, PP environmentally friendly material, safe, healthy and odorless,
- High strength, good wear resistance

Item #	Spec	Pack Qty
EDL884135	35L	1/-/6
EDL884160	60L	1/-/4

Tire Gauge



- Aluminum alloy hand plank type, solid and durable
- Dual-unit dial display, external configuration of shock-resistant jacket

Item #	Spec	Pack Qty
EDL8530	0-16bar	1/10/50

HIGH PRESSURE WASHER

EDL882101

Rotating stepless adjustment, optional water types;
IPX5 waterproof rating;
Overheating overload leakage protection;
Self-suction and faucet for different need;
Auto stop system;



Flashlight



-Runtime: 120min, high light 90min
-Five switches: high light, medium light, weak light, flash, SOS
-Type-c charging hole, convenient charging
-Aluminum alloy body

Item #	Spec	Pack Qty
EDL551011	100lm	1/20/120

Flashlight



- USB charging, convenient and quick
- Three lighting modes: strong light, strobe, COB side light

Item #	Spec	Pack Qty
EDL551002	100lm	1/20/80

Outdoor Lighting



-Two switches: high light, flash
-Comfortable elastic headband easy to adjust, convenient to carry

Item #	Spec	Pack Qty
EDL551401	45lm	1/24/96

Laser Pointer

NEW

Aluminum alloy



-532nm/25mW-50mW
-Charging Mode: Type-C
-Class 3B laser
-Green Light

Item #	Spec	Pack Qty
EDL552002	300mAh	1/12/48

Hand Pump

NEW



-8ar/116psi
-Compatible with: schrader, presta, dunlop Valve
-Plastic handle
-High pressure durable hose
-Steel tube
-Plastic base

Item #	Spec	Pack Qty
EDL880006	φ29*270mm	1/1/10/40

Foot Pump

NEW



-5.5bar/80psi
-Compatible with: schrader, presta, dunlop Valve
-With Bar and PSI double units
-High pressure durable hose
-Steel cylinder and frame
-Rubber pedal

Item #	Spec	Pack Qty
EDL880002	Φ43.5*130mm	1/1/10/40

Foot Pump

NEW

-5.5bar/80psi
-Compatible with: schrader, presta, dunlop Valve
-With Bar and PSI double units
-High pressure durable hose
-Steel cylinder and frame
-Rubber pedal



Item #	Spec	Pack Qty
EDL880003	φ43.5*145mm	1/1/20

Hand Pump



-Max air pressure: 120psi
-Anti-freezing and heat-resistant gas belt design, frost- and heat-resistant range: (-20°—50°),
-Double boost pressurization design, more labor-saving, air nozzle storage

Item #	Spec	Pack Qty
EDL-QT002	φ38*600mm	1/-/20

Foldable Multi-Tool Plier

NEW

3Cr13



-Open size:157*70*21mm
-Closed size:101*42*21mm

Item #	Spec	Pack Qty
EDL555201	13in1	1/12/48

Foldable Multi-Tool Plier

NEW

3Cr13



-Anodized aluminium handle
-Open size:160*68*21mm
-Closed size:101*47*21mm

Item #	Spec	Pack Qty
EDL555102	15in1	1/12/48

Foldable Multi-Tool Plier

NEW

3Cr13



-Anodized aluminium handle
-Open size:108*53*18mm
-Closed size:68*31*16mm

Item #	Spec	Pack Qty
EDL555101	12in1	1/12/72

Two Step Iron Ladder



-Distance between two step: 225mm
-Distance between top step and handle: 385mm
-Wide anti-slip pedal: 360*270mm
-Max.Load: 150kg

Item #	Spec	Pack Qty
EDL509012	2 Steps	1/-/4
EDL509013	3 Steps	1/-/4

deli

GARDEN SERIES TOOLS

Cordless Grass Trimmer

NEW

Powerful battery for fast charging: This cordless weed machine comes with a 20V battery, which is more powerful than a 12V battery pack. The 2.0Ah battery pack can be fully charged in just 1 hour. Enjoy up to 30 minutes of continuous running time, perfect for efficiently completing all your yard work.

Adjustable handle and head: The weed trimmer comes with an adjustable cutting head and 180° adjustable auxiliary handle, allowing you to easily trim edges in tight Spaces and rough terrain. Customize angles for comfortable and precise trim and edges

-Lightweight and ergonomic design: This battery-powered weed whacker weighs just 4.32 pounds and is designed to be easy to use and carry around. The battery-powered weeder's ergonomic design and lightweight construction reduce fatigue and make yard maintenance a breeze.



Item #	Spec	Pack Qty
EDG305-1	Rated Voltage:20V No-load Speed:8000/min Cutting Circle:260mm Max.operating Time:Approx 30 min Battery:2Ah*1 Charge Volts:220-240V~50/60Hz With 1pcs Guard With 1pcs Handle Packed by color box	1:PCS 1:CAR

Cordless Leaf Blower

NEW

Powerful motor and axial fan technology: Equipped with a high-performance motor and advanced axial fan technology, it delivers an impressive 400 CFM turbocharged airflow with a maximum speed of 120 MPH.

Long battery life: Powered by a 20V 4.0Ah battery, it can run for up to 25 minutes on a full charge. This battery has a longer operating time compared to 2.0Ah batteries, making it ideal for a wider range of yard work without the need for frequent charging.



Item #	Spec	Pack Qty
EDG012-1	Rated Voltage:20V Max Air Speed:120mph Battery:4Ah*1 Charge Volts:220-240V~50/60Hz With 1pcs Blower Tube Packed by color box	1:PCS 4:CAR

Cordless Lawn Mower

NEW

Brushless motors offer greater torque, quieter operation and longer service life.
Multifunctional:The battery-powered mower features a 5-speed height adjustment for optimal cutting results in all environments.
Maintenance-free:This walking mower is virtually maintenance-free, free of gas, oil and emissions.
It starts immediately, is quiet, but provides gas-like power for your toughest projects.



Item #	Spec	Pack Qty
EDG500-1	Brushless Motor Rated Voltage:20V No-load Speed:4500/min Cutting Diameter:330mm Grass Bag Capacity:35L cloth & plastic Wheel Diameter:150mm Height Mode(5 Gear):25-65mm Battery:4Ah*1 Charge Volts:220-240V~50/60Hz Packed by color box	1:PCS 1:CAR

Cordless Grass And Shrub Shears

NEW

Multifunctional 2-in-1: This 20V handheld hedge trimmer uses a high-power motor to ensure optimal cutting performance. Its 2-in-1 design allows easy switching between grass clippers and hedge machines. Long hedge shears have a width of 2.36 inches (about 6.9 cm) and are suitable for cutting thin branches in hedges and shrubs. The wide grass trimmer is 4.13 inches (about 10.4 cm) wide and is suitable for small lawns, trimming and removing weeds

Long battery life and fast charging: The hedge trimmer comes with 2 removable and rechargeable 2.0Ah lithium batteries that extend the life of the electric hedge trimmer, giving you plenty of time to complete your gardening tasks. In addition, it includes an efficient charger that is able to fully charge in 2 hours, providing about 3-4 hours of working time

Double Security protection: Double protection to ensure your safety while completing gardening tasks. Our electric trimmers are equipped with safety locks and battery protection to prevent accidental injury during use

Easy to use: The mower is lightweight and easy to use. The blade release button allows for quick and easy blade replacement. The handle is ergonomically designed to reduce stress on the shoulders and back during use. The safety button is located at the top of the handle and can be operated with one hand, suitable for people with fewer small hands, such as women and the elderly.



Item #	Spec	Pack Qty
EDG621-1	Rated Voltage:20V No-load Speed:1200/min Cutting Width Grass Shears:100mm Cutting Length Shrub Shears :200mm Cutting Thickness Shrub Shears :8mm Battery:2Ah*1 Charge Volts:220-240V~50/60Hz With 1pcs Grass Cutter Blade With 1pcs Hedge Cutter Blade With 2pcs Knife Pouch Packed by color box	1:PCS 6:CAR

Electric Chain Saw



-Powerful performance: the power of the motor is up to 1600 W at 740m/min high speed. Our motor can produce a lot of power so you can do your job quickly and well. The product is easy to use with its low weight . The ergonomic handle design can reduce muscle fatigue.
-Automatic oil spraying: This product uses the automatic oil spray method. It can automatically lubricate the chain and guide plate to reduce their friction, allowing a better and smoother cut. The fuel filler neck with cover can ensure that the fuel filler neck is better sealed and no oil leaks.
-Safety: As it is equipped with a brake function and a protective cover for the guide plate, the electric chainsaw is safe and reduces injuries during operation.
-Easy to use: with the D-shaped handle and switch control design, it is comfortable to grip and easy to control. As the electric chainsaw is designed with high performance and plug-in model, it offers high work efficiency and easy operation.

Item #	Spec	Pack Qty
EDG193	Rated Voltage:220-240V~50/60Hz Rated Power:1600W No Load Speed: 6500 /min Maximum cutting length 395mm Guide plate specifcation 405mm Tank capacity 220ml Sleeve *1 Guide plate *1 Chain *1 Bumper spike *1 Carbon brush*1Packed by color box	1:PCS 4:CAR

Gasoline Chain Saw



- Two-stroke -1.7KW engine, strong power
- Precision tuning, economical and fuel-saving
- Optimized air duct, less susceptible to flameout
- Right angle alloy chain for easy sawing

Item #	Spec	Pack Qty
EDE-LJ16-1	Power: 1.7kw Displacement: 45cc High speed:11000±1000r/min Idle speed:3200±800r/min Guide plate specification: 16 inches (400mm) Maximum cutting length: 400mm Fuel grade: gasoline + 2T engine oil Fuel mixing ratio (gasoline : engine oil): 25:1 Engine cylinder size: 43x31mm Tank volume for automatic chain lubrication:260ml Fuel tank volume:550ml With 1 pcs guide plate and 1 pcs chain Packed by color box	1:PCS 4:CAR

Gasoline Chain Saw



- Two-stroke 2.3KW engine, strong power
- Precision tuning, economical and fuel-saving
- Optimized air duct, less susceptible to flameout
- Right angle alloy chain for easy sawing

Item #	Spec	Pack Qty
EDE-LJ18-1	Power: 2.3kw Displacement:45cc High speed: 11000±1000r/min Idle speed:3200±800r/min Guide plate specification: 18 inches (445mm) Maximum cutting length: 445mm Fuel grade: gasoline + 2T engine oil Fuel mixing ratio (gasoline : engine oil): 25:1 Engine cylinder size: φ43x31mm Tank volume for automatic chain lubrication:260ml Fuel tank volume:550ml With 1 pcs guide plate and 1 pcs chain Packed by color box	1:PCS 4:CAR

Gasoline Chain Saw



- Two-stroke 3.3KW engine, strong power
- Precision tuning, economical and fuel-saving
- Optimized air duct, less susceptible to flameout
- Right angle alloy chain for easy sawing

Item #	Spec	Pack Qty
EDE-LJ20-1	Power: 3.3kw Displacement: 58cc High speed:11000±1000r/min Idle speed:3200±800r/min Guide plate specification: 20 inches (500mm) Maximum cutting length: 500mm Fuel grade: gasoline + 2T engine oil Fuel mixing ratio (gasoline : engine oil):25:1 Engine cylinder size: φ45.2x34mm Tank volume for automatic chain lubrication:260ml Fuel tank volume:550ml With 1 pcs guide plate and 1 pcs chain Packed by color box	1:PCS 4:CAR

Gasoline Brush Cutter



- Two-stroke engine, upgraded power less susceptible to cylinder scoring, rotating speed 9500rpm
- Easy to start
- Diaphragm carburetor for stable work
- Equipped with trimmer head and 3T blade, durable, responding to different environments

Item #	Spec	Pack Qty
EDE-GT255-1	Power:0.8kw 2 Stroke Displacement:25.4cc High speed:9000±500r/min Idle speed:3200±800r/min Trimmer head size:2.4mm*3m Fuel tank capacity: 700ml Fuel grade: gasoline+2T engine oil Fuel mixing ratio (gasoline : engine oil):25:1 With Line spool and Bush cutter blade Packed by color box	1:PCS 1:CAR

Gasoline Brush Cutter



- Two-stroke engine, upgraded power less susceptible to cylinder scoring, rotating speed 9500rpm
- Easy to start
- Diaphragm carburetor for stable work
- Equipped with trimmer head and 3T blade, durable, responding to different environments

Item #	Spec	Pack Qty
EDE-GT255-3	Power:1.0kw 2 Stroke Displacement:32.6cc High speed:9000±500r/min Idle speed:3200±800r/min Trimmer head size:2.4mm*4m Fuel tank capacity:1000ml Fuel grade:gasoline+2T engine oil Fuel mixing ratio (gasoline : engine oil):25:1 With line spool and bush cutter blade Packed by color box	1:CAR 1:PCS

Gasoline Brush Cutter



- Two-stroke engine, upgraded power less susceptible to cylinder scoring, rotating speed 9500rpm
- Easy to start
- Diaphragm carburetor for stable work
- Equipped with trimmer head and 3T blade, durable, responding to different environments

Item #	Spec	Pack Qty
EDE-GT255-5	Power:1.25kw 2 Stroke Displacement:42.7cc High speed:9500r/min Idle speed:3200±800r/min Trimmer head size:2.4mm*4m Fuel tank capacity:1200ml Fuel grade: gasoline+2T engine oil Fuel mixing ratio (gasoline : engine oil):25:1 With Line spool and Bush cutter blade Packed by color box	1:CAR 1:PCS

Gasoline Brush Cutter



- Two-stroke engine, upgraded power less susceptible to cylinder scoring, rotating speed 9500rpm
- Easy to start
- Diaphragm carburetor for stable work
- Equipped with trimmer head and 3T blade, durable, responding to different environments

Item #	Spec	Pack Qty
EDE-GT255-7	Power:2.2kw 2 Stroke Displacement:52cc High speed:9500r/min Idle speed:3200±800r/min Trimmer head size:2.4mm*4m Fuel tank capacity:1250ml Fuel grade:gasoline+2T engine oil Fuel mixing ratio (gasoline : engine oil):25:1 With line spool and bush cutter blade Packed by color box	1:PCS 1:CAR

Series	Type	Ref. No.	Size	Blade Material	Max Cutting Diameter
Iron Handle		EDL580200	8",205mm	55C	14mm
Plastic Handle		EDL580101	8",200mm	55C	15mm
		EDL580201	8",200mm	55C	18mm
		EDL2789	8",200mm	SK5	18mm
		EDL2789A	8",200mm	SK5	18mm
Integrated Molding		EDL2778	8.5",210mm	55C	18mm
		EDL580123	8",200mm	55C	12mm
		EDL580203	8.5",210mm	55C	15mm
		EDL580207	8",200mm	SK5	15mm
		EDL580206	8",200mm	55C	15mm
		EDL580204	8",200mm	55C	15mm
		EDL580205	8",200mm	55C	15mm

Pruning Shears

55C



-Max cutting diameter 14mm
- Metal handle, strong and durable
- Blade sharpness, not deformed

Item #	Spec	Pack Qty
EDL580200	8",205mm	1/10/60

Pruning Shears

55C



-Max cutting diameter 15mm
-Heat treatment surface

Item #	Spec	Pack Qty
EDL580101	8",200mm	1/6/60

Pruning Shears

55C

-Max cutting diameter 18mm
-Heat treatment surface

Item #	Spec	Pack Qty
EDL580201	8",200mm	1/10/60

Pruning Shears

SK5



-Max cutting diameter 18mm
-High-Quality Garden Pruning Shear
-Heat treatment Telfon coating
-PP handle coverd TPR grip

Item #	Spec	Pack Qty
EDL2789	8",200mm	1/10/60

Pruning Shears

SK5



--Max cutting diameter 18mm
-High-Quality Garden Pruning Shear
-Heat treatment Telfon coating
-PP handle coverd TPR grip

Item #	Spec	Pack Qty
EDL2789A	8",200mm	1/10/60

Pruning Shears

55C



-Max cutting diameter 18mm
-Heat treatment Telfon coating

Item #	Spec	Pack Qty
EDL2778	8.5",210mm	1/10/60

Pruning Shears

55C



-Max cutting diameter 12mm
-Handle non slip treatment

Item #	Spec	Pack Qty
EDL580123	8",200mm	1/10/60



Pruning Shears

55C



-Max cutting diameter 15mm
-Heat treatment Telfon coating

Item #	Spec	Pack Qty
EDL580203	8.5",210mm	1/10/60

Pruning Shears

SK5



-With heat treatment Aluminium handle with soft TPR grip
-With high quality blade

Item #	Spec	Pack Qty
EDL580207	8",200mm	1/10/60

Pruning Shears

55C



- Max cutting diameter: 15mm
- Teflon treated blade for smooth cutting, better appearance and rust proof

Item #	Spec	Pack Qty
EDL580206	8",200mm	1/10/60

Pruning Shears

55C



- Teflon treated blade for smooth cutting, better appearance and rust proof
- Dipped plastic handle for comfortable grip
- Max cutting diameter: 15mm

Item #	Spec	Pack Qty
EDL580204	8",200mm	1/10/60

Pruning Shears

55C



- Teflon treated blade for smooth cutting, better appearance and rust proof
- Dipped plastic handle for comfortable grip
- Max cutting diameter: 15mm

Item #	Spec	Pack Qty
EDL580205	8",200mm	1/10/60

Hedge Shears

65 Mn



-Max cutting diameter:5mm
-Wavy blade
-For more efficiency when cutting large areas
-Heat treatment blade

Item #	Spec	Pack Qty
EDL2806	21",520mm	1/12/24

Hedge Shears

65 Mn



-Max cutting diameter:8mm
-Heat treatment blade

Item #	Spec	Pack Qty
EDL2805	25-32.5",630-823mm	1/6/12

Hedge Shears

SK5



-Max cutting diameter:5mm
-Sharp edged blade
-For exact shaping and precise cutting results
-Heat treatment blade

Item #	Spec	Pack Qty
EDL580421	26.5",675mm	1/6/12

Telescopic Hedge Shears

NEW

SK5



-Max cutting diameter:8mm
-Wavy blade
-For more efficiency when cutting large areas
-Heat treatment blade
-Blade painted teflon

Item #	Spec	Pack Qty
EDL580324	25.5-31.5",650-800mm	1/6/12

Lopper

55C



-Max cutting diameter:15mm
-Heat treatment blade

Item #	Spec	Pack Qty
EDL2779	27",690mm	1/10/20

Lopper

55C



-Max cutting diameter:22mm
-Heat treatment blade

Item #	Spec	Pack Qty
EDL580320	20",500mm	1/12/24

Lopper

SK5



-Max cutting diameter:30mm
-Heat treatment blade
-Gear bypass design,cutting easier and with less effort

Item #	Spec	Pack Qty
EDL580321	30.5",775mm	1/10/20

Telescopic Lopper

NEW

SK5



-Max cutting diameter:30mm
-Aluminum telescopic tube
-Heat treatment blade
-Gear bypass design,cutting easier and with less effort

Item #	Spec	Pack Qty
EDL580423	25-34",630-870mm	1/6/12

2 Pcs garden shears set

55C



- Gardening tools set for different using scenarios
-Heat treatment blade

Item #	Spec	Pack Qty
EDL580002	1pcs :8.5" / 210mm Pruning Shears 1pcs 557mm/22" Lopper	1/-/6

3 Pcs garden shears set

55C



- Gardening tools set for different using scenarios
-Heat treatment blade

Item #	Spec	Pack Qty
EDL580003	1pcs 580MM/23" Lopper 1pcs 520mm/ 21" Hedge Shears 1pcs 200mm/8" Pruning Shears	1/-/6

Gardening Shovel

Carbon Steel



- 5mm thick shovel enabling digging without bending
- Edged hoe for ease of digging

Item #	Spec	Pack Qty
EDL580812	310mm	1/12/48
EDL580811	310mm	1/12/48

Gardening Rake

Carbon Steel



- Wide and thick rake teeth
- Thermosetting paint layer for a beautiful look and rust resistance

Item #	Spec	Pack Qty
EDL580813	302*129mm	1/12/48

Gardening Rake

Carbon Steel



- Edged hoe for ease of digging
- Used as a shovel and a hoe for multiple scenarios

Item #	Spec	Pack Qty
EDL580814	300*158mm	1/12/48

Gardening Rake

Carbon Steel



- Thermosetting paint layer, anti-rust and corrosion-resistant
- PP coated handle design increases grip friction and provides a comfortable grip

Item #	Spec	Pack Qty
EDL580815	300*100mm	1/12/48

3 Piece Gardening Tool set

Carbon Steel



- Wide shovel for shoveling soil and moving pots
- Narrow shovel for planting seedings
- Five-tooth rake for loosening the soil, flating the soil and removing the root
- Dual-use hoe for digging pits and weedin

Item #	Spec	Pack Qty
EDL580803	3pcs/set	1/8/16

Extendable Pole Saw And Pruner

SK5



-Max cutting diameter:25mm
-SK5 saw blade and triple teeth
-Double wheels design
-Heat treatment blade

Item #	Spec	Pack Qty
EDL580511	180-286cm	1/-/6
EDL580512	235-410cm	1/-/6

Hand Saw

65 Mn



-With teeth protector
-Heat treatment

Item #	Spec	Pack Qty
EDL6840	16",400mm	1/12/48
EDL6840A	16",400mm	1/12/48

Hand Saw

65 Mn



-Triple teeth(Precision ground teeth 3 edges)
-With teeth protector
-Heat treatment

Item #	Spec	Pack Qty
EDL6845	18",450mm	1/12/48
EDL6845A	18",450mm	1/12/48

Hand Saw

65 Mn



-Triple teeth(Precision ground teeth 3 edges)
-With teeth protector
-Heat treatment

Item #	Spec	Pack Qty
EDL6850	20",500mm	1/12/48
EDL6850A	20",500mm	1/12/48

Pruning saw

SK5



-7TPI
-Triple teeth(Precision ground teeth 3 edges)
-Dual-color ABS injection-molded handle
-Fast cut

Item #	Spec	Pack Qty
EDL580933	13",330mm	1/10/60

Pruning saw

SK5



-7TPI
-Triple teeth(Precision ground teeth 3 edges)
-Dual-color ABS injection-molded handle
-Equipped with scabbard
-Fast cut

Item #	Spec	Pack Qty
EDL580927	10",270mm	1/12/48

Pruning saw

65 Mn



-7TPI
-Triple teeth(Precision ground teeth 3 edges)
-Fast cut

Item #	Spec	Pack Qty
EDL580330	13",330mm	1/12/48

Folding Saw

65 Mn



-7TPI,heat treatment teeth
-Triple teeth(Precision ground teeth 3 edges)
-With hand protection function
-Fast cut and long life

Item #	Spec	Pack Qty
EDL580618	7",180mm	1/10/60

Folding Saw

65 Mn



-Chip pushing groove
-Triple teeth(Precision ground teeth 3 edges)
-Fast cut

Item #	Spec	Pack Qty
EDL6006	7",170mm	1/8/48



Compass Saw

NEW

65 Mn



-7TPI
-Precision ground teeth 2 edges

Item #	Spec	Pack Qty
EDL580652	12",300mm	1/6/24

Back Saw

NEW

65 Mn



-13TPI
-ABS engineering plastic + TPR rubberized handle
-Four cutting angles

Item #	Spec	Pack Qty
EDL580900	12",300mm	1/8/16

Wall Board Saw

65 Mn



-8TPI
-Triple teeth(Precision ground teeth 3 edges)
-Fast cut

Item #	Spec	Pack Qty
EDL580651	6",150mm	1/6/24

Grass Shear

SK5



-340° grass shear
-Heat treatment w/non stick coating
-ABS handle with TPR grip

Item #	Spec	Pack Qty
EDL580351	13-1/4"/340mm	1/12/24

Sprayer



-Press and release fuction
-Nozzle with mist spray

Item #	Spec	Pack Qty
EDL581005A	600ml	1/-/50

Pressure Sprayer



-Safety pressure release valve
-Pressure:2.5BAR
-Press and release fuction
-Adjustable nozzle with straight jet and mist spray

Item #	Spec	Pack Qty
EDL581020	2L	1/-/12

Sprayer



-Handy carry strap
-Pressure:2.5BAR
-ON/OFF trigger with trigger lock
-Adjustable sprayer pattern mist to stream

Item #	Spec	Pack Qty
EDL581105A	5L	1/-/6

Pressure Sprayer



-Handy carry strap
-ON/OFF trigger with trigger lock
-Adjustable sprayer pattern mist to stream

Item #	Spec	Pack Qty
EDL581108-E1	8L	1/-/6

Sprayer



-ON/OFF trigger with trigger lock
-With 1 pcs adjustable strap
-With 1 pcs 1.3m length flexible hose

Item #	Spec	Pack Qty
EDL581103B	3L	1/-/6
EDL581105B	5L	1/-/6

Lithium-Ion Sprayer



-Two working modes:columnar and mist
-TYPE-C charging port, easy to charge
-Transparent level line, intuitive and convenient
-Adjustable nozzle with straight jet and mist spray

Item #	Spec	Pack Qty
EDL581040	1L	1/-/36
EDL581041	1L	1/-/36
EDL581042	1L	1/-/36



Lithium-Ion Sprayer



-Copper wire brushless motor
-Ergonomic design
-Wider and thicker straps
-Power display meter design

Item #	Spec	Pack Qty
EDL581118	18L	1/1/1
EDL581120	20L	1/1/1

1/2" Plastic Hose Connector

ABS
Material



- Specification 1/2 ";
- ABS material

Item #	Spec	Pack Qty
EDL8792	1/2"	1/20/120

1/2" Plastic Hose Connector

ABS
Material



- Specification 1/2 "
- ABS material
- Water stop valve

Item #	Spec	Pack Qty
EDL8793	1/2"	1/20/120

1/2" Plastic Hose Mender

ABS
Material



- Specification 1/2 "
- ABS material

Item #	Spec	Pack Qty
EDL8794	1/2"	1/20/120

3/4" Plastic Hose Connector

ABS
Material



- Specification 3/4 ";
- ABS material

Item #	Spec	Pack Qty
EDL8795	3/4"	1/20/120

3/4" Plastic Hose Connector

ABS
Material



- Specification 3/4 "
- ABS material
- Water stop valve

Item #	Spec	Pack Qty
EDL8796	3/4"	1/20/120

Plastic Hose Connector

NEW

ABS Material



- Specification 3/4 "
- ABS material
- Interface can close the valve

Item #	Spec	Pack Qty
EDL8797	1"-3/4" Plastic 2-Way	1/20/120

5 Piece Twist Nozzle Set

NEW

ABS Material



- ABS material;
- Specification 1/2 "
- Straight columnar water spray;
- Umbrella shaped water spray;
- Sprinkler shaped water spray

Item #	Spec	Pack Qty
EDL8798	5Pcs 1/2"+3/4"	1/12/48

Oscillating Sprinkler

NEW

ABS Material



- 17 spray holes, with a wide range of water spraying
- Controllable swing angle
- Ultra Durable ABS

Item #	Spec	Pack Qty
EDL581303	3/4"	1/12/24

1/2" Pvc Hose

NEW



- Max: 360psi
- 15m in length;
- Specification 1/2 "
- Wear-resistant and explosion-proof four layer PVC pipe

Item #	Spec	Pack Qty
EDL8072-15	1/2"15m	1/-/12

Hose Quick Connectors Set

NEW

ABS Material



- ABS material
- Specification 1/2 "

Item #	Spec	Pack Qty
EDL8799	3Pcs 1/2"+3/4"	1/12/48

Plastic Turret Sprinkler

NEW

ABS Material



- Five modes
- The wall hanging design is convenient for storage
- Ultra Durable ABS

Item #	Spec	Pack Qty
EDL581300	3/4"	1/12/48

1/2" Pvc Hose

NEW



- Max: 360psi
- Length 30m;
- Specification 1/2 "
- Wear-resistant and explosion-proof four layer PVC pipe

Item #	Spec	Pack Qty
EDL8072-30	1/2"30m	1/-/6

Plastic Trigger Nozzle

NEW

ABS Material



- PVC gun body
- 3 spraying modes

Item #	Spec	Pack Qty
EDL8757	3-Way	1/12/48

Plastic 3 Arm Rotatory Sprinkler

NEW

ABS Material



- The spray nozzle can be adjusted at an angle of 15-45 °, with two spray modes
- The wall hanging design is convenient for storage
- Ultra Durable ABS

Item #	Spec	Pack Qty
EDL581301	3/4"	1/-/24

Plastic Auto Gear Sprinkler

NEW

ABS Material



- Switching the spray angle 360 °
- Serializable design
- Ultra Durable ABS

Item #	Spec	Pack Qty
EDL581302	3/4"	1/-/24

Plastic Trigger Nozzle

NEW

ABS Material



- PVC gun body
- 7 spraying modes;

Item #	Spec	Pack Qty
EDL8758	7-Way	1/12/48

Spray Nozzle

NEW

ABS Material



- High impact resistant ABS plastic body
- TPR insulated comfortable soft grip
- Nylon pull rod
- 3 spraying modes;

Item #	Spec	Pack Qty
EDL8759	3-Way	1/12/48



Spray Nozzle

NEW

ABS
Material



- High impact resistant ABS plastic body
- TPR insulated comfortable soft grip
- Nylon pull rod
- 9 spraying modes

Item #	Spec	Pack Qty
EDL8760	9-Way	1/12/48

Plastic Trigger Nozzle

NEW

ABS
Material



- Zinc alloy gun body, more durable
- TPR insulated comfortable soft grip
- U-shaped on/off design
- 3 spraying modes

Item #	Spec	Pack Qty
EDL8072	3-Way	1/12/48



Plastic Trigger Nozzle

NEW

ABS
Material



- Zinc alloy gun body, more durable;
- TPR insulated comfortable soft grip
- U-shaped on/off design
- 9 spraying modes

Item #	Spec	Pack Qty
EDL8762	9-Way	1/12/48

Metal Trigger Nozzle

NEW

ABS
Material



- Zinc alloy gun body, more durable
- TPR insulated comfortable soft grip
- 9 spraying modes

Item #	Spec	Pack Qty
EDL8763	3-Way	1/12/48

Metal Trigger Nozzle

NEW

ABS
Material



- Zinc alloy gun body, more durable
- TPR insulated comfortable soft grip
- 10 spraying modes

Item #	Spec	Pack Qty
EDL8764	10-way	1/12/48

DL

DL101207 128
DL109010H 135
DL109110H 135
DL2012 138
DL2332 64
DL2334 64
DL2344 64
DL2352 64
DL2353 65
DL2354 65
DL2472 66
DL2473 66
DL2474 66
DL2475 66
DL2476 66
DL4000 68
DL4002 66
DL4005 68
DL431002A 223
DL431002B 224
DL431004A 223
DL431004B 224
DL431008A 223
DL431008B 224
DL431070 222
DL431071 223
DL431072 223
DL432001 217
DL432002 217
DL432003 217
DL432021 219
DL432039 218
DL432117 219
DL432301 217
DL432302 217
DL432303 217
DL432304 217
DL432305 217
DL432306 217
DL432307 217
DL432308 217
DL432519 219
DL432521 219
DL432522A 219
DL432522B 219
DL432814 219
DL432817 219
DL432819 219
DL432912 219
DL432915 219
DL432918 219
DL4350 69
DL4450 69
DL468250 210
DL471002 212
DL4922 69
DL4923 69
DL4925 69
DL4926 69
DL4927 69
DL4928 69
DL4929 69
DL508041 251
DL508042 251
DL508101 252
DL508102 252
DL508301 252
DL508302 252
DL510005 215
DL510007 216
DL510012 216
DL510107 216
DL515180 214
DL515185 214
DL515250 215
DL6111 222
DL6112 222
DL7309 206
DL7408 206
DL7409 207
DL7410 206
DL-YN-150450 204
DL-YN-2001000 204
DL-YN-280760 204
DL-YN-7502000 204
DL-ZL10 208
DL-ZL15 208
DL-ZL20 208
DL-ZL30 208
DL-ZL5 208
DL-ZL50 208

DQ

DQ02103 72
DQ02203 72
DQ02305 72
DQ02308 72
DQ02322 72
DQ02342 72
DQ2355 64
DQ2357 64
DQ2401 63
DQ2402 63
DQ2403 63
DQ2404 63
DQ2405 63
DQ2406 63
DQ2407 63
DQ2408 63
DQ2409 63
DQ2410 63
DQ2411 63
DQ2412 63
DQ2413 63
DQ2414 63
DQ2424 63
DQ2425 63
DQ2426 63
DQ2427 63
DQ2428 63
DQ2429 63
DQ2430 63
DQ2431 63
DQ2432 63
DQ2433 63
DQ2446 65
DQ2447 65
DQ2448 65
DQ2449 65
DQ2450 65
DQ2451 65
DQ2452 65
DQ2453 65
DQ2454 65
DQ2455 65
DQ2456 65
DQ2457 65
DQ2458 65
DQ2459 65
DQ2460 65
DQ2461 65
DQ2462 65
DQ2464 65
DQ2469 66
DQ2470 66
DQ2471 66
DQ2478 65
DQ2479 65
DQ2480 65
DQ2481 65
DQ2482 65
DQ2483 65
DQ2484 65
DQ2485 65
DQ2486 65
DQ2487 65
DQ2488 65
DQ2489 65
DQ2490 65
DQ2491 65
DQ2492 65
DQ2555 67
DQ2557 67
DQ4108 68
DQ4109 68
DQ4110 68
DQ4111 68
DQ4112 68
DQ4113 68
DQ4114 68
DQ4115 68
DQ4116 68
DQ4117 68
DQ4118 68
DQ4119 68
DQ4120 68
DQ4121 68
DQ4122 68
DQ4123 68
DQ4124 68
DQ4125 68
DQ4127 68
DQ4130 68
DQ4132 68
DQ41802 62
DQ4250 68
DQ42802 62
DQ42816 70
DQ42821 70
DQ42824 70
DQ43802 62
DQ43816 70
DQ43821 70
DQ4455 69
DQ4456 69
DQ4457 68
DQ48204 69
DQ48205 69
DQ48206 69
DQ48207 69
DQ48208 69
DQ48210 69
DQ48212 69
DQ48214 69
DQ48217 69
DQ90210 213
DQ90301 214
DQ90408 214
DQ90410 214
DQ90412 214
DQ91001 215
DQ91002 215
DQ91003 215
DQ-WD1.5T290 209
DQ-WD2.5T380 210
DQ-WD2T330 209
DQ-WD3T505D 210

EDA

EDA-AQX39AH 243
EDA-AQX40AH 243
EDA-AQX41AH 243
EDA-AQX42AH 243
EDA-AQX43AH 243
EDA-AQX44AH 243
EDA-AQX45AH 243
EDA-AQX46AH 243

EDC

EDC041 81
EDC090 120
EDC091 120
EDC091-1 120
EDC096 119
EDC120 82
EDC120Z 82
EDC150 82
EDC150Z 82
EDC160 265
EDC161 267
EDC174 98
EDC176 105
EDC177 105
EDC180 103
EDC181 102
EDC230 83
EDC230Z 83
EDC300 84
EDC300Z 84
EDC368 106
EDC369 109
EDC380 109
EDC390 110
EDC551Z 86
EDC552Z 86
EDC573 112
EDC574 112
EDC575 115
EDC576 115
EDC579 115
EDC591 113
EDC592 113
EDC600 84
EDC600Z 84
EDC601 85
EDC601Z 85
EDC602 85
EDC602Z 85
EDC650 114
EDC662A 89
EDC730 111

EDE

EDE570 49
EDE571 50
EDE750 36
EDE750Z 36
EDE820Z 37
EDE830Z 37
EDE-BS20-1 29
EDE-BS20-1D2 29
EDE-CD20A2E 17
EDE-CD20D4 17
EDE-CM20A2E 18
EDE-CM20A4E 18
EDE-CZ13-1E 38
EDE-CZ16-1A2 26
EDE-CZ16-1D2 26
EDE-CZ20-1 26
EDE-CZ20-1D2 26
EDE-CZ20-2 27
EDE-CZ20-2A4 27
EDE-CZ20-2D2 27
EDE-DC16A2 15
EDE-DC20-2 30
EDE-DC20-2D4 30
EDE-DC20A2 15
EDE-DC20A4 16
EDE-DC26-3E 46
EDE-DG15-2E 47
EDE-DG30-1E 47
EDE-DG5-2E 46
EDE-DZ10-1E 38
EDE-DZ10-2E 38
EDE-DZ16-1D2 22
EDE-DZ20-1 22
EDE-DZ20-1D2 22
EDE-DZ20-2 22
EDE-DZ20-2D2 22
EDE-GT255-1 290
EDE-GT255-3 290
EDE-GT255-5 290
EDE-GT255-7 290
EDE-JM100-1E 40
EDE-JM100-2E 40
EDE-JM100-3E 42
EDE-JM100-5E 43
EDE-JM115-1E 41
EDE-JM115-2E 42
EDE-JM125-1E 43
EDE-JM125-2E 41
EDE-JM125-4E 42
EDE-JM150-1 44
EDE-JM180-1E 44
EDE-JM20-1 31
EDE-JM20-1D4 31
EDE-JM20-2 32
EDE-JM20-2D4 32
EDE-JM20-3 31
EDE-JM20-3D4 31
EDE-JM230-1E 44
EDE-JM230-2E 45
EDE-LJ16-1 289
EDE-LJ18-1 289
EDE-LJ20-1 289
EDE-QZ20-1 28
EDE-QZ20-1A4 28
EDE-QZ20-1D2 28
EDE-XB550-1E 49
EDE-XQ355-1E 48
EDE-XQ355-2 48
EDE-YJ20-1 33
EDE-YJ20-1D4 33
EDE-YS110-1E 48

EDG

EDG012-1 287
EDG193 289
EDG305-1 287
EDG500-1 288
EDG621-1 288

EDH

EDH-BDJ017-EH1 232
EDH-BKK200-E1 226
EDH-BKK220-E1 226
EDH-BKK250-E1 226
EDH-BKK280-E1 226
EDH-BKK300-E1 226
EDH-BKK320-E1 226
EDH-BKK350-E1 226
EDH-BKK450-E1 226
EDH-BKK500-E1 226
EDH-BKK550-E1 226
EDH-BKK650-E1 226
EDH-BWZ003-E1 223
EDH-BWZ004-E1 223
EDH-BWZ005-E1 223
EDH-BWZ006-E1 223
EDH-BWZ008-E1 223
EDH-BWZ010-E1 223
EDH-BWZ012-E1 223
EDH-BYP10040-E1 234
EDH-BYP10040-E2 234
EDH-BYP10060-E1 234
EDH-BYP10060-E2 234
EDH-BYP10080-E1 234
EDH-BYP10080-E2 234
EDH-BYP11540-E1 234
EDH-BYP11540-E2 234
EDH-BYP11560-E1 234
EDH-BYP11560-E2 234
EDH-BYP11580-E1 234
EDH-BYP11580-E2 234
EDH-BYP12540-E1 234
EDH-BYP12540-E2 234
EDH-BYP12560-E1 234
EDH-BYP12560-E2 234
EDH-BYP12580-E1 234
EDH-BYP12580-E2 234
EDH-CBZ003-E1 223
EDH-CBZ004-E1 223
EDH-CBZ005-E1 223
EDH-CBZ006-E1 223
EDH-CBZ008-E1 223
EDH-CBZ010-E1 223
EDH-CBZ012-E1 223
EDH-CQP100-E1 230
EDH-CQP100-E4 230
EDH-CQP105-E2 231
EDH-CQP105-E3 230
EDH-CQP110-E1 230
EDH-CQP110-E2 231
EDH-CQP110-E3 230
EDH-CQP110-E4 230
EDH-CQP115-E1 230
EDH-CQP115-E2 231
EDH-CQP115-E3 230
EDH-CQP115-E4 230
EDH-CQP125-E1 230
EDH-CQP125-E2 231
EDH-CQP125-E3 230
EDH-CQP125-E4 230
EDH-CQP180-E1 230
EDH-CQP180-E2 231
EDH-CQP180-E3 230
EDH-CQP180-E4 230
EDH-CQP230-E1 230
EDH-CQP230-E2 231
EDH-CQP230-E3 230
EDH-CQP230-E4 230
EDH-CZZ005-ED1 222
EDH-CZZ005-ED2 222
EDH-CZZ006-E1 222
EDH-CZZ008-E1 222
EDH-CZZ010-E1 222
EDH-CZZ012-E1 222
EDH-DJZ001-E1 220
EDH-DJZ002-E1 220
EDH-DJZ003-E1 220
EDH-DSZ610-E1 238
EDH-FSZ093-ED1 237
EDH-FSZ145-ED1 237
EDH-FSZ280-ED1 237
EDH-GSS025-E6 236
EDH-GSS050-E3 236
EDH-GSS050-E4 236
EDH-GSS075-E1 235
EDH-GSS075-E2 236
EDH-GSS075-E3 236
EDH-GSS075-E4 236
EDH-GSS100-E1 235
EDH-GSS100-E2 236
EDH-GSS100-E4 236
EDH-GSS100-E5 236
EDH-GSS125-E1 235
EDH-GSS125-E2 236
EDH-GSS125-E5 236
EDH-GSS200-E5 236
EDH-HBZ25280-E1 222
EDH-HBZ35410-E1 222
EDH-HJZ017-E1 222
EDH-HJZ030-E1 222
EDH-HMP115-E1 234
EDH-JGZ005-ED1 224
EDH-JGZ030-E1 224
EDH-JGZ040-E1 224
EDH-JGZ050-E1 224
EDH-JGZ060-E1 224
EDH-JGZ080-E1 224
EDH-JGZ100-E1 224
EDH-JML115-E1 232
EDH-JML115-E2 232
EDH-JML125-E1 232
EDH-JML125-E2 232
EDH-JML150-E1 232
EDH-JML150-E2 232
EDH-JTZ0003-ED1 219
EDH-JTZ012-E1 220
EDH-JTZ012-E2 220
EDH-JTZ012-E3 220
EDH-JTZ020-E1 220
EDH-JTZ020-E2 220
EDH-JTZ020-E3 220
EDH-JTZ032-E1 220
EDH-JTZ032-E2 220
EDH-JTZ032-E3 220
EDH-LJP254-E1 232
EDH-MBZ006-ED1 224
EDH-MGP100-E1 228
EDH-MGP100-E2 228
EDH-MGP115-E1 228
EDH-MGP115-E2 228
EDH-MGP125-E1 228
EDH-MGP125-E2 228
EDH-MGP180-E1 228
EDH-MGP180-E2 228
EDH-MGP230-E1 228
EDH-MGP230-E2 228
EDH-MGZ005-ED1 224
EDH-MHZ006-ED3 219
EDH-MHZ007-ED3 219
EDH-MHZ008-ED2 219
EDH-MHZ008-ED3 219
EDH-MHZ009-ED3 219
EDH-MHZ010-E2 218
EDH-MHZ010-E3 217
EDH-MHZ012-ED2 219
EDH-MHZ013-ED1 219
EDH-MHZ015-E2 218
EDH-MHZ015-E3 217
EDH-MHZ015-ED4 219
EDH-MHZ019-ED1 219
EDH-MHZ019-ED3 219
EDH-MHZ020-E1 217
EDH-MHZ020-E2 218
EDH-MHZ020-E3 217
EDH-MHZ025-E1 217
EDH-MHZ025-E2 218
EDH-MHZ025-E3 217
EDH-MHZ025-ED1 219
EDH-MHZ030-E1 217
EDH-MHZ030-E2 218
EDH-MHZ030-E3 217
EDH-MHZ032-E2 218
EDH-MHZ035-E1 217
EDH-MHZ035-E2 218
EDH-MHZ035-E3 217
EDH-MHZ040-E1 217
EDH-MHZ040-E2 218
EDH-MHZ040-E3 217
EDH-MHZ045-E1 217
EDH-MHZ045-E2 218
EDH-MHZ045-E3 217
EDH-MHZ050-E1 217
EDH-MHZ050-E2 218
EDH-MHZ050-E3 217
EDH-MHZ055-E1 217
EDH-MHZ055-E2 218
EDH-MHZ055-E3 217
EDH-MHZ060-E1 217
EDH-MHZ060-E2 218
EDH-MHZ060-E3 217
EDH-MHZ065-E1 217
EDH-MHZ065-E2 218
EDH-MHZ065-E3 217
EDH-MHZ070-E1 217
EDH-MHZ070-E2 218
EDH-MHZ070-E3 217
EDH-MHZ075-E1 217
EDH-MHZ075-E2 218
EDH-MHZ075-E3 217
EDH-MHZ080-E1 217
EDH-MHZ080-E2 218
EDH-MHZ080-E3 217
EDH-MHZ085-E1 217
EDH-MHZ085-E2 218
EDH-MHZ085-E3 217
EDH-MHZ090-E1 217
EDH-MHZ090-E2 218
EDH-MHZ090-E3 217
EDH-MHZ095-E1 217
EDH-MHZ095-E2 218
EDH-MHZ095-E3 217
EDH-MHZ100-E1 217
EDH-MHZ100-E2 218
EDH-MHZ100-E3 217
EDH-MHZ105-E1 217
EDH-MHZ105-E2 218
EDH-MHZ105-E3 217
EDH-MHZ110-E1 217
EDH-MHZ110-E2 218
EDH-MHZ110-E3 217
EDH-MHZ115-E1 217
EDH-MHZ115-E3 217
EDH-MHZ120-E1 217
EDH-MHZ120-E2 218
EDH-MHZ120-E3 217
EDH-MHZ125-E1 217
EDH-MHZ125-E3 217
EDH-MHZ130-E1 217
EDH-MHZ130-E2 218
EDH-MHZ130-E3 217
EDH-MHZ140-E1 217
EDH-MHZ140-E2 218
EDH-MHZ150-E1 217
EDH-MHZ160-E1 217
EDH-MHZ160-E2 218
EDH-MJP110-E1 231
EDH-MJP110-E2 231
EDH-MJP115-E1 231
EDH-MJP185-E1 231
EDH-MJP210-E1 231
EDH-MJP235-E1 231
EDH-MJP254-E1 231
EDH-MKK005-ED1 224
EDH-MKK007-ED1 225
EDH-MKK007-ED2 225
EDH-MKK025-E1 224
EDH-MKK032-E1 224
EDH-MKK035-E1 224
EDH-MXD006-EH1 240
EDH-MXD008-EH1 240
EDH-MXD012-EH1 240
EDH-NLP115-E1 234
EDH-NLS075-E1 236
EDH-NLS100-E2 237
EDH-QJT005-EH1 235
EDH-QJT006-E2 235
EDH-QJT008-E1 235
EDH-QJT008-EH1 235
EDH-QJT010-E3 235
EDH-QJT012-E4 235
EDH-QJT015-ED1 235
EDH-QJT015-EH1 235
EDH-QJT021-E4 235
EDH-QKK050-E1 225
EDH-QKK065-E1 225
EDH-QKK065-E2 225
EDH-QKK080-E1 225
EDH-QKK080-E2 225
EDH-QKK100-E1 225
EDH-SKK016-E1 225
EDH-SKK019-E1 225
EDH-SKK022-E1 225
EDH-SKK025-E1 225
EDH-SKK029-E1 225
EDH-SKK032-E1 225
EDH-SKK035-E1 225
EDH-SKK038-E1 225
EDH-SKK044-E1 225
EDH-SKK046-E1 225
EDH-SKK051-E1 225
EDH-SKK057-E1 225
EDH-SKK064-E1 225
EDH-SKK068-E1 225
EDH-SKK076-E1 225
EDH-SKK114-E1 225
EDH-SKZ001-E1 225
EDH-SKZ002-E1 225
EDH-SQP100-E1 230
EDH-SQP100-E2 230
EDH-SQP100-E3 230
EDH-SQP100-E4 230
EDH-SQP110-E1 230
EDH-SQP110-E2 230
EDH-SQP110-E3 230
EDH-SQP110-E4 230
EDH-SQP114-E4 230
EDH-SQP115-E1 230
EDH-SQP115-E2 230
EDH-SQP115-E3 230
EDH-SQP115-E4 230
EDH-SQP125-E1 230
EDH-SQP125-E2 230
EDH-SQP125-E3 230
EDH-SQP125-E4 230
EDH-SQP180-E1 230
EDH-SQP180-E2 230
EDH-SQP180-E3 230
EDH-SQP180-E4 230
EDH-SQP230-E1 230
EDH-SQP230-E2 230
EDH-SQP230-E3 230
EDH-SQP230-E4 230
EDH-SSZ080-ED1 237
EDH-SZP107-E1 228
EDH-SZP107-E2 228
EDH-SZP107-E3 228
EDH-SZP115-E1 228
EDH-SZP115-E2 228
EDH-SZP115-E3 228
EDH-SZP115-E4 228
EDH-SZP115-E5 228
EDH-SZP115-E6 228
EDH-SZP125-E1 228
EDH-SZP125-E2 228
EDH-SZP125-E3 228
EDH-SZP125-E4 228
EDH-SZP180-E1 228
EDH-SZP180-E2 228
EDH-SZP230-E1 228
EDH-SZP230-E2 228
EDH-SZP300-E1 228
EDH-SZP355-E1 228
EDH-SZP355-E2 228
EDH-SZP405-E1 228
EDH-TCT016-E1 226
EDH-TCT017-E1 226
EDH-TCT018-E1 226
EDH-TCT019-E1 226
EDH-TCT020-E1 226
EDH-TCT021-E1 226
EDH-TCT022-E1 226
EDH-TCT024-E1 226
EDH-TCT025-E1 226
EDH-TCT027-E1 226
EDH-TCT028-E1 226
EDH-TCT030-E1 226
EDH-TCT032-E1 226
EDH-TCT035-E1 226
EDH-TCT040-E1 226
EDH-TCT042-E1 226
EDH-TCT045-E1 226
EDH-TCT050-E1 226
EDH-TCT053-E1 226
EDH-TCT055-E1 226
EDH-TCT060-E1 226
EDH-WJT006-E1 235
EDH-WJT010-EH1 235
EDH-WJT018-E2 235
EDH-Y06110 221
EDH-Y06160 221
EDH-Y08110 221
EDH-Y08160 221
EDH-Y08210 221
EDH-Y10160 221
EDH-Y10210 221
EDH-Y10310 221
EDH-Y12160 221
EDH-Y12310 221
EDH-Y14210 221
EDH-Y14310 221
EDH-Y16210 221
EDH-Y16310 221
EDH-Y18310 221
EDH-Y20310 221
EDH-Y22310 221
EDH-Y25310 221
EDH-YBZ20250-E1 222
EDH-YBZ40250-E1 222
EDH-YCZ010-EH1 222
EDH-YCZ11006-E1 220
EDH-YCZ11008-E1 220
EDH-YCZ11010-E1 220
EDH-YCZ16006-E1 220
EDH-YCZ16008-E1 220
EDH-YCZ16010-E1 220
EDH-YCZ16012-E1 220
EDH-YCZ16014-E1 220
EDH-YCZ16016-E1 220
EDH-YJZ014-E1 222
EDH-YML180-E1 240
EDH-YML180-E2 240
EDH-YMP115-E1 234
EDH-YSZ125-ED1 237
EDH-YSZ150-ED1 237
EDH-YSZ225-ED1 237
EDH-ZMT001 238
EDH-ZMT002 238
EDH-ZMT003 238
EDH-ZMT004 239
EDH-ZMT005 239
EDH-ZMT006 239
EDH-ZMT007 239

EDL0

EDL0001 126
EDL0002 126
EDL0003 126
EDL0003-3 127
EDL0004 53
EDL0005 53
EDL0012T 195
EDL003 159
EDL0035 160

EDL003A 159
EDL003B 159
EDL003C 159
EDL0060 185
EDL006A 196
EDL006A-3 197
EDL006K 160
EDL006Z 161
EDL0070 185
EDL007B 159
EDL007H 159
EDL007Z 161
EDL008A 196
EDL008Z 160
EDL009 160
EDL009A 159
EDL009B 159
EDL0101 127
EDL0102 127
EDL0103 53
EDL0104 53
EDL010A 196
EDL012A 196
EDL015A 196
EDL018 159
EDL018A 196
EDL018B 159
EDL018G 55
EDL018Z 159
EDL0201 127
EDL0202 127
EDL0204 53
EDL024A 196
EDL025 160
EDL025G 55
EDL0305A 186
EDL0306A 186
EDL0341 131
EDL0342 131
EDL0343 131
EDL0344 131
EDL0381 134
EDL040 56
EDL08 205
EDL08B 205

EDL1

EDL10 205
EDL100008 128
EDL100310 138
EDL1008J 193
EDL101008 128
EDL101214 205
EDL1018J 193
EDL102008 128
EDL1028J 193
EDL103006 130
EDL103045 130
EDL1032 192
EDL103201 129
EDL103201-3 130
EDL103202 129
EDL103203 129
EDL103204 129
EDL103205 129
EDL103205-3 130
EDL103205-6 131
EDL103206 129
EDL1033D 146
EDL1038J 193
EDL104007 132
EDL104107 132
EDL104207 132
EDL104307 132
EDL1044 192
EDL104407 131
EDL104506 132
EDL1046 192
EDL105014 137
EDL105018 137
EDL105024 137
EDL105140 137
EDL105155 137

EDH

EDL105240 137
EDL105255 137
EDL105267 137
EDL106002 149
EDL107401 149
EDL109010 133
EDL109010Z 134
EDL109107Z 134
EDL109209Z 135
EDL10B 205
EDL110002 148
EDL110004 253
EDL110006 253
EDL110106 252
EDL110112 252
EDL110118 252
EDL110124 252
EDL110136 252
EDL110515 252
EDL110515Z 54
EDL110525 252
EDL110525Z 54
EDL110830 252
EDL110830Z 54
EDL111008 138
EDL111009 138
EDL111010 138
EDL111230 252
EDL111230Z 54
EDL111250 252
EDL111250Z 54
EDL111280 252
EDL111280Z 54
EDL12 205
EDL120001 206
EDL120006 197
EDL120008 197
EDL120010 197
EDL120012 197
EDL1201 191
EDL1204 191
EDL1211 191
EDL1229 191
EDL12B 205
EDL13 205
EDL130008A 201
EDL130012A 203
EDL130014A 203
EDL130014B 203
EDL130101 200
EDL130102 200
EDL130103 200
EDL130104 200
EDL130105 200
EDL130106 200
EDL130106T 201
EDL130107 200
EDL130108 200
EDL130109 200
EDL130110 200
EDL130111 200
EDL130111T 202
EDL130112 200
EDL130113 200
EDL130114 200
EDL130115 200
EDL1313 151
EDL13B 205
EDL14 205
EDL140006L 200
EDL140007L 200
EDL140008L 200
EDL140009L 200
EDL140010L 200
EDL140011L 200
EDL140012L 200
EDL140013L 200
EDL140014L 200
EDL140015L 200
EDL140016L 200
EDL140017L 200
EDL140018L 200
EDL140019L 200
EDL140020L 200
EDL140021L 200
EDL140022L 200
EDL140024L 200
EDL140027L 200
EDL140030L 200
EDL140032L 200
EDL140036L 200
EDL140106T 204
EDL140108T 202
EDL140208T 203
EDL14B 205
EDL150008A 202
EDL150011L 201
EDL150012A 204
EDL150022L 201
EDL150032L 201
EDL150101 201
EDL150102 201
EDL150103 201
EDL150104 201
EDL150105 201
EDL150105T 202
EDL150106 201
EDL150123L 201
EDL150213L 201
EDL150415L 201
EDL150427L 201
EDL150528L 201
EDL150607L 201
EDL150617L 201
EDL150809L 201
EDL150819L 201
EDL160008A 202
EDL160011L 201
EDL160012A 203
EDL160022L 201
EDL160032L 201
EDL160101 201
EDL160102 201
EDL160103 201
EDL160104 201
EDL160105 201
EDL160105T 202
EDL160106 201
EDL160107 201
EDL160123L 201
EDL16020G 218
EDL160213L 201
EDL16025G 218
EDL16030G 218
EDL16035G 218
EDL16040G 218
EDL160415L 201
EDL160427L 201
EDL16045G 218
EDL16050G 218
EDL160528L 201
EDL16055G 218
EDL160607L 201
EDL16060G 218
EDL160617L 201

EDL1

EDL16070G 218
EDL16075G 218
EDL160809L 201
EDL16080G 218
EDL160819L 201
EDL16085G 218
EDL16090G 218
EDL16095G 218
EDL16100G 218
EDL16105G 218
EDL16110G 218
EDL16115G 218
EDL16120G 218
EDL16125G 218
EDL16130G 218
EDL17 205
EDL170025 204
EDL170030S 70
EDL170050 204
EDL170100S 70
EDL170340S 70
EDL17B 205
EDL19 205
EDL1919 135
EDL1919A 136
EDL1919C 135
EDL19B 205

EDL2

EDL2001 133
EDL20011 134
EDL20015B 133
EDL20016 134
EDL20017 133
EDL2001-7 133
EDL20018 133
EDL20025 130
EDL20026 130
EDL20028 166
EDL2003 187
EDL20030 171
EDL20031 171
EDL20032 171
EDL20038 166
EDL2003Q 195
EDL20048 166
EDL2006 125
EDL2006Z 127
EDL2007 125
EDL2007Z 127
EDL2008 125
EDL2008-3 126
EDL2008C 125
EDL2008C-3 125
EDL2008Z 127
EDL2008Z-3 128
EDL2010T 192
EDL2012T 195
EDL20138 166
EDL2015 60
EDL2017 60
EDL2017H 126
EDL2018 187
EDL2024T 193
EDL20308 138
EDL20521-4 132
EDL2106 126
EDL2106C 125
EDL2106Z 127
EDL2108 126
EDL2108Z 127
EDL2141 164
EDL22 253
EDL2206 126
EDL2206C 125
EDL2206Z 127
EDL2207 126
EDL2207Z 127
EDL23 253
EDL230008 149
EDL230009 149
EDL230308 150
EDL2306 126
EDL230707G 149
EDL230708G 149
EDL230709G 149
EDL230808G 149
EDL230809G 149
EDL2310 153
EDL231209H 149
EDL231309H 149
EDL2320 154
EDL232209H 149
EDL2323 194
EDL232309H 149
EDL2324 195
EDL23300A 249
EDL233108 150
EDL233208 150
EDL234209H 149
EDL234308 150
EDL2350 261
EDL23500A 249
EDL2360 261
EDL236004 55
EDL236906 154
EDL236910 153
EDL236910T 153
EDL236911 154
EDL236911W 154
EDL236913 154
EDL236932 154
EDL2370 261
EDL2370A 261
EDL2380 261
EDL238001 151
EDL238002 151
EDL238003 151
EDL23800A 249
EDL238010 153
EDL238011 151
EDL238012 153
EDL238014-1 151
EDL238015-1 153
EDL238016-1 153
EDL238104 151
EDL238105 151
EDL23900 249
EDL23901 241
EDL23950A 249
EDL2401 211
EDL2402 210
EDL2403 211
EDL2404 211
EDL241007 145
EDL241010J 269
EDL241025 270
EDL241033 270
EDL241041 271
EDL241057 271
EDL2421 194
EDL2422 195
EDL2468 187
EDL2468C 187
EDL25 253
EDL2504 163
EDL2507 163
EDL2508 136
EDL2508C 136
EDL2509 163
EDL2510 136
EDL251001 146
EDL251002 146
EDL251002Z 147
EDL251003 146
EDL251003Z 147
EDL251004 147
EDL251005 147
EDL251005Z 148
EDL251007 147
EDL251008 147
EDL251009 147
EDL251050 148
EDL251100 148
EDL251150 148
EDL2512 136
EDL251200 148
EDL251201 149
EDL2514 136
EDL2518 136
EDL2521 194
EDL2522 195
EDL252202 148
EDL252202D 148
EDL2524 136
EDL253202 148
EDL2536 136
EDL2548 136
EDL25506 137
EDL255065 148
EDL25508 137
EDL25510 137
EDL255100 148
EDL2560 183
EDL25910 170
EDL25912 170
EDL260002B 141
EDL260113 141
EDL2601B 212
EDL2602 211
EDL260206 141
EDL2602A 211
EDL2603 211
EDL2607 186
EDL2608 137
EDL2608Z 53
EDL2610 137
EDL2610E 137
EDL2610Z 53
EDL2612 137
EDL2612Z 53
EDL2613 170
EDL2615 170
EDL2616 137
EDL2618 166
EDL2624 166
EDL2630 166
EDL2636 166
EDL2642 166
EDL2661 187
EDL2662 187
EDL2667 60
EDL2685C 165
EDL2687 166
EDL2688 166
EDL270005CY 176
EDL270008CY 176
EDL270010CY 176
EDL2701 167
EDL270316TY 176
EDL2705 186
EDL270519TY 176
EDL2706 186
EDL2715 186
EDL2778 292
EDL2779 294
EDL2789 292
EDL2789A 292
EDL280316 176
EDL280316Y 176
EDL2805 294
EDL280519 176
EDL280519Y 176
EDL280525Y 176
EDL2806 293
EDL280825 176
EDL281025 176
EDL281025Y 176
EDL287525Y 176
EDL290100 177
EDL2901000K 58
EDL290230 178
EDL290300 178
EDL290400 178
EDL290400K 58
EDL290400Q 178
EDL2904Z 54
EDL290500 178
EDL2905Z 54
EDL290600 178
EDL290600K 58
EDL290600Q 178
EDL2906Z 54
EDL2908 185
EDL290800 178
EDL290800K 58
EDL2908Z 54
EDL291000 178
EDL291000G 178
EDL291200 178
EDL291500 178
EDL29600G 178
EDL29800G 178

EDL3

EDL300 206
EDL301 210
EDL30106 196
EDL30108 196
EDL30110 196
EDL30112 196
EDL302 210
EDL302300 254
EDL302350 254
EDL302500 254
EDL303 210
EDL303150 255
EDL303200 255
EDL305 210
EDL305200 255
EDL3080 150
EDL3088 149
EDL3089 149
EDL3090 149
EDL3091 149
EDL3100 150
EDL3104 155
EDL3206 145
EDL330060 178
EDL330112 179
EDL331040B 179
EDL332102 181
EDL332302 181
EDL332303 181
EDL332305 181
EDL333010 189
EDL333201 182
EDL333215 182
EDL333301 181
EDL333380 181
EDL333380A 58
EDL333550 58
EDL334201 59
EDL334203 59
EDL334204 59
EDL334301 59
EDL334302 59
EDL334303 59
EDL334501 59
EDL334504 59
EDL336001 182
EDL336003 182
EDL339010 181
EDL34108 200
EDL34110 200
EDL341101 200
EDL341102 200
EDL341103 200
EDL341104 200
EDL341105 200
EDL341106 200
EDL341107 200
EDL341108 200
EDL341108T 203
EDL34112 200
EDL34113 200
EDL34114 200
EDL34115 200
EDL34116 200
EDL34117 200
EDL34118 200
EDL34119 200
EDL34121 200
EDL34122 200
EDL34124 200
EDL34127 200
EDL34130 200
EDL34132 200
EDL3440 54
EDL3441 54
EDL3442 54
EDL3443 54
EDL3444 54
EDL3445 54
EDL3446 54
EDL3447 54
EDL3448 54
EDL3449 54
EDL3450 54
EDL3451 54
EDL3452 54
EDL3453 54
EDL3454 54
EDL3455 54
EDL3456 54
EDL3457 54
EDL3458 54
EDL3459 54
EDL3460 54
EDL3461 54
EDL3462 54
EDL3463 54
EDL3464 54
EDL3465 54
EDL350033 163
EDL350042 163
EDL351083 163
EDL351215 171
EDL352083 164
EDL352085 164
EDL3525 270
EDL353001 169
EDL353012 169

EDL353083	163	EDL4256	160	EDL5050	156	EDL509329	259	EDL580123	292	EDL623075T	139	EDL6312	167	EDL66108	163	EDL880280S	280
EDL353106	168	EDL4260	161	EDL5060	155	EDL509330	259	EDL580200	291	EDL6231	220	EDL632101	144	EDL66208	164	EDL88035A	184
EDL353112	168	EDL430003	220	EDL506141	243	EDL509331	259	EDL580201	292	EDL623100	140	EDL632102	144	EDL67108	163	EDL88060	184
EDL353206	167	EDL430004	220	EDL506151	243	EDL509332	259	EDL580203	293	EDL6231001	140	EDL632103	144	EDL68108	163	EDL88100	184
EDL353212	168	EDL430013	221	EDL5072	155	EDL509501	258	EDL580204	293	EDL623150	140	EDL633075	143	EDL68208	164	EDL88101	183
EDL353405A	170	EDL430016	221	EDL5073	155	EDL509514	257	EDL580205	293	EDL6231501	140	EDL6330751	142	EDL6840	296	EDL881815	280
EDL353410A	169	EDL430018	221	EDL508051	251	EDL509514-1	258	EDL580206	293	EDL6232	220	EDL6330751IN	143	EDL6840A	296	EDL881825	280
EDL353712	168	EDL430113	221	EDL508061	251	EDL509601	258	EDL580207	293	EDL625075	140	EDL6330751N	144	EDL6845	296	EDL8820	184
EDL353805A	170	EDL430116	221	EDL508062	251	EDL509609	257	EDL580320	294	EDL6250751	140	EDL633100	143	EDL6845A	296	EDL882101	281
EDL353810A	169	EDL430117	221	EDL508063	251	EDL509609-1	258	EDL580321	294	EDL6250751T	139	EDL6331001	142	EDL6850	296	EDL882102	281
EDL353812	169	EDL430118	221	EDL508064	251	EDL509619	257	EDL580324	294	EDL625075T	139	EDL6331001N	143	EDL6850A	296	EDL882103	281
EDL353812G	56	EDL432013A	218	EDL508901	250	EDL509619-1	258	EDL580330	297	EDL625100	140	EDL6331001N	144	EDL6902	147	EDL882104	281
EDL354001	167	EDL432013B	218	EDL508902	250	EDL509629	257	EDL580351	298	EDL6251001	140	EDL633150	143	EDL6903	147	EDL882201	281
EDL354002	167	EDL432020	220	EDL508903	250	EDL509629-1	258	EDL580421	294	EDL6251001T	139	EDL6331501	142	EDL6904	147	EDL8830	183
EDL354060	166	EDL432412	218	EDL508904	250	EDL509703	258	EDL580423	295	EDL625100T	139	EDL6331501N	143	EDL6911	156	EDL8840	183
EDL354080	166	EDL432413	218	EDL508905	251	EDL509704	258	EDL580511	296	EDL625125	140	EDL6331501N	144	EDL6912	156	EDL884135	281
EDL3565	146	EDL432414	218	EDL508906	251	EDL512006	212	EDL580512	296	EDL6251251	140	EDL635075	143	EDL6913	156	EDL884160	281
EDL358019	170	EDL432417	218	EDL508907	251	EDL512007	212	EDL580618	297	EDL625150	140	EDL6350751	142	EDL6914	156	EDL8860	183
EDL358215	170	EDL432612	218	EDL508908	251	EDL512008	212	EDL580651	298	EDL6251501	140	EDL6350751N	143	**EDL7**		EDL8901	146
EDL3590	149	EDL432615	218	EDL508909	250	EDL512106	213	EDL580652	298	EDL625200	140	EDL635075N	144	EDL7001000B	177	**EDL9**	
EDL359201A	167	EDL432618	218	EDL508910	250	EDL512108	213	EDL580803	296	EDL6252001	140	EDL635100	143	EDL700400B	177	EDL9002B	173
EDL359201B	167	EDL432620	218	EDL508911	250	EDL512206	213	EDL580811	295	EDL626001	140	EDL6351001	142	EDL700600B	177	EDL90036	166
EDL359204	165	EDL432717	220	EDL508912	250	EDL512207	212	EDL580812	295	EDL626010	140	EDL6351001N	143	EDL700800B	177	EDL9003B	173
EDL359210	165	EDL433013	224	EDL509012	284	EDL513060	214	EDL580813	295	EDL626011	140	EDL635100N	144	EDL7300Y	254	EDL9003P	175
EDL370528	58	EDL433023	224	EDL509013	284	EDL514080	214	EDL580814	295	EDL626038	140	EDL635125	143	EDL7304	255	EDL9003PY	175
EDL370528Y	58	EDL436065	222	EDL509111	256	EDL5141001	214	EDL580815	296	EDL626038I	140	EDL6351251	142	EDL7306	255	EDL9003Y	173
EDL377528	58	EDL4371	171	EDL509112	256	EDL515006	213	EDL580900	298	EDL626038IT	139	EDL635125IN	143	EDL7400B	206	EDL9005B	173
EDL377528Y	58	EDL441008	156	EDL509113	256	EDL515106	213	EDL580927	297	EDL626038T	139	EDL635125N	144	EDL75108	163	EDL9005P	175
EDL3795	175	EDL4414	205	EDL509114	256	EDL5151251	214	EDL580933	297	EDL626100	140	EDL635150	143	EDL76108	163	EDL9005PY	175
EDL3795Y	175	EDL4416	205	EDL509121	256	EDL516100	214	EDL5810005A	298	EDL6261001	140	EDL6351501	142	EDL7631	248	EDL9005Y	173
EDL3796	175	EDL4416K	206	EDL509122	256	EDL5161501	214	EDL581020	298	EDL626100I	139	EDL635150IN	143	EDL77108	163	EDL9008P	175
EDL3796Y	175	EDL4418	205	EDL509123	256	EDL518150	214	EDL581040	299	EDL626100T	139	EDL635150N	144	EDL78108	163	EDL9008PY	175
EDL3797Y	175	EDL442003	157	EDL509124	256	EDL5200	184	EDL581041	299	EDL626125	140	EDL636009	141	EDL79108	163	EDL9010B	173
EDL3798	175	EDL442005	157	EDL509131	257	EDL521021L	242	EDL581042	299	EDL6261251	140	EDL636038	143	**EDL8**		EDL9010P	175
EDL3798Y	175	EDL442010	157	EDL509132	257	EDL521021XL	242	EDL581103B	299	EDL626150	140	EDL6360381	142	EDL8001	189	EDL9010PY	175
EDL3799	175	EDL442300	157	EDL509133	257	EDL521031L	242	EDL581105A	299	EDL6261501	140	EDL6360381N	143	EDL8002	189	EDL9010Y	173
EDL3799Y	175	EDL443016	156	EDL509134	257	EDL521031XL	242	EDL581105B	299	EDL6261501T	139	EDL636038N	144	EDL8003	190	EDL90150	179
EDL381008	187	EDL443020	156	EDL509135	257	EDL521033L	242	EDL581108-E1	299	EDL626150S	140	EDL636100	143	EDL8004	190	EDL9025B	173
EDL383028	60	EDL443024	156	EDL509136	257	EDL521033XL	242	EDL581118	300	EDL626150T	139	EDL6361001	142	EDL8005	190	EDL9025Y	173
EDL390021	275	EDL447003	156	EDL509137	257	EDL521043L	242	EDL581120	300	EDL626200	140	EDL636100IN	143	EDL8008	190	EDL9035B	173
EDL390022	275	EDL447004	156	EDL509138	257	EDL521043XL	242	EDL581300	301	EDL6262001	140	EDL636100N	144	EDL8011	190	EDL9075B	173
EDL391201	184	EDL447010	157	EDL509139	257	EDL522012	241	EDL581301	301	EDL626250	140	EDL636125	143	EDL8015Y	255	EDL9075Y	173
EDL391202	184	EDL447030	157	EDL509141	257	EDL522901	242	EDL581302	301	EDL6262501	140	EDL6361251	142	EDL8020Y	255	EDL91150	180
EDL394260	59	EDL448010	157	EDL509142	257	EDL5240	156	EDL581303	302	EDL626300	140	EDL636125IN	143	EDL8030Y	255	EDL91150B	180
EDL394280	59	EDL448901	158	EDL509143	257	EDL5250	156	EDL586111	222	EDL6263001	140	EDL636125N	144	EDL8050Y	255	EDL91200	180
EDL394360	59	EDL448902	158	EDL509144	257	EDL525011	241	EDL586112	222	EDL627004	145	EDL636150	143	EDL8058	280	EDL91200B	180
EDL394380	59	EDL45018	166	EDL509145	257	EDL525014	241	EDL586113	222	EDL6270041	145	EDL6361501	142	EDL8059	280	EDL92150	180
EDL394460	60	EDL4538	163	EDL509146	257	EDL525021	241	EDL5864	221	EDL627006	145	EDL636150IN	143	EDL8060	280	EDL92150C	180
EDL394490	60	EDL4673	170	EDL509151	256	EDL525022	241	EDL5865	221	EDL6270061	145	EDL636150N	144	EDL8072	304	EDL92200	180
EDL397263	185	EDL468300	211	EDL509152	256	EDL525023	241	EDL5908	157	EDL627008	145	EDL636200	143	EDL8072-15	302	EDL92200C	180
EDL397363	185	EDL471400	211	EDL509153	256	EDL525024	241	EDL5916	157	EDL6270081	145	EDL6362001	142	EDL8072-30	302	EDL932-2	197
EDL4		EDL4723	165	EDL509154	256	EDL5261	189	**EDL6**		EDL627010	145	EDL6362001N	143	EDL8080	281	EDL9713	179
EDL402020	183	EDL4723C	165	EDL509155	256	EDL5262	189	EDL6001	169	EDL6270101	145	EDL636200N	144	EDL8100Y	255	EDL98050Y	176
EDL402040	183	EDL4725	165	EDL509156	256	EDL5263	189	EDL60024	166	EDL627012	145	EDL6381501N	143	EDL81012	205	EDL98100Y	176
EDL402060	183	EDL4726	165	EDL509157	256	EDL5265	189	EDL6006	297	EDL6270121	145	EDL638150N	144	EDL82032	185	EDL9820GY	177
EDL4035Y	254	EDL4727	165	EDL509206	258	EDL5266	189	EDL6007	168	EDL628200	140	EDL638200	143	EDL8440	190	EDL9820ZY	176
EDL4036Y	254	EDL4805T	195	EDL509208	165	EDL5318	185	EDL6008	168	EDL6282001	140	EDL6382001	142	EDL8530	281	EDL9830GY	177
EDL4041Y	254	EDL4808T	195	EDL509216	259	EDL5340	157	EDL6161	220	EDL6282001T	139	EDL6382001N	143	EDL8757	302	EDL9830ZY	176
EDL410	161	EDL4810T	195	EDL509217	259	EDL551002	283	EDL6162	220	EDL628200T	139	EDL638200N	144	EDL8758	302	EDL9850ZY	176
EDL4161-2	182	EDL4812T	195	EDL509218	259	EDL551011	283	EDL620002	142	EDL628250	140	EDL638250	143	EDL8759	302	EDL9920Y	58
EDL4168	179	EDL4971	188	EDL509219	259	EDL551401	283	EDL620004	142	EDL6282501	140	EDL6382501	142	EDL8760	304	EDL9930Y	58
EDL4169	179	**EDL5**		EDL509308	258	EDL552002	283	EDL620006	142	EDL628300	140	EDL638250IN	143	EDL8762	304	**EDL-C**	
EDL4170	179	EDL5001	155	EDL509309	260	EDL555101	284	EDL6203-ED1	254	EDL6283001	140	EDL638250N	144	EDL8763	304	EDL-C1007E-Z	194
EDL4171	179	EDL5001F	155	EDL509310	260	EDL555102	284	EDL6206-E1	254	EDL630002N	144	EDL638300	143	EDL8764	304	EDL-C1011E	194
EDL4172B	181	EDL5002	155	EDL509311	260	EDL555201	284	EDL6209-E1	254	EDL630004N	144	EDL6383001	142	EDL8792	300	EDL-C1013E	194
EDL4179	179	EDL5002F	155	EDL509312	260	EDL5612	157	EDL6211	218	EDL630006N	144	EDL6383001N	143	EDL8793	300	EDL-CD20A2E	77
EDL4208	204	EDL501002	146	EDL509320	260	EDL5616	157	EDL6212-E1	254	EDL6310	167	EDL6383001N	144	EDL8794	300	EDL-CM20A2E	76
EDL4210	204	EDL501002Z	147	EDL509321	260	EDL5708	158	EDL6214-E1	254	EDL6310010T	144	EDL6410	167	EDL8795	300	EDL-CM20A4E	76
EDL4212	204	EDL501003Z	147	EDL509322	259	EDL5709	158	EDL6216-E1	254	EDL6310015T	144	EDL6412	167	EDL8796	300	EDL-CZ13-E3	104
EDL4213	204	EDL501005	147	EDL509323	259	EDL5710	262	EDL6219-E1	254	EDL631001P	144	EDL65108	163	EDL8797	301	EDL-CZ13-E5	102
EDL4214	204	EDL501005Z	148	EDL509324	259	EDL5711	262	EDL6222-E1	254	EDL6310020T	144	EDL652001	146	EDL8798	301	EDL-CZ13-E6	103
EDL4217	204	EDL5027Y	155	EDL509325	259	EDL5712	262	EDL6225-E1	254	EDL6310025T	144	EDL652001Z	148	EDL8799	301	**EDL-D**	
EDL4219	204	EDL5042	183	EDL509326	259	EDL580002	295	EDL623075	140	EDL631002P	144	EDL65208	164	EDL880002	283	EDL-DC12A2	75
EDL4254	55	EDL5043	183	EDL509327	259	EDL580003	295	EDL6230751	140	EDL6310030T	144	EDL653001	147	EDL880003	284	EDL-DC20A2	75
EDL4255	160	EDL5044	183	EDL509328	259	EDL580101	291	EDL623075IT	139	EDL631003P	144	EDL653001Z	148	EDL880006	283	EDL-DC20A4	76

EDL-DC26-E1	106
EDL-DC26-E2	107
EDL-DC28-E1	109
EDL-DC28-E2	107
EDL-DC28-E3	108
EDL-DM03-E1	96
EDL-DP	161
EDL-DP04-E2B1	265
EDL-DP04-E3B1	265
EDL-DP05	161
EDL-DP091	161
EDL-DP092	161
EDL-DP181	161
EDL-DP251	161
EDL-DP30	161
EDL-DP30A	161
EDL-DPJ09B	163
EDL-DZ10-3E	98
EDL-DZ10-E2	99
EDL-DZ10-E3	99
EDL-DZ12-4A2	80
EDL-DZ12-5A2	80
EDL-DZ12-6A2	81
EDL-DZ16-E1	100
EDL-E	
EDL-E103	207
EDL-E104	207
EDL-E106	207
EDL-G	
EDL-G203	252
EDL-G204	252
EDL-G205	252
EDL-G206	252
EDL-G208	252
EDL-GF03-E1	122
EDL-GF35-E1	122
EDL-GSP370-E1	244
EDL-H	
EDL-HD03	164
EDL-HD1	164
EDL-HD2	164
EDL-HD2-5	164
EDL-HD3	164
EDL-HD4	164
EDL-HD5	164
EDL-HD6	164
EDL-HDW06-EH1	249
EDL-HDW25	249
EDL-HDW50	249
EDL-HDW75	249
EDL-J	
EDL-JD05-E1	189
EDL-JD07-E1	189
EDL-JET750-E1	245
EDL-JH01-E1	189
EDL-JH02-E1	189
EDL-JH03-E1	189
EDL-JM100-3	88
EDL-JM100-E1	88
EDL-JM100-E2	90
EDL-JM100-E4	91
EDL-JM115-E1	89
EDL-JM115-E2	90
EDL-JM125-E1	91
EDL-JM125-E2	90
EDL-JM125-E3	92
EDL-JM125-E4	92
EDL-JM180-E1	94
EDL-JM230-E2	94
EDL-K	
EDL-KFD28-E1	245
EDL-KFD35-E1	245
EDL-L	
EDL-L11	188
EDL-L12	188
EDL-M	
EDL-MIG120-E1	243
EDL-MX12-E1	114
EDL-P	
EDL-P1	221
EDL-P2	221
EDL-P4	221
EDL-P5	221
EDL-PG180-E1	96
EDL-PKY0.12/8-E1	244
EDL-PKY0.25/8-E1	244
EDL-PU05	248
EDL-PU10	248
EDL-PU15	248
EDL-Q	
EDL-QDB21-550E1	245
EDL-QDB43-1180E1	245
EDL-QDP05	246
EDL-QDP05Z	246
EDL-QDQ-1013J	246
EDL-QDQ-F30	246
EDL-QDQ-F30B	246
EDL-QDQ-ST64	246
EDL-QPQ-990G	247
EDL-QPQ-990G-5	248
EDL-QPQ-990S	247
EDL-QPQ-990S-5	248
EDL-QPQ-F75G	247
EDL-QPQ-F75S	248
EDL-QPQ-K-3	247
EDL-QPQ-W71G	247
EDL-QPQ-W77S	247
EDL-QT002	284
EDL-S	
EDL-S3	207
EDL-S4	207
EDL-S6	207
EDL-SG110-E1	117
EDL-SG125-E3	118
EDL-SG180-E2	117
EDL-T	
EDL-T1	249
EDL-TC240	218
EDL-TC270	218
EDL-TC290	218
EDL-TS3C-20	220
EDL-W	
EDL-WKY25-E1	244
EDL-WZB370-E1	244
EDL-WZB750-E1	244
EDL-X	
EDL-XB06-E1	114
EDL-XP21	261
EDL-XP22	262
EDL-XP23	262
EDL-XQ01	248
EDL-XQ11	248
EDL-XQ12	248
EDL-XQ13	248
EDL-XQ355-E1	111
EDL-Y	
EDL-YJ185-E1	110
EDL-YJ235-E1	111
EDL-YN-20100	204
EDL-YN-40200	204
EDL-YN-60300	204
EDL-YQ01-E1	189
EDL-YQ02-E1	189
EDL-YQ03-E1	189
EDL-YQ120	208
EDL-YQ16	208
EDL-YQ240	208
EDL-YQ70	208
EDL-YS110-E1	110
EDL-Z	
EDL-ZX7-120-E1	243
EDL-ZX7-160-E1	243
EDQ	
EDQ4008	67
EDQ4009	67
EDQ4010	67
EDQ4011	67
EDQ4012	67
EDQ4013	67
EDQ4014	67
EDQ4015	67
EDQ4016	67
EDQ4017	67
EDQ4018	67
EDQ4019	67
EDQ4020	67
EDQ4021	67
EDQ4022	67
EDQ4024	67
EDQ4027	67
EDQ4030	67
EDQ4032	67
EDQ4308	67
EDQ4310	67
EDQ4311	67
EDQ4312	67
EDQ4313	67
EDQ4314	67
EDQ4315	67
EDQ4316	67
EDQ4317	67
EDQ4318	67
EDQ4319	67
EDQ4320	67
EDQ4321	67
EDQ4322	67
EDQ4324	67
EDQ4327	67
EDQ4330	67
EDQ4332	67
EDQ71002	209
EDQ71004	209
EDQ71006	209
EDQ71010	209
EDQ71012	209
EDQ71020	209
EDQ71032	209
EDQ71050	209
EDY	
EDY092	268
EDY811	267
EDY812	267
EDY862	268
EDY864	269
EDY866	267
EDY867	268
EDY890	268
EDY-DP04-1B1	265
EHT	
EHT0006	275
EHT0006L	275
EHT0008	277
EHT0008L	277
EHT1002	269
EHT1006	269
EHT1055	269
EHT1103	269
EHT1105	269
EHT1106	269
EHT1203	269
EHT1205	269
EHT1206	269
EHT1508	275
EHT2007	269
EHT2007L	269
EHT2106	269
EHT2106L	269
EHT4003	273
EHT4003C	273
EHT4003L	273
EHT4007	271
EHT4008	272
EHT4008L	272
EHT4009	272
EHT4009L	272
EHT4018	272
EHT4018L	272
EHT7008	271
EHT7008C	271
EHT7008L	271
EHT8316	274
EHT8316CY	274
EHT8316LY	274
EHT8316Y	274
EHT8519	274
EHT8519CY	274
EHT8519LY	274
EHT8519Y	274
H	
H1001-A	277
H1001-ABCDEF	279
H1001-ADE	279
H1001-ADEF	279
H1001-B	277
H1001-C	277
H1001-D	277
H1001-DEF	279
H1001-E	279
H1001-F	279
H8003A	273
H8003B	273
H8005A	273
H8005B	273
H8103A	274
H8105A	274
HT0004	275
HT0004C	275
HT0004L	275
HT0006C	275
HT0008C	277
HT0206	279
HT0206C	279
HT0206L	279
HT1508C	275
HT1508L	275
HT8316C	274
HT8316L	274
HT8519C	274
HT8519L	274

Note:

Note: