

deli

2022

TAPE PRODUCT CATALOGUE



DELI GROUP CO., LTD.

WWW.DELIWORLD.COM



DELI SOCIAL MEDIA

COMPANY PROFILE

Deli Adhesive Products Co., Ltd.



Ningbo Deli Adhesive Products Co., Ltd., a subsidiary of China's largest comprehensive stationary supplier--Deli Group, is a manufacturer specialized in a series of adhesives for brands represented by



Deli Group, established in 1981, is the largest industrial group specializing in office and school supplies in China. As an advocate and leader of integrated solutions for multiple professional settings, Deli is committed to providing the most cost-effective products for global consumers, making their work and study more efficient.



The past 40 years have witnessed Deli reach the top market share in China and grow into a renowned office supplies brand with global presence through sustained innovation in products and management. Deli operates sub-brands, such as Deli Office, School Stationery, Agnite, Nusign, and Deli Tools, covering 19 product categories, including office & school stationery, office equipment, office supplies, paper products, office furniture, and office life. It has also maintained the top market share in various niche markets for years. Its far-reaching product lineup comprehensively satisfies corporate clients and is a one-stop integrated procurement that offers diversified and personalized options for individual consumers.

Honoring its vision of "becoming a trustworthy and respectable enterprise," Deli aims to "offer the most cost-effective products to consumers around the world." Its corporate values "caring for society, company, products, customers, colleagues, and families", cultural values of "pragmatism, steadiness, dedication and innovation" and spirit of "responsibility, honor, courage, and self-discipline" drive Deli to achieve greatness in the office industry.



Robust Capacity and Expertise

The Company has channeled its efforts into enhancing quality and expanding its markets since its establishment in 2005. Now it boasts an annual production capacity of 1 billion square meters of adhesive tapes and 50,000 tons of adhesive agents. Ningbo Deli Adhesive Products Co., Ltd. has gained ground at home and abroad due to its excellent quality and complete product specifications. On December 5, 2008, it was officially recognized as a national high-tech enterprise.



Professional Equipment and Manufacturing

The Company has channeled its efforts into enhancing quality and expanding its markets since its establishment in 2005. Now it boasts an annual production capacity of 1 billion square meters of adhesive tapes and 50,000 tons of adhesive agents. Ningbo Deli Adhesive Products Co., Ltd. has gained ground at home and abroad due to its excellent quality and complete product specifications. On December 5, 2008, it was officially recognized as a national high-tech enterprise.



Integrity and Quality First

The Company has invested heavily in acquiring professional online testing equipment to secure guaranteed quality in highly cohesive, anti-aging, stable, and eye-catching adhesives. Its products have passed ROHS, REACH, and EU testing, and are exported to over 50 countries and regions all over the world.



CONTENT

01
PACKING TAPE



- Ultra Clear Packing Tape ————— 009
- Crystal Low Noise Packing Tape ————— 012
- Beige Packing Tape ————— 013
- Silent Packing Tape ————— 014
- Transparent Packing Tape ————— 015
- PIZEN Packing Tape ————— 016

03
DOUBEL-SIDED TAPE



- Double-Sided Cotton Paper Tape ————— 031
- Double-Sided Foam Tape ————— 033
- Multi-Use Double-Sided Transparent Tape ————— 035
- Double-Sided PET Tape ————— 036

02
STATIONERY TAPE




- Transparent Stationery Tape ————— 021
- Easy Tear Transparent Stationery Tape ————— 023
- Colored Stationery Tape ————— 025
- Invisible Stationery Tape ————— 026
- Easy Tear Invisible Stationery Tape ————— 027
- Easy Tear Stationery Tape ————— 027

04
MASKING TAPE



- Paper Masking Tape ————— 039
- Small Core Paper Masking Tape ————— 040

05
SINGLE-SIDED
DUCT TAPE



041

07
WARNING TAPE



045

09
OTHER TAPE



- Self-Adherent Finger Wrap ————— 051
- Home Protective Pad ————— 054
- Bumper Strip / Corner Protector ————— 055
- Single-Sided Foam Tape ————— 057
- Guzheng Tape ————— 058

06
DOUBLE-SIDED
DUCT TAPE



043

08
FOIL TAPE



047

10
CUSTOMIZED
TAPE



057



Adhesive universal & home Packaging redesign

 General-Purpose Office Tape

Strong Adhesion

Low Noise

High Transparency

Masking Protection



 Home Series



Silent Packing Tape

PACKING TAPE

Deli BOPP packing tape is an adhesive tape made of Biaxially Oriented Polypropylene (BOPP) film coated with pressure sensitive adhesive.

Product Structure

Acrylic pressure-sensitive adhesive



BOPP

Product Features

Full scale and full size, consistent quality.
 High transparency, high tensile strength, does not break easily.
 Custom printing options with a variety of text and simple patterns available according to customer needs.

Product Applications

Applicable for wrapping and reinforcing, pasting and repairing, sealing and damp proofing of articles. Widely used in logistics and express packaging, sealing box reinforcement, paper pasting, hand-works, and more.




Logistics Courier Warehouse Handwork Books Toys Paper



Ultra Clear Packing Tape

Multipack



Durable and strong adhesion
Tight winding, low seam, no air bubbles
BOPP material, strong and does not break easily
High transparency and clear visibility



30130 / 30131 / 30133

24 mm width 12 rolls/pack



30170 / 30171 / 30173
30175 / 30177

45 mm width 6 rolls/pack

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30130	Packing Tape	24mm×30y×50 μm	12 Rolls	1/-/20	47×37.5×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30131	Packing Tape	24mm×40y×50 μm	12 Rolls	1/-/20	48×38.5×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30133	Packing Tape	24mm×60y×50 μm	12 Rolls	1/-/12	41×31×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30170	Packing Tape	45mm×30y×50 μm	6 Rolls	1/-/20	47.5×38×27.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30171	Packing Tape	45mm×40y×50 μm	6 Rolls	1/-/20	48×38.5×27.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30173	Packing Tape	45mm×60y×50 μm	6 Rolls	1/-/12	41×31×27.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30175	Packing Tape	45mm×100y×50 μm	6 Rolls	1/-/8	45.5×23×27.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%

Ultra Clear Packing Tape

Multipack

Durable and strong adhesion
Tight winding, low seam, no air bubbles
BOPP material, strong and does not break easily
High transparency and clear visibility



High transparency and clear visibility



30200 / 30201 / 30202 / 30203
30205 / 30207 / 30208 / 30209

48 mm width 6 rolls/pack



30273 / 30278 / 30289

55 mm width 6 rolls/pack



30320 / 30321 / 30322 / 30323 / 30325

60 mm width 6 rolls/pack

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30200	Packing Tape	48mm×30y×50 μm	6 Rolls	1/-/20	47×37.5×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30201	Packing Tape	48mm×40y×50 μm	6 Rolls	1/-/20	48×38.5×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30202	Packing Tape	48mm×50y×50 μm	6 Rolls	1/-/12	39.5×30×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30203	Packing Tape	48mm×60y×50 μm	6 Rolls	1/-/12	41×31×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30205	Packing Tape	48mm×100y×50 μm	6 Rolls	1/-/8	45.5×23×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30273	Packing Tape	55mm×60y×50 μm	6 Rolls	1/-/12	41×31×33.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30320	Packing Tape	60mm×30y×50 μm	6 Rolls	1/-/15	47×28.5×36.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30321	Packing Tape	60mm×40y×50 μm	6 Rolls	1/-/15	48×29×36.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30322	Packing Tape	60mm×50y×50 μm	6 Rolls	1/-/12	40×30×36.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30323	Packing Tape	60mm×60y×50 μm	6 Rolls	1/-/12	41×31×36.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30325	Packing Tape	60mm×100y×50 μm	6 Rolls	1/-/6	34×23×36.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%

Ultra Clear Packing Tape

Tape Dispenser + Tape



High transparency and clear visibility
BOPP material, strong and does not break easily



Two tapes comes with a dispenser



30312 **48** mm width **2** rolls/pack

Durable and strong adhesion
Tight winding, low seam, no air bubbles



Retail Packing Tape Single Pack



30246 / 30247 / 30248 / 30249 **48** mm width **Single Roll**

30367 / 30368 / 30369 **60** mm width **Single Roll**

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30312	Packing Tape	48mm×60y×50 μm	2 Rolls	1/-/36	45×35×37	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30246	Retail Packing Tape	48mm×40y×50 μm	Single Roll	1/-/120	48×38.5×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30247	Retail Packing Tape	48mm×60y×50 μm	Single Roll	1/-/72	41×31×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30248	Retail Packing Tape	48mm×100y×50 μm	Single Roll	1/-/48	45.5×23×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30249	Retail Packing Tape	48mm×200y×50 μm	Single Roll	1/-/36	42×28×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30367	Retail Packing Tape	60mm×40y×50 μm	Single Roll	1/-/90	48×29×36.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30368	Retail Packing Tape	60mm×60y×50 μm	Single Roll	1/-/72	41×31×36.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30369	Retail Packing Tape	60mm×100y×50 μm	Single Roll	1/-/36	34×23×36.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%

Crystal Ultra Clear Low Noise Packing Tape

High-quality crystal material, crystal clear
New process, low noise during unwinding



Recognized Product in Zhejiang
With The PIN Character Mark



Can be pulled out smoothly and evenly, does not leave broken marks at the adhesive surface

Reduced noise for comfort

High transparency
Excellent visual penetration

30428 / 30429

48 mm width **Single Roll**

Low noise
Strong adhesion
High transparency



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30428	Crystal Packing Tape	48mm×60y×50 μm	Single roll	1/-/72	41×31×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	150%~180%
30429	Crystal Packing Tape	48mm×100y×50 μm	Single roll	1/-/48	45×23×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	150%~180%
E37662	Crystal Packing Tape	48mm×66m×48 μm	6 Rolls	1/-/72	43.5×33.5×32	≥18#	≥6N/25mm	≥24h	≥95N/25mm	150%~180%
E37661	Crystal Packing Tape	48mm×50m×48 μm	6 Rolls	1/-/48	42×32×32	≥18#	≥6N/25mm	≥24h	≥95N/25mm	150%~180%

Retail Exclusive Single Pack



30240 **48** mm width

30290 **55** mm width

30360 **60** mm width

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30240	Packing Tape	48mm×30m×48 μm	Single roll	1/-/120	46.5×37×29.5	≥18#	≥6N/25mm	≥24h	≥95N/25mm	140%~180%
30290	Packing Tape	55mm×40y×48 μm	Single roll	1/-/120	47.5×38×33.5	≥18#	≥6N/25mm	≥24h	≥95N/25mm	140%~180%
30360	Packing Tape	60mm×50m×48 μm	Single roll	1/-/72	39.5×30×36.5	≥18#	≥6N/25mm	≥24h	≥95N/25mm	140%~180%

Beige Packing Tape Multipack

High viscosity, does not fall off easily
 High tensile strength, high toughness
 Upgrade the toughness, does not break easily
 Wide range of applications

For box sealing, packaging fixing, and building decoration



Beige tape for clear sealing

Bright beige tape makes the adhesive area clearly visible



30238 / 30239 **48** **6**
 mm width rolls/pack

30358 / 30359 **60** **6**
 mm width rolls/pack


Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30238	Beige Packing Tape	48mm×60y×50 μm	6 Rolls	1/-/12	41×31×30	≥20#	≥5N/25mm	≥24h	≥90N/25mm	140%~180%
30239	Beige Packing Tape	48mm×100y×50 μm	6 Rolls	1/-/8	45.5×23×30	≥20#	≥5N/25mm	≥24h	≥90N/25mm	140%~180%
30358	Beige Packing Tape	60mm×60y×50 μm	6 Rolls	1/-/12	41×31×36.5	≥20#	≥5N/25mm	≥24h	≥90N/25mm	140%~180%
30359	Beige Packing Tape	60mm×100y×50 μm	6 Rolls	1/-/6	34×23×36.5	≥20#	≥5N/25mm	≥24h	≥90N/25mm	140%~180%

Silent Packing Tape Tape Dispenser + Tape

60μm

Thicker tape offers outstanding toughness, low noise during unwinding, silent box sealing



Exclusive innovative and patented design
 Hidden safety anti-cutting tape dispense



Drag the tape upward, and the tape automatically returns to the stopper when used



Pull out a proper-length piece of tape according to the bonding area

Hold the cutter horizontally and clamp both sides, then cut the tape at an oblique angle downward



Small Core Silent Packing Tape



30040 / 30041 **48** **1**
 mm width Single Roll

Silent Packing Tape



30042 / 30043 / 30044 **48** **1**
 mm width Single Roll



30045 **48** **2**
 mm width rolls/pack



30046 **48** **4**
 mm width rolls/pack

Small Core Silent Home Packing Tape Replacement Core



30047 / 30048 **48** **3**
 mm width rolls/pack

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30040	Silent Packing Tape	48mm×40m×60 μm	Single Roll	1/24/96	44.5×33×38.5	≥20#	≥6.5N/25mm	≥24h	≥120N/25mm	130%~180%
30041	Silent Packing Tape	48mm×60m×60 μm	Single Roll	1/8/72	44×28×38.5	≥20#	≥6.5N/25mm	≥24h	≥120N/25mm	130%~180%
30042	Silent Packing Tape	48mm×40m×60 μm	Single Roll	1/8/72	52.5×37×40.5	≥20#	≥6.5N/25mm	≥24h	≥120N/25mm	130%~180%
30043	Silent Packing Tape	48mm×60m×60 μm	Single Roll	1/8/72	52.5×39.5×40.5	≥20#	≥6.5N/25mm	≥24h	≥120N/25mm	130%~180%
30044	Silent Packing Tape	48mm×100m×60 μm	Single Roll	1/2/48	58.5×40×28	≥20#	≥6.5N/25mm	≥24h	≥120N/25mm	130%~180%
30045	Silent Packing Tape	48mm×60m×60 μm	2 Rolls	1/2/36	78×48.5×22	≥20#	≥6.5N/25mm	≥24h	≥120N/25mm	130%~180%
30046	Silent Packing Tape	48mm×100m×60 μm	4 Rolls	1/-/18	49.5×35×34.5	≥20#	≥6.5N/25mm	≥24h	≥120N/25mm	130%~180%
30047	Silent Packing Tape	48mm×40m×60 μm	3 Rolls	1/-/24	29.5×22.5×29.5	≥20#	≥6.5N/25mm	≥24h	≥120N/25mm	130%~180%
30048	Silent Packing Tape	48mm×60m×60 μm	3 Rolls	1/-/24	32.5×24.5×29.5	≥20#	≥6.5N/25mm	≥24h	≥120N/25mm	130%~180%
E37701	Silent Brown Packing Tape	48mm×66m×50 μm	6 Rolls	1/1/12	43.5×33×32	≥20#	≥6.5N/25mm	≥24h	≥90N/25mm	140%~180%
E37700	Silent Brown Packing Tape	48mm×50m×50 μm	6 Rolls	1/1/12	41.5×31.5×32	≥20#	≥6.5N/25mm	≥24h	≥90N/25mm	140%~180%

Transparent Packing Tape

Multipack



Durable and strong adhesion
Tight winding, low seam
Good toughness, does not break easily



45 mm width 6 rolls/pack

30177 / 30182
30183 / 30184 / 30185

48 mm width 6 rolls/pack

30207 / 30208 / 30209
30212 / 30213 / 30214 / 30215

55 mm width 6 rolls/pack

30278 / 30279
30282 / 30283 / 30284 / 30285

60 mm width 6 rolls/pack

30331 / 30332 / 30333 / 30334 / 30335

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30177	Transparent Packing Tape	45mm×150y×50 μm	6 Rolls	1/-/6	38×25.5×27.5	≥20#	≥6.5N/25mm	≥24h	≥90N/25mm	140%~180%
30182	Transparent Packing Tape	45mm×60y×45 μm	6 Rolls	1/-/12	40.5×30.5×27.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30183	Transparent Packing Tape	45mm×100y×45 μm	6 Rolls	1/-/8	45×23×27.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30184	Transparent Packing Tape	45mm×150y×45 μm	6 Rolls	1/-/6	38×25.5×27.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30185	Transparent Packing Tape	45mm×200y×45 μm	6 Rolls	1/-/4	28×28×27.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30207	Transparent Packing Tape	48mm×150y×50 μm	6 Rolls	1/-/6	38×25.5×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30208	Transparent Packing Tape	48mm×200y×50 μm	6 Rolls	1/-/6	42×28×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30209	Transparent Packing Tape	48mm×250y×50 μm	6 Rolls	1/-/4	30×30×30	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30212	Transparent Packing Tape	48mm×60y×45 μm	6 Rolls	1/-/12	40.5×30.5×29.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30213	Transparent Packing Tape	48mm×100y×45 μm	6 Rolls	1/-/8	45×23×29.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30214	Transparent Packing Tape	48mm×150y×45 μm	6 Rolls	1/-/6	38×25.5×29.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30215	Transparent Packing Tape	48mm×200y×45 μm	6 Rolls	1/-/4	28×28×29.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30278	Packing Tape	55mm×200y×50 μm	6 Rolls	1/-/6	42×28×33.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30289	Packing Tape	55mm×80m×50 μm	6 Roll	1/-/10	55×22×33.5	≥20#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30282	Transparent Packing Tape	55mm×60y×45 μm	6 Rolls	1/-/12	40.5×30.5×33.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30283	Transparent Packing Tape	55mm×100y×45 μm	6 Roll	1/-/8	45×23×33.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30284	Transparent Packing Tape	55mm×150y×45 μm	6 Roll	1/-/6	38×25.5×33.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30285	Transparent Packing Tape	55mm×200y×45 μm	6 Roll	1/-/4	28×28×33.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30331	Transparent Packing Tape	60mm×40y×45 μm	6 Rolls	1/-/20	48×38.5×36.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30332	Transparent Packing Tape	60mm×60y×45 μm	6 Roll	1/-/12	40.5×30.5×36.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30333	Transparent Packing Tape	60mm×100y×45 μm	6 Roll	1/-/8	45×23×36.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30334	Transparent Packing Tape	60mm×150y×45 μm	6 Roll	1/-/6	38×25.5×36.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30335	Transparent Packing Tape	60mm×200y×45 μm	6 Roll	1/-/4	28×28×36.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%

PIZEN Tape



Multipack to meet large-volume demand
Smooth and even, does not break easily
Excellent adhesion
Easy to pack, full scale and full size

deliPIZEN
得力品正



45 mm width 6 rolls/pack

30901 / 30902 / 30903 / 30904

48 mm width 6 rolls/pack

30911 / 30912 / 30913 / 30914

55 mm width 6 rolls/pack

30922 / 30923

60 mm width 6 rolls/pack

30931 / 30932 / 30933

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30901	PIZEN Packing Tape	45mm×60y×45 μm	6 Rolls	1/-/12	40×30×27.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30902	PIZEN Packing Tape	45mm×100y×45 μm	6 Rolls	1/-/12	44×33×27.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30903	PIZEN Packing Tape	45mm×150y×45 μm	6 Rolls	1/-/9	36×36×27.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30904	PIZEN Packing Tape	45mm×200y×45 μm	6 Rolls	1/-/4	26.5×26.5×27.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30911	PIZEN Packing Tape	48mm×60y×45 μm	6 Rolls	1/-/12	40×30×29.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30912	PIZEN Packing Tape	48mm×100y×45 μm	6 Rolls	1/-/12	44×33×29.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30913	PIZEN Packing Tape	48mm×150y×45 μm	6 Rolls	1/-/9	36×36×29.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30914	PIZEN Packing Tape	48mm×200y×45 μm	6 Rolls	1/-/4	26.5×26.5×29.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30922	PIZEN Packing Tape	55mm×100y×45 μm	6 Rolls	1/-/8	44×22×33.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30923	PIZEN Packing Tape	55mm×200y×45 μm	6 Rolls	1/-/4	26.5×26.5×33.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30931	PIZEN Packing Tape	60mm×60y×45 μm	6 Rolls	1/-/12	40×30×36.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30932	PIZEN Packing Tape	60mm×100y×45 μm	6 Rolls	1/-/8	44×22×36.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%
30933	PIZEN Packing Tape	60mm×200y×45 μm	6 Rolls	1/-/4	26.5×26.5×36.5	≥18#	≥5.5N/25mm	≥24h	≥80N/25mm	130%~180%

Deli PIZEN Beige Tape

Multipack

Premium quality to make life easier
Strong adhesion / Excellent toughness
/ Wide range of applications

Durable and strong adhesion
Water-based acrylic pressure-sensitive adhesive
Durable and strong adhesion



33975 / 33976 **48** **5**
mm width rolls/pack

33977 / 33978 **60** **5**
mm width rolls/pack


Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
33975	Beige Packing Tape	48mm×60m×50μm	5 Rolls	1/-/30	32.5×22×24.5	≥16#	≥6.5N/25mm	≥24h	≥90N/25mm	140%~180%
33976	Beige Packing Tape	48mm×100m×50μm	5 Rolls	1/-/30	36×24.5×24.5	≥16#	≥6.5N/25mm	≥24h	≥90N/25mm	140%~180%
33977	Beige Packing Tape	60mm×60m×50μm	5 Rolls	1/-/30	32×21.5×30.5	≥16#	≥6.5N/25mm	≥24h	≥90N/25mm	140%~180%
33978	Beige Packing Tape	60mm×100m×50μm	5 Rolls	1/-/30	36×24.5×30.5	≥16#	≥6.5N/25mm	≥24h	≥90N/25mm	140%~180%

Courier Tape

Premium quality to make life easier

50μm



BOPP base material for high toughness
Water-based acrylic pressure-sensitive adhesive
Item packing, warning, labeling
Full scale and full size, tightly wound

How to apply the tape properly



Pull out the tape and bond at the starting point Stretch straightly and apply along a line Apply pressure to increase adhesion Cut the tape with scissors or a tape dispenser



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Tensile Strength	Elongation at Break
33970	Courier Tape	42mm×100m×60μm	6 Rolls	1/-/36	32.5×22×26	≥16#	≥6.5N/25mm	≥90N/25mm	140%~180%
33971	Courier Tape	42mm×100m×50μm	6 Rolls	1/-/36	36×24.5×26	≥16#	≥6.5N/25mm	≥90N/25mm	140%~180%
33972	Courier Tape	42mm×100m×50μm	6 Rolls	1/-/36	36×24.5×26	≥16#	≥6.5N/25mm	≥90N/25mm	140%~180%
33973	Courier Tape	42mm×100m×50μm	6 Rolls	1/-/36	36×24.5×26	≥16#	≥6.5N/25mm	≥90N/25mm	140%~180%
33974	Courier Tape	42mm×100m×50μm	6 Rolls	1/-/36	36×24.5×26	≥16#	≥6.5N/25mm	≥90N/25mm	140%~180%




STATIONERY TAPE

Transparent Tape

Deli BOPP transparent tape is an adhesive tape made of Biaxially Oriented Polypropylene (BOPP) film coated with acrylic pressure sensitive adhesive

Product Structure


Transparent tape



Invisible Tape

Deli BOPP invisible tape is an adhesive tape made of Biaxially Oriented Polypropylene (BOPP) film coated with milky white acrylic adhesive

Invisible tape



FEATURE

Transparent tape

Strong adhesion, excellent toughness, does not break easily; High transparency, tightly wound, fine texture

Invisible tape

Invisible paper repair, faxing and copying with no visible trace; Writable surface, easy to unwind

APPLICATION

Widely applicable for pasting and repairing articles; Widely used in paper pasting, gift wrapping, handcrafting and more;



Paper pasting

Damage repair

Handcraft

Gift wrapping


Envelope pasting



Transparent Stationery Tape

Multi-roll / Bag packed

Strong adhesion
Labor-saving and efficient apply



High transparency, clear with fine texture

Compact and portable

Excellent toughness
Does not break easily during pulling



30000 / 30001 / 30002 / 30003

8 mm width 12 rolls/pack

30008

8 mm width 2 rolls/pack

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30000	Stationery Tape	8mm×20y×38μm	12 Rolls	1/-/105	36×26×30.5	≥18#	≥4N/25mm	≥1.5h	≥80N/25mm	130%~180%
30001	Stationery Tape	8mm×30y×38μm	12 Rolls	1/-/105	39×28×30.5	≥18#	≥4N/25mm	≥1.5h	≥80N/25mm	130%~180%
30002	Stationery Tape	8mm×40y×38μm	12 Rolls	1/-/60	30.5×24.5×30.5	≥18#	≥4N/25mm	≥1.5h	≥80N/25mm	130%~180%
30003	Stationery Tape	8mm×50y×38μm	12 Rolls	1/-/60	32×26×30.5	≥18#	≥4N/25mm	≥1.5h	≥80N/25mm	130%~180%
30008	Stationery Tape	8mm×30y×38μm	2 Rolls	1/32/192	30×28.5×31	≥18#	≥4N/25mm	≥1.5h	≥80N/25mm	130%~180%




30022

12 mm width 2 rolls/pack



Excellent toughness, rip and tear resistant, does not break easily
High transparency, tightly wound, fine texture



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30022	Stationery Tape	12mm×30y×38μm	2 Rolls	1/24/288	56×37×41	≥18#	≥4N/25mm	≥1.5h	≥80N/25mm	130%~180%
EA30701	Stationery Tape	18mm*20y*45μm	2 Rolls	1/16/96	40.5×39×33.5	≥18#	≥5.5N/25mm	≥1.5h	≥80N/25mm	130%~180%
EA30511	Stationery Tape	12mm*20Y*45μm	2 Rolls	1/24/144	45×39×33.5	≥18#	≥5.5N/25mm	≥1.5h	≥80N/25mm	130%~180%
EA30211	Stationery Tape	18mm×45um×7.62m	Single Roll	1/36/144	48.5×28×22.5	≥18#	≥5.5N/25mm	≥1.5h	/	/
EA30310	Stationery Tape	18mm×45um×33m	Single Roll	1/-/144	26.5×20×29.5	≥18#	≥5.5N/25mm	≥1.5h	/	/

Ultra-Clear Stationery Tape with Dispenser Set

Strong adhesion
Excellent toughness,
does not break easily
Blister pack,
portable and handy

High transparency
Tightly wound, fine texture



Includes a portable tape dispenser Tilt cutting



Mini Tape Dispenser
Easy to cut, easy to find the cutting edge



Easy to assemble a tape and the dispenser
Convenience and labor-Saving



30122 12 mm width 2 rolls/pack

30123 12 mm width Single Roll

30128 18 mm width 2 rolls/pack



50um thick film substrate
Strong adhesive tape does not break easily

30038 12 mm width 2 rolls/pack

50um thick film substrate
Strong adhesive tape does not break easily

30039 18 mm width 2 rolls/pack

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30122	Stationery Tape Set	12mm×25y×38μm	2 Rolls	1/24/144	43.5×37.5×31	≥18#	≥4N/25mm	≥1.5h	≥80N/25mm	130%~180%
30123	Stationery Tape Set	12mm×25y×38μm	1 Rolls	1/24/432	52×48×31	≥18#	≥4N/25mm	≥1.5h	≥80N/25mm	130%~180%
30038	Stationery Tape Set	12mm×20m×50μm	2 Rolls	1/24/144	43.5×37.5×31	≥18#	≥6.5N/25mm	≥24h	≥95N/25mm	140%~180%
30128	Stationery Tape Set	18mm×25y×38μm	2 Rolls	1/16/96	39×37.5×31	≥18#	≥4N/25mm	≥1.5h	≥80N/25mm	130%~180%
30039	Stationery Tape Set	18mm×20m×50μm	2 Rolls	1/16/96	39×37.5×31	≥20#	≥6.5N/25mm	≥1.5h	≥95N/25mm	140%~180%

Easy Tear Transparent Stationery Tape

Strong adhesion and high transparency
Tightly wound, fine texture

Multipack
To meet large-volume demand



Easy-tear type, tear by hand



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)
30011	Stationery Tape	12mm×14y×38 μm	12 Rolls	1/-/90	38.5×21.5×30	≥18#	≥4N/25mm	≥1.5h
30013	Stationery Tape	12mm×18y×38 μm	12 Rolls	1/-/70	31.5×22.5×30	≥18#	≥4N/25mm	≥1.5h
E30014	Stationery Tape	12mm×20y×38 μm	12 Rolls	1/-/70	33.5×24.5×32.5	≥18#	≥5.5N/25mm	≥1.5h
E30015	Stationery Tape	12mm×30y×38 μm	12 Rolls	1/-/70	37×27×32.5	≥18#	≥5.5N/25mm	≥1.5h
30028	Student Tape	12mm×15m×38 μm	6 Rolls	1/40/160	38×23.5×34.5	≥18#	≥4N/25mm	≥1.5h
30029	Student Tape	12mm×18m×38 μm	6 Rolls	1/40/160	39×24.5×34.5	≥18#	≥4N/25mm	≥1.5h
30061	Stationery Tape	18mm×14y×38 μm	8 Rolls	1/-/90	39.5×22.5×30	≥18#	≥4N/25mm	≥1.5h
30063	Stationery Tape	18mm×18y×38 μm	8 Rolls	1/-/70	32.5×23.5×30	≥18#	≥4N/25mm	≥1.5h
E30064	Stationery Tape	18mm×20y×38 μm	8 Rolls	1/-/70	34.3×25.4×32.3	≥18#	≥5.5N/25mm	≥1.5h
E30065	Stationery Tape	18mm×30y×38 μm	8 Rolls	1/-/70	34×18×22	≥18#	≥5.5N/25mm	≥1.5h
30079	Student Tape	18mm×18m×38 μm	4 Rolls	1/40/160	39×24.5×34.5	≥18#	≥4N/25mm	≥1.5h
EA30011	Stationery Tape	18mm×50 μm×7.62m	Single Roll	1/36/144	48.2×27.8×22.3	≥16#	≥4N/25mm	≥1.5h



Different sizes to meet different bonding needs



Lightweight, portable and practical Stationery tape



High bond, strong adhesion
Removes handwriting with no residue



Easy Tear Transparent Stationery Tape


Single Pack



High transparency
Tightly wound,
fine texture



Easy tear-and-break
Gentle pull to break



Strong adhesion
Labor-saving and efficient bonding



Compact and portable

High transparency Clear with fine texture

Ultra clear tape, the content is clearly visible after the tape is applied



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)
30009	Easy Tear Stationery Tape	12mm×30y×38 μm	Single Roll	1/48/288	30×28.5×33	≥18#	≥4N/25mm	≥1.5h
30010	Easy Tear Stationery Tape	18mm×30y×38 μm	Single Roll	1/32/192	30×28.5×33	≥18#	≥4N/25mm	≥1.5h


Colored Transparent Stationery Tape



Clear and colored, Ultra clear, does not affect the appearance and bonding effect. Good toughness, does not break easily, can be applied to repair, remove wrong content. Compact and portable.



Colored transparent tape
Low haze, good transparency, strong adhesion



Strong adhesion
Labor-saving and efficient apply



Compact and portable

Invisible Stationery Tape Set

Includes a blue / pink tape dispenser
Portable tape dispenser
Titled for easy cutting

Invisible repair, writable surface, easy to mark



Mini Tape Dispenser
Easy to cut, easy to find the cutting edge



Invisible paste
Writable surface, suitable for ballpoint pen and color pen



30007 8mm width 12 rolls/pack
Purple/Blue/Orange/Pink

30024 12mm width 12 rolls/pack
Purple/Blue/Orange/Pink

30023 12mm width 2 rolls/pack
Orange/Pink



30112 12mm width 2 rolls/pack

30113 12mm width Single Roll

30118 18mm width 2 rolls/pack

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30007	Colored Stationery Tape	8mm × 30y × 38 μm	12 Rolls	1/-/105	39 × 28 × 30.5	≥ 16#	≥ 3.8N/25mm	≥ 1.5h	≥ 80N/25mm	130%~180%
30024	Colored Stationery Tape	12mm × 30y × 38 μm	12 Rolls	1/-/70	35.5 × 25.5 × 30	≥ 16#	≥ 3.8N/25mm	≥ 1.5h	≥ 80N/25mm	130%~180%
30023	Colored Stationery Tape	12mm × 30y × 38 μm	2 Rolls	1/24/288	56 × 37 × 41	≥ 16#	≥ 3.8N/25mm	≥ 1.5h	≥ 80N/25mm	130%~180%

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30112	Invisible Stationery Tape Set	12mm × 20y × 50 μm	2 Rolls	1/24/144	43.5 × 37.5 × 31	≥ 16#	≥ 4N/25mm	≥ 24h	≥ 95N/25mm	150%~180%
30113	Invisible Stationery Tape Set	12mm × 20y × 50 μm	1 Rolls	1/24/432	52 × 48 × 31	≥ 16#	≥ 4N/25mm	≥ 24h	≥ 95N/25mm	150%~180%
30118	Invisible Stationery Tape Set	18mm × 20y × 50 μm	2 Rolls	1/16/96	39 × 37.5 × 31	≥ 16#	≥ 4N/25mm	≥ 24h	≥ 95N/25mm	150%~180%
30113	Invisible Stationery Tape Set	12mm × 20y × 50 μm	1 Rolls	1/24/432	52 × 48 × 31	≥ 16#	≥ 4N/25mm	≥ 24h	≥ 95N/25mm	150%~180%
30118	Invisible Stationery Tape Set	18mm × 20y × 50 μm	2 Rolls	1/16/96	39 × 37.5 × 31	≥ 16#	≥ 4N/25mm	≥ 24h	≥ 95N/25mm	150%~180%

Easy-Tear Type Invisible Stationery Tape

Invisible repair
Necessity for life and study



No hand copying required for mistakes
Easy transfer



30110 **12**
mm width **Single Roll**



30120 **18**
mm width **Single Roll**



30111 **12**
mm width **2**
rolls/pack

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30110	Invisible Stationery Tape	12mm×36y×50μm	Single Roll	1/48/288	39.5×33.5×33	≥16#	≥4N/25mm	≥24h	≥95N/25mm	150%~180%
30111	Invisible Stationery Tape	12mm×36y×50μm	2 Rolls	1/24/144	56×37×21	≥16#	≥4N/25mm	≥24h	≥95N/25mm	150%~180%
30120	Invisible Stationery Tape	18mm×36y×50μm	Single Roll	1/32/192	39.5×36×34	≥16#	≥4N/25mm	≥24h	≥95N/25mm	150%~180%
EA30110	Invisible Stationery Tape	18mm×50μm×33m	Single Roll	1/-/144	26.5×20.2×29.7	≥16#	≥4N/25mm	1.5h	/	/

Easy Tear Invisible Stationery Tape



One press to tear off the tape

Tear by hand
Easy-tear process
Easy to tear by hand
Easy to use



Writable surface

Suitable for writing with markers, ballpoint pens and pencils



30114 **12**
mm width **Single Roll**



30115 **12**
mm width **2**
rolls/pack




30116 **12**
mm width **Single Roll**

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30114	Invisible Stationery Tape	12mm×20y×50μm	Single Roll	1/60/360	39×36×33	≥16#	≥4N/25mm	≥24h	≥95N/25mm	150%~180%
30115	Invisible Stationery Tape	12mm×20y×50μm	2 Rolls	1/24/144	37×36×30.5	≥16#	≥4N/25mm	≥24h	≥95N/25mm	150%~180%
30116	Invisible Stationery Tape	18mm×20y×50μm	4 Rolls	1/60/240	44×27.8×34	≥16#	≥4N/25mm	≥24h	≥95N/25mm	150%~180%

Easy Tear Invisible Stationery Tape

Tear by hand
Easy-tear process
Easy to tear by hand
Easy to use



Writable surface

Suitable for writing with markers, ballpoint pens and pencils



Easy Tear Tear by hand Invisible paste



30125 **12**
mm width **Single Roll**



30117 **12** **18**
mm width rolls/box

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30125	Invisible Tape	12mm×20y×50μm	Single Roll	1/60/360	39×36×33	≥16#	≥4N/25mm	≥24h	≥95N/25mm	150%~180%
30117	Invisible Stationery Tape	12mm×20y×50μm	2 Rolls	1/12/144	48×20×35	≥16#	≥4N/25mm	≥24h	≥95N/25mm	150%~180%

DOUBEL-SIDED TAPE

Double-Sided Cotton Paper Tape

Deli double-sided cotton paper tape is an adhesive tape with cotton paper as the base material, coated with different types of adhesives such as oil, water, and hot melt adhesives depending on the application, and it adopts release paper as the separation layer.

Double-Sided Foam Tape

Deli double-sided foam tape is an adhesive tape with EVA and PE as the base material, coated with different types of adhesives such as hot melt and oil-based adhesives on both sides depending on the application, and it adopts release paper as the separation layer.

Multi-Use Double-Sided Transparent Tape

Deli multi-use double-sided transparent tape adopts acrylic as the adhesive, acrylic foam as the base material and release film (red PE film) or release paper for surface protection.

Double-Sided PET Tape

Deli Double-Sided PET Tape is made of PET as the base material, coated with oil-based adhesive on both sides depending on the application, and it adopts release paper as the separation layer.

STRUCTURE


Double-Sided Cotton Paper Tape



Double-Sided Foam Tape



Multi-Use Double-Sided Transparent Tape



Double-Sided PET Tape



FEATURE

Double-Sided Cotton Paper Tape

Easy to use with strong bonds;
Tear by hand, easy to peel off the backing;
High quality cotton paper with neat edges

Double-Sided Foam Tape

Strong adhesion, easy to peel off the release paper;
Superior cushioning and shock absorption performance, and excellent heat reExcellent waterproof performance sistance;

Multi-Use Double-Sided Transparent Tape

Strong adhesion, excellent toughness, does not break easily;
Ultra clear colloid, easy to remove with no residue;
Water and moisture resistant, can be washed and reused


Double-Sided PET Tape

Bonds tightly, does not fall off easily;
PET transparent material, ultra clear;
Removable without a trace, does not leave residue easily
Excellent toughness, good longitudinal tensile strength, does not break easily;

APPLICATION

Suitable for bonding and binding of articles

Widely used in logistics packing, gift making, sign pasting, footwear, home appliances, electronics, automobile manufacturing, leather manufacturing and more



Double-Sided Cotton Paper Tape

Bulk packed in bags



Strong and stable bonds
Tear by hand
Easy to peel off the backing
High quality cotton paper with neat edges
Durable bonds, aging resistant

Bulk packed
To meet daily needs



Easy to tear by hand
Tears easily, continent to use

Double-sided adhesive coating
High quality process Long lasting adhesion

Easy to remove with no residue
Neat and clean



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)
30400	Cotton Paper Tape	9mm×10y×80 μm	32 Rolls	1/-/12	38.5×29×29	≥16#	≥12N/25mm	≥30min
30401	Cotton Paper Tape	12mm×10y×80 μm	24 Rolls	1/-/12	38.5×29×29	≥16#	≥12N/25mm	≥30min
30402	Cotton Paper Tape	18mm×10y×80 μm	16 Rolls	1/-/12	38.5×29×29	≥16#	≥12N/25mm	≥30min
30403	Cotton Paper Tape	24mm×10y×80 μm	12 Rolls	1/-/12	38.5×29×29	≥16#	≥12N/25mm	≥30min
30415	Cotton Paper Tape	36mm×10y×80 μm	8 Rolls	1/-/12	38.5×29×29.5	≥16#	≥12N/25mm	≥30min

Double-Sided Cotton Paper Tape

Portable individually packaged



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)
30404	Cotton Paper Tape	9mm×10y×80 μm	2 Rolls	1/48/192	47.5×33×34	≥16#	≥12N/25mm	≥30min
E30405	Cotton Paper Tape	12mm×10y×80 μm	Single Roll	1/72/288	49×34.5×36.5	≥16#	≥8.5N/25mm	≥30min
E30406	Cotton Paper Tape	18mm×10y×80 μm	Single Roll	1/48/192	48.5×34.3×36.2	≥16#	≥8.5N/25mm	≥30min
E30407	Cotton Paper Tape	24mm×10y×80 μm	Single Roll	1/36/144	49×34.5×36.5	≥16#	≥8.5N/25mm	≥30min

Double-Sided Cotton Paper Tape

Small core



Cotton paper base material, strong bonds
Easy to peel off the backing, uniform thickness

Small core
Portable individually packaged
Portable and easy to store



Pull out an appropriate length of tape, and it's easy to tear the tape with lateral force

Easy to remove with no residue, neat and clean



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion
30434	Cotton Paper Tape	9mm×10y×80 μm	2 Rolls	2/32/192	30×28.5×33	≥16#	≥12N/25mm
30435	Cotton Paper Tape	12mm×10y×80 μm	Single Roll	1/32/192	30×28.5×24	≥16#	≥12N/25mm
30436	Cotton Paper Tape	18mm×10y×80 μm	Single Roll	1/32/192	30×28.5×33	≥16#	≥12N/25mm
30437	Cotton Paper Tape	24mm×10y×80 μm	Single Roll	1/32/192	54×30×24	≥16#	≥12N/25mm

Double-Sided Oil-Based Tape

Single Pack

Oil based adhesive coating
Super strong adhesion

Good weatherability
Flat adhesive surface does not wrinkle easily



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	180° Peel Adhesion	Lasting Adhesion (1 kg)
30408	Oil-Based Tape	9mm×10m×90 μm	Single Roll	1/96/384	43×31.5×34	≥8.5N/25mm	≥8h
30409	Oil-Based Tape	12mm×10m×90 μm	Single Roll	1/72/288	43×31.5×34	≥8.5N/25mm	≥8h
30413	Oil-Based Tape	18mm×10m×90 μm	Single Roll	1/48/192	43×31.5×34	≥8.5N/25mm	≥8h




Double-Sided EVA Foam Tape

Strong adhesion, easy to peel off the release paper
Decompression cushioning, temperature resistant

Double-Sided EVA Foam Tape

Single Pack

Easy to peel and tear Easy to use
High usability



Portable individually packaged

Hot melt adhesive for strong adhesion

Seamless bonding, smooth and flexible

2.5mm thick, can be used on uneven substrate surfaces, with slight concave and convex.



30410 12 mm width Single Roll



30411 18 mm width Single Roll



30412 24 mm width Single Roll



30416 36 mm width Single Roll

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion
30410	Double-Sided Foam Tape	12mm×5y×2.5mm	Single Roll	1/24/144	54.5×33.5×34	≥22#	≥7N/25mm
30411	Double-Sided Foam Tape	18mm×5y×2.5mm	Single Roll	1/16/96	54.5×33.5×34	≥22#	≥7N/25mm
30412	Double-Sided Foam Tape	24mm×5y×2.5mm	Single Roll	1/12/72	54.5×33.5×34	≥22#	≥7N/25mm
30416	Double-Sided Foam Tape	36mm×5y×2.5mm	Single Roll	1/12/72	54.5×33.5×48	≥22#	≥7N/25mm

Oil-Based Double-Sided PE Foam Tape

Single Pack

Oil-based adhesive coating, super strong adhesion, the 3x3cm tape holds up to 1kg load.



Scope of Applications



18 mm width Single Roll



30418

24 mm width Single Roll



30419

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	180° Peel Adhesion	Lasting Adhesion (1 kg)
30418	Oil-Based Foam Tape	18mm×3m×1mm	Single Roll	1/48/192	47×34.5×34	≥10N/25mm	≥36h
30419	Oil-Based Foam Tape	24mm×3m×1mm	Single Roll	1/36/144	47×34.5×34	≥10N/25mm	≥36h
EA35011	Foam Tape	1mm×25.4mm×1.5M	Single Roll	1/24/96	36×36×21.5	≥8N/25mm	≥24h
EA35113	Foam Tape	1mm×25.4mm×5M	Single Roll	1/24/96	53×27.3×37.5	≥8N/25mm	≥24h

Multi-Use Double-Sided Transparent Tape

Strong adhesion, ultra clear colloid, easy to remove with no residue; Excellent toughness, does not break easily; Widely used, highly practical



Ultra clear colloid
Clear visibility
Convenient to use

Removable with no residue

Does not leave a sticky residue or damage the bonded surface when you peel it off

Ultra clear with strong adhesive

Strong adhesion Easy to peel off with no residue Both sides can be bonded, does not break easily

Washable water and moisture resistant an be reused after drying

Can be washed with water, and then reused after drying; water and moisture resistant with good stability



Color Box Packed



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	180° Peel Adhesion	Lasting Adhesion (1 kg)
33601	Double-Sided Transparent Tape	3cm×3m×1mm	Color Box	1/12/144	56.5×50.5×42.5	≥20N/25mm	≥36h
33602	Double-Sided Transparent Tape	5cm×3m×1mm	Color Box	1/12/72	76.5×29×41	≥20N/25mm	≥36h
33603	Double-Sided Transparent Tape	3cm×3m×2mm	Color Box	1/12/96	64.5×60.5×28.5	≥20N/25mm	≥36h
33604	Double-Sided Transparent Tape	5cm×3m×2mm	Color Box	1/12/72	89.5×32×41	≥20N/25mm	≥36h
33605	Double-Sided Transparent Tape	3cm×1.5m×1mm	Color Box	1/12/144	52.5×36.5×28.5	≥20N/25mm	≥36h
33606	Double-Sided Transparent Tape	3cm×1m×2mm	Color Box	1/12/144	52.5×36.5×28.5	≥20N/25mm	≥36h
33612	Double-Sided Transparent Tape	3cm×5m×1mm	Color Box	1/12/72	56.5×29×41.5	≥20N/25mm	≥36h
33625	Double-Sided Transparent Tape	1.5cm×3m×1mm	Color Box	1/12/144	49.5×48.5×44.5	≥20N/25mm	≥36h
EA35201	Double-Sided Transparent Tape	1mm×25.4mm×1.5M	Single Roll	1/24/96	34.5×34.5×23	≥20N/25mm	≥12h

Multi-Use Double-Sided Transparent Tape



Strong adhesion & easy tear
No need to cut, ready to use
Washable, water and moisture resistant
Can be reused after drying
Widely used, highly practical



Blister Pack



33607 28mm width 20 pieces/blister

33608 20 pieces/blister 54mm×85mm 5片, 43mm×54mm 5片, 28mm×28mm 10片

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	180° Peel Adhesion	Lasting Adhesion (2 kg)
33607	Double-Sided Transparent Tape	28mm×28mm×1mm	Blister Card	1/24/192	38.5×18×26	≥20N/25mm	≥36h
33608	Double-Sided Transparent Tape	54mm×85mm×1mm 43mm×54mm×1mm 28mm×28mm×1mm	Blister Card	1/24/192	47.5×28.5×25	≥20N/25mm	≥36h

Double-Sided PET Tape

PET as the base material, strong adhesion, removable with no residue, easy to clean

Suitable for spring couplets, wedding couplets, poster pastes, photo decorations and more. Not suitable for use on poor quality walls or walls with water stains, oil stains and peeling paint surfaces.



30066 18mm width 1 Roll/bag



30067 24mm width 1 Roll/bag




Product Parameters and Performance

Product Number	Name	Specification	Box Dimensions (cm)	Pack Type	Pack Quantity	180° Peel Adhesion	Lasting Adhesion (2kg)	Tensile Strength	Elongation at Break
30066	Double-Sided PET Tape	18mm×15m×110μm	50.5×47×26	Single Roll	1/48/192	Side I:≥10N/25mm Side II:≥12N/25mm	Side I:≥8h Side II:≥3h	≥40N/25mm	≥50%
30067	Double-Sided PET Tape	24mm×15m×110μm	50.5×47×32	Single Roll	1/48/192	Side I:≥10N/25mm Side II:≥12N/25mm	Side I:≥8h Side II:≥3h	≥40N/25mm	≥50%

MASKING TAPE

Deli masking tape is an adhesive tape that uses crepe paper as the base material, coated with natural rubber adhesive depending on the application.

■ STRUCTURE



■ FEATURE

Easy to peel with no residue, easy to use;
Resistance to heat and solvent;
Clearly delineated color separation effect

■ APPLICATION

Widely used in spray paint masking, bonding, connection and fixation for industries such as interior and exterior decoration, packaging, furniture, automotive, electronics, electric ferry, and handicraft.



Packaging Warehouse Handwork Furniture Electronics Automobile Paper



Paper Masking Tape

Easy to peel with no residue;
Resistance to heat and solvent

Quick to apply, easy to peel off
Eco-friendly and easy to handle

Paper tape does not break easily

Can protect the bonded item
Clean with no residue

Bonds tightly, does not fall off easily

Surface adhesive layer, solvent resistant

Evenly coated, tightly bonded

Easy to peel with no residue

Quick to apply, easy to peel off

Eco-friendly and easy to handle



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30667	Paper Masking Tape	20mm×20y×145 μm	6 Rolls	1/-/24	41×31×25	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8%~15%
30668	Paper Masking Tape	20mm×50y×145 μm	3 Rolls	1/-/36	47×35.5×19	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8%~15%
30669	Paper Masking Tape	15mm×20y×145 μm	10 Rolls	1/-/24	41×31×31.5	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8%~15%

Paper Masking Tape

Easy to peel with no residue;
Resistance to heat and solvent
Quick to apply, easy to peel off
Eco-friendly and easy to handle

Wide width, more suitable for home decoration spraying



Mark as needed, multi-functional

145μm thickness, impermeable, markable and writable surface for markers



Easy to peel with no residue

Quick to apply, easy to peel off
Eco-friendly and easy to handle



Paper tape does not break easily

Can protect the bonded item
Clean with no residue



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30670	Paper Masking Tape	24mm×20y×145 μm	6 Rolls	1/-/24	41×31×30	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8%~15%
30672	Paper Masking Tape	36mm×20y×145 μm	Single Roll	1/-/96	41×31×30	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8%~15%
30674	Paper Masking Tape	50mm×50y×145 μm	4 Rolls	1/-/12	47×35.2×20.5	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8%~15%

Paper Masking Tape



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30662	Paper Masking Tape	15mm×20y×145 μm	Single Roll	1/-/432	57×31.5×31.5	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8~15%
30663	Paper Masking Tape	20mm×20y×145 μm	Single Roll	1/-/288	59.5×32.5×28.5	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8~15%
30665	Paper Masking Tape	24mm×20y×145 μm	Single Roll	1/-/288	63.5×32×33.5	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8~15%
30666	Paper Masking Tape	36mm×20y×145 μm	Single Roll	1/-/288	69.5×31.5×47.5	≥10#	≥6N/25mm	≥3h	≥70N/25mm	8~15%

SINGLE-SIDED DUCT TAPE

Deli duct tape is a high adhesive tape with strong bonding strength, it uses the thermal composite of polyethylene and gauze fiber as the base material, coated high-viscosity hotmelt adhesive.

STRUCTURE

Pressure-sensitive adhesive
Duct



FEATURE

High-density weave (70 mesh), strong adhesion, neat and east to tear;
Grease resistant, aging resistant, waterproof and corrosion-resistant surface

APPLICATION

Widely used in sealing reinforcement, carpet edge fixing, sealing box repair, pipe or heavy material wrapping reinforcement and more



Box sealing Surface waterproofing Warehouse Handwork Carpet binding Line marking Reinforcing

SINGLE-SIDED DUCT TAPE

DUCT TAPE

Duct Tape

Polyethylene resin laminated substrates
Carefully selected material to ensure quality

High-debsity weave (70 mesh)
High tensile strength, neat and easy to tear

Suitable for splicing,
fixing carpet
Packing heavy items
Dividing ground areas



SINGLE-SIDED DUCT TAPE

Easy to tear by hand
Composite substrate and gauze
Easy to tear horizontally



Writable surface
Suitable for writing with markers and ballpoint pens



Abrasion resistant
Long-term storage



Single Pack



52000 Red 52001 Silver grey
48 mm width 10 m length Single roll

52003 Black 52002 Red 30800 Silver grey
48 mm width 20 m length Single roll

52005 Black 52004 Red 30801 Silver grey
60 mm width 20 m length Single roll

Product Parameters and Performance

Product Number	Name	Specification	Color	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
52000	Duct Tape	48mm×10m×230μm	Red	Single Roll	1/-/48	40×20.5×30	≥22#	≥8N/cm	≥4h	≥40N/cm	10%~25%
52001	Duct Tape	48mm×10m×230μm	Silver Grey	Single Roll	1/-/48	40×20.5×30	≥22#	≥8N/cm	≥4h	≥40N/cm	10%~25%
30800	Duct Tape	48mm×20m×230μm	Silver Grey	Single Roll	1/-/48	45×23×30	≥22#	≥8N/cm	≥4h	≥40N/cm	10%~25%
52002	Duct Tape	48mm×20m×230μm	Red	Single Roll	1/-/48	45×23×30	≥22#	≥8N/cm	≥4h	≥40N/cm	10%~25%
52003	Duct Tape	48mm×20m×230μm	Black	Single Roll	1/-/48	45×23×30	≥22#	≥8N/cm	≥4h	≥40N/cm	10%~25%
30801	Duct Tape	60mm×20m×230μm	Silver Grey	Single Roll	1/-/48	45×23×37	≥22#	≥8N/cm	≥4h	≥40N/cm	10%~25%
52004	Duct Tape	60mm×20m×230μm	Red	Single Roll	1/-/48	45×23×37	≥22#	≥8N/cm	≥4h	≥40N/cm	10%~25%
52005	Duct Tape	60mm×20m×230μm	Black	Single Roll	1/-/48	45×23×37	≥22#	≥8N/cm	≥4h	≥40N/cm	10%~25%

DOUBLE SLDED DUCT TAPE

Deli double-sided duct tape is made of easy-to-tear gauze fiber as the substrate, coated with high viscosity synthetic rubber on both sides, and laminated with double-sided release paper, with stable double-sided adhesion, high viscosity and strong tensile strength.

STRUCTURE

- Adhesive layer →
- Gauze →
- Adhesive layer →
- Separation layer →



FEATURE

Stable double-sided adhesion
Strong viscosity, strong peel adhesion, high tensile strength

APPLICATION

Double-sided duct tape can be used as an alternative to binding fixation
Suitable for living room, office, venues and carpet bonding fixation




Weddings Exhibitions Decorations Carpet binding Carpet splicing Reinforcing Cushion fixation



**High-density woven
High tensile strength**

High toughness and longitudinal tensile strength
Thick material, does not break easily during pulling



**Strong bond
Long-lasting durability**

Stable double-sided adhesion
Adheres firmly to the bonded surface



**Highly fit
Does not shift easily**

Stable double-sided adhesion
Adheres firmly to the bonded surface
Fix a carpet so it does not shift



30802
Brown



15 mm width 20 m length Single Roll

30803
Brown



30 mm width 20 m length Single Roll

30804
Brown



40 mm width 20 m length Single Roll

Product Parameters and Performance

Product Number	Name	Specification	Color	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30802	Double-sided Duct Tape	15mm × 20m × 280 μm	Yellow	Single Roll	1/-/48	39.5 × 27.5 × 15.5	≥ 20#	≥ 17N/25mm	≥ 2h	≥ 60N/25mm	10%~25%
30803	Double-sided Duct Tape	30mm × 20m × 280 μm	Yellow	Single Roll	1/-/48	39.5 × 27.5 × 27.5	≥ 20#	≥ 17N/25mm	≥ 2h	≥ 60N/25mm	10%~25%
30804	Double-sided Duct Tape	45mm × 20m × 280 μm	Yellow	Single Roll	1/-/36	39.5 × 27.5 × 30.5	≥ 20#	≥ 17N/25mm	≥ 2h	≥ 60N/25mm	10%~25%

WARNING TAPE

Deli warning tape is a high adhesive tape made of PVC film as the base material, coated with rubber pressure sensitive adhesive, which serves a prohibiting, warning, reminding and highlighting role.

STRUCTURE

Pressure-sensitive adhesive
PVC



FEATURE

Long-lasting bond, bright and eye-catching colors, safe and easy to identify
Does not break easily, durable and tight bond, long-lasting abrasion resistance, water and moisture resistance
PVC material, feels thick

APPLICATION

Widely used in places for prohibition, warning, reminder and highlighting purposes
Decoration protection, positioning of goods, division of the warehouse, watch your step warning, machinery heavy warning, floor marking and more



Renovation protection Object positioning Warehouse division Watch your step sign Machinery safety sign Line marking Factory / Workshop Planning

Warning Tape

Uses PVC film as base material
Carefully selected material to ensure quality

With eye-catching color, suitable for decoration protection, positioning fixation, warning places



Water and moisture resistant surface, long-lasting bonds, abrasion and scratch resistant

Engineering waterproofing treatment
Excellent sealing qualities



Vibrant and eye-catching colors

Highly visible and serves as a warning role



PVC material Feels thick

Does not break easily
Durable and tight bond



Premium process No residue

Remove with no residual after a short time
Strong adhesion and no edge warping for long time use



Product Parameters and Performance

Product Number	Name	Specification	Color	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Tensile Strength	Elongation at Break
33770	Warning Tape	48mm×20y×130 μm	Black / Yellow	Single Roll	1/-/48	40.5×20.5×29.5	≥8#	≥3N/25mm	≥50N/25mm	150%~200%
33771	Warning Tape	48mm×33m×130 μm	Black / Yellow	Single Roll	1/-/48	45.7×23.1×19.7	≥8#	≥3N/25mm	≥50N/25mm	150%~200%
33772	Yellow Warning Tape	48mm×33m×130 μm	Yellow	Single Roll	1/-/48	45.7×23.1×19.7	≥8#	≥3N/25mm	≥50N/25mm	150%~200%

FOIL TAPE

Deli foil Tape is an adhesive tape that uses soft, high-strength pure foil as base material, coated with high-performance emulsion-type pressure-sensitive adhesives depending on the application.

STRUCTURE



FEATURE

Strong adhesion, water and corrosion resistant, aging resistant, fire-resistant surface, heat resistant
 High Bond, strong adhesion, smooth and waterproof surface, easy to clean, easy to tear horizontally, good longitudinal tensile strength

APPLICATION

Widely used in a variety of applications such as moisture and oil resistant in the kitchen, pipe winding and fixation



Winding pipes Sealing gaps Repairing tableware Sealing pipes Roof repair

FOIL TAPE

Strong adhesion, excellent toughness

Use of water-based acrylic adhesive
 Foil substrate

Convenient and easy to tear, ready to use

Easy to peel it off by hand if needed



Foil Material Smooth texture

Uses foil as base material
 Well-made
 Smooth texture, does not break easily



Professional adhesive Strong adhesion

Uses water-based acrylic adhesives
 Attached to release paper



Performance test

Adhesion test
 Uses water-based acrylic adhesives



Toughness test



Product Parameters and Performance

Product Number	Name	Specification	Color	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30500	Foil Tape	48mm×10m×60μm	Silver	Single Roll	1/-/48	38×28.8×19.7	>28#	>18N/25mm	>24h	>50N/25mm	3%~10%
30510	Foil Tape	48mm×10m×100μm	Black / Yellow	Single Roll	1/-/48	39.8×30×19.7	>28#	>18N/25mm	>24h	>80N/25mm	3%~10%
30520	Foil Tape	48mm×20m×100μm	Black / Yellow	Single Roll	1/-/36	32.7×22×29.5	>28#	>18N/25mm	>24h	>80N/25mm	3%~10%
30530	Foil Tape	60mm×10m×100μm	Yellow	Single Roll	1/-/48	39.8×30×24.5	>28#	>18N/25mm	>24h	>80N/25mm	3%~10%

OTHER TAPES

Deli Self-Adherent Finger Wrap

Deli self-adherent finger wrap is an adhesive tape that uses non-woven (polypropylene), PBT, polyester-cotton and more as base material with latex and non-latex (natural rubber) adhesive materials.

Home Protective Pad

Deli home protective pad is a protective pad made of EVA foam/felt as the base material, coated with water-based adhesive according to the usage, and using release paper as the separation layer.

Bumper Strip / Corner Protector

Deli bumper strip (corner) is an adhesive tape made of foam NBR as the base material with double-sided adhesives on the back according to the application.

Single-Sided Foam Tape


Deli single-sided foam tape is an adhesive tape made of EVA as the base material, coated with oil-based adhesive on one side according to the application, and using release paper as the separation layer.

Guzheng Tape

Deli guzheng tape is an adhesive tape made of cotton as the base material, coated with rubber adhesive according to the application.

STRUCTURE


Deli Self-Adherent Finger Wrap




Home Protective Pad




Bumper Strip /Corner Protector



Single-Sided Foam Tape



Guzheng Tape



FEATURE

Deli Self-Adherent Finger Wrap

Easy peel self-adhesive; Finger protection against abrasion and calluses; Skin-friendly, highly elastic and breathable, easy to use

Home Protective Pad

Strong adhesion; Good resilience and toughness; Protective anti-slip and more

Bumper Strip /Corner Protector

Soft and highly elastic with good impact resistance; Strong adhesion, good resilience and toughness.

Single-Sided Foam Tape

Masking protection; Portable and easy to store; Temperature resistance $\leq 80^{\circ}C$

Guzheng Tape

Moderately sticky adhesive; No edge warping; Cotton material, comfortable to use.

APPLICATION

Study Decorations Sports



Study

Tables, chairs, cabinets, appliances and other home and furniture products



Home products

Tables, chairs, cabinets, appliances and other home and furniture products



Home products

Home



Home

Study



Study





Anti-abrasive and anti-callus, easy to tear, self-adhesive and anti-slip
 Skin-friendly, highly elastic and breathable
 Anti-abrasion finger protection to enhance pen grip comfort

Self-Adherent Finger Wrap Non-woven fabric



Safe and secure, odor-free
 Safe material for ease of mind



Breathable and easy to tear, no scissors needed
 Tear by hand, easy and convenient



Six styles, cute and colorful
 Suitable for various DIY scenarios



Elastic self-adhesive, bonds tightly with one press
 Natural adhesive, clean and non-sticky




Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	180° Peel Adhesion	Tensile Strength	Elongation at Break
30600	Self-Adherent Finger Wrap	25mm×4m	Single Roll	1/36/432	49.5×45.5×36.5	≥0.2N/cm	≥10N/cm	≥180%
30601	Self-Adherent Finger Wrap	25mm×4m	3 Rolls	1/12/144	36.5×35.5×37	≥0.2N/cm	≥10N/cm	≥180%

Self-Adherent Finger Wrap Non-woven fabric

Suitable for bundling, storage of data cables, jump ropes and more



Yellow Brown Blue

All advantages in one



30602 25 mm width 3 rolls/pack

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	180° Peel Adhesion	Tensile Strength	Elongation at Break
30602	Self-Adherent Finger Wrap	25mm×4m	3 Rolls	1/12/144	36.5×35.5×37	≥0.2N/cm	≥10N/cm	≥180%

Cute style Vibrant color

Suitable for various DIY scenarios


Anti-abrasive and anti-callus, easy to tear, self-adhesive and anti-slip
 Skin-friendly, highly elastic and breathable
 Anti-abrasion finger protection to enhance pen grip comfort





Anti-abrasive and anti-callus, easy to tear, self-adhesive and anti-slip
Skin-friendly, highly elastic and breathable
Anti-abrasion finger protection to enhance pen grip comfort

Self-Adherent Finger Wrap
Non-woven fabric



30602
2 mm width
18 m length
Mixed pack



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	180° Peel Adhesion	Tensile Strength	Elongation at Break
30602	Self-Adherent Finger Wrap	25mm×4mm	2 Rolls	1/18/108	56.5×29×37	≥0.2N/cm	≥10N/cm	≥180%

EVA Home Protective Pad
Uses PET as base material

Suitable for tables, chairs, cabinets, appliances and other home and furniture products
To prevent objects from abrading floors and finishes, and reduce noise when moving them, etc.;



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Material/Color	Lasting Adhesion	Skid resistance
30480	EVA Home Protective Pad	φ28mm×4mm	18 Pieces	1/72/144	21.5×21.5×22	EVA/Black	≥1.5h	≥24°
30481	EVA Home Protective Pad	φ38mm×4mm	6 Pieces	1/72/144	26.5×18×22	EVA/Black	≥1.5h	≥24°
30482	EVA Home Protective Pad	40mm×40mm×4mm	8 Pieces	1/72/144	19.5×19.5×22	EVA/Black	≥1.5h	≥24°

Home Protection Felt Pad
Uses felt as base material

Suitable for tables, chairs, cabinets, appliances and other home and furniture products
To prevent objects from abrading floors and finishes, and reduce noise when moving them, etc.



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Material/Color	Lasting Adhesion	Skid resistance
30484	Home Protection Felt Pad	φ28mm×4mm	18 Pieces	1/72/144	43×27×22	Felt / Light brown	≥1.5h	≥16°
30485	Home Protection Felt Pad	φ38mm×4mm	8 Pieces	1/72/144	43×27×22	Felt / Light brown	≥1.5h	≥16°
30486	Home Protection Felt Pad	40mm×40mm×4mm	8 Pieces	1/72/144	43×27×22	Felt / Light brown	≥1.5h	≥16°

Bumper Strip Uses NPR foam as base material

Soft and highly elastic with good impact resistance;
Strong adhesion, good resilience and toughness.
Suitable for daily installation at the corners such as table edges, table corners, coffee tables, bed edges and other household items with corners.



Safe and secure odor-free

Safe material for ease of mind
High toughness, soft and high elasticity
Oil and water resistant, easy to clean



Creamy white

30550



Pink

30551



Grey


30552



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Lasting Adhesion (1 kg)	Tensile Strength	Elongation at Break
30550	Corner Protector	4m×3.2cm×1.2cm	Single Roll	1/-/32	79×33×60	≥20#	≥10N/25mm	≥8h	≥70N/25mm	≥80%
30551	Corner Protector	4m×3.2cm×1.2cm	Single Roll	1/-/32	79×33×60	≥20#	≥10N/25mm	≥8h	≥70N/25mm	≥80%
30552	Corner Protector	4m×3.2cm×1.2cm	Single Roll	1/-/32	79×33×60	≥20#	≥10N/25mm	≥8h	≥70N/25mm	≥80%

Corner Protector Uses NPR foam as base material



Characteristics:

Uses foam NBR as the base material, soft and highly elastic with good impact resistance;
Strong adhesion, good resilience and toughness



Creamy white



Pink



Grey



High toughness,
soft and high elasticity



Oil and water resistant,
easy to clean

Applications: suitable for installation at the corners such as table edges, table corners, coffee tables, bed edges and other household items with corners.

L Type Vitality Color Series

Suitable for various scenarios



30560



30561



30562



Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Initial Adhesion	Box Dimensions (cm)	Lasting Adhesion	180° Peel Adhesion	Tensile Strength	Elongation at Break
30560	Corner Protector	L type	10 Pieces	1/-/12	≥20#	34×32×25	≥8h	≥10N/25mm	≥10N/cm	≥70%
30561	Corner Protector	L type	10 Pieces	1/-/12	≥20#	34×32×25	≥8h	≥10N/25mm	≥10N/cm	≥70%
30562	Corner Protector	L type	10 Pieces	1/-/12	≥20#	34×32×26	≥8h	≥10N/25mm	≥10N/cm	≥70%

Single-Sided Foam Tape Uses EVA as base material

Coated with oil-based adhesive on one side depending on the application and adopts release paper as the separation layer.



Easy to peel, durable adhesion
Long-lasting durability, no edge warping
Good toughness, anti-vibration cushioning
Temperature resistance ≤ 80°C
Solvent resistant / No residue

Uses EVA as base material
Good tensile strength



30470 **12** mm width **Single Roll**



30471 **18** mm width **Single Roll**



30472 **12** mm width **Single Roll**

Product Parameters and Performance

Product Number	Name	Specification	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Tensile Strength	Elongation at Break
30470	Single-Sided Foam Tape	12mm×5y×3mm	Single Roll	1/24/144	57.5×35.5×34	≥24#	≥10N/25mm	≥70N/25mm	≥70%
30471	Single-Sided Foam Tape	18mm×5y×3mm	Single Roll	1/16/96	57.5×35.5×34	≥24#	≥10N/25mm	≥70N/25mm	≥70%
30472	Single-Sided Foam Tape	24mm×5y×3mm	Single Roll	1/12/72	57.5×35.5×34	≥24#	≥10N/25mm	≥70N/25mm	≥70%

Guzheng Tape Uses cotton as base material


Characteristics / Applications

Characteristics: moderately sticky adhesive, no edge warping, cotton material, comfortable to use
Applications: suitable for students' examinations, music professionals and other user groups



Comfortable and breathable

No adhesive residue, breathable and sweat-absorbent
No edge warping



30620 **1** cm width **5** m length **3** colors/box



30621 **1** cm width **10** m length **3** colors/box

Product Parameters and Performance

Product Number	Name	Specification	Substrate	Pack Type	Pack Quantity	Box Dimensions (cm)	Initial Adhesion	180° Peel Adhesion	Tensile Strength	Elongation at Break
30620	Chinese Zither Tape	1cm×5m	Cotton Fabric	3 Rolls	1/24/144	39×38×32	≥8#	≥4N/25mm	≥1.5h	≥60N/25mm
30621	Chinese Zither Tape	1cm×10m	Cotton Fabric	3 Rolls	1/24/144	49.5×47×32	≥8#	≥4N/25mm	≥1.5h	≥60N/25mm

CUSTOMIZED TYPE

Deli's R&D team adopts a strict assessment system and a high-level training mechanism
 Outstanding R&D team is the guarantee of product quality
 Deli always puts customers at the heart of its business, and is committed to deliver professional and effective customer service

Why Customize?

In-stock styles do not match demand
 Want to use the exclusive LOGO of your own brand
 Unclear and poor-quality printing in small batches
 Need adjustable product sizes

Deli production, professional customization, factory direct supply

High-end manufacturing, process innovation, technology leadership;
 professional design, diversified styles, multiple options
 Adequate sizes, quality assured, to provide first-class quality tapes and help you achieve a better future




Deli tapes, your bonding partner


CUSTOMIZED TYPE

Customized Category

Width can be customized



Length can be customized (30y-200y)



Customized Print

Print on tape core



Print on tape




Customization Process



For details, please reach out to your local business manager.
 Deli Group / Ningbo Deli Adhesive Products Co., Ltd.

GLOBAL MARKETING NETWORK



★ **MANUFACTURING CENTERS**

China
Vietnam

BRAND REGIONS

Asia-Pacific 1
Asia-Pacific 2
Asia-Pacific 3
CIS&CEE
Middle East
Africa
South Asia
South America

● **INNOVATION CENTERS**

Shanghai
Hamburg
Wuhan
Seoul

● **DELI BRANCHES**

Vietnam
Laos, Cambodia
Myanmar
Thailand
Malaysia, Singapore
Philippine
Indonesia
South Korea
Tokyo
Russia
CIS
Europe
Middle East 1
Middle East 2
North Africa
South Asia
India
Africa
America
South America

■ **Ningbo Deli Adhesive Products Co., Ltd.'s Service for Tape Products**

Top 1 Office and School Brand in China
30% annual growth in average for 30+ years
Largest general stationery manufactures in Asia
12000+ SKU in 22 categories for global markets
Brand present in 6 continents, more than 130 countries

