

deli

YOUR POWERFUL MATE

PRODUCTS
CATALOGUE



Ningbo Deli Tools Co., Ltd.
www.delitoolsglobal.com



FaceBook



LinkedIn



Youtube



Instagram



Tik Tok

YOUR POWERFUL MATE

2024



COMPANY PROFILE



3,000+

English packaging
Wide range of products

NO MOQ

One carton minimum per SKU

7days

Down to 7 days' lead time

500+

New products launched per year

Since 1981, Deli Group has been committed to creating one-stop supply solutions and providing cost-effective tools to customers globally.

Deli Group officially entered the tool industry in 2016, after that Deli Tools joins hands with Germany's top design team and is committed to rebuilding the brand, the rich and complete product lines fully meets consumers' one-stop purchasing.

DEFINITION

Global creative technology
industry group

MISSION

To develop products and services that
meet the needs, exceeding the expect-
ation of customers across the globe

VISION

Become a trustworthy and
respected enterprise

★ MANUFACTURING
CENTERS

Ningbo
Suzhou
Hangzhou
Vietnam
Bangladesh

● DELI BRANCHES

Vietnam
Thailand
Cambodia
Indonesia
Malaysia
Philippines
Bangladesh
India
Pakistan
Russia
Kazakhstan
Poland
Dubai
Egypt
Morocco
Nigeria
Kenya
Zambia
Angola
South Africa
Mexico
Argentina
Colombia
Japan
South Korea
United States

● INNOVATION
CENTERS

Hamburg
South Korea
Los Angeles
Shanghai
Ningbo
Wuhan
Shenzhen

GLOBAL PRESENCE

TOP 1

Hand Tools Brand

85+

Countries Presence



CONTENTS

RED SERIES



PROFESSIONAL POWER TOOLS

- Lithium-ion Cordless Drill — 15-20
- Lithium-ion Impact Drill — 21-23
- Lithium-ion Impact Driver — 24
- Lithium-ion Impact Wrench — 25
- Lithium-ion Rotary Hammer — 26
- Lithium-ion Angle Grinder — 27-28
- Lithium-ion circular Saw — 29
- Other power tools — 31-34
- Lithium-ion Power Tools Set — 35-37
- Battery&Charger — 38-41
- Electric Drill — 42
- Angle Grinder — 43-49
- Rotary Hammer — 50
- Demolition Breaker — 50-51
- Cutting Power Tools — 51-54

ACCESSORY

- HSS Twist Drill Bit — 57-58

AUTO MAINTENANCE AND REPAIR TOOLS

- Sockets & Accessories — 59-74
- Socket & tool set — 61-64
- Ratchet — 65
- Torque Wrench — 75
- Universal Wrenches — 75
- Tool Cart — 76

HAND TOOLS

- Pliers — 78
- Riveter — 78
- Screwdriver — 79
- Utility Knife — 79-80
- Utility Knife Blade — 80
- Hack Saw — 80
- G Clamp — 80

MEASURING TOOLS

- Tape Measure — 82
- Spirit Level — 83
- Nondestructive Testing Instruments — 83
- Power testing instrument — 83-84
- Hot melt tools — 84
- Wire Stripper — 84-85

YELLOW SERIES



SEMI-PRO POWER TOOLS

- Lithium-ion Cordless Drill — 89-93
- Lithium-ion Impact Drill — 94-95
- Lithium-ion Impact Wrench — 96-97
- Rotary Hammer — 98
- Lithium-ion Angle Grinder — 99-100
- Lithium-ion cutting tools — 101-102
- Other Lithium-ion Power Tools — 102-105
- Lithium-ion Power Tools Set — 106-108
- Battery&Charger — 109-112
- Electric Drill — 113-116
- Impact Drill — 117-120
- Mixer — 121-122
- Angle Grinder — 123-130
- Polisher — 131-132
- Rotary Hammer — 133-137
- Demolition breaker — 137-138
- Cutting power tools — 138-142
- Other Power Tools — 143-152

ACCESSORY

- Bits — 156-158
- Drill Bit — 159-168
- Tap Teeth — 168
- Hole Saw — 169-172
- Abrasive Metal Cutting Disc — 173-175
- Abrasive Metal Grinding Disc — 175
- Flap Disc — 176-177
- Diamond Disc — 177-180
- Saw Blade — 180-182
- Sandpaper — 182-186

ELECTROMECHANICAL EQUIPMENT

- Welding Machine Accessory — 188
- Generator — 188-190
- Welding Machine — 190-192
- Oil-free Air Compressor — 192-194
- Pneumatic Tool — 195-199
- Water Pumps — 200-206

AUTOMOTIVE SUPPLIES

- Air Pump — 208-210
- Vacuum Cleaner — 210-212
- Pressure Washer — 212-213
- Other Car Supplies — 213-214

AUTO MAINTENANCE AND REPAIR TOOLS

- Parts Organizer — 216
- Tool Box — 216-219
- Tool Bag — 219-222
- Flat Cart — 222
- Tool Cart — 222-223
- Trolley — 223
- Maintenance Tool kit — 223-226
- Sockets — 226-227
- Adjustable Wrench — 228-229
- Universal Wrenches — 230-234
- Ratcheting Wrench — 235-236
- Torque Wrench — 236-237
- Auto Maintenance Wrench — 236-239
- Hydraulic Puller — 240-241
- Jack — 241-242
- Other Automotive Repair Tools — 243-245
- Insulation Tools — 245-248

CONTENTS

HAND TOOLS

Pliers	250-257
Locking Plier	257-259
Pipe Wrench	259-260
Slip Joint Plier	260-261
Other Pliers	261-262
Screwdriver	263-268
Precision Screwdriver	269-270
Hex Key	271-272
Staple Gun	272-275
Riveter	275-276
Hammer	277-279
Utility Knife	280-284
Utility Knife Blade	284-285
Other Knife	285
Pipe Cutter	285-286
Bolt Cutter	286
Cable Cutter	286-287
Chisel	286-287
Putty knife	287-289
Scraper	289
Hack Saw	290
Scissor	291
Aviation Snip/Tin Snip	291-292
Home Improvement Tools	292

MEASURING TOOLS

Tape Measure	294-299
Spirit Level	299-301
Measuring Implement	301-302
Precision Surveying And Mapping	302-304
Nondestructive Testing Instruments	304-306

ELECTRICAL TOOLS

Power Testing Instrument	308-310
Hot melt tools	310-312
Electrician tools	314-316
Other Electrician tools	316-317

HOME DECORATION AND LANDSCAPING

Padlock	320-323
Carpenter Tools	324-328
Painting Tools	328-332
Home Improvement Tools	332-333
Labor Protection Suppliers	333-339
Outdoor Equipment	339-341

HOME SERIES



Lithium-ion Angle grinder	345
Lithium-ion Cordless Screwdriver	345-346
Other Power Tools	346-349
Pliers	349
Screwdriver	349-350
Precision Screwdriver	350-351
Hammer	352
Utility Knife	352-353
Tape Measure	354-355
Hot melt tools	355
Tool Set	355-358

GARDEN SERIES



Lithium-ion Chain Saw	361
Lithium-ion Grass Trimmer	361
Lithium-ion Grass Shear	361
Lithium-ion Blower	362
Lithium-ion Lawn Mower	362
Electric Chain Saw	362
Gasoline Chain Saw	362-363
Gasoline Grass Trimmer	363-364
Pruning shear	375-377
Hedge Shears	378-379
Lopper	379-380
Compass Saw	380-381
Folding Saw	381
Other Gardening Tools	381-383
Sprayer	383-384
Cordless Sprayer	385
Hose Reel	385-388
Spray Gun	388-389



RED SERIES TOOLS

POWER TOOLS
HAND TOOLS



ULTRA MOTOR

New design and development ULTRA MOTOR


More suitable for long time continuous operation needs

ANSYS simulation analysis, more accurate

Low iron loss, high efficiency, more suitable for long time continuous use of the work requirements

Powerful and fast working

20% more power and 30% more torque in the same volume




Low iron loss Long life



Low iron loss, low heat generation, not easy to demagnetize, the same working conditions, motor life increased by 2 times

Low energy consumption Long life span

high motor efficiency, 15% increase in single pack life span



2nd SMD punching sheet
20% higher flux rate



SH grade high temperature resistant magnetic tile


Stable and non-demagnetizing, life +100%



High density motor winding process

More copper wires, +20% power

Lightweight and compact



20% volume reduction for the same power
Cross-sectional area: -30%
Height: -10%

Compact Design




INNOLINK

Smart Energy Management System

Multi-machine sharing

1000 Times Harsh Test, Worry-free Warranty


Endurance increases by 12%



Innovative Intelligent Electronic Control System

Independent Research And Continuous Innovation

64 million Hz main frequency, 24 channels, 32-bit algorithm
Integrate 15 intelligent security algorithms for greater efficiency and security



Intelligent Recognition And Precise Control



Quick Response Safe And Reliable

Apply self-developed electronic control solutions to products through algorithm modeling and code compilation



INNOLINK

Battery Sharing Platform

20V 
INNOLINK



Electric Drill



Ref. No.	Specification								Max drilling capacity	
	Rated voltage	Battery	No-load speed	Chuck capacity	Torque setting	Max torque	Pack qty	Packing type	Wood	Steel
EDE-DZ16-1D2	16V	2.0Ah*2	0-450/0-1800rpm	10mm	20+1	45N.m	1/-/8	Color box	25mm	10mm
EDE-DZ20-1	20V	/	0-450/0-1800rpm	10mm	20+1	50N.m	1/-/20	Color box	25mm	10mm
EDE-DZ20-1D2	20V	2.0Ah*2	0-450/0-1800rpm	10mm	20+1	50N.m	1/-/6	Color box	25mm	10mm
EDE-DZ20-2	20V	/	0-500/0-2100rpm	13mm	20+1	70N.m	1/-/20	Color box	35mm	13mm
EDE-DZ20-2D2	20V	2.0Ah*2	0-500/0-2100rpm	13mm	20+1	70N.m	1/-/6	Color box	35mm	13mm

EDE-DZ16-1



EDE-DZ16-1D2

ELECTRIC DRILL



Specification

- Rated Voltage
- No-load Speed
- Max torque
- Torque Settings
- Chuck Capacity

Max drilling Capacity

- Wood
- Steel
- Concrete

Accessory List

Model Note

Sales Point

Lithium-ion Cordless Drill
EDE-DZ16-1 ^{TOP}500



16V	10mm	45Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Brushless Motor

16V
0-450/0-1800rpm
45N.m
20+1
Φ10mm

25mm
10mm
8mm

> 1pcs Cr-V 65mm bit

EDE-DZ16-1D2:2*2Ah Battery 1*Charger

Lithium-ion Cordless Drill
EDE-DZ20-1 ^{HOT}



20V	10mm	50Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Brushless Motor

20V
0-450/0-1800rpm
50N.m
20+1
Φ10mm

25mm
10mm
8mm

> 1pcs Cr-V 65mm bit

EDE-DZ20-1:Bare tool
EDE-DZ20-1D2:2*2Ah Battery 1*Charger

Lithium-ion Cordless Drill
EDE-DZ20-2 ^{HOT}



20V	13mm	70Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Brushless Motor

20V
0-500/0-2100rpm
70N.m
20+1
Φ13mm

35mm
13mm
10mm

> 1pcs Cr-V 65mm bit

EDE-DZ20-2:Bare tool
EDE-DZ20-2D2:2*2Ah Battery 1*Charger


- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Precision Torque Control : Features a 20+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- High-Quality Chuck : Includes a Φ10mm(EDE-DZ16-1;EDE-DZ20-1) or Φ13mm(EDE-DZ20-2)metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS



EDE-DZ20-2
EDE-DZ20-2D2


20V 70N.m

LITHIUM-ION
CORDLESS DRILL

EDE-DZ20-2

Multi-gear Torque Adjustment

Dual Speed Adjustment



Powerful Motor
Precisely Transmission System



Variable Speed Drive

Comfortable Grip

Compact Size

Longer Runtime



PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS



Lithium-Ion Impact Drill
EDE-CZ16-1 

Lithium-ion Impact Drill
EDE-CZ20-2 



16V
RATED
VOLTAGE

10mm
CHUCK
CAPACITY

45Nm
MAX
TORQUE

20V
RATED
VOLTAGE

10mm
CHUCK
CAPACITY

50Nm
MAX
TORQUE

Specification

- Rated Voltage
- No-load Speed
- Impact Frequency
- Max torque
- Torque Settings
- Chuck Capacity

Max drilling Capacity

- Wood
- Steel
- Concrete

Accessory List

Model Note

Sales Point

Brushless Motor

16V
0-450/0-1800rpm
0-7650/30600ipm
45N.m
20+1+1
Φ10mm

25mm
10mm
8mm

> With 1pcs Cr-V 65mm bit

EDE-CZ16-1:Bare tool
EDE-CZ16-1A2:1*2Ah Battery 1*Charger
EDE-CZ16-1D2:2*2Ah Battery 1*Charger

Brushless Motor

20V
0-450/0-1800rpm
0-7650/30600ipm
50N.m
20+1+1
Φ10mm

25mm
10mm
8mm

> 1pcs Cr-V 65mm bit

EDE-CZ20-2:Bare tool
EDE-CZ20-2D2:2*2Ah Battery 1*Charger
EDE-CZ20-2A4:1*4Ah Battery 1*Charger

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications.
- High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.

Ref. No.	Specification									Max drilling capacity		
	Rated voltage	Battery	No-load speed	Impact frequency	Chuck capacity	Torque setting	Max torque	Pack qty	Packing type	Wood	Steel	Brick wall
EDE-CZ16-1	16V	/	0-450/0-1800rpm	0-7650/30600ipm	10mm	20+1+1	45N.m	1/-/20	Injection box	25mm	10mm	8mm
EDE-CZ16-1A2	16V	2.0Ah*1	0-450/0-1800rpm	0-7650/30600ipm	10mm	20+1+1	45N.m	1/-/4	Injection box	25mm	10mm	8mm
EDE-CZ16-1D2	16V	2.0Ah*2	0-450/0-1800rpm	0-7650/30600ipm	10mm	20+1+1	45N.m	1/-/8	Color box	25mm	10mm	8mm
EDE-CZ20-2	20V	/	0-450/1800rpm	0-7650/30600ipm	10mm	20+1+1	50N.m	1/-/20	Color box	25mm	10mm	8mm
EDE-CZ20-2A4	20V	4.0Ah*1	0-450/1800rpm	0-7650/30600ipm	10mm	20+1+1	50N.m	1/-/4	Injection box	25mm	10mm	8mm
EDE-CZ20-2D2	20V	2.0Ah*2	0-450/1800rpm	0-7650/30600ipm	10mm	20+1+1	50N.m	1/-/6	Color box	25mm	10mm	8mm
EDE-CZ20-1	20V	/	0-500/0-2100rpm	0-8000/33600ipm	13mm	20+1+1	70N.m	1/-/18	Color box	35mm	13mm	10mm
EDE-CZ20-1D2	20V	2.0Ah*2	0-500/0-2100rpm	0-8000/33600ipm	13mm	20+1+1	70N.m	1/-/6	Color box	35mm	13mm	10mm
EDE-CZ20-1A4	20V	4.0Ah*1	0-500/0-2100rpm	0-8000/33600ipm	13mm	20+1+1	70N.m	1/-/4	Color box	25mm	10mm	8mm

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Impact Drill

Lithium-ion Impact Drill
EDE-CZ20-1



20V	13mm	70Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Specification

Brushless Motor	
Rated Voltage	20V
No-load Speed	0-500/0-2100rpm
Impact Frequency	0-8000/33600ipm
Max torque	70N.m
Torque Settings	20+1+1
Chuck Capacity	Φ13mm

Max drilling Capacity

Wood	35mm
Steel	13mm
Concrete	10mm

Accessory List

> Cr-V 65mm Bit*1

Model Note

EDE-CZ20-1:Bare tool
EDE-CZ20-ID2:2*2Ah Battery 1*Charger

Sales Point

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications.
- High-Quality Chuck : Includes a Φ13mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.
- 20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.

Lithium-ion Impact Driver
EDE-QZ20-1



20V	200Nm
RATED VOLTAGE	MAX TORQUE

Specification

Brushless Motor	
Rated Voltage	20V
No-load Speed	0-3600/3100/2100/1100rpm
Impact Frequency	0-3600/3400/2400/1400ipm
Max torque	200N.m
Chuck Capacity	6.35mm (1/4") Hex
Torque Setting	4

Accessory List

> 1pcs Cr-V 65mm bit

Model Note

EDE-QZ20-1:Bare tool
EDE-QZ20-ID2:2*2Ah Battery 1*Charger
EDE-QZ20-1A4:1*4Ah Battery 1*Charger

Sales Point

- Brushless Motor: Utilizes advanced brushless motor technology for higher efficiency and extended lifespan. Eliminates the need for carbon brush replacement, reduces maintenance costs, and maximizes battery energy utilization.
- Compact and Powerful: Measuring 116mm in length, it's lightweight and easy to handle, delivering over 200 Nm of torque at 3600 rpm. The high-speed motor ensures smooth screw insertion.
- Smart Security: 4+4 intelligent safety modes ensure simple and efficient operation.
- Low Energy Consumption & High Conversion Efficiency: 15C battery cells + HDC thermal management system extend battery life by 15%.
- 20V Platform: Part of the Deli shared battery platform, allowing interchangeable battery use with other 20V Deli tools.

Impact Wrench

Lithium-ion Impact Wrench
EDE-BS20-1



20V
RATED VOLTAGE

350Nm
MAX TORQUE

Specification	Brushless Motor
Rated Voltage	20V
No-load Speed	0-2300/2800rpm
Impact Frequency	0-3200/3600ipm
Max torque	350N.m
Chuck diameter	12.7mm

Accessory List	> 3pcs Sockets(17 19 21mm)
----------------	----------------------------

Model Note	EDE-BS20-1:Bare tool EDE-BS20-1D2:2*2Ah Battery 1*Charger
------------	--

Sales Point	
-------------	--

- Brushless Motor: Utilizes advanced brushless motor technology for higher efficiency and extended lifespan. Eliminates the need for carbon brush replacement, reduces maintenance costs, and maximizes battery energy utilization.
- Precision-Calibrated Impact System: Features durable, finely calibrated impact overlap and multi-stage torque adjustment to meet diverse operational demands.
- Ergonomic Design: Rubberized anti-slip grip enhances stability, effectively resisting slippage and vibration.
- Safe & Convenient: Features three modes: lock-on, forward, and reverse. Locks during idle and switches directions during operation. Built-in high-brightness LED light illuminates work areas clearly even in dark environments.
- Extended Run Time: Low energy consumption and high conversion efficiency. 15C battery cells + HDC thermal management system boost runtime by 15%.
- 20V Platform: Part of the Deli shared battery platform, allowing interchangeable battery use with other 20V Deli tools.

Lithium-ion Impact Wrench
EDE231



20V
RATED VOLTAGE

500Nm
MAX TORQUE

Specification	Brushless Motor
Rated Voltage	20V
No-load Speed	0-2400/2900rpm
Impact Frequency	0-3200/3700ipm
Max torque	500N.m
Chuck diameter	12.7mm

Accessory List	> 3pcs Sockets(17 19 21mm)
----------------	----------------------------

Model Note	EDE231Z:Bare tool EDE231:2*4Ah Battery 1*Charger
------------	---

Rotary Hammer

Lithium-ion Rotary Hammer
EDE-DC20-2



20V
RATED VOLTAGE

22mm
DRILLING CAPACITY

Specification	Brushless Motor
Rated Voltage	20V
No-load Speed	0-1350rpm
Impact Frequency	0-4750bpm
Impact energy	2J

Drilling capacity	
Masonry	22mm
Steel	13mm
Wood	28mm

Model Note	EDE-DC20-2:Bare tool EDE-DC20-2D4:2*4Ah Battery 1*Charger
------------	--

Sales Point	- High-efficiency motor, combined with an optimized hammering system features a large eccentric design, delivering greater impact force and drilling efficiency than comparable models. - Reliable leak-proof design, better sealing performance, no oil leakage, better dust-proof movement, and longer service life. - The newly optimized clutch structure and the high-wear-resistant alloy steel disengagement tooth design automatically stop when the steel bar is reached, making it safer to use. - The full-hand grip switch, with a scientific shock absorption design, can filter out more vibrations and provide a comfortable user experience.
-------------	--

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Angle
Grinder

Lithium-ion Angle Grinder
EDE-JM20-1 



20V

RATED VOLTAGE

100mm

DISC DIAMETER

Specification

Brushless Motor
20V
3500/6000/10000rpm
100mm
M10

Accessory List

- > 1pcs auxiliary handle
- > Disc not included

Model Note

EDE-JM20-1:Bare tool
EDE-JM20-1D4:2*4Ah Battery 1*Charger

Sales Point

- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- High-Efficiency Operation (High-Speed Performance): Maximum speed reaches 10,000 rpm for more powerful cutting.
- Power-off protection: Prevents accidental tool activation during battery changes.
- Soft-start technology: Reduces starting torque for smoother cuts.
- Overload protection: Minimizes motor overload or overheating risks.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- 20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.

Lithium-ion Angle Grinder
EDE-JM20-3 



20V

RATED VOLTAGE

115mm

DISC DIAMETER

Brushless Motor

20V
3500/6000/10000rpm
115mm
M14

- > 1pcs auxiliary handle
- > Disc not included

EDE-JM20-3:Bare tool
EDE-JM20-3D4:2*4Ah Battery 1*Charger

Lithium-ion Angle Grinder
EDE-JM20-2 



20V

RATED VOLTAGE

125mm

DISC DIAMETER

Specification

Brushless Motor
20V
3500/6000/10000rpm
125mm
M14

Accessory List

- > 1pcs auxiliary handle
- > Disc not included

Model Note

EDE-JM20-2:Bare tool
EDE-JM20-2D4:2*4Ah Battery 1*Charger

Sales Point

- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- High-Efficiency Operation (High-Speed Performance): Maximum speed reaches 10,000 rpm for more powerful cutting.
- Power-off protection: Prevents accidental tool activation during battery changes.
- Soft-start technology: Reduces starting torque for smoother cuts.
- Overload protection: Minimizes motor overload or overheating risks.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- 20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.

Lithium-ion circular Saw
EDE-YJ20-1

20V

RATED VOLTAGE

150mm

DISC DIAMETER

TOP
500

- Brushless Motor: Utilizes advanced brushless motor technology for higher efficiency and extended lifespan. Eliminates the need for carbon brush replacement, reduces maintenance costs, and maximizes battery energy utilization.
- Professional Cutting Capability: Single-pass cutting through a single piece of wood with an impressive 56mm cutting depth. Effortlessly handles diverse wood types.
- Bevel Cutting Function: Adjustable knob allows blade tilt up to 45°, enabling precise bevel cuts.
- Ergonomic Design: Lightweight body with comfortable grip for reduced fatigue during extended use.
- Depth Adjustment Lever: Quickly and easily adjust cutting depth to meet any task requirement.
- Dust Port: Built-in dust port keeps work areas clean while precisely following the cutting line.
- 20V Platform: Part of the Deli shared battery platform, allowing interchangeable battery use with other 20V Deli tools.



Specification

	Brushless Motor
Rated voltage	20V
No-load speed	6900rpm
Disc Diameter	150mm
Max cutting capacity:	
90°	56mm
45°	40mm
Bevel cutting range	0-45°

Accessory List

> 1 pcs 150mm TCT blade

Model Note

EDE-YJ20-1: Bare tool
EDE-YJ20-ID4: 2*4Ah Battery 1*Charger

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS



Strong airflow for quick cleaning

Long-lasting battery no cords needed

Maximum air volume 2.8m³/min

3 speed air volume regulation

EDE820Z
LITHIUM-ION
JOBSITE BLOWER
Batteries sold separately

Lithium-ion Jobsite Blower
EDE820

20V
RATED
VOLTAGE

- Powerful brushless motor, with extremely powerful and concentrated storm-level wind force, it significantly shortens cleaning time, doubles efficiency, and easily deals with stubborn debris.
- The Deli 20V battery pack platform features a large-capacity battery, eliminating the anxiety of battery life and enabling more courtyard work to be accomplished.

Specification

	Brushless Motor
Rated Voltage	20V
Air flow	1、 1.6m³/min
	2、 2.2m³/min
	3、 2.8m³/min

Accessory List

> 1 pcs dust suction pipe

Model Note

EDE820Z:Bare tool



Lithium-ion Led Work Light
EDE830

20V
RATED
VOLTAGE

- It supports both mains power supply and built-in battery power supply, with seamless switching to break scene limitations and provide all-weather indoor and outdoor lighting;
- The top is designed with a suspended hook, freeing up your hands and illuminating any needed area;
- The lamp head can be rotated 360° for adjustment, ensuring no blind spots in lighting and greatly enhancing the convenience of work.

Specification

Rated Voltage	20V
Color Temperature	6500K
Brightness	
High	3000LM
Medium	2000LM
Low	1200LM

Accessory List


> 1 pcs Power adapter

Model Note


EDE830Z:Bare tool



20V LITHIUM-ION
CORDLESS BRAD NAILER
EDE750



EDE750



Nailing depth adjustment knob
Adjustable nailing depth to suit various density wood boards

Single/continuous
nailing modes

Easily switch between
single and continuous
modes to meet various
usage conditions



Compression cylinder patented dual
cylinder compression technology
for efficiency and durability

Switch wrench withstood over 100,000 life
tests, ensuring safety and reliability

High-efficiency brushless motor
Brushless motor technology
ensures an unlimited lifespan

High efficiency brushless motor

Effectively resolves the problem of motor burnout and thereby prolongs the service life
Strong power providing more efficient nailing

Double cylinder compression technology Long life, efficient and durable

More than 50,000+ lifetime tests
Good nailing effect , no damage to the surface
Maintenance-Free,does not require regular inflation
Safety and Convenience, nails get stuck easily

LED light

It can provide illumination in dim working environments

Lithium-ion Cordless Brad Nailer EDE750

20V	30mm
RATED VOLTAGE	NAIL SPECIFICATIONS

TOP
500

- High efficiency brushless motor:Solve the problem of burning out the machine and extend the life , improving work efficiency;
- Compression cylinder:Patented dual cylinder compression technology, efficient and durable , providing continuous power;
- Precision electronic control technology:Rapid response, safe and reliable,ensure the professionalism of construction quality;
- Quick release magazine:One-touch start for loading and unloading of nails, enabling quick assembly and disassembly , improving work efficiency
- Remaining nail detection observation port: Through the observation port, the remaining nail status can be easily observed , the workflow is more smooth and controllable, reducing unnecessary waiting



Specification		Brushless Motor	
Rated Voltage		20V	
Nailing speed		Average 80 pcs/min	
Maximum number of nails in the nail box:		100 pcs	
Nail specifications		F30 (30mm 18GA straight nail)	
Model Note		EDE750Z:Bare tool	

20V 2-Tool Combo Kit
EDE902



With 1pcs lithium-ion brushless cordless drill (EDE-CZ20-2)
With 1pcs lithium-ion impact driver(EDE-QZ20-1)

Accessory List

- > With 2 pcs bits
- > With 2 pcs belt clips

Model Note

EDE902:2*2Ah Battery 1*Charger



Specification

EDE-CZ20-2	Brushless Motor
Rated Voltage	20V
No-load Speed	0-450/0-1800rpm
Impact Frequency	0-7650/30600ipm
Max torque	50N.m
Torque Settings	20+1+1
Chuck Capacity	Φ10mm
Max drilling Capacity	
Wood	25mm
Steel	10mm
Concrete	8mm
EDE-QZ20-1	Brushless Motor
Rated Voltage	20V
No-load Speed	0-3600/3100/2100/1100rpm
Impact Frequency	0-3600/3400/2400/1400ipm
Max torque	200N.m
Chuck Capacity	6.35mm (1/4") Hex
Torque Setting	4

- Deli Innolink 20V Battery Platform: The battery's lifespan is twice that of the market (average)
- Ultra Brushless Motor: 20% higher efficiency than similar products on the market.

EDE-CZ20-2

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications
- High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.

EDE-QZ20-1

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Brushless Motor : Equipped with an advanced Brushless Motor. Utilizes advanced brushless motor technology for higher efficiency and extended lifespan. Eliminates the need for carbon brush replacement, reduces maintenance costs, and maximizes battery energy utilization.
- Compact and Powerful: Measuring 116mm in length, it's lightweight and easy to handle, delivering over 200 Nm of torque at 3600 rpm. The high-speed motor ensures smooth screw insertion.
- Smart Security: 4+4 intelligent safety modes ensure simple and efficient operation.
- Low Energy Consumption & High Conversion Efficiency: 15C battery cells + HDC thermal management system extend battery life by 15%.

20V 2-Tool Combo Kit
EDE903



cordless drill (EDE-CZ20-2)
With 1pcs lithium-ion impact wrench(EDE-BS20-1)

Accessory List

- > With 1 pcs bits
- > With 2 pcs belt clips
- > With 3 pcs sockets(17 19 21mm)

Model Note

EDE903:2*2Ah Battery 1*Charger



Specification

EDE-CZ20-2	Brushless Motor
Rated Voltage	20V
No-load Speed	0-450/0-1800rpm
Impact Frequency	0-7650/30600ipm
Max torque	50N.m
Torque Settings	20+1+1
Chuck Capacity	Φ10mm
Max drilling Capacity	
Wood	25mm
Steel	10mm
Concrete	8mm
EDE-BS20-1	Brushless Motor
Rated Voltage	20V
No-load Speed	0-2300/2800rpm
Impact Frequency	0-3200/3600ipm
Max torque	350N.m
Chuck diameter	12.7mm

- Deli Innolink 20V Battery Platform: The battery's lifespan is twice that of the market (average)
- Ultra Brushless Motor: 20% higher efficiency than similar products on the market.

EDE-CZ20-2

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications.
- High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip,minimizing slippage and enabling quick-release bit replacement.

EDE-BS20-1

- Precision-Calibrated Impact System: Features durable, finely calibrated impact overlap and multi-stage torque adjustment to meet diverse operational demands.
- Ergonomic Design: Rubberized anti-slip grip enhances stability, effectively resisting slippage and vibration.
- Safe & Convenient: Features three modes: lock-on, forward, and reverse. Locks during idle and switches directions during operation. Built-in high-brightness LED light illuminates work areas clearly even in dark environments.
- Extended Run Time: Low energy consumption and high conversion efficiency. 15C battery cells + HDC thermal management system boost runtime by 15%.

20V 2-Tool Combo Kit
EDE904



With 1pcs lithium-ion brushless cordless drill (EDE-CZ20-2)
With 1pcs lithium-ion angle grinder(EDE-JM20-1)

Accessory List

- > With 1 pcs bits
- > With 1 pcs belt clips
- > With 1 pcs auxiliary handle and protector

Model Note

EDE904:1*2Ah Battery 1*4Ah Battery
1*Charger



Specification

EDE-CZ20-2	Brushless Motor
Rated Voltage	20V
No-load Speed	0-450/0-1800rpm
Impact Frequency	0-7650/30600ipm
Max torque	50N.m
Torque Settings	20+1+1
Chuck Capacity	Φ10mm
Max drilling Capacity	
Wood	25mm
Steel	10mm
Concrete	8mm
EDE-JM20-1	Brushless Motor
Rated Voltage	20V
No-load Speed	3500/6000/10000rpm
Disc Diameter	100mm
Spindle thread	M10

- Deli Innolink 20V Battery Platform: The battery's lifespan is twice that of the market (average)
 - Ultra Bursless Motor: 20% higher efficiency than similar products on the market.
- EDE-CZ20-2
- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
 - Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
 - Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications.
 - High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.
- EDE-JM20-1
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
 - High-Efficiency Operation (High-Speed Performance): Maximum speed reaches 10,000 rpm for more powerful cutting.
 - Power-off protection: Prevents accidental tool activation during battery changes.
 - Soft-start technology: Reduces starting torque for smoother cuts.
 - Overload protection: Minimizes motor overload or overheating risks.
 - Helical bevel gears: Deliver smooth power transmission for grinding applications.
 - Dual-position side auxiliary handle: Offers comfortable control.

Battery

Lithium-ion battery
EDE-DC16A2



16V	2.0Ah
VOLTAGE	LITHIUM-ION BATTERY

Specification

Voltage	16V
Lithium-Ion battery	2.0Ah
Packed	by color box
Pack qty	1:PCS 30:CAR

Sales Point

- One battery can support multiple devices of a team to operate in rotation, greatly reducing the initial investment cost;
- High-rate battery cells can support continuous high-power output, ensuring that the product operates at peak power;
- Multiple protection mechanisms effectively prevent battery damage due to unexpected situations, ensure operational safety, and extend the core battery life.

Lithium-ion battery
EDE-DC20A2



20V	2.0Ah
VOLTAGE	LITHIUM-ION BATTERY

20V	2.0Ah
VOLTAGE	LITHIUM-ION BATTERY

Lithium-ion battery
EDE-DC20A4

Battery



20V

VOLTAGE

4.0Ah

LITHIUM-ION BATTERY

Specification

Voltage	20V
Lithium-Ion battery	4.0Ah
Packed	by color box
Pack qty	1:PCS 20:CAR

Sales Point

- One battery can support multiple devices of a team to operate in rotation, greatly reducing the initial investment cost;
- High-rate battery cells can support continuous high-power output, ensuring that the product operates at peak power;
- Multiple protection mechanisms effectively prevent battery damage due to unexpected situations, ensure operational safety, and extend the core battery life.

Charger

Charger
EDE-CD20A2E



20V

OUTPUT VOLTAGE

2A

CHARGE CURRENT

Specification

Input Voltage	100-240V~50/60Hz
Input Power	45W
Output Voltage	20V
Charge Current	2A
Packed	by color box
Pack qty	1:PCS 20:CAR

Sales Point

- The dual-port fast charger is suitable for all Deli 20V lithium batteries, ensuring worry-free battery charging, convenience and economy;
- Display light design, allowing you to know when the battery is fully charged, which is convenient, worry-free and improves efficiency;
- Wall-mounted design, it can be hung on the wall, saving working space and providing a comfortable working experience.

4A Dual Charger
EDE-CD20D4



20V

OUTPUT VOLTAGE

4A

CHARGE CURRENT

Specification

Input Voltage	100-240V~50/60Hz
Input Power	90W
Output Voltage	20V
Charge Current	4A
Packed	by color box
Pack qty	1:PCS 24:CAR

Sales Point

- The dual-port fast charger is suitable for all Deli 20V lithium batteries, ensuring worry-free battery charging, convenience and economy;
- Charge or charge both batteries simultaneously to make the workflow smoother;
- Each port has its own light, allowing you to know when the battery is fully charged, which is convenient, worry-free and improves efficiency;
- Wall-mounted design, it can be hung on the wall, saving working space and providing a comfortable working experience.

Battery

Lithium-ion battery and charger set
EDE-CM20A2E



Lithium-ion battery and charger set
EDE-CM20A4E



20V
OUTPUT VOLTAGE

2.0 Ah*2
LITHIUM-ION BATTERY

20V
OUTPUT VOLTAGE

4.0Ah *2
LITHIUM-ION BATTERY

Specification

battery	2Pcs 2Ah (EDE-DC20A2)	2Pcs 4Ah (EDE-DC20A4)
charge	1Pcs (EDE-CD20A2E)	1Pcs (EDE-CD20A2E)
Input Voltage	100-240V~50/60Hz	100-240V~50/60Hz
Input Power	45W	45W
Output Voltage	20V	20V
Charge Current	2A	2A
Packed	by double blister	by double blister
Pack qty	1:PCS 10:CAR	1:PCS 10:CAR

Sales Point

- The dual-port fast charger is suitable for all Deli 20V lithium batteries, ensuring worry-free battery charging, convenience and economy;
- Display light design, allowing you to know when the battery is fully charged, which is convenient, worry-free and improves efficiency;
- Wall-mounted design, it can be hung on the wall, saving working space and providing a comfortable working experience.
- The college cycle is full of energy, eliminating the trouble of self-matching and saying goodbye to work stoppages and waiting

Electric Drill
EDE-DZ10-1E

500W
RATED POWER

10mm
CHUCK CAPACITY

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Advanced Heat Dissipation: Large airflow vents paired with internal directional blades optimize cooling efficiency, reducing motor fatigue and extending tool lifespan.
- Flexible Speed & Direction Control: Stepless speed regulation enables precise torque adjustment, while a dedicated forward/reverse switch simplifies screwdriving and drilling modes.
- Ergonomic Soft-Grip Handle: Grip stability, with shock-absorbing layers to minimize fatigue during extended use.

Specification

Rated Voltage	220-240V~50/60Hz	Max drilling capacity	
Rated Power	500W	Wood	25mm
No-load Speed	0-3300rpm	Steel	10mm
Chuck Capacity	10mm	Concrete	/
Chuck type	keyless		
Packed	by color box		



Electric Drill
EDE-DZ10-2E

500W
RATED POWER

10mm
CHUCK CAPACITY

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Advanced Heat Dissipation: Large airflow vents paired with internal directional blades optimize cooling efficiency, reducing motor fatigue and extending tool lifespan.
- Flexible Speed & Direction Control: Stepless speed regulation enables precise torque adjustment, while a dedicated forward/reverse switch simplifies screwdriving and drilling modes.
- Ergonomic Soft-Grip Handle: Grip stability, with shock-absorbing layers to minimize fatigue during extended use.

Specification

Rated Voltage	220-240V~50/60Hz	Max drilling capacity	
Rated Power	500W	Wood	25mm
No-load Speed	0-3300rpm	Steel	10mm
Chuck Capacity	10mm	Concrete	/
Chuck type	key		
Packed	by color box		



Impact Drill
EDE-CZ13-1E

680W
RATED POWER

13mm
CHUCK CAPACITY

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Advanced Heat Dissipation: Large airflow vents paired with internal directional blades optimize cooling efficiency, reducing motor fatigue and extending tool lifespan.
- Flexible Speed & Direction Control: Stepless speed regulation enables precise torque adjustment, while a dedicated forward/reverse switch simplifies screwdriving and drilling modes.
- Ergonomic Soft-Grip Handle: Grip stability, with shock-absorbing layers to minimize fatigue during extended use.

Specification

Rated Voltage	220-240V~50/60Hz	Max drilling capacity	Chuck Capacity	13mm	
Rated Power	680W	Wood	25mm	Chuck type	key
No-load Speed	0-3000rpm	Steel	13mm	Packed	by color box
Impact frequency	48000ipm	Concrete	10mm		



Angle Grinder



Ref. No.	Specification								
	Rated power	Rated voltage	Frequency	No-load speed	Disc diameter	Main shaft thread	Switch type	Pack qty	Packing typ
EDE-JM100-1E	790w	220-240v	50Hz/60Hz	12000rpm	100mm	M10	Rear	1/-/8	Color box
EDE-JM100-2E	790w	220-240v	50Hz/60Hz	12000rpm	100mm	M10	Side	1/-/8	Color box
EDE-JM115-1E	790w	220-240v	50Hz/60Hz	12000rpm	115mm	M14	Side	1/-/8	Color box
EDE-JM125-2E	790w	220-240v	50Hz/60Hz	12000rpm	125mm	M14	Side	1/-/8	Color box
EDE-JM100-3E	890w	220-240v	50Hz/60Hz	12000rpm	100mm	M10	Rear	1/-/8	Color box
EDE666A	890w	220-240v	50Hz/60Hz	12000rpm	100mm	M10	Side	1/-/8	Color box
EDE-JM115-2E	890w	220-240v	50Hz/60Hz	12000rpm	115mm	M14	Side	1/-/8	Color box
EDE-JM125-4E	890w	220-240v	50Hz/60Hz	12000rpm	125mm	M14	Side	1/-/8	Color box
EDE-JM125-1E	1150w	220-240v	50Hz/60Hz	12000rpm	125mm	M14	Side	1/-/8	Color box
EDE-JM180-1E	2000w	220-240v	50Hz/60Hz	8500rpm	180mm	M14	Rear	1/-/2	Color box
EDE-JM230-1E	2200w	220-240v	50Hz/60Hz	6600rpm	230mm	M14	Rear	1/-/2	Color box
EDE-JM230-2E	2400w	220-240v	50Hz/60Hz	6400rpm	230mm	M14	Rear	1/-/2	Color box

Angle Grinder



790w
RATED POWER

100mm
REAR

790w
RATED POWER

100mm
SIDE

Specification

Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	790W	790W
No-load Speed	12000rpm	12000rpm
Disc Diameter	100mm	100mm
Spindle thread	M10	M10
Switch type	Rear	Side

Accessory List

> 1pcs auxiliary handle > Disc not included	> 1pcs auxiliary handle > Disc not included
--	--

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle
Grinder

Angle Grinder
EDE-JM115-1E 



Angle Grinder
EDE-JM125-2E 



790w
RATED
POWER

115mm
SIDE

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	790W
No-load Speed	12000rpm
Disc Diameter	115mm
Spindle thread	M14
Switch type	Side

Accessory List

- > With 1pcs auxiliary handle
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder
EDE-JM100-3E 



Angle Grinder
EDE666A



890w
RATED
POWER

100mm
REAR

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	890W
No-load Speed	12000rpm
Disc Diameter	100mm
Spindle thread	M10
Switch type	Rear

Accessory List

- > With 1pcs auxiliary handle
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle
Grinder

Angle Grinder
EDE-JM115-2E 



890w

RATED
POWER

115mm

SIDE

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	890W
No-load Speed	12000rpm
Disc Diameter	115mm
Spindle thread	M14
Switch type	Side

Accessory List

- > With 1pcs auxiliary handle
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder
EDE-JM125-4E 



890w

RATED
POWER

125mm

SIDE

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1150W
No-load Speed	12000rpm
Disc Diameter	125mm
Spindle thread	M14
Switch type	Side

Accessory List

- > With 1pcs auxiliary handle
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder
EDE-JM125-1E 



1150w

RATED
POWER

125mm

SIDE

Angle Grinder
EDE-JM180-1E 



2000w

RATED
POWER

180mm

REAR

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2000W
No-load Speed	8500rpm
Disc Diameter	180mm
Spindle thread	M14
Switch type	Rear

Accessory List

- > With 1pcs auxiliary handle
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle
Grinder

Angle Grinder
EDE-JM230-1E



2200w

RATED POWER

230mm

REAR

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2200W
No-load Speed	6400rpm
Disc Diameter	230mm
Spindle thread	M14
Switch type	Rear

Accessory List

- > With 1pcs auxiliary handle
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder
EDE-JM230-2E



2400w

RATED POWER

230mm

REAR

Rated Voltage	220-240V~50/60Hz
Rated Power	2400W
No-load Speed	6400rpm
Disc Diameter	230mm
Spindle thread	M14
Switch type	Rear

- > With 1pcs auxiliary handle
- > Disc not included

Rotary Hammer
EDE-DC26-3E

1100w

RATED POWER

26mm

MAX DRILLING CAPACITY



- High-efficiency motor, combined with an optimized hammering system features a large eccentric design, delivering greater impact force and drilling efficiency than comparable models.
- Reliable leak-proof design, better sealing performance, no oil leakage, better dust-proof movement, and longer service life.
- The newly optimized clutch structure and the high-wear-resistant alloy steel disengagement tooth design automatically stop when the steel bar is reached, making it safer to use.
- The full-hand grip switch, with a scientific shock absorption design, can filter out more vibrations and provide a comfortable user experience.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1100W
No-load Speed	0-1300rpm
Impact Rate	0-4800bpm
Impact Energy	5J
Max Drilling Capacity:	
Concrete	26mm
Steel	13mm
Wood	30mm
Packed	by BMC
SDS plus chuck system	

Accessory List

- > SDS plus chuck system
- > With 3 drills and 2 chisels
- > With 1set extra carbon brushes



Demolition Breaker
EDE-DG5-2E

1200w

RATED POWER

20J

IMPACT ENERGY



- High-power pure copper motor, combined with a high-frequency hammering system, provides stronger impact capacity and higher working efficiency.
- High-precision gearbox design ensures smooth transmission, long mechanical life and longer service life.
- The main handle adopts a double-spring design, effectively buffering the rebound force and ensuring continuous operation without fatigue.
- The safety switch self-locking design makes operation more convenient and safer, reduces work intensity and prevents fatigue after long-term work.
- The optimized clamping design ensures that the drill bits do not get stuck, making insertion and removal convenient and fast.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1200W
Impact Rate	3900bpm
Impact Energy	20J
Chuck capacity	φ 17mm
Packed	by BMC
SDS HEX chuck system	



Demolition Breaker
EDE-DG15-2E

1800w	65J
RATED VOLTAGE	IMPACT ENERGY

- High-power pure copper motor, combined with a high-frequency hammering system, provides stronger impact capacity and higher working efficiency.
- High-precision gearbox design ensures smooth transmission, long mechanical life and longer service life.
- The main handle adopts a double-spring design, effectively buffering the rebound force and ensuring continuous operation without fatigue.
- The safety switch self-locking design makes operation more convenient and safer, reduces work intensity and prevents fatigue after long-term work.
- The optimized clamping design ensures that the drill bits do not get stuck, making insertion and removal convenient and fast.

Specification

Rated Voltage	220-240V~50/60Hz	Chuck capacity	φ 30mm
Rated Power	1800W	Packed	by BMC
Impact Rate	2100bpm	SDS HEX chuck system	
Impact Energy	65J		



HOT

Demolition Breaker
EDE-DG30-1E

2100w	85J
RATED VOLTAGE	IMPACT ENERGY

- High-power pure copper motor, combined with a high-frequency hammering system, provides stronger impact capacity and higher working efficiency.
- High-precision gearbox design ensures smooth transmission, long mechanical life and longer service life.
- The main handle adopts a double-spring design, effectively buffering the rebound force and ensuring continuous operation without fatigue.
- The safety switch self-locking design makes operation more convenient and safer, reduces work intensity and prevents fatigue after long-term work.
- The optimized clamping design ensures that the drill bits do not get stuck, making insertion and removal convenient and fast.

Specification

Rated Voltage	220-240V~50/60Hz	Chuck capacity	φ 30mm
Rated Power	2100W	Packed	by BMC
Impact Rate	1650bpm	SDS HEX chuck system	
Impact Energy	85J		



HOT

Marble Cutter
EDE-YS110-1E

1300w	110mm
RATED POWER	BLADE DIAMETER

- Pure copper motor, high motor speed, strong and stable power, less prone to overload and burnout, lower failure rate, long-term reliable operation partner;
- The motor has a high no-load speed, quickly cuts into the material, and the cutting process is smooth, which improves work efficiency;
- The cutting base Angle can be flexibly adjusted from 0 to 90°, enabling from straight cutting to slant cutting at any Angle. This multi-functional machine precisely meets complex demands.

Specification

Rated Voltage	220-240V~50/60Hz	Max Cutting capacity	32mm
Rated Power	1300W	Spindle thread	M8
No-load Speed	13000rpm	Pack qty	1:PCS 6:CAR
Blade Diameter	110mm		



TOP 500

Cut Off Saw
EDE-XQ355-1E

2350w	355mm
RATED POWER	DISC DIAMETER

- High-performance pure copper motor, with strong power, high speed, fast cutting speed, improving work efficiency and saving working time.
- The large-sized chip deflector and the surrounding guard cover can prevent sparks from scattering outward, providing more safety guarantees for operation.
- The thickened and raised base ensures a stable center of gravity without displacement, providing more stable cutting and higher cutting efficiency.
- The safety switch self-locking design makes operation more convenient and safer, reduces work intensity and prevents fatigue after long-term work.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2350W
No-Load Speed	3800rpm
Disc Diameter	355mm
Max. Cutting Capacity:	
Round Pipe	100mm
Square Steel	100X100mm
Steel Bar	30mm
Spindle Thread	M8
Packed	By Color Box

Accessory List

- > 1 pcs Carbon Brush
- > 1 pcs Abrasive blade
- > 1 pcs Spanner



HOT

Cut Off Saw
EDE-XQ355-2

2400w	355mm
RATED POWER	DISC DIAMETER

- High-performance pure copper motor, with strong power, high speed, fast cutting speed, improving work efficiency and saving working time.
- The large-sized chip deflector and the surrounding guard cover can prevent sparks from scattering outward, providing more safety guarantees for operation.
- The thickened and raised base ensures a stable center of gravity without displacement, providing more stable cutting and higher cutting efficiency.
- The safety switch self-locking design makes operation more convenient and safer, reduces work intensity and prevents fatigue after long-term work.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2400W
No-Load Speed	4000rpm
Disc Diameter	355mm
Max. Cutting Capacity	
Round Pipe	110mm
Square Steel	110X110mm
Steel Bar	50mm
Packed	By Color Box

Accessory List

- > 1 pcs cutting disc and 1 pcs wrench
- > 1 set extra carbon brushes



TOP 500

Miter Saw
EDE570

2000w

RATED POWER

255mm

DISC DIAMETER



- High-performance pure copper motor, with strong power and high speed, can easily cut wood and aluminum materials, improving work efficiency and saving working time
- The bevel cutting Angle is designed from 0 to 45°, allowing for left and right rotation for cutting, achieving multi-angle cutting and significantly enhancing efficiency and precision
- The large-sized enclosure guard can prevent sparks from scattering outward and reduce the risk factor of work
- Anti-slip base, stable cutting, and multiple guarantees for safe operation

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2000W
No-Load Speed	5000rpm
Disc Diameter	255mmx30mm
Cutting Capacity (Miter/Bevel: Width X Height)	
0°X0°	340mmx90mm
45°X0°	235mmx90mm
0°X45°	340mmx40mm
45°X45°	235mmx40mm
Miter cuts 0-45° left and right	
Bevel cuts up to 45° to the left	
Packed	By Color Box



Accessory List

- > With 1 pcs Dust Bag
- > With 1 pcs Blade Wrench
- > With 2 pcs Extension Bars
- > With 1 pcs Wood Clamp
- > With 1 pcs Blade*1(30*60T)
- > With 1 set Carbon Brushes

Miter Saw
EDE571

2000w

RATED POWER

305mm

DISC DIAMETER



- High-performance pure copper motor, with strong power and high speed, can easily cut wood and aluminum materials, improving work efficiency and saving working time
- The bevel cutting Angle is designed from 0 to 45°, allowing for left and right rotation for cutting, achieving multi-angle cutting and significantly enhancing efficiency and precision
- The large-sized enclosure guard can prevent sparks from scattering outward and reduce the risk factor of work
- Anti-slip base, stable cutting, and multiple guarantees for safe operation

Accessory List

- > With 1 pcs Dust Bag
- > With 1 pcs Wrench
- > With 2 pcs Extension Bars
- > With 1 pcs Wood Clamp
- > With 1 set Carbon Brushes



Laminate Trimmer
EDE-XB550-1E

550w

RATED POWER

6mm

CHUCK CAPACITY



- Multi-functional in one machine, it can complete various fine processing operations such as pruning, carving, grinding and slotting, meeting all-round demands and saving costs and space.
- The transparent base design allows for a clear observation of the contact point between the cutting head and the workpiece, precisely tracking the cutting or engraving path, significantly enhancing the fineness and first-time success rate of the work.
- Quickly complete the installation and disassembly of the tool head, ensuring a smooth workflow and enhancing efficiency.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	550W
No-load Speed	34500rpm
Chuck Capacity	6.35mm(6mm)
Packed	by color box



Specification

Rated Voltage	220-240V~50/60Hz	45°X45°L	235mmx60mm
Rated Power	2000W	0°X45°R	340mmx40mm
No-Load Speed	5000rpm	45°X45°R	235mmx40mm
Disc Diameter	305mmx30mm	Miter cuts 0-45° left and right	
Cutting Capacity: Miter/Bevel: Width X Height		Bevel cuts up to 45° to the left	
0°X0°	340mmx105mm	Packed	By Color Box
45°X0°	235mmx105mm		
0°X45°L	340mmx60mm		

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

deli

RED SERIES TOOLS

HAND TOOLS



ACCESSORY



HSS M2 Drill Bit



TiAIN

M2



- 50% faster drilling speed, 2x life
- Bullet design to increase the speed of punching
- Industrial coating for extended service life
- Non-slip triangular handle for easy clamping
- Packed by double blister

Item #	Spec	Pack Qty
EDH-MHZ020-E4	2mm	1/30/180
EDH-MHZ025-E4	2.5mm	1/30/180
EDH-MHZ030-E4	3mm	1/30/180
EDH-MHZ035-E4	3.5mm	1/30/180
EDH-MHZ040-E4	4mm	1/30/180
EDH-MHZ045-E4	4.5mm	1/30/180
EDH-MHZ050-E4	5mm	1/30/180
EDH-MHZ055-E4	5.5mm	1/30/180
EDH-MHZ060-E4	6mm	1/30/180
EDH-MHZ065-E4	6.5mm	1/20/120
EDH-MHZ070-E4	7mm	1/20/120
EDH-MHZ075-E4	7.5mm	1/20/120
EDH-MHZ080-E4	8mm	1/20/120
EDH-MHZ085-E4	8.5mm	1/15/90
EDH-MHZ090-E4	9mm	1/15/90
EDH-MHZ095-E4	9.5mm	1/15/90
EDH-MHZ100-E4	10mm	1/15/90
EDH-MHZ110-E4	11mm	1/15/90
EDH-MHZ120-E4	12mm	1/15/90
EDH-MHZ130-E4	13mm	1/15/90

Bullet design +
Industrial coating
Fast punching
double life

With the blessing of double technology
the cutting edge is sharp and tough,
and the hardness is greatly improved

The hardness is up to

65HRA



135° angle sharpening
Centering and
punching are
more stable



Auto Maintenance and Repair Tools



10 PC. 1/4" Dr. standard socket set



- Cold formed CRV(50BV30) with industrial heat treatment
- 3X hard wearing
- Four Layer Nickelchrome plating resist corrosion and improve finish
- High precision provide better protection of the nut

Item #	Spec	Pack Qty
EDQ41010S	Drive Size: 1/4in. Socket Size: 5-6-7-8-9-10-11-12-13-14mm	1/6/24

10 PC. 1/4" Dr. deep socket set



- Cold formed CRV(50BV30) with industrial heat treatment
- 3X hard wearing
- Four Layer Nickelchrome plating resist corrosion and improve finish
- High precision provide better protection of the nut

Item #	Spec	Pack Qty
EDQ41010D	Drive Size: 1/4in. Socket Size: 5-6-7-8-9-10-11-12-13-14mm	1/6/24

10 PC. 3/8" Dr. standard socket set



Matte

Cr-V

(50BV30)

- Cold formed CRV(50BV30) with industrial heat treatment

- 3X hard wearing

- Four Layer Nickelchrome plating resist corrosion and improve finish

- High precision provide better protection of the nut

Item #	Spec	Pack Qty
EDQ42010S	Drive Size: 3/8in. Socket Size: 7- 8-10-11- 12- 13- 14- 17- 19- 22mm	1/6/24

10 PC. 3/8" Dr. deep socket set



Matte

Cr-V

(50BV30)

- Cold formed CRV(50BV30) with industrial heat treatment

- 3X hard wearing

- Four Layer Nickelchrome plating resist corrosion and improve finish

- High precision provide better protection of the nut

Item #	Spec	Pack Qty
EDQ42010D	Drive Size: 3/8in. Socket Size: 7- 8- 10- 12- 13- 14- 15- 17- 19- 22mm	1/5/20

10 PC. 1/2" Dr. standard socket set



Matte

Cr-V

(50BV30)

- Cold formed CRV(50BV30) with industrial heat treatment

- 3X hard wearing

- Four Layer Nickelchrome plating resist corrosion and improve finish

- High precision provide better protection of the nut

Item #	Spec	Pack Qty
EDQ43010S	Drive Size: 1/2in. Socket Size: 8- 10- 12- 13- 14- 17- 19- 21- 22- 24mm	1/6/24

10 PC. 1/2" Dr. deep socket set



Matte

Cr-V

(50BV30)

- Cold formed CRV(50BV30) with industrial heat treatment

- 3X hard wearing

- Four Layer Nickelchrome plating resist corrosion and improve finish

- High precision provide better protection of the nut

Item #	Spec	Pack Qty
EDQ43010D	Drive Size: 1/2in. Socket Size: 8- 10- 12- 13- 14- 17- 19- 21- 22- 24mm	1/3/12

43 PC. 1/4" Dr. socket set



6PCS

1/4"

52Bits

CR-V

(50BV30)

72T

3X

HARD WEARING

Includes:

(13) 1/4"Dr. standard 6PT sockets: 4,4.5,5.5,5.6,7,8,9,10,11,12,13,14mm

(4) 1/4"Dr. deep 6PT sockets: 8,10,12,13mm

(1) 1/4"Dr. 72T ratchet

(1) 1/4"Dr. extension bar: 4in. (10mm)

(1) 1/4"Dr. spinner handle

(1) 1/4" Dr. universal joint

(20) screwdriver bits 4, 5, 6, 7, PH1, PH2, PH3 H3, H4, H5, H6, H7, H8, H10 T10, T15, T20, T25, T30, T40

(1) 1/4" Dr. x 1/4" shank bit holder

(1) 1/4" x 25mm(L) bit adaptor

Item #	Spec	Pack Qty
EDQ41043	Drive Size: 1/4" Number Of Pieces: 43	1/-/10

20 PC. 1/2" Dr. socket set



6PCS

1/2"

20PCS

CR-V

(50BV30)

72T

3X

HARD WEARING

Includes:

(12) 1/2"Dr. standard 6PT sockets: 10,11,12,13,14,15,16,17,18,19, 22,24mm

(3) 1/2"Dr. deep 6PT sockets: 13,17,19mm

(1) 1/2"Dr. spark plug socket:16mm

(1) 1/2"Dr. universal joint

(1) 1/2"Dr. extension bar: 10in. (250mm)

(1) 3/8" F x1/2" M 3-Way Adapter

(1) 1/2"Dr. 72T quick release ratchet

Item #	Spec	Pack Qty
EDQ43020	Drive Size: 1/2" Number Of Pieces: 20	1/-/4

25 PC. 1/2" Dr. socket set



25PCS

SET

6PT

1/2"

52Bits

CR-V

(50BV30)

72T

3X

HARD WEARING

Includes:

(18) 1/2"Dr. standard 6PT sockets: 10,11,12,13,14,15,16,17,18 ,19,20,21,22,23,24,27,30,32mm

(2) 1/2"Dr. extension bar:125mm & 250mm

(1) 1/2"Dr. 72T quick release ratchet

(1) 1/2"Dr. universal joint

(2) 1/2"Dr. spark plug socket:16mm, 21mm

(1) 1/2"Dr. sliding bar: 10in. (250mm)

Item #	Spec	Pack Qty
EDQ43025	Drive Size: 1/2" Number Of Pieces: 25	1/-/3

62 PC. 1/2" Dr. socket set



62PCS

SET

6PT

1/2"

52Bits

CR-V

(50BV30)

72T

3X

HARD WEARING

Includes:

(17) 1/2"Dr. standard 6PT sockets: 10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,3 0,32mm

(10) 1/2"Dr. deep 6PT sockets: 10,11,12,13,14,15,16,17,18,19mm

(1) 1/2"Dr. 72T quick release ratchet

(1) 1/2"Dr. universal joint

(2) 1/2"Dr. extension bar: 5in. (125mm), 10in.(250mm)

(1) 1/2"Dr. spark plug socket: 16mm, 21mm

(1) 3-way adapter: 3/8"(F) X 1/2"(M)

(1) 1/4"Dr. spinner handle

(1) 1/4" Dr. x 1/4" shank bit holder

(6) 1/4"Dr. bit sockets: Slotted: 4, 5.5, 6.5 Phillips: PH1, PH2, PH3 (20) 1/4"Dr. screwdriver bits: PH1,PH2,PH3, PZ1,PZ2,PZ3, SL4,SL5,SL6, H1.5,H2,H3,H4,H5,H6, T10,T15,T20,T25,T30

Item #	Spec	Pack Qty
EDQ43062	Drive Size: 1/2" Number Of Pieces: 62	1/-/3

94 PC. 1/4"+1/2" Dr. socket set



94PCS

SET

6PT

1/4"

1/2"

52Bits

CR-V

(50BV30)

72T

3X

HARD WEARING

Includes:

(18) 1/2"Dr. standard 6PT sockets: 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,3 2mm

(4) 1/2"Dr. deep 6PT sockets: 14,15,17,19mm

(2) 1/2"Dr. spark plug socket: 16mm, 21mm

(1) 1/2"Dr. 72T quick release ratchet

(2) 1/2"Dr. extension bar: 5in. (125mm), 10in.(250mm)

(1) 1/2" Dr. x 5/16" shank bit adapter

(1) 1/2"Dr. universal joint

(13) 1/4"Dr. standard 6PT sockets: : 4,4.5,5.5,5.6,7,8,9,10,11,12,13,14mm

(8) 1/4"Dr. deep 6PT sockets: 6,7,8,9,10,11,12,13mm

(1) 1/4"Dr. 72T quick release ratchet

(2) 1/4"Dr. extension bar: 2in. (50mm), 4in.(100mm)

(1) 1/4"Dr. universal joint

(1) 1/4"Dr. sliding bar: 114mm

(1) 1/4"Dr. flexible extension bar: 150mm

(1) 1/4"Dr. spinner handle:150mm

(1) 1/4" x 25mm(L) bit adaptor

(3) Hex key wrench:1.5,2.2,5mm

(1) 3-way adaptor: 3/8"(F) X 1/2"(M)

(17) 1/4"Dr. x 32mm bits sockets: Hex: 3-4-5-6mm Star: T8-T10-T15-T20-T25-T30 SL: 4-5-5-6.5mm,Pozidriv: PZ1,PZ2

Item #	Spec	Pack Qty
EDQ44094	Drive Size: 1/4"+1/2" Number Of Pieces: 94	1/-/2

61

62

Ratchet

500

- Quick release button
- 72 Teeth for 5° arc swing
- Polished chrome finish
- Comfort Grip
- 2X Lifespan



72T

x2 Lifespan Ratchet

CNC PRECISION

Item #	Spec	Pack Qty
EDQ41802	Drive Size: 1/4in. Teeth: 72	1/6/72
EDQ42802	Drive Size: 3/8in. Teeth: 72	1/6/72
EDQ43802	Drive Size: 1/2in. Teeth: 72	1/6/48

More Torque

Max torque is 30% higher than DIN torque performance requirements.

2X Lifespan

The exclusive CrMo ratchet is processed with high precision by CNC machine, making life span two times that of others'.

Tight Confines

Teardrop low profile head and flush mounted On/Off switch 5° swing arc for easy access in tight spaces.



More Torque

Cold formed heat-treated 50VB30 and more evenly distributed force transmit 30%-40% more torque than DIN standard.

More Control

Off-corner loading design drives the side of the fastener, not the corner. This not only provides increased strength, but also avoids the rounding of rusted or damaged fasteners, which can occur when using a sharp cornered hex tool.


More Finish

High polish chrome plating results in a jewelry-like finish providing long life and maximum corrosion resistance.



1/4"Dr. Standard Socket

Cr-V




- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ2401	3.5MM	25	6.3	11.7	1/24/360
DQ2402	4MM	25	6.7	11.7	1/24/360
DQ2403	4.5MM	25	7.5	11.7	1/24/360
DQ2404	5MM	25	8	11.7	1/24/360
DQ2405	5.5MM	25	8.6	11.7	1/24/360
DQ2406	6MM	25	9.4	11.7	1/24/360
DQ2407	7MM	25	10.8	11.7	1/24/360
DQ2408	8MM	25	11.7	11.7	1/24/360
DQ2409	9MM	25	24.7	24.7	1/24/360
DQ2410	10MM	25	24.7	24.7	1/24/360
DQ2411	11MM	25	24.7	24.7	1/24/360
DQ2412	12MM	25	24.7	24.7	1/24/360
DQ2413	13MM	25	24.7	24.7	1/24/360
DQ2414	14MM	25	24.7	24.7	1/24/360

1/4"Dr. Deep Socket

Cr-V



- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ2424	4MM	50	6.7	11.7	1/24/360
DQ2425	5MM	50	8	11.7	1/24/360
DQ2426	6MM	50	9.2	11.7	1/24/360
DQ2427	7MM	50	11.7	11.7	1/24/360
DQ2428	8MM	50	11.7	11.7	1/24/360
DQ2429	9MM	50	13.7	13.7	1/24/360
DQ2430	10MM	50	13.7	13.7	1/24/360
DQ2431	11MM	50	15.7	15.7	1/24/360
DQ2432	12MM	50	16.7	16.7	1/24/360
DQ2433	13MM	50	17.7	17.7	1/24/360

1/4"Dr. Extension Bar



Cr-V

Mirror

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2332	Drive Size: 1/4in. Length: 2in.(55mm)	1/12/240

1/4"Dr. Sliding Bar



Cr-V

Mirror

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2344	Drive Size: 1/4in. Length: 4in.(100mm)	1/12/180

1/4"Dr. Flexible Extension Bar



Cr-V

Mirror

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2357	Drive Size: 1/4in. Length: 6in.(150mm)	1/12/240

1/4"Dr. Breaker Bar



Cr-V

Mirror

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2355	Drive Size: 1/4in. Length: 5in.(125mm)	1/12/240

1/4"Dr. Spinner Handle




Cr-V

Mirror

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2351	Drive Size: 1/4in. Length: 150mm	1/12/180

1/4"Dr. Universal Joint



Cr-V

Mirror

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2352	Drive Size: 1/4in.	1/24/360

1/4"Dr. Hex Bit Holder Socket



Cr-V

Mirror

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2353	Drive Size: 1/4in. Hex Bit Size: 1/4in.	1/24/360

1/4"Dr. Adapter



Cr-V

Mirror

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2354	M: 3/8"; F: 1/4"	1/24/360

3/8"Dr. Standard Socket



Cr-V

- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ2446	6MM	28	9.9	16.9	1/12/360
DQ2447	7MM	28	10.8	16.9	1/12/360
DQ2448	8MM	28	12	16.9	1/12/360
DQ2449	9MM	28	12.8	16.9	1/12/360
DQ2450	10MM	28	14.5	16.9	1/12/360
DQ2451	11MM	28	15.8	16.9	1/12/360
DQ2452	12MM	28	16.9	16.9	1/12/360
DQ2453	13MM	28	17.7	17.7	1/12/360
DQ2454	14MM	28	19.7	19.7	1/12/360
DQ2455	15MM	28	21.7	21.7	1/12/360
DQ2456	16MM	28	21.7	21.7	1/12/360
DQ2457	17MM	30	23.7	23.7	1/12/360
DQ2458	18MM	30	25.7	25.7	1/12/360
DQ2459	19MM	30	25.7	24	1/12/360
DQ2460	20MM	30	27.7	26	1/12/240
DQ2461	21MM	32	27.7	26	1/12/240
DQ2462	22MM	32	29.7	26	1/12/240
DQ2464	24MM	32	31.7	28	1/12/240

3/8"Dr. Deep Socket




Cr-V

- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright, full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ2478	8MM	64	12	16.7	1/12/360
DQ2479	9MM	64	13.4	16.7	1/12/360
DQ2480	10MM	64	14.5	16.7	1/12/360
DQ2481	11MM	64	15.8	16.7	1/12/360
DQ2482	12MM	64	17.7	17.7	1/12/360
DQ2483	13MM	64	18.6	18.6	1/12/360
DQ2484	14MM	64	19.9	19.9	1/12/360
DQ2485	15MM	64	21.6	21.6	1/12/180
DQ2486	16MM	64	21.7	21.7	1/12/180
DQ2487	17MM	64	23.7	23.7	1/12/180
DQ2488	18MM	64	25.7	25.7	1/12/180
DQ2489	19MM	64	25.7	25.7	1/12/180
DQ2490	20MM	64	27.7	27.7	1/12/180
DQ2491	21MM	64	27.7	27.7	1/12/180
DQ2492	22MM	64	29.7	29.7	1/12/180

3/8" Dr. Universal Joint



Mirror Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2472	Drive Size: 3/8in.	1/12/240

3/8"Dr. Hex Bit Holder Socket



Mirror Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2476	Drive Size: 3/8in. Hex Bit Size: 1/4in.	1/12/360

3/8" Dr. 3-Way Socket Adapter




Mirror Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4002	F: 3/8", M: 1/2"	1/12/120

3/8" Dr. Socket Adapter



Mirror Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2474	F: 3/8", M: 1/4"	1/24/360

3/8" Dr. Socket Adapter



Mirror Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2475	F: 3/8", M: 1/2"	1/24/360

3/8 " Dr. Extension Bar



Mirror Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2469	Drive Size: 3/8in. Length: 75MM(3in.)	1/12/240
DQ2470	Drive Size: 3/8in. Length: 150MM(6in.)	1/12/240
DQ2471	Size: 3/8" Length: 250MM(10in.)	1/12/120

3/8 " Dr. Sliding Bar



Mirror Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL2473	Drive Size: 3/8in. Length: 165MM(6.5in.)	1/6/72

3/8"Dr. Flexible Extension Bar



Mirror Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2557	Drive Size: 3/8in. Length: 200MM(8in.)	1/12/120

3/8 " Dr. Breaker Bar



Mirror Cr-V

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ2555	Size: 3/8" Length: 200MM(8in.)	1/12/120

3/8"Dr. Thin Wall Spark Plug Socket



Cr-V

Thin wall design allow you to reach deep into spark plug wells

Item #	Spec	Pack Qty
DQ42824	Drive Size: 3/8in. Size: 14mm	1/12/360

3/8"Dr. Spark Plug Socket



Cr-V 6PT

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ42816	Drive Size: 3/8in. Size: 16mm	1/12/360

3/8"Dr. Spark Plug Socket




Cr-V 6PT

- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ42821	Drive Size: 3/8in. Size: 21mm	1/12/240

1/2"Dr. Standard Socket

Cr-V




- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
EDQ4008	8MM	38	13.8	21.9	1/10/200
EDQ4009	9MM	38	14.5	21.9	1/10/200
EDQ4010	10MM	38	15.5	21.9	1/10/200
EDQ4011	11MM	38	16.5	21.9	1/10/200
EDQ4012	12MM	38	17.8	21.9	1/10/200
EDQ4013	13MM	38	19	21.9	1/10/200
EDQ4014	14MM	38	20.3	21.9	1/10/200
EDQ4015	15MM	38	21.9	21.9	1/10/200
EDQ4016	16MM	38	21.9	21.9	1/10/200
EDQ4017	17MM	38	23.7	23.7	1/8/160
EDQ4018	18MM	38	25.7	25.7	1/8/160
EDQ4019	19MM	38	25.7	24.7	1/8/160
EDQ4020	20MM	38	27.7	26.7	1/8/160
EDQ4021	21MM	38	27.7	26.7	1/8/160
EDQ4022	22MM	38	29.7	26.7	1/8/160
EDQ4024	24MM	38	31.7	29.7	1/6/120
EDQ4027	27MM	44	35.7	32.7	1/5/100
EDQ4030	30MM	44	39.7	33.7	1/4/80
EDQ4032	32MM	44	41.8	35.7	1/4/80

1/2" Deep Socket

Cr-V



- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
EDQ4308	8MM	76	14.2	21.6	1/6/120
EDQ4310	10MM	76	16.5	21.6	1/6/120
EDQ4311	11MM	76	18	21.6	1/6/120
EDQ4312	12MM	76	18.5	21.6	1/6/120
EDQ4313	13MM	76	19.8	21.6	1/6/120
EDQ4314	14MM	76	21.6	21.6	1/6/120
EDQ4315	15MM	76	21.6	21.6	1/6/120
EDQ4316	16MM	76	21.6	21.6	1/6/120
EDQ4317	17MM	76	23.7	23.7	1/6/120
EDQ4318	18MM	76	25.7	25.7	1/5/100
EDQ4319	19MM	76	25.7	25.7	1/5/100
EDQ4320	20MM	76	27.7	27.7	1/5/100
EDQ4321	21MM	76	27.7	27.7	1/5/100
EDQ4322	22MM	76	29.9	29.9	1/4/80
EDQ4324	24MM	76	31.9	31.9	1/4/80
EDQ4327	27MM	76	33.7	33.7	1/2/40
EDQ4330	30MM	76	39.9	39.9	1/2/40
EDQ4332	32MM	76	41.9	41.9	1/2/40

1/2"Dr. 12PT Standard Socket

Cr-V




- Off-corner loading design reduces fastener rounding
- Chamfered opening quickly guides fasteners into socket
- Hard stamped size markings
- Bright,full polish chrome finish easily wipes clean and resists corrosion

Item #	Spec	L(mm)	D1(mm)	D2(mm)	Pack Qty
DQ4i08	8MM	38	13.8	21.9	1/10/200
DQ4i09	9MM	38	14.5	21.9	1/10/200
DQ4i10	10MM	38	15.5	21.9	1/10/200
DQ4i11	11MM	38	16.5	21.9	1/10/200
DQ4i12	12MM	38	17.8	21.9	1/10/200
DQ4i13	13MM	38	19	21.9	1/10/200
DQ4i14	14MM	38	20.3	21.9	1/10/200
DQ4i15	15MM	38	21.9	21.9	1/10/200
DQ4i16	16MM	38	21.9	21.9	1/10/200
DQ4i17	17MM	38	23.7	23.7	1/10/200
DQ4i18	18MM	38	25.7	25.7	1/10/200
DQ4i19	19MM	38	25.7	24.7	1/10/200
DQ4i20	20MM	38	27.7	26.7	1/10/200
DQ4i21	21MM	38	27.7	26.7	1/10/200
DQ4i22	22MM	38	29.7	26.7	1/10/200
DQ4i23	23MM	38	31.7	29.7	1/10/120
DQ4i24	24MM	38	31.7	29.7	1/10/120
DQ4i27	27MM	43	35.7	32.7	1/10/120
DQ4i30	30MM	44	39.7	33.7	1/10/120
DQ4i32	32MM	44	41.8	35.7	1/10/120

1/2"Dr. Universal Joint

Mirror Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4000	Drive Size: 1/2in.	1/10/100

1/2"Dr. Hex Bit Holder Socket

Mirror Cr-V




- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ4457	Drive Size: 1/2in. Hex Bit Size: 5/12in.	1/10/200

1/2"Dr. Socket Adapter

Mirror Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4005	M: 3/8"; F:1/2"	1/12/120

1/2"Dr. Extension Bar

Mirror Cr-V



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ4i25	Drive Size: 1/2in. Length: 50in.(125mm)	1/6/60
DQ4250	Drive Size: 1/2in. Length: 10in.(250mm)	1/6/60

71

72

1/2"Dr. Extension Bar



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4350	Drive Size: 1/2in. Length: 10in.(250mm)	1/6/60

1/2"Dr. Sliding Bar



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DL4450	Drive Size: 1/2in. Length: 10in.(250mm)	1/10/60



1/2"Dr. Breaker Bar



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ4455	Drive Size: 1/2in. Length: 10in.(250mm)	1/6/60
DQ4456	Drive Size: 1/2in. Length: 15in.(275mm)	1/6/60



1/2"Dr. Hex Bit Socket



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	L(mm)	Pack Qty
DL4922	5MM	58	1/12/120
DL4923	6MM	58	1/12/120
DL4925	8MM	58	1/12/120
DL4926	10MM	58	1/12/120
DL4927	12MM	58	1/12/120
DL4928	14MM	58	1/12/120
DL4929	17MM	58	1/12/120

1/2"Dr. Deep Hex Bit Socket



- Heat-treated Cr-V steel socket
- S2 bit
- Mirror chrome finish

Item #	Spec	L(mm)	Pack Qty
DQ48204	4MM	100	1/12/120
DQ48205	5MM	100	1/12/120
DQ48206	6MM	100	1/12/120
DQ48207	7MM	100	1/12/120
DQ48208	8MM	100	1/12/120
DQ48210	10MM	100	1/12/120
DQ48212	12MM	100	1/12/120
DQ48214	14MM	100	1/12/120
DQ48217	17MM	100	1/12/120

1/2"Dr. Spark Plug Socket



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ43816	Drive Size: 1/2in. Size: 16mm	1/12/240

1/2"Dr. Spark Plug Socket



- Heat-treated Cr-V steel
- Mirror chrome finish

Item #	Spec	Pack Qty
DQ43821	Drive Size: 1/2in. Size: 21mm	1/12/120

Electronic Torque Wrench



- Material: CrMo Anvil
- 2 modes include PEAK/TRACKING
- Readout can be set to 4 different units:ft.-lb, in.-lb, Nm, kg-cm
- Features Buzzer, LED and LCD indicators for convenient use

Item #	Spec	Pack Qty
EDL170030S	Drive Size: 1/4 in. Torque Accuracy: +/- 2% Torque Range: 3-30N.m	1/-/6
EDL170100S	Drive Size: 3/8 in. Torque Accuracy: +/- 1% Torque Range: 10-100N.m	1/-/4
EDL170340S	Drive Size: 1/2 in. Torque Accuracy: +/- 1% Torque Range: 34-340N.m	1/-/4
EDQ130008A	Include: 8,10,11,12,13,14,17,19mm	#REF!

8PC. PRO. Combination Wrenches Set - Metric



Cr-V




- Curved handle design
- 15° offset angle offers better maneuverability
- Widened open end provides greater torque
- Industrial-grade chrome plating

Item #	Spec	Pack Qty
EDQ130008A	Include: 8,10,11,12,13,14,17,19mm	1/1/20

11PC. PRO. Combination Wrenches Set - Metric



Cr-V



- Curved handle design
- 15° offset angle offers better maneuverability
- Widened open end provides greater torque
- Industrial-grade chrome plating

Item #	Spec	Pack Qty
EDQ130011A	Include: 8,9,10,11,12,13,14,17,19,22,24mm	1/1/10

31in. Tool Cabinet- One Door and Two Drawers

- 12mm SPCC
- Overall loading capacity: 200KG
- Drawer loading capacity: 35KG
- 5in. Dia. casters: 2 Swivel with brake, 2 fixed
- Product weight: 46.2KG
- Drawer size: 575 x 400 x 105mm
- Door Size: 605 x 400 x 395mm
- Smooth ball-bearing drawer slides
- Pegboard design for hanging tools
- Internal keyed locking system provides added security
- EVA mat in each drawer and on top for avoiding tools movement
- Rust resistant powder coat finish
- Push-bar side handle
- Easy assembly



Item #	Spec	Pack Qty
DQ02322	Size(mm): 790W x 475D x 950H	1/-/1

31in. Tool Cabinet- One Door and Four Drawers

- 12mm SPCC
- Overall loading capacity: 200KG
- Drawer loading capacity: 35KG
- 5in. Dia. casters: 2 Swivel with brake, 2 fixed
- Product weight: 56.5KG
- Drawer size: 575 x 400 x 73mm
- Door Size: 605 x 400 x 405mm
- Smooth ball-bearing drawer slides
- Pegboard design for hanging tools
- Internal keyed locking system provides added security
- EVA mat in each drawer and on top for avoiding tools movement
- Rust resistant powder coat finish
- Push-bar side handle
- Easy assembly



Item #	Spec	Pack Qty
DQ02342	Size(mm): 790W x 475D x 1025H	1/-/1



Hand Tools

Hand Tool

Labor-Saving Professional Combination Pliers



Cr-V 40%
Less Effort



- Up to 40% effort saving.
- Able to cut 1.6mm steel wire for over 3,000 times.
- Cr-V head with nicle plating
- Tri-color TPR handle

Item #	Spec	Pack Qty
EDL0004	7"	1/6/60
EDL0005	8"	1/6/48

Labor-Saving Professional Long Nose Pliers



Cr-V 35%
Less Effort



- Up to 35% effort saving.
- Able to cut 1.6mm steel wire for over 3,000 times.
- Cr-V head with nicle plating
- Tri-color TPR handle

Item #	Spec	Pack Qty
EDL0103	6"	1/6/60
EDL0104	8"	1/6/60

Labor-Saving Professional Diagonal Cutting Pliers



Cr-V 30%
Less Effort



- Up to 30% effort saving.
- Able to cut 1.6mm steel wire for over 3,000 times.
- Cr-V head with nicle plating
- Tri-color TPR handle

Item #	Spec	Pack Qty
EDL0204	6"	1/6/60

Professional Water Pump Pliers

Cr-V



- CRV
- Jaw diamond-shaped teeth
- Flexible clamping
- Maximum opening 50mm

Item #	Spec	Pack Qty
EDL2608Z	Size: 8", 200mm	1/6/60
EDL2610Z	Size: 10", 250mm	1/6/48
EDL2612Z	Size: 12",300mm	1/6/36

Bench Vice



- All steel precision casting,more durable
- Strengthen base design,Overall heat treatment

Item #	Spec	Pack Qty
EDL2904Z	Size: 4"	1/-/1
EDL2905Z	Size: 5"	1/-/1
EDL2906Z	Size: 6"	1/-/1
EDL2908Z	Size: 8"	1/-/1

Labor-saving Hand Riveter



- Cr-Mo alloy steel, better riveting performance
- Aluminum alloy shell, light weight and durable
- Labor-saving structure,30% labor-saving

Item #	Spec	Pack Qty
EDL236004	Size:8"	1/6/24

Screwdriver



S2

Slotted

- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL3440	3x75mm	1/12/480
EDL3441	3x100mm	1/12/480
EDL3442	3x150mm	1/12/480
EDL3443	5x75mm	1/12/240
EDL3444	5x100mm	1/12/240
EDL3445	5x150mm	1/12/240
EDL3446	6x38mm	1/12/240
EDL3447	6x100mm	1/12/120
EDL3448	6x125mm	1/12/120
EDL3449	6x150mm	1/12/120
EDL3450	6x200mm	1/12/120
EDL3451	8x200mm	1/12/120
EDL3452	8x250mm	1/12/120

Screwdriver



S2

Slotted

- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL3453	PH0x75mm	1/12/480
EDL3454	PH0x100mm	1/12/480
EDL3455	PH0x150mm	1/12/480
EDL3456	PH1x75mm	1/12/240
EDL3457	PH1x100mm	1/12/240
EDL3458	PH1x150mm	1/12/240
EDL3459	PH2x38mm	1/12/240
EDL3460	PH2x100mm	1/12/120
EDL3461	PH2x125mm	1/12/120
EDL3462	PH2x150mm	1/12/120
EDL3463	PH2x200mm	1/12/120
EDL3464	PH3x200mm	1/12/120
EDL3465	PH3x250mm	1/12/120

18mm Snap-off Knife



SK2

- 0.6mm SK2 blade material
- 0.8mm thickened blade track
- TPR+ABS+Zinc alloy body
- Rubber and double sided teeth push button

Item #	Spec	Pack Qty
EDL4254	SK2 Blade, 60°	1/12/144

18mm Snap-off Knife



500

SK2

- SK2 Blade thickened to 0.6mm
- Blackened blade,more beautiful and rust-proof
- Double lock tooth structure,automatic locking blade
- Track thickness increased to 0.8mm,can withstand 50kg force
- Laser skin texture technology,fully rubber body, more comfortable to hold

Item #	Spec	Pack Qty
EDL018G	SK2 Blade, 60°	1/10/120
EDL025G	SK2 Blade, 60°	1/10/80

Folding Knife



SK2

- Zinc alloy blade body, strong and durable, comfortable grip
- Blackened blade,more beautiful and rust-proof

Item #	Spec	Pack Qty
EDL040	SK2+3CK5	1/12/72

Folding Knife



SK2

- Classic flat stainless steel body design
- Durable SK2 blade
- Auto lock mechanism

Item #	Spec	Pack Qty
EDL030	SK2	1/12/96

Utility Knife



SK2

- Classic flat stainless steel body design
- Durable SK2 blade
- Auto lock mechanism

Item #	Spec	Pack Qty
EDL411	SK2	1/12/96

10 Pcs Utility Knife Blades Set



SK2

- SK2 blade for high hardness, high wear resistance
- Black finished surface for better rust-proof
- Easy to snap off

Item #	Spec	Pack Qty
EDL-DPI87H	SK2 18mm	1/10/120
EDL-DP252	SK2 25mm	1/10/120

Heavy Duty Hacksaw



Bi-Metal

- All-aluminum heavy-duty steel frame: heavy and durable
- Plastic handle with Rubber coated: comfortable and durable
- Double metal blade: sharp and durable
- Adjustment knob for easy cutting at two angles 45°/90°

Item #	Spec	Pack Qty
EDL353812G	12"	1/6/24

F Clamp



A3
Steel

- Thickness and width of iron ruler 5mm
- Max clamp force 2000N
- Diagonal of screw thread 12mm

Item #	Spec	Pack Qty
EDL110515Z	Size: 50x150mm	1/6/48
EDL110525Z	Size: 50x250mm	1/6/48
EDL110830Z	Size: 80x300mm	1/6/24
EDL111230Z	Size: 120x300mm	1/1/6
EDL111250Z	Size: 120x500mm	1/1/6
EDL111280Z	Size: 120x800mm	1/1/6

Measuring Tools



Measuring Tools

Steel Tape Measure



ABS
TPR

- 3m blade standout
- Wear-resistant ruler tape
- Base Brake Setting
- ABS shell with TPR cover

Item #	Spec	Pack Qty
EDL370528	5m*28mm	1/12/72
EDL377528	75m*28mm	1/8/48

Steel Tape Measure



ABS
TPR

- 3m blade standout
- Wear-resistant ruler tape
- Base Brake Setting
- ABS shell with TPR cover

Item #	Spec	Pack Qty
EDL370528Y	5m/16ft*28mm	1/12/72
EDL377528Y	75m/25ft*28mm	1/8/48


Steel Tape Measure



- Double sided printing
- Ultra wear-resistant tape
- Strong magnetic field
- JIS Level 1 Accuracy

Item #	Spec	Pack Qty
EDP5523	5m*25mm	1/12/120
EDP5524	8m*25mm	1/6/60

Steel Tape Measure



- Double sided printing
- Ultra wear-resistant tape
- Strong magnetic field
- JIS Level 1 Accuracy

Item #	Spec	Pack Qty
EDP5523Y	5m*25mm	1/12/120
EDP5524Y	8m*25mm	1/6/60

Long Tape Measure



ABS
TPR

- Level-II precision tape
- TPR soft rubber coating
- PVC tape coating
- Double-side metric and inch scale
- 3:1 gear ratio

Item #	Spec	Pack Qty
EDL9920Y	20m/65ft*14.5mm	1/1/10/40
EDL9930Y	30m/98ft*14.5mm	1/1/10/40

Double-side metric and inch scale



Spirit Level With Dual-View



- 3-in-1 function: horizontal, vertical, 45° measurement
- 0.5mm/m accuracy
- Double-milled measurement surface, improved accuracy of measurements
- 1.5mm thickness
- Sight glass function, easy side reading
- Strong magnet

Item #	Spec	Pack Qty
EDL290400K	400mm	1/10/40
EDL290600K	600mm	1/10/40
EDL290800K	800mm	1/5/20
EDL2901000K	1000mm	1/5/20

Infrad Thermometer



- Temperature measurement range:-30°C ~550°C
- 0.5s fast response
- Object distance ratio D:S=8:1
- °C / °F dual measurement mode conversion
- LCD digital display screen, HD backlight display

Item #	Spec	Pack Qty
EDL333550	-30°C ~550°C	1/5/60

Digital Multimeter



- Max 1999 display, CAT III, manual ranging.
- Measures AC/DC voltage, DC current, resistance.
- Features data hold, diode test, continuity check, low battery indicator, auto shutdown, and LCD backlight

Item #	Spec	Pack Qty
EDL334301	1999 counts	1/10/40
EDL334302	3999 counts	1/10/40
EDL334303	5999 counts	1/10/40



Multifunctional Digital Multimeter



- Measures AC/DC voltage, resistance, frequency.
- Live wire detection, NCV, diode test, continuity, data hold, true RMS, low battery, auto shutdown, backlight, flashlight.

Item #	Spec	Pack Qty
EDL334501	3999 counts	1/10/40
EDL334504	5999 counts	1/10/40

Clamp-on Digital Multimeter

500



- Max 1999 display, CAT III, auto ranging.
- Clamp size: 25mm.
- Measures AC/DC voltage, AC current, resistance.
- Features data hold, diode test, continuity, low voltage indicator, auto shutdown, dual-color LCD backlight.

Item #	Spec	Pack Qty
EDL334201	1999 counts	1/10/40
EDL334203	3999 counts	1/1/10/40
EDL334204	5999 counts	1/1/10/40

Soldering Iron



- Durable ceramic heater
- Long-lasting copper tip
- Power indicator for easy status check

Item #	Spec	Pack Qty
EDL394260	Input power:60W	1/6/48
EDL394280	Input power:80W	1/6/48

Soldering Iron(Knob Temperature Control)



- Durable printed ceramic heating element
- Copper tip with thick coating for extended life
- Power indicator for clear status
- Adjustable temperature for versatile use

Item #	Spec	Pack Qty
EDL394360	Input power:60W	1/6/48
EDL394380	Input power:80W	1/6/48

Soldering Iron(Digital Temperature Control)



- Durable ceramic heating element
- Long-lasting copper tip
- Power indicator for status
- Auto sleep mode, alerts, temp conversion, and calibration
- Adjustable temperature for versatility

Item #	Spec	Pack Qty
EDL394460	Input power:60W	1/6/48
EDL394490	Input power:90W	1/6/48



Wire Stripper



- Stainless steel forged caliper, high hardness
- Quenched cutting edge for sharp, labor-saving cuts
- PVC+TPR handle for a comfortable grip

Item #	Spec	Pack Qty
EDL2667	7" Stripping Range:0.6-2.6mm	1/10/60

Wire Stripper



- Stainless steel forged caliper, high hardness
- Quenched cutting edge for sharp, labor-saving cuts
- PVC+TPR handle for a comfortable grip

Item #	Spec	Pack Qty
EDL383028	7" Stripping Range:0.6-0.8mm	1/6/72

3-IN-1 Automatic Wire Stripper



- The clamp body is made of zinc alloy material
- Chromium molybdenum vanadium wire stripping blade
- CrMoV blade, powerful spring, automated wire stripping

Item #	Spec	Pack Qty
EDL2017	8" Applicable wire size:0.2-6mm²	1/6/60

Mini 2-IN-1 Automatic Wire Stripper



- Zinc pliers body, durable and rust-proof
- Ideal for stripping and cutting various wires
- Compact design, one-hand operation
- PP+TPR coated handle, comfortable, anti-slip, oil-resistant

Item #	Spec	Pack Qty
EDL2015	6.5" Stripping Range:0.6-6mm²	1/6/60

Plastic Cutting Pliers



- Stainless steel forging shear body, surface heat treatment, hardness of 48-52HRC, shear sharp
- PP + TPR cover rubber, non-slip design, comfortable grip

Item #	Spec	Pack Qty
EDL2907	8"/200mm	1/6/72

27-in-1 Wire Stripper



- Stainless steel pliers body material is not easy to rust
- TPR rubber coated handle
- 27 in one functions including wire stripping, cutting, and crimping

Item #	Spec	Pack Qty
EDL383014	8"	1/6/60

Hot Melt Glue Gun



- Double PTC design, faster preheating and more glue output
- TPE-coated handshake, comfortable grip
- Compliant power cord with ceramic fuse, safe and reliable
- Replaceable nozzle design to meet different industrial scenarios
- Built - in Ceramic Fuse Tube for Leakage Prevention & Safety

Item #	Spec	Pack Qty
EDL407150	150w	1/12/36
EDL407200	200w	1/12/36
EDL407300	300w	1/12/36

F Clamp



- Multiple sizes,complete specifications for different needs
- High strength load,strong clamping,not easy to loosen
- Plastic gasket,flat clamping surface,even force,no damage to objects

Item #	Spec	Pack Qty
EDL110515Z	Size: 50x150mm Max clamp force:2000N	1/6/48
EDL110525Z	Size: 50x250mm Max clamp force:2000N	1/6/48
EDL110830Z	Size: 80x300mm Max clamp force:3000N	1/6/24
EDL111230Z	Size: 120x300mm Max clamp force:3500N	1/1/6
EDL111250Z	Size: 120x500mm Max clamp force:3500N	1/1/6
EDL111280Z	Size: 120x800mm Max clamp force:3500N	1/1/6



deli

YELLOW SERIES TOOLS

POWER TOOLS

HAND TOOLS



Lithium-ion Cordless Drill



Ref. No.	Specification									Max drilling Capacity		
	Rated voltage	Battery	No-load speed	Impact frequency	Chuck Capacity	Torque setting	Max Torque	Pack qty	Packing typ	Wood	Steel	Brick wall
EDL-DZ12-4A2	12V	2.0Ah*1	0-400/0-1500rpm	/	10mm	18+1	30N.m	1/-/12	Color box	16mm	8mm	/
EDL-DZ12-5A2	12V	2.0Ah*1	0-400/0-1500rpm	/	10mm	18+1	30N.m	1/-/12	BMC	16mm	8mm	/
EDL-DZ12-6A2	12V	2.0Ah*1	0-400/0-1500rpm	/	10mm	18+1	30N.m	1/-/5	BMC	16mm	8mm	/
EDC041	12V	2.0Ah*2	0-400/0-1500rpm	/	10mm	18+1	30N.m	1/-/12	BMC	16mm	8mm	/
EDC053	16V	2.0Ah*2	0-400/0-1800rpm	/	10mm	20+1	45N.m	1/-/10	BMC	25mm	10mm	/
EDC054	16V	2.0Ah*2	0-400/0-1800rpm	0-7650/30600ipm	10mm	20+1+1	45N.m	1/-/10	BMC	25mm	10mm	10mm
EDC120	20V	2.0Ah*2	0-550/0-1800rpm	/	10mm	20+1	45N.m	1/-/6	Color box	25mm	10mm	/
EDC120Z	20V	/	0-550/0-1800rpm	/	10mm	20+1	45N.m	1/-/20	Color box	25mm	10mm	/
EDC120-2	20V	2.0Ah*2	0-550/0-1800rpm	/	10mm	20+1	45N.m	1/-/8	BMC	25mm	10mm	/
EDC150	20V	2.0Ah*2	0-550/0-1800rpm	0-8250/27000bpm	10mm	20+1+1	50N.m	1/-/6	Color box	25mm	10mm	10mm
EDC112Z	20V	/	0-450/0-2000rpm	/	13mm	20+1	65N.m	1/-/8	Injection box	35mm	13mm	/
EDC112	20V	2.0Ah*2	0-450/0-2000rpm	/	13mm	20+1	65N.m	1/-/8	Injection box	35mm	13mm	/

Lithium-ion Cordless Drill
EDL-DZ12-4A2



12V	10mm	30Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Lithium-ion Cordless Drill
EDL-DZ12-5A2



12V	10mm	30Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Specification

Rated Voltage	12V
No-load Speed	0-400/0-1500rpm
Max torque	30N.m
Torque Settings	18+1
Chuck Capacity	Φ10mm

Max drilling Capacity

Wood	Φ16mm
Steel	Φ8mm

Accessory List

> 1PCS Cr-V 65mm bit

Model Note

1*2Ah Battery 1*Charger

Sales Point

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Precision Torque Control : Features a 18+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- High-Quality Chuck : Includes a Φ13mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.

Cordless Drill

Lithium-ion Cordless Drill
EDL-DZ12-6A2 



12V	10mm	30Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Specification

Rated Voltage	12V
No-load Speed	0-400/0-1500rpm
Max torque	30N.m
Torque Settings	18+1
Chuck Capacity	Φ10mm

Accessory List

- > 3、4、5、6mm Wood Drill Bit
- > 5-13mm Socket
- > 5-6mm Glass Drill Bits
- > 1pcs Flexible Shaft

Model Note

1*2Ah Battery 1*Charger

Max Drilling Capacity

Wood	Φ16mm
Steel	Φ8mm

Sales Point

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Precision Torque Control : Features a 18+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.

Lithium-ion Cordless Drill
EDC041  



12V	10mm	30Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Rated Voltage	12V
No-load Speed	0-400/0-1500rpm
Max torque	30N.m
Torque Settings	18+1
Chuck Capacity	Φ10mm

> 1PCS Cr-V 65mm bit

2*2Ah Battery 1*Charger

Wood	Φ16mm
Steel	Φ8mm

Lithium-ion Cordless Drill
EDC120 



20V	10mm
RATED VOLTAGE	CHUCK CAPACITY

Specification

Specification	Brushless Motor
Rated Voltage	20V
No-load Speed	0-550/0-1800rpm
	50N.m
Torque Settings	20+1
Chuck Capacity	Φ10mm

Accessory List

> 1PCS Cr-V 65mm bit

Model Note

EDC120: 2*2Ah Battery 1*Charger
EDC120Z: Bare tool
EDC120-2: 1*2Ah Battery 1*Charger

Max Drilling Capacity

Wood	Φ25mm
Steel	Φ10mm

Sales Point

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Precision Torque Control : Features a 20+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.
- 20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.

Lithium-ion Cordless Drill
EDC053  



16V	10mm	45Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Brushless Motor
16V
0-450/0-1800rpm
45N.m
20+1
Φ10mm

> 1pcs Cr-V 65mm bit

EDC053: 2*2Ah Battery 1*Charger

Wood	Φ25mm
Steel	Φ10mm

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Precision Torque Control : Features a 20+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.

Cordless Drill

Cordless Drill

EDC112



20V	13mm	65Nm
RATED	CHUCK	MAX

Specification

Brushless Motor

Rated Voltage	20V
No-load Speed	0-450/0-2000rpm
Impact Rate	/
Max torque	65N.m
Torque Settings	20+1
Chuck Capacity	Φ13mm

Max Drilling Capacity

Wood	Φ35mm
Steel	Φ13mm

Accessory List

- > With 1 pcs Cr-V 65mm bit
- > With 3 Pcs wood drill bits (3、4、5mm)

Model Note

EDC112: 2*2Ah Battery 1*Charger
EDC112Z: Bare tool

Sales Point

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Precision Torque Control : Features a 20+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- High-Quality Chuck : Includes a Φ13mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.
- 20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.

Lithium-ion Impact Drill

EDC054



16V	10mm	45Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Specification

Brushless Motor

Rated Voltage	16V
No-load Speed	0-450/0-1800rpm
Impact Rate	0-7650/30600ipm
Max torque	45N.m
Torque Settings	20+1+1
Chuck Capacity	Φ10mm

Max Drilling Capacity

Wood	Φ25mm
Steel	Φ10mm

Accessory List

- > With 1pcs Cr-V 65mm bit

Model Note

EDC054: 2*2Ah Battery 1*Charger

Sales Point

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications.
- High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.

Lithium-ion Impact Drill

EDC150



20V	10mm	50Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Rated Voltage	20V
No-load Speed	0-550/0-1800rpm
Impact Rate	0-8250/27000ipm
Max torque	50N.m
Torque Settings	20+1+1
Chuck Capacity	Φ10mm

Wood	Φ25mm
Steel	Φ10mm

- > 1PCS Cr-V 65mm bit

EDC150: 2*2Ah Battery 1*Charger
EDC150Z: Bare tool
EDC150-2: 2*2Ah Battery 1*Charger

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications.
- High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.

Cordless Drill

Cordless Impact Drill
EDC130



20V	13mm	65Nm
RATED VOLTAGE	CHUCK CAPACITY	MAX TORQUE

Specification

	Brushless Motor
Rated Voltage	20V
No-load Speed	0-450/0-2000rpm
Impact Rate	0-7200/0-32000ipm
Max torque	65N.m
Torque Settings	20+1+1
Chuck Capacity	Φ13mm

Max Drilling Capacity

Wood	Φ35mm
Steel	Φ13mm

Accessory List

- > With 1 pcs Cr-V 65mm bit
- > With 3 Pcs wood drill bits (3、4、5mm)

Model Note

EDC130: 2*2Ah Battery 1*Charger
EDC130Z: Bare tool

Sales Point

- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
- Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
- Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications.
- High-Quality Chuck : Includes a Φ13mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.
- 20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.

Impact Wrench

Lithium-ion Impact Wrench
EDC230



20V	320Nm
RATED VOLTAGE	MAX TORQUE

Specification

	Brushless Motor
Rated voltage	20V
No-load speed	0-1600/2000rpm
Impact frequency	0-2500/3000bpm
Chuck Capacity	12.7mm
Max torque	320N.m

Accessory List

> 3 pcs socket (17 19 21mm)

Model Note

EDC230: 2*2Ah Battery 1*Charger
EDC230Z: Bare tool

Sales Point

- Brushless Motor: Utilizes advanced brushless motor technology for higher efficiency and extended lifespan. Eliminates the need for carbon brush replacement, reduces maintenance costs, and maximizes battery energy utilization.
- Precision-Calibrated Impact System: Features durable, finely calibrated impact overlap and multi-stage torque adjustment to meet diverse operational demands.
- Ergonomic Design: Rubberized anti-slip grip enhances stability, effectively resisting slippage and vibration.
- Safe & Convenient: Features three modes: lock-on, forward, and reverse. Locks during idle and switches directions during operation. Built-in high-brightness LED light illuminates work areas clearly even in dark environments.
- Extended Run Time: Low energy consumption and high conversion efficiency. 15C battery cells + HDC thermal management system boost runtime by 15%.
- 20V Platform: Part of the Deli shared battery platform, allowing interchangeable battery use with other 20V Deli tools.

Impact Wrench

Lithium-ion Impact Wrench

EDC235



20V
RATED
VOLTAGE

480Nm
MAX
TORQUE

Specification	
Brushless Motor	
Rated voltage	20V
No-load speed	0-1600/0-2300/0-2900rpm
Impact Rate	0-2000/0-3000/0-3700ipm
Max torque	480N.m
Square Drive	/

Accessory List	
> With 3 Pcs sockets(17, 19, 21mm)	

Model Note	
EDC235: 2*2Ah Battery 1*Charger	
EDC235Z: Bare tool	

Sales Point	
- Brushless Motor: Utilizes advanced brushless motor technology for higher efficiency and extended lifespan. Eliminates the need for carbon brush replacement, reduces maintenance costs, and maximizes battery energy utilization. - Precision-Calibrated Impact System: Features durable, finely calibrated impact overlap and multi-stage torque adjustment to meet diverse operational demands. - Ergonomic Design: Rubberized anti-slip grip enhances stability, effectively resisting slippage and vibration. - Safe & Convenient: Features three modes: lock-on, forward, and reverse. Locks during idle and switches directions during operation. Built-in high-brightness LED light illuminates work areas clearly even in dark environments. - Extended Run Time: Low energy consumption and high conversion efficiency. 15C battery cells + HDC thermal management system boost runtime by 15%. - 20V Platform: Part of the Deli shared battery platform, allowing interchangeable battery use with other 20V Deli tools.	

Lithium-ion Impact Wrench

EDC234



20V
RATED
VOLTAGE

850Nm
MAX
TORQUE

Brushless Motor	
20V	
0-1600/0-2000/0-2500rpm	
0-1500/0-1800/0-2100ipm	
850N.m	
1/2"(12.7mm)	

> With 3 Pcs deep sockets(22,24,27mm)	
> With 1 Pcs belt clip	

EDC234: 2*2Ah Battery 1*Charger	
EDC234Z: Bare tool	

Rotary Hammer

Lithium-ion Rotary Hammer

EDC300



20V
RATED
VOLTAGE

22mm
DRILLING
CAPACITY

Specification	
Brushless Motor	
Rated voltage	20V
No-load speed	0-1400rpm
Impact frequency	0-4500bpm
Impact energy	2J

Drilling capacity	
Concrete	22mm
Steel	13mm
	28mm

Accessory List	
> With 3pcs SDS-PLUS Hammer Drill Bit(6mm、 8mm、 10mm)	> With 1pcs SDS-PLUS Chisel

Model Note	
EDC300: 2*2Ah Battery 1*Charger	
EDC300Z: Bare tool	

Sales Point	
- High-efficiency motor, combined with an optimized hammering system features a large eccentric design, delivering greater impact force and drilling efficiency than comparable models. - Reliable leak-proof design, better sealing performance, no oil leakage, better dust-proof movement, and longer service life. - The newly optimized clutch structure and the high-wear-resistant alloy steel disengagement tooth design automatically stop when the steel bar is reached, making it safer to use. - The full-hand grip switch, with a scientific shock absorption design, can filter out more vibrations and provide a comfortable user experience.	

Angle
Grinder

Lithium-ion Angle Grinder
EDC600 



20V

RATED
VOLTAGE

100mm

DISC
DIAMETER

Specification	Brushless Motor
Rated Voltage	20V
No-load Speed	3500/6000/8500rpm
Disc Diameter	100mm
Spindle thread	M10
Accessory List	> 1pcs auxiliary handle > Disc not included
Model Note	EDC600: 2*2Ah Battery 1*Charger EDC600Z: Bare tool

Sales Point	- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization. - Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance. - High-Efficiency Operation (High-Speed Performance): Maximum speed reaches 8500 rpm for more powerful cutting. - Power-off protection: Prevents accidental tool activation during battery changes. - Soft-start technology: Reduces starting torque for smoother cuts. - Overload protection: Minimizes motor overload or overheating risks. - Helical bevel gears: Deliver smooth power transmission for grinding applications. - Dual-position side auxiliary handle: Offers comfortable control. - 20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.
-------------	--

Lithium-ion Angle Grinder
EDC601 



20V

RATED
VOLTAGE

115mm

DISC
DIAMETER

Specification	Brushless Motor
Rated Voltage	20V
No-load Speed	3500/6000/8500rpm
Disc Diameter	115mm
Spindle thread	M14
Accessory List	> 1pcs auxiliary handle > Disc not included
Model Note	EDC601: 2*2Ah Battery 1*Charger EDC601Z: Bare tool

Angle Grinder

Lithium-ion Angle Grinder
EDC602 



20V

RATED
VOLTAGE

125mm

DISC
DIAMETER

Specification	Brushless Motor
Rated Voltage	20V
No-load Speed	3500/6000/8500rpm
Disc Diameter	125mm
Spindle thread	M14
Accessory List	> 1pcs auxiliary handle > Disc not included
Model Note	EDC602: 2*2Ah Battery 1*Charger EDC602Z: Bare tool

Sales Point	- Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization. - Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance. - High-Efficiency Operation (High-Speed Performance): Maximum speed reaches 8500 rpm for more powerful cutting. - Power-off protection: Prevents accidental tool activation during battery changes. - Soft-start technology: Reduces starting torque for smoother cuts. - Overload protection: Minimizes motor overload or overheating risks. - Helical bevel gears: Deliver smooth power transmission for grinding applications. - Dual-position side auxiliary handle: Offers comfortable control. - 20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.
-------------	--

Circular Saw

Circular Saw
EDC551 ^{TOP} 500



20V
RATED
VOLTAGE

165mm
DISC
DIAMETER

Specification

Brushless Motor	
Rated Voltage	20V
Disc Diameter	165mm
No-load Speed	4700rpm
Bevel Angle	0-45°
Cutting Depth At 45°	34mm
Cutting Depth At 0°	51mm

Accessory List

> Disc not included

Model Note

EDC551Z: Bare tool

Sales Point

- Powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15%.
- Professional Cutting Capability: Single-pass cutting through a single piece of wood with an impressive 51mm cutting depth. Effortlessly handles diverse wood types.
- Bevel Cutting Function: Adjustable knob allows blade tilt up to 45°, enabling precise bevel cuts.
- Ergonomic Design: Lightweight body with comfortable grip for reduced fatigue during extended use.
- Depth Adjustment Lever: Quickly and easily adjust cutting depth to meet any task requirement.
- Dust Port: Built-in dust port keeps work areas clean while precisely following the cutting line.
- 20V Platform: Part of the Deli shared battery platform, allowing interchangeable battery use with other 20V Deli tools.

Circular Saw
EDC552 ^{TOP} 500



20V
RATED
VOLTAGE

185mm
DISC
DIAMETER

Brushless Motor

20V
185mm
4700rpm
0-45°
45mm
65mm

> Disc not included

EDC552Z: Bare tool

Jig Saw
EDC561

20V
RATED
VOLTAGE

65mm
MAX
CUTTING
DEPTH

Accessory List

- > 3 pcs Wood saw blades
- > 1 pcs Plastic saw blades
- > 1 pcs Steel saw blades

NEW

TOP
500

- Ultra-powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15%.
- Lightweight and portable design prioritizes user comfort, with tool structure redirecting vibration to the saw blade rather than the hand for exceptionally smooth operation.
- Variable speed design accommodates diverse material cutting requirements.
- Blade lift function: Four-position blade height adjustment enables flexible cutting. Mechanical intelligence coordinates with motor performance to significantly boost cutting efficiency, material adaptability, and tool durability.
- SDS quick-change blade system ensures effortless operation.
- LED work light provides clear visibility.
- Safety-focused design: Dual-switch activation and ergonomic handle ensure convenient and secure operation.
- 20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.

Model Note

EDC561Z: Bare tool

Specification

Rated Voltage	20V	Steel	6mm
No-load Speed	0-2800rpm	Plastic	10mm
Stroke Distance	20mm		
Max Cutting Depth In			
Wood	65mm		



Lithium-ion Random Orbit Sander
EDC891

20V
RATED
VOLTAGE

Accessory List

- > With 5 pcs Sand Paper

Model Note

EDC891Z: Bare tool

NEW

TOP
500

- Brushless Motor: Utilizes advanced brushless motor technology for higher efficiency and extended lifespan. Eliminates the need for carbon brush replacement, reduces maintenance costs, and maximizes battery energy utilization.
- Random orbital polishing technology—combines pad orbital motion with rotation to achieve uniformly blended, ultra-smooth surface finishing with high removal efficiency.
- Variable-speed control from 6,000 to 11,000 RPM to match the speed to the application.
- Dust-proof switch design effectively extends switch lifespan.
- Equipped with dust collection port to protect operator health.
- 20V Platform: Part of the Deli shared battery platform, allowing interchangeable battery use with other 20V Deli tools.

Specification

Rated Voltage	20V
No-load Speed	6000-11000rpm
Bottom Size	125mm



Spray Gun
EDC890

20V
RATED
VOLTAGE

Accessory List

- > With 1pcs Viscosity Measuring Cup
- > With 1pcs Nozzle Cleaning Needle
- > With 1pcs Φ1.8mm Copper Nozzle

Model Note

EDC890Z: Bare tool

- High-performance pure copper motor, with strong power, high speed,improving work efficiency and saving working time;
- Large-flow pure copper nozzle. The flow rate can be adjusted, and the spraying shape is also adjustable,effective anti-slip, , effectively reduce maintenance and replacement costs;
- Soft rubber-covered structure, providing a comfortable grip,enhance handling stability, and reduce hand fatigue;
- 2000mAh Large capacity battery pack, It can work continuously for 7-20 minutes when fully charged(depending on material, nozzle, and settings) ,sufficient battery life ensures the continuity of the operation process;
- There are two types of copper nozzles, 1.8mm and 2.6mm, available for selection, which can meet the usage requirements of different scenarios;Achieve an ultra-high cost-performance ratio with multiple functions in one device.



Specification

Rated Voltage	20V
No Speed	0-2800/min
Container Capacity	1000ml
Maximum Viscosity	120din/sec
Maximum Flow	850ml/min
Nozzle	Φ1.8/2.6mm

NEW
TOP
500

Lithium-ion Fan
EDC820

20V
RATED
VOLTAGE

Accessory List

- > 1 pcs Adapter:220-240V
- > Without Battery and Charge

Model Note

EDC820Z: Bare tool

NEW

- Compact and portable, it can generate a strong wind force of up to 310 or 450 CFM, effectively cooling down machines in operation or workers in hot environments, enhancing comfort and safety;
- Simply flip the body and you can easily achieve three air outlet directions: upward, horizontal and downward. It is multi-functional and can become your all-round assistant.

Specification

Rated Voltage	20V
No-load Speed	1000/1700/2400rpm
Speed Settings	3
Dimensions	11"
Tilt Adjustment	0-360°



Lithium-ion Vacuum Cleaner
EDC825

20V
RATED
VOLTAGE

Accessory List

- > With 1 pcs Flexible Hose
- > With 1 pcs Floor Brush
- > With 3 pcs Plastic Tube
- > With 1 pcs Paper Bag
- > With 1 pcs Crevice Nozzle

Model Note

EDC825Z: Bare tool

NEW

- This dual-purpose device features both vacuuming and blowing modes, enabling wireless cleaning throughout the entire house and yard;
- A 20L large-capacity, sturdy and rust-proof dust collection bucket, equipped with an independent sewage discharge port, can handle heavy tasks, making cleaning effortless and hygienic;
- Compatible with the Deli 20V battery pack platform, there is no need to purchase additional battery packs and chargers, maximizing investment value.

Specification

Rated Voltage	20V
Vacuity	≥8.0KPa
Dust Capacity	20L
Suction Hose Diameter	32 mm
Suction Hose Length	1.5 m
Tank	Stainless Steel Tank



Cordless Multi Tool
EDC651-1

20V
RATED
VOLTAGE

Accessory List

- > With 1 pcs Flexible Scraper
- > With 1 pcs Cutting Saw Blade
- > With 1 pcs Segment Saw Blade
- > With 1 pcs Hex Key
- > With 1 pcs Sanding Base
- > With 3 pcs Sanding Paper
- > With 1 pcs 2Ah Battery
- > With 1 pcs Charger



Model Note

EDC651Z: Bare tool
EDC651-1: 1*2Ah Battery 1*Charger

- High-performance pure copper motor, with strong power, high speed, fast cutting speed, improving work efficiency and saving working time;
- With 6 speed Settings, it can be used for multiple purposes in one device and precisely handle various scenarios;
- High-frequency 3° swing Angle vibration, optimized impact structure, faster start-up, greatly enhancing operation efficiency.



Specification

Rated Voltage	20V
No-load Speed	5000-20000rpm
Oscillation Angle	3°
Outer Carton Size	37*23*31cm
	33*25*26.5cm
Diameter of suction pipe	32mm

20V 2-TOOL
Combo Kit

EDC901



20V 2-Tool Combo Kit
EDC901

20V
VOLTAGE



With 1pcs lithium-ion brushless cordless impact drill (EDC150Z)
With 1pcs lithium-ion impact wrench(EDC230Z)



Accessory List

- > With 1 pcs bits
- > With 2 pcs belt clips
- > With 3 pcs sockets(17 19 21mm)

Model Note

EDC901: 1*2Ah & 1*4Ah Battery 1*Charger

Specification

Brushless Motor	EDC150Z/EDC230Z	
Rated Voltage	20V	
No-load Speed	0-550/0-1800rpm/	0-1600/2000rpm
Impact Rate	0-2500/3000ipm	
Max Torque	0-8250/27000ipm/	50N.m/320N.m
Torque Settings	20+1+/-	
Chuck Capacity	Φ10mm/12.7mm	

EDC150Z
-High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners,- significantly boosting work efficiency.
-Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
-Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications.
-High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.
EDC230Z
-Precision-Calibrated Impact System: Features durable, finely calibrated impact overlap and multi-stage torque adjustment to meet diverse operational demands.
-Ergonomic Design: Rubberized anti-slip grip enhances stability, effectively resisting slippage and vibration.
-Safe & Convenient: Features three modes: lock-on, forward, and reverse. Locks during idle and switches directions during operation. Built-in-high-brightness LED light illuminates work areas clearly even in dark environments.
-Extended Run Time: Low energy consumption and high conversion efficiency. 15C battery cells + HDC thermal management system boost runtime by 15%.
-Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
-20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.

20V 2-Tool Combo Kit
EDC902

20V
VOLTAGE



With 1pcs lithium-ion brushless cordless impact drill (EDC150Z)
With 1pcs lithium-ion angle grinder(EDC600Z)



Accessory List

- > With 1 pcs bit
- > With 1 pcs belt clip
- > With 1 set 100mm abrasive metal cutting disc(10 Pcs)
- > With 1 pcs auxiliary handle and protector

Model Note

EDC902: 1*2Ah &1*4Ah Battery 1*Charger

Specification

Brushless Motor	EDC150Z/EDC600Z	
Rated Voltage	20V	
No-load Speed	0-550/0-1800rpm/	3500/6000/8500rpm
Impact Rate	0-8250/27000ipm/ -	
Max Torque	50N.m/ -	
Disc Diameter	-/100mm	
Spindle Thread	-/M10	
Torque Settings	20+1+/-	
Chuck Capacity	Φ10mm/ -	

EDC150Z
-High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
-Precision Torque Control : Features a 20+1+1 torque adjustment ring, allowing users to precisely set torque levels based on material type and fastener requirements.
-Impact Mode Function : An integrated impact mode function this drill makes quick work of masonry drilling applications.
-High-Quality Chuck : Includes a Φ10mm metal ratchet self-locking chuck for secure bit grip, minimizing slippage and enabling quick-release bit replacement.
EDC600Z
-Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
-High-Efficiency Operation (High-Speed Performance): Maximum speed reaches 10,000 rpm for more powerful cutting.
-Power-off protection: Prevents accidental tool activation during battery changes.
-Soft-start technology: Reduces starting torque for smoother cuts.
-Overload protection: Minimizes motor overload or overheating risks.
-Helical bevel gears: Deliver smooth power transmission for grinding applications.
-Dual-position side auxiliary handle: Offers comfortable control.
-Brushless Motor : Equipped with an advanced brushless motor for higher efficiency, extended lifespan, and reduced maintenance (no carbon brush replacement needed), while maximizing battery energy utilization.
-20V Platform : Part of the Deli power Share battery platform allowing you to interchange your batteries with your other 20V Deli tools.

Battery & Charger

Lithium-ion battery
EDL-DC12A2



12V

VOLTAGE

2.0Ah

LITHIUM-ION BATTERY

Specification

Voltage	12V
Lithium-Ion battery	2.0Ah
Battery	/
Charge	/
Input Voltage	/
Input Power	/
Output Voltage	/
Charge Current	/

Sales Point

- One battery can support multiple devices of a team to operate in rotation, greatly reducing the initial investment cost;
- High-rate battery cells can support continuous high-power output, ensuring that the product operates at peak power;
- Multiple protection mechanisms effectively prevent battery damage due to unexpected situations, ensure operational safety, and extend the core battery life.

Lithium-ion battery
EDL-DC20A2



20V

VOLTAGE

2.0Ah

LITHIUM-ION BATTERY

Voltage	20V
Lithium-Ion battery	2.0Ah
Battery	/
Charge	/
Input Voltage	/
Input Power	/
Output Voltage	/
Charge Current	/

Lithium-ion battery
EDL-DC20A4



20V

VOLTAGE

4.0Ah

LITHIUM-ION BATTERY

Specification

Voltage	20V
Lithium-Ion battery	4.0Ah
Battery	/
Charge	/
Input Voltage	/
Input Power	/
Output Voltage	/
Charge Current	/

Sales Point

- One battery can support multiple devices of a team to operate in rotation, greatly reducing the initial investment cost;
- High-rate battery cells can support continuous high-power output, ensuring that the product operates at peak power;
- Multiple protection mechanisms effectively prevent battery damage due to unexpected situations, ensure operational safety, and extend the core battery life.

Lithium-ion battery and charger set
EDL-CM20A2E 



20V

VOLTAGE

2.0 Ah*2

BATTERY

Voltage	/
Lithium-Ion battery	/
Battery	2Pcs (EDL-DC20A2)
Charge	1Pcs (EDL-CD20A2E)
Input Voltage	100-240V~50/60Hz
Input Power	45W
Output Voltage	20V
Charge Current	2A

- The dual-port fast charger is suitable for all Deli 20V lithium batteries, ensuring worry-free battery charging, convenience and economy;
- Display light design, allowing you to know when the battery is fully charged, which is convenient, worry-free and improves efficiency;
- Wall-mounted design, it can be hung on the wall, saving working space and providing a comfortable working experience.
- The college cycle is full of energy, eliminating the trouble of self-matching and saying goodbye to work stoppages and waiting

Battery&Charger

Lithium-ion battery and charger set

EDL-CM20A4E 



20V

VOLTAGE

4.0 Ah*2

BATTERY

Specification

Voltage	/
Lithium-Ion battery	/
Battery	2Pcs (EDL-DC20A4)
Charge	1Pcs (EDL-CD20A2E)
Input Voltage	100-240V~50/60Hz
Input Power	45W
Output Voltage	20V
Charge Current	2A

Sales Point

- The dual-port fast charger is suitable for all Deli 20V lithium batteries, ensuring worry-free battery charging, convenience and economy;
- Display light design, allowing you to know when the battery is fully charged, which is convenient, worry-free and improves efficiency;
- Wall-mounted design, it can be hung on the wall, saving working space and providing a comfortable working experience.
- The college cycle is full of energy, eliminating the trouble of self-matching and saying goodbye to work stoppages and waiting

Charger

Charger

EDL-CD20A2E



20V

OUTPUT VOLTAGE

2A

CHARGE CURRENT

Specification

Input Voltage	100-240V~50/60Hz
Input Power	45W
Output Voltage	20V
Charge Current	2A

Sales Point

- The dual-port fast charger is suitable for all Deli 20V lithium batteries, ensuring worry-free battery charging, convenience and economy;
- Display light design, allowing you to know when the battery is fully charged, which is convenient, worry-free and improves efficiency;
- Wall-mounted design, it can be hung on the wall, saving working space and providing a comfortable working experience.

Electric Drill



Specification							
Ref. No.	Rated Power	Rated Voltage	Frequency	No-load speed	Chuck capacity	Pack qty	Packing typ
EDL-DZ10-3E	370W	220-240V	50Hz/60Hz	0-3300/min	10mm	1/-/10	Color box
EDC174	380w	220-240V	50Hz/60Hz	0-3000/min	10mm	1/-/10	Color box
EDL-DZ10-E2	500w	220-240V	50Hz/60Hz	0-3300/min	10mm	1/-/10	Color box
EDL-DZ10-E3	500w	220-240V	50Hz/60Hz	0-3300/min	10mm	1/-/10	Color box

EDL-DZ16-E1	1200w	220-240V	50Hz/60Hz	0-1000/min	16mm	1/-/5	Color box
-------------	-------	----------	-----------	------------	------	-------	-----------

Electric Drill

Electric Drill
EDL-DZ10-3E



370w

RATED POWER

10mm

CHUCK CAPACITY

Electric Drill
EDC174



380w

RATED POWER

10mm

CHUCK CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz	220-240V~50/60Hz
Rated Power	370W	380W
No-load Speed	0-3300rpm	0-3000rpm
Chuck Capacity	10mm	10mm

Max drilling Capacity

Wood	Φ25mm	Φ25mm
Steel	Φ10mm	Φ10mm
Brick Wall	Φ10mm	Φ10mm

Accessory List

- > Variable speed control

> Froward/Reverse switch

> lSet extra carbon brushes
- > Variable speed control

> Froward/Reverse switch

> Carbon Brush*1

> Key Wrench*1

Sales Point

- Impact function : Easy switch of impact gear/flat drill gear, applicable for various usage scenarios
- High-Performance : Delivers high torque output for eortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work eciency.
- Advanced Heat Dissipation: Large airflow vents paired with internal directional blades optimize cooling eciency, reducing motor fatigue and extending tool lifespan.
- Flexible Speed & Direction Control: Stepless speed regulation enables precise torque adjustment, while a dedicated forward/reverse switch simplifies screwdriving and drilling modes.
- Ergonomic Soft-Grip Handle: Grip stability, with shock-absorbing layers to minimize fatigue during extended use.

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Electric Drill

Electric Drill

EDL-DZ10-E2 



500w

RATED
POWER

10mm

CHUCK
CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	500W
No-load Speed	0-3300rpm
Chuck Capacity	10mm

Max drilling Capacity

Wood	Φ25mm
Steel	Φ10mm
Brick Wall	Φ10mm

Accessory List

- > 10mm keyless chuck
- > Variable speed control
- > Forward/Reverse switch
- > 1Set extra carbon brushes

Sales Point

- Impact function : Easy switch of impact gear/flat drill gear, applicable for various usage scenarios
- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Advanced Heat Dissipation: Large airflow vents paired with internal directional blades optimize cooling efficiency, reducing motor fatigue and extending tool lifespan.
- Flexible Speed & Direction Control: Stepless speed regulation enables precise torque adjustment, while a dedicated forward/reverse switch simplifies screwdriving and drilling modes.
- Ergonomic Soft-Grip Handle: Grip stability, with shock-absorbing layers to minimize fatigue during extended use.

Electric Drill

EDL-DZ10-E3 



500w

RATED
POWER

10mm

CHUCK
CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1200W
No-load Speed	0-1000rpm
Chuck Capacity	16mm

Max drilling Capacity

Wood	35mm
Steel	16mm
Brick Wall	16mm

Accessory List

- > Variable speed control
- > Forward/Reverse switch
- > 1pcs auxiliary handle
- > 1pcs rear handle
- > 1Set extra carbon brushes

Sales Point

- Impact function : Easy switch of impact gear/flat drill gear, applicable for various usage scenarios
- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Advanced Heat Dissipation: Large airflow vents paired with internal directional blades optimize cooling efficiency, reducing motor fatigue and extending tool lifespan.
- Flexible Speed & Direction Control: Stepless speed regulation enables precise torque adjustment, while a dedicated forward/reverse switch simplifies screwdriving and drilling modes.
- Ergonomic Soft-Grip Handle: Grip stability, with shock-absorbing layers to minimize fatigue during extended use.

Electric Drill

EDL-DZ16-E1 



1200w

RATED
POWER

16mm

CHUCK
CAPACITY

Impact Drill



Impact Drill

Impact Drill
EDC181



550w
RATED POWER

13mm
CHUCK CAPACITY

Impact Drill
EDL-CZ13-E5 



650w
RATED POWER

13mm
CHUCK CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	550W
No-load Speed	0-2800rpm
Impact Rate	42000ipm
Chuck Capacity	13mm

Max drilling Capacity

Wood	Φ35mm
Steel	Φ13mm
Brick Wall	Φ13mm

Accessory List

- > Froward/Reverse switch
- > 1pcs auxiliary handle
- > 1Set extra carbon brushes

Sales Point

- Impact function : Easy switch of impact gear/flat drill gear, applicable for various usage scenarios
- High-Performance : Delivers high torque output for eortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work eciency.
- Advanced Heat Dissipation : Large airflow vents paired with internal directional blades optimize cooling eciency, reducing motor fatigue and extending tool lifespan.
- Flexible Speed & Direction Control: Stepless speed regulation enables precise torque adjustment, while a dedicated forward/reverse switch simplifies screwdriving and drilling modes.
- Ergonomic Soft-Grip Handle : Grip stability, with shock-absorbing layers to minimize fatigue during extended use.

Specification								
Ref. No.	Rated Power	Rated Voltage	Frequency	No-load speed	Impact frequency	Chuck capacity	Pack qty	Packing typ
EDC181	550W	220-240V	50Hz/60Hz	0-2800rpm	42000bpm	13mm	1/-/10	Color box
EDL-CZ13-E5	650w	220-240V	50Hz/60Hz	0-3000rpm	0-48000bpm	13mm	1/-/10	Color box
EDC180	650w	220-240V	50Hz/60Hz	0-3000rpm	0-48000bpm	10mm	1/-/6	BMC
EDL-CZ13-E6	820w	220-240V	50Hz/60Hz	0-3000rpm	0-48000bpm	13mm	1/-/10	Color box
EDL-CZ13-E3	1050w	220-240V	50Hz/60Hz	0-3000rpm	0-48000bpm	13mm	1/-/8	Color box

Impact Drill

Impact Drill
EDL-CZ13-E6 



820w
RATED

13mm
CHUCK

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	820W
No-load Speed	0-3000rpm
Impact Rate	0-48000ipm
Chuck Capacity	13mm

Max drilling Capacity

Wood	Φ35mm
Steel	Φ13mm
Brick Wall	Φ13mm

Accessory List

- > Variable speed control
- > Froward/Reverse switch
- > Hammer function
- > 1pcs auxiliary handle
- > 1Set extra carbon brushes

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces.

Impact Drill
EDL-CZ13-E3 



1050w
RATED

13mm
CHUCK

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1050W
No-load Speed	0-3000rpm
Impact Rate	0-48000ipm
Chuck Capacity	13mm

Max drilling Capacity

Wood	Φ35mm
Steel	Φ13mm
Brick Wall	Φ13mm

Accessory List

- > Variable speed control
- > Froward/Reverse switch
- > Hammer function
- > 1pcs auxiliary handle
- > 1Set extra carbon brushes

Sales Point

- Impact function : Easy switch of impact gear/flat drill gear, applicable for various usage scenarios
- High-Performance : Delivers high torque output for effortless handling of tough tasks like loosening stuck bolts, drilling, and driving large fasteners, significantly boosting work efficiency.
- Advanced Heat Dissipation: Large airflow vents paired with internal directional blades optimize cooling efficiency, reducing motor fatigue and extending tool lifespan.
- Flexible Speed & Direction Control: Stepless speed regulation enables precise torque adjustment, while a dedicated forward/reverse switch simplifies screwdriving and drilling modes.
- Ergonomic Soft-Grip Handle : Grip stability, with shock-absorbing layers to minimize fatigue during extended use.

Mixer

Mixer
EDC176 



1400w
RATED
POWER

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1400W
No-load Speed	0-480/0-800rpm
Mixing Pad Thread	M14

Accessory List

- > Variable speed control
- > 2pcs wrenches
- > 1pcs mixing paddle
- > 1 set extra carbon brushes

Sales Point

- High-Torque 1400W Motor: Powered by a robust 1400-watt motor, this cement mixer delivers variable speeds from 480 to 800 RPM, effortlessly handling heavy-duty mixing tasks. Ideal for cement, plaster, sticky animal feed, and slurry, it achieves smooth, lump-free results.
- Pure Copper Motor: Low-maintenance design with a full copper brush holder enables quick servicing and extends motor lifespan.
- Multi-Speed Control: Adjustable speed settings allow for constant RPM and seamless switching between gears.
- The dual-blade spiral design ensures splash-free operation at full power, saving time and maximizing efficiency.
- Overload Protection: Advanced cooling vents and automatic shut-off prevent motor damage during extended use.
- Ergonomic & Low-Maintenance Design: Dual soft-grip handles and a fatigue-reducing lock-on switch deliver superior control and comfort.

Mixer
EDC177 



1800w
RATED
POWER

Rated Voltage	220-240V~50/60Hz
Rated Power	1800W
No-load Speed	180-480/250-650rpm
Mixing Pad Thread	M14

- > Variable speed control
- > 2 pcs Mixing Paddle
- > 1 Set Extra Carbon Brushes

- High-Torque 1800W Motor: Powered by a robust 1800-watt motor, this cement mixer delivers variable speeds from 480 to 650 RPM, effortlessly handling heavy-duty mixing tasks. Ideal for cement, plaster, sticky animal feed, and slurry, it achieves smooth, lump-free results.
- Pure Copper Motor: Low-maintenance design with a full copper brush holder enables quick servicing and extends motor lifespan.
- Multi-Speed Control: Adjustable speed settings allow for constant RPM and seamless switching between gears.
- The dual-blade spiral design ensures splash-free operation at full power, saving time and maximizing efficiency.
- Overload Protection: Advanced cooling vents and automatic shut-off prevent motor damage during extended use.
- Ergonomic & Low-Maintenance Design: Dual soft-grip handles and a fatigue-reducing lock-on switch deliver superior control and comfort.

MIXER
EDC177 1800W



Angle Grinder



Angle Grinder

Angle Grinder
EDL-JM100-3 ^{TOP}500



Angle Grinder
EDL-JM100-E1 ^{HOT}



540w

RATED POWER

100mm

REAR

750w

RATED POWER

100mm

REAR

Ref. No.	Specification								
	Rated Power	Rated Voltage	Frequency	Switch type	Disc Diameter	Main shaft thread	No-load speed	Pack qty	Packing typ
EDL-JM100-3	540W	220-240v	50Hz/60Hz	Rear	100mm	M10	12000rpm	1/-/10	Color box
EDL-JM100-E1	750w	220-240v	50Hz/60Hz	Rear	100mm	M10	12000rpm	1/-/10	Color box
EDC662A	750w	220-240v	50Hz/60Hz	Side	100mm	M10	12000rpm	1/-/10	Color box
EDL-JM115-E1	750w	220-240v	50Hz/60Hz	Side	115mm	M14	12000rpm	1/-/10	Color box
EDL-JM125-E2	750w	220-240v	50Hz/60Hz	Side	125mm	M14	12000rpm	1/-/10	Color box
EDL-JM100-E2	900w	220-240v	50Hz/60Hz	Rear	100mm	M10	12000rpm	1/-/10	Color box
EDC671A	900w	220-240v	50Hz/60Hz	Side	100mm	M10	12000rpm	1/-/10	Color box
EDL-JM115-E2	900w	220-240vz	50Hz/60Hz	Side	115mm	M14	12000rpm	1/-/10	Color box
EDL-JM125-E1	900w	220-240v	50Hz/60Hz	Side	125mm	M14	12000rpm	1/-/10	Color box
EDL-JM100-E4	1100w	220-240v	50Hz/60Hz	Rear	100mm	M10	11000rpm	1/-/10	Color box
EDL-JM125-E4	1200w	220-240v	50Hz/60Hz	Side	125mm	M14	12000rpm	1/-/10	Color box
EDL-JM125-E3	1100w	220-240v	50Hz/60Hz	Rear	125mm	M14	11000rpm	1/-/10	Color box
EDL-JM180-E1	2000w	220-240v	50Hz/60Hz	Rear	180mm	M14	8450rpm	1/-/2	Color box
EDL-JM230-E2	2400w	220-240v	50Hz/60Hz	Rear	230mm	M14	6600rpm	1/-/2	Color box

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	540W
No-load Speed	12000rpm
Disc Diameter	100mm
Spindle thread	M10
Switch type	Rear

Accessory List

- > With 1 pcs auxiliary handle
- > With 1 set extra carbon brushes
- > With 1 pcs wrench
- > With 1 pcs protective cover
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

220-240V~50/60Hz
750W
12000rpm
100mm
M10
Rear

- > With 1 pcs auxiliary handle
- > With 1 set extra carbon brushes
- > With 1 pcs wrench
- > With 1 pcs protective cover
- > Disc not included

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle
Grinder

Angle Grinder
EDC662A 



750w
RATED
POWER

100mm
SIDE

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	750W
No-load Speed	12000rpm
Disc Diameter	100mm
Spindle thread	M10
Switch typer	Side

Accessory List

- > With 1 pcs auxiliary handle
- > With 1 set extra carbon brushes
- > With 1 pcs wrench
- > With 1 pcs protective cover
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder
EDL-JM115-E1 



750w
RATED
POWER

115mm
SIDE

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	750W
No-load Speed	12000rpm
Disc Diameter	125mm
Spindle thread	M14
Switch typer	Side

Accessory List

- > With 1 pcs auxiliary handle
- > With 1 set extra carbon brushes
- > With 1 pcs wrench
- > With 1 pcs protective cover
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder
EDL-JM125-E2 



750w
RATED
POWER

125mm
SIDE

Angle Grinder
EDL-JM100-E2 



900w
RATED
POWER

100mm
REAR

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	750W
No-load Speed	12000rpm
Disc Diameter	125mm
Spindle thread	M14
Switch typer	Side

Accessory List

- > With 1 pcs auxiliary handle
- > With 1 set extra carbon brushes
- > With 1 pcs wrench
- > With 1 pcs protective cover
- > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle
Grinder

Angle Grinder

EDC671A



900w
RATED
POWER

100mm
SIDE

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	900W
No-load Speed	12000rpm
Disc Diameter	100mm
Spindle thread	M10
Switch typer	Side

Accessory List

- > With 1 pcs auxiliary handle
- > With 1 set extra carbon brushes
- > With 1 pcs wrench
- > With 1 pcs protective cover
- > Disc not included

Sales Point

- Long endurance (large rate electric core)
: Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder

EDL-JM115-E2



900w
RATED
POWER

115mm
SIDE

Rated Voltage	220-240V~50/60Hz
Rated Power	900W
No-load Speed	12000rpm
Disc Diameter	115mm
Spindle thread	M14
Switch typer	Side

- > With 1 pcs auxiliary handle
- > With 1 set extra carbon brushes
- > With 1 pcs wrench
- > With 1 pcs protective cover
- > Disc not included

- Long endurance (large rate electric core)
: Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder

EDL-JM125-E1



900w
RATED
POWER

125mm
SIDE

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	900W
No-load Speed	12000rpm
Disc Diameter	125mm
Spindle thread	M14
Switch typer	Side

Accessory List

- > With 1 pcs auxiliary handle
- > With 1 set extra carbon brushes
- > With 1 pcs wrench
- > With 1 pcs protective cover
- > Disc not included

Sales Point

- Long endurance (large rate electric core)
: Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle Grinder

EDL-JM100-E4



1100w
RATED
POWER

100mm
REAR

Rated Voltage	220-240V~50/60Hz
Rated Power	1100W
No-load Speed	11000rpm
Disc Diameter	100mm
Spindle thread	M10
Switch typer	Rear

- > With 1 pcs auxiliary handle
- > With 1 set extra carbon brushes
- > With 1 pcs wrench
- > With 1 pcs protective cover
- > Disc not included

- Long endurance (large rate electric core)
: Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

Angle
Grinder

Angle Grinder
EDL-JM125-E3 ^{TOP} 500



1100w
RATED
POWER

125mm
REAR

Angle Grinder
EDL-JM125-E4



1200w
RATED
POWER

125mm
SIDE

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1100W
No-load Speed	11000rpm
Disc Diameter	125mm
Spindle thread	M14
Switch typer	Rear

220-240V~50/60Hz
1200W
12000rpm
125mm
M14
Side

Accessory List

- > With 1 pcs auxiliary handle
 - > With 1 set extra carbon brushes
 - > With 1 pcs wrench
 - > With 1 pcs protective cover
 - > Disc not included
- > With 1 pcs auxiliary handle
 - > With 1 set extra carbon brushes
 - > With 1 pcs wrench
 - > With 1 pcs protective cover
 - > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces.

Angle Grinder
EDL-JM180-E1 ^{TOP} 500



2000w
RATED
POWER

180mm
REAR

Angle Grinder
EDL-JM230-E2 ^{HOT}



2400w
RATED
POWER

230mm
REAR

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2000W
No-load Speed	8450rpm
Disc Diameter	180mm
Spindle thread	M14
Switch typer	Rear

220-240V~50/60Hz
2400W
6600rpm
230mm
M14
Rear

Accessory List

- > With 1 pcs auxiliary handle
 - > With 1 set extra carbon brushes
 - > With 1 pcs wrench
 - > With 1 pcs protective cover
 - > Disc not included
- > With 1 pcs auxiliary handle
 - > With 1 set extra carbon brushes
 - > With 1 pcs wrench
 - > With 1 pcs protective cover
 - > Disc not included

Sales Point

- Long endurance (large rate electric core): Ultra super motor, low power consumption and high conversion; large rate electric core + TPM heat management system, discharge more durable, comprehensive range increased by 15%.
- Ergonomic and durable angle grinder design: Features a narrow grip zone for optimal user comfort and powerful performance.
- Helical bevel gears: Deliver smooth power transmission for grinding applications.
- Dual-position side auxiliary handle: Offers comfortable control.
- Small and exquisite head shell, suitable for grinding and use in small spaces

ANGLE POLISHER

EDL-PG180-E1



pure copper motor



7-gear speed adjustment



Lock-off switch



Extra carbon brushes



Angle Polisher
EDL-PG180-E1

1200w
PRODUCT SPECIFICATION

180mm
REAR



- Ultra-powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15%.
- 7-gear speed adjustment to suit various polishing needs.
- 1200w pure copper motor, robust power.
- Self-locking switch, safe operation.

Accessory List

- > 1pcs Polishing Pad
- > 1pcs auxiliary handle
- > Disc not included



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1200W
No-load Speed	800-3000rpm
Polishing pad diameter	180mm
Spindle thread	M14
Switch type	Rear
7-Geared Variable speed control	

Rotary Hammer

Rotary hammer
EDC368



600w
RATED
POWER

22mm
MAX
DRILLING
CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	600W
No-load Speed	0-1700rpm
Impact Rate	0-5500bpm
Impact Energy	2J

Max drilling Capacity

Concrete	22mm
Steel	13mm
Wood	30mm

Accessory List

- > SDS plus chuck system
- > 3 drills
- > 1Set extra carbon brushes

Sales Point

- High-efficiency motor, combined with an optimized hammering system features a large eccentric design, delivering greater impact force and drilling efficiency than comparable models.
- Reliable leak-proof design, better sealing performance, no oil leakage, better dust-proof movement, and longer service life.
- The newly optimized clutch structure and the high-wear-resistant alloy steel disengagement tooth design automatically stop when the steel bar is reached, making it safer to use.
- The full-hand grip switch, with a scientific shock absorption design, can filter out more vibrations and provide a comfortable user experience.

Rotary hammer
EDL-DC26-E1



800w
RATED
POWER

26mm
MAX
DRILLING
CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	800W
No-load Speed	0-1100rpm
Impact Rate	0-4900bpm
Impact Energy	3J

Max drilling Capacity

Concrete	26mm
Steel	13mm
Wood	30mm

Accessory List

- > SDS plus chuck system
- > 3 drills and 2 chisels
- > 1pcs keyless quick-change chuck
- > 1Set extra carbon brushes

Sales Point

- High-efficiency motor, combined with an optimized hammering system features a large eccentric design, delivering greater impact force and drilling efficiency than comparable models.
- Reliable leak-proof design, better sealing performance, no oil leakage, better dust-proof movement, and longer service life.
- The newly optimized clutch structure and the high-wear-resistant alloy steel disengagement tooth design automatically stop when the steel bar is reached, making it safer to use.
- The full-hand grip switch, with a scientific shock absorption design, can filter out more vibrations and provide a comfortable user experience.

Rotary hammer
EDL-DC26-E2



800w
RATED
POWER

26mm
MAX
DRILLING
CAPACITY

Rotary hammer
EDL-DC28-E2



1000w
RATED
POWER

28mm
MAX
DRILLING
CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1000W
No-load Speed	0-1100rpm
Impact Rate	0-4900bpm
Impact Energy	3.2J

Max drilling Capacity

Concrete	26mm
Steel	13mm
Wood	30mm

Accessory List

- > SDS plus chuck system
- > 3 drills and 2 chisels
- > 1Set extra carbon brushes

Sales Point

- High-efficiency motor, combined with an optimized hammering system features a large eccentric design, delivering greater impact force and drilling efficiency than comparable models.
- Reliable leak-proof design, better sealing performance, no oil leakage, better dust-proof movement, and longer service life.
- The newly optimized clutch structure and the high-wear-resistant alloy steel disengagement tooth design automatically stop when the steel bar is reached, making it safer to use.
- The full-hand grip switch, with a scientific shock absorption design, can filter out more vibrations and provide a comfortable user experience.

Rotary Hammer

Rotary hammer
EDL-DC28-E3 



1000w

RATED POWER

28mm

MAX DRILLING CAPACITY

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1000W
No-load Speed	0-1100rpm
Impact Rate	0-4900bpm
Impact Energy	3.2J

Max drilling Capacity

Concrete	28mm
Steel	13mm
Wood	30mm

Accessory List


- > SDS plus chuck system
- > 3 drills and 2 chisels
- > 1pcs keyless quick-change chuck
- > 1Set extra carbon brushes

Sales Point

- High-efficiency motor, combined with an optimized hammering system features a large eccentric design, delivering greater impact force and drilling efficiency than comparable models.
- Reliable leak-proof design, better sealing performance, no oil leakage, better dust-proof movement, and longer service life.
- The newly optimized clutch structure and the high-wear-resistant alloy steel disengagement tooth design automatically stop when the steel bar is reached, making it safer to use.
- The full-hand grip switch, with a scientific shock absorption design, can filter out more vibrations and provide a comfortable user experience.

800W ROTARY HAMMER

EDL-DC26-E1




Ø26mm



0-1150/rpm



Multi-mode



3J
Impact energy



Rotary Hammer
EDL-DC28-E1

1050w
RATED
POWER

28mm
DRILLING
CAPACITY

Accessory List

- > With 3 Drills and 2 Chisels
- > With iSet Extra Carbon Brushes
- > With 1pcs Wrench
- > With 1pcs lubricant



Specification

Rated Voltage	220-240V~50/60Hz	Max Drilling Capacity	
Rated Power	1050W	Concrete	28mm
No-load Speed	0-900rpm	Steel	13mm
Impact Rate	0-4300bpm	Wood	35mm

Rotary Hammer
EDC369

1500w
RATED
POWER

5.5J
IMPACT
ENERGY

Accessory List

- > 3 pcs drill bit *3 (8、10、12mm/150mm)
- > 2 pcs chisel (14*250mm)
- > 1 pcs wrench
- > 1 pcs engine oil
- > 1 set extra carbon brushes



Specification

Rated Voltage	220-240V~50/60Hz	Concrete	32mm
Rated Power	1500WNo-load	Steel	13mm
No-load Speed	0-930rpm	Wood	40mm
Impact Rate	4300bpm		
Impact Energy	5.5J		

Demolition Breaker
EDC380

1250w
RATED
POWER

17J
IMPACT
ENERGY

Accessory List

- > 2 pcs chisels



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1250W
Impact Rate	3900bpm
Impact Energy	17J

Demolition Breaker
EDC390

1600w
RATED
POWER

65J
IMPACT
ENERGY

Accessory List

- > 1pcs Flat Chisel



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1600W
Impact Rate	1900bpm
Impact Energy	65J

Marble Cutter
EDL-YS110-E1

1250w
RATED
POWER

110mm
CUTTING
BLADE

Accessory List

- > 1 set extra carbon brushes
- > 1 pcs spanner



Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1250W
No-load Speed	13500rpm
Maximum Cutting Depth	33mm
Cutting Blade Size	φ110mm

Circular Saw
EDL-YJ185-E1

1400w
RATED
POWER

185mm
(7-1/4")
DISC
DIAMETER

Accessory List

- > 1 pcs 24T TCT blade
- > 1 pcs spanner
- > 1 pcs guide ruler
- > 1 set extra carbon brushes



Specification

Rated Voltage	220-240V~50/60Hz	Cutting Depth At 45°	42mm
Rated Power	1400W	Cutting Depth At 90°	61mm
No-load Speed	5300rpm	Spindle Thread	M8
Disc Diameter	185×20mm		
Angle Range	0-45°		

Circular Saw
EDL-YJ235-E1

- Powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15%.
- Professional Cutting Capability: Single-pass cutting through a single piece of wood with an impressive 80mm cutting depth. Effortlessly handles diverse wood types.
- Bevel Cutting Function: Adjustable knob allows blade tilt up to 45°, enabling precise bevel cuts.
- Ergonomic Design: Lightweight body with comfortable grip for reduced fatigue during extended use.
- Depth Adjustment Lever: Quickly and easily adjust cutting depth to meet any task requirement.
- Dust Port: Built-in dust port keeps work areas clean while precisely following the cutting line.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2200W
No-load Speed	4200rpm
Disc Diameter	235x25.4mm
Angle Range	0-45°
Cutting Depth At 45°	52mm
Cutting Depth At 90°	80mm
Spindle Thread	M8



Accessory List

- > 1 pcs 40T TCT blade and 1 pcs spanner
- > 1 pcs guide ruler

TOP
500

Miter Saw
EDC573

- High-performance pure copper motor, with strong power and high speed, can easily cut wood and aluminum materials, improving work efficiency and saving working time
- The bevel cutting Angle is designed from 0 to 45°, allowing for left and right rotation for cutting, achieving multi-angle cutting and significantly enhancing efficiency and precision
- The large-sized enclosure guard can prevent sparks from scattering outward and reduce the risk factor of work
- Anti-slip base, stable cutting, and multiple guarantees for safe operation line.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1400W
No-Load Speed	5500rpm
Disc Diameter	210mmx25.4mm
Cutting Capacity (Miter/Bevel: Width X Height)	
0° x 0°	120mmx55mm
45° x 0°	83mmx55mm
0° x 45°	120mmx30mm
45° x 45°	83mmx30mm
Miter cuts 0-45° left and right	
Bevel cuts up to 45° to the left	



Accessory List

- > With 1 pcs Dust Bag
- > With 1 pcs Wrench
- > With 1 set Carbon Brushes

TOP
500

Cut Off Saw
EDC730

- High-performance pure copper motor, with strong power, high speed, fast cutting speed, improving work efficiency and saving working time.
- The large-sized chip deflector and the surrounding guard cover can prevent sparks from scattering outward, providing more safety guarantees for operation.
- The thickened and raised base ensures a stable center of gravity without displacement, providing more stable cutting and higher cutting efficiency.
- The safety switch self-locking design makes operation more convenient and safer, reduces work intensity and prevents fatigue after long-term work.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	2300W
No-Load Speed	3800rpm
Disc Diameter	355mm
Max. Cutting Capacity:	
Round Pipe	110mm
Square Steel	90X90mm
Steel Bar	30mm



Accessory List

- > Cutting disc *1
- > Carbon brushes *1
- > Wrench *1

HOT

Miter Saw
EDC574

- High-performance pure copper motor, with strong power and high speed, can easily cut wood and aluminum materials, improving work efficiency and saving working time
- The bevel cutting Angle is designed from 0 to 45°, allowing for left and right rotation for cutting, achieving multi-angle cutting and significantly enhancing efficiency and precision
- The large-sized enclosure guard can prevent sparks from scattering outward and reduce the risk factor of work
- Anti-slip base, stable cutting, and multiple guarantees for safe operation

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1800W
No-Load Speed	5000rpm
Disc Diameter	255mmx30mm
Cutting Capacity (Miter/Bevel: Width X Height)	
0°X0°	70mmx140mm
0°X45°	70mmx95mm
45°X0°	38mmx140mm
45°X45°	38mmx95mm
Miter cuts 0-45° left and right	
Bevel cuts up to 45° to the left	



Accessory List

- > With 1 pcs Dust Bag
- > With 1 pcs Blade Wrench
- > With 1 set Carbon Brushes

HOT

Laminate Trimmer
EDL-XB06-E1

550w

RATED POWER

6mm

CHUCK SIZE

TOP
500

- Multi-functional in one machine, it can complete various fine processing operations such as pruning, carving, grinding and slotting, meeting all-round demands and saving costs and space.
- The transparent base design allows for a clear observation of the contact point between the cutting head and the workpiece, precisely tracking the cutting or engraving path, significantly enhancing the fineness and first-time success rate of the work.
- Quickly complete the installation and disassembly of the tool head, ensuring a smooth workflow and enhancing efficiency.

Accessory List

- > With 1 pcs Hex Wrench and 2 pcs Open End Wrench
- > With 1 pcs Right Angle Guide Rule and 1 pcs Dust Transparent Cover
- > With 1 pcs Guide Block and 1 pcs Screw
- > With 1 set Extra Carbon Brushes

Specification

Rated Voltage	220-240V~ 50/60Hz
Rated Power	550W
No-load Speed	30000rpm
Chuck Size	6mm(1/4")



Electric Router
EDL-MX12-E1

1600w

RATED POWER

12mm

CHUCK SIZE

TOP
500

- High-performance pure copper motor, with strong power and high speed, can easily cut wood, improving planing efficiency and saving working time;
- Quick and convenient replacement of milling head, efficiency doubles and the workflow is incredibly smooth;
- Transparent dust cover for easier dust collection and unblocked sight, achieving more precise control and ensuring a clean working environment and physical and mental health;
- Depth adjusting screw for simple operation and precise control, easily and repeatedly set and replicate the same engraving depth to improve work efficiency.

Accessory List

- > With 1 pcs Parallel Rod and 1 pcs Plastic Base Plate
- > With 1 pcs Guide Pulley and 1 pcs Small Spanner
- > With 1 pcs Big Spanner and 1 pcs Parallel Guide and 1 pcs Guide Ruler
- > With 8mm Chuck Bushing and 6mm Chuck Bushing and Depth Adjustment Knob
- > With 1 set Extra Carbon Brushes

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	1600W
No-load Speed	23000rpm
Chuck Size	12mm(1/2")



Jig Saw
EDC575

400w

RATED POWER

65mm

MAX CUTTING DEPTH

- Powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15%.
- Lightweight and portable design prioritizes ergonomics, with tool structure redirecting vibration to the blade rather than the hand for exceptionally smooth operation.
- Variable speed design accommodates diverse material cutting requirements.
- Blade lift function: Four-position blade height adjustment enables flexible cutting. Mechanical intelligence coordinates with motor performance to significantly boost cutting efficiency, material adaptability, and tool durability.
- Safety-focused design: Dual switches and ergonomic handle ensure convenient and secure operation.

Specification

Rated Voltage	220-240V~50/60Hz	Max Cutting Depth In	
Rated Power	400W	Wood	65mm
No-load Speed	3000rpm	Steel	4mm
Cutting Angle Range	0~45°	Plastic	10mm



TOP
500

Accessory List

- > Woodblades *1
- > Carbon brush *1
- > Dust tube *1
- > Hex key *1

Jig Saw
EDC576

600w

RATED POWER

80mm

MAX CUTTING DEPTH

- Powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15%.
- Lightweight and portable design prioritizes ergonomics, with tool structure redirecting vibration to the blade rather than the hand for exceptionally smooth operation.
- Variable speed design accommodates diverse material cutting requirements.
- Blade lift function: Four-position blade height adjustment enables flexible cutting. Mechanical intelligence coordinates with motor performance to significantly boost cutting efficiency, material adaptability, and tool durability.
- Safety-focused design: Dual switches and ergonomic handle ensure convenient and secure operation.

Specification

Rated Voltage	220-240V~50/60Hz	Max Cutting Depth In	
Rated Power	600W	Wood	80mm
No-load Speed	1000-3000rpm	Steel	8mm
Cutting Angle Range	0~45°	Plastic	10mm



TOP
500

Accessory List

- > Wood blades *1
- > Metal blades *1
- > PVC blades *1
- > Carbon brush *1
- > Dust tube *1
- > Hex key *1
- > Oil level gauge *1

Jig Saw
EDC579

800w

RATED POWER

85mm

MAX CUTTING DEPTH

- Powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15%.
- Lightweight and portable design prioritizes ergonomics, with tool structure redirecting vibration to the blade rather than the hand for exceptionally smooth operation.
- Variable speed design accommodates diverse material cutting requirements.
- Blade lift function: Four-position blade height adjustment enables flexible cutting. Mechanical intelligence coordinates with motor performance to significantly boost cutting efficiency, material adaptability, and tool durability.
- Safety-focused design: Dual switches and ergonomic handle ensure convenient and secure operation.

Specification

Rated Voltage	220-240V~50/60Hz	Max Cutting Depth In	
Rated Power	800W	Wood	85mm
No-load Speed	1000-3200rpm	Steel	8mm
Cutting Angle Range	0~45°	Plastic	15mm



TOP
500

Accessory List

- > With 3 pcs wood blades
- > With 1 pcs PVC blades
- > With 1pcs dust tube
- > With 1 set extra carbon brushes
- > With 1 pcs Metal blades
- > With 1pcs oil level gauge

Electric planer
EDC591

550w

RATED POWER

82mm

PLANNING WIDTH & DEPTH

1

mm

Accessory List

- > 1 pcs tool carriage
- > 1 pcs socket wrench
- > 1 set extra carbon brushes
- > 1 pcs knife sharpener
- > 1 pcs parallel guide

TOP
500

- Ultra-powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15% for efficient, sustained performance across all wood planing tasks.
- Precise depth adjustment: Easily adjust planing depth from 0 to 0.04 inches (1 mm) for flawless precision. Calibrated depth adjustment knob with precision down to approximately 0.1 mm.
- Flexible belt drive: Utilizes a flexible belt transmission design to effectively reduce operational noise and prevent drive jamming, enhancing planer stability.
- Flat base plate: Features a thickened aluminum alloy base plate with a channel design to ensure a smooth, flat planed surface while minimizing chip buildup.
- High-Speed Steel Blades: Equipped with high-hardness high-speed steel blades that are sharp, durable, and support rapid depth adjustment, effortlessly handling hardwood planing.
- Efficient Cleaning: Features a dust collection bag to gather wood chips and debris, maintaining a tidy work area and minimizing cleanup after projects.
- Dual Safety Switch Design: Incorporates a dual-switch safety lock that activates only when both switches are pressed, preventing accidental start-up and ensuring user safety.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	550W
No-load Speed	15800rpm
Rabbeting Depth	9mm
Planning Width & Depth	82x1mm



Electric planer
EDC592

800w

RATED POWER

82mm

PLANNING WIDTH & DEPTH

2.5

mm

Accessory List

- > 1 set parallel guide assembly
- > 1 pcs wrench
- > 3 sets screw assemblies
- > 1 pcs depth guide
- > 1pcs Hex key
- > 1pcs dust bag

- Ultra-powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15% for efficient, sustained performance across all wood planing tasks.
- Precise depth adjustment: Easily adjust planing depth from 0 to 0.1 inches (2.5 mm) for flawless precision. Calibrated depth adjustment knob with precision down to approximately 0.1 mm.
- Flexible belt drive: Utilizes a flexible belt transmission design to effectively reduce operational noise and prevent drive jamming, enhancing planer stability.
- Flat base plate: Features a thickened aluminum alloy base plate with a channel design to ensure a smooth, flat planed surface while minimizing chip buildup.
- High-Speed Steel Blades: Equipped with high-hardness high-speed steel blades that are sharp, durable, and support rapid depth adjustment, effortlessly handling hardwood planing.
- Efficient Cleaning: Features a dust collection bag to gather wood chips and debris, maintaining a tidy work area and minimizing cleanup after projects.
- Dual Safety Switch Design: Incorporates a dual-switch safety lock that activates only when both switches are pressed, preventing accidental start-up and ensuring user safety.

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	800W
No-load Speed	17000rpm
Rabbeting depth	0-11mm
Planning Width & Depth	82x2.5mm



Belt Sander

Belt Sander
EDC096

1200w

RATED POWER



Specification

Rated Voltage	230-240V~50/60Hz
Rated Power	1200W
Belt speed	500m/min
Belt size	100x610mm
Packed	by BMC
Pack qty	1:PCS 3:CAR

Accessory List

- > 3 pcs sander paper
- > 1 set extra carbon brushes
- > 1 pcs dust tube

Sales Point

- Superior motor delivers low power consumption and high conversion efficiency; high-power motor + TPM thermal management system ensures longer discharge duration, boosting overall runtime by 15%.
- Premium pure copper motor with dual-charge insulation prevents burnout.
- Rotary adjustment knob allows sanding belt lateral positioning to effectively prevent belt drift.
- Edge-hugging grinding function reaches right up to edges for maximum capacity utilization.
- Compatible with dust extraction systems, fits standard dust collection tubes. Minimizes dust during operation, features easy installation/removal, and simplifies dust cleanup.

Palm Sander

Palm Sander
EDL-SG110-E1 ^{TOP} 500



Finishing Sander
EDL-SG180-E2 ^{TOP} 500



300w
RATED
POWER

110x100
mm
BASE

300w
RATED
POWER

93x185
mm
BASE

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	300W
No-load Speed	10000rpm
Base	110mmx100mm

Rated Voltage	220-240V~50/60Hz
Rated Power	300W
No-load Speed	12000rpm
Base	93*185mm

Accessory List

- > With 5 pcs 110mm*140mm Sander Paper

> With 1 set Extra Carbon Brushes
- > With 5 pcs 220mm*90mm Sander Paper

> With 1 set Extra Carbon Brushes

Sales Point

- Ultra-powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15%.
- Dust-proof switch design effectively extends switch lifespan.
- Well-designed clamping system for easy operation and replacement.
- Soft grip handle design enhances comfort and control.



Powerful motor
fast grinding



Dust-proof
switch design



Soft grip

FINISHING SANDER

PALM SANDER



ROTARY SANDER

Rotary Sander

Rotary Sander

EDL-SG125-E3 ^{TOP}500



360w

RATED POWER

φ125 mm

BASE

Specification

Rated Voltage	230-240V~50/60Hz
Rated Power	360W
No-load Speed	6000-12000rpm
Base	φ125mm

Accessory List

- > With 5 pcs 125mm Sander Paper and 1 pcs Dust-Collection Port
- > With 1 set Extra Carbon Brushes

Sales Point

- Ultra-powerful motor with low power consumption and high conversion efficiency; high-power motor + TPM thermal management system enables longer discharge duration, boosting overall runtime by 15%.
- Random orbital polishing technology—combines pad orbital motion with rotation to achieve uniformly blended, ultra-smooth surface finishing with high removal efficiency.
- 6-speed adjustment to meet diverse polishing requirements.
- Dust-proof switch design effectively extends switch lifespan.
- Compatible with vacuum systems, fits standard dust collection chambers, produces minimal dust during operation, and is easy to install, remove, and clean.

Bench Grinder
EDC097

150w

Input Power

Accessory List

- > With 1set eye shields
- > With 1pcs tool storage box



- High-Efficiency Motor ,Powerful, durable, and energy-saving for longlasting performance.
- Optimized Structure & Vibration Damping Ensures minimal vibration, low noise, and easy achievement of efficient grinding.
- Sealed Ball Bearings Dust-proof design protects the motor and extends service life.
- Reinforced Base with Non-Slip Rubber Pads Provides stability and prevents slipping during operation.

Specification

Voltage	220-240V~50-60Hz
Input Power	150W
No-load Speed	2950rpm
Wheel Size	125mm
Adjustable work rest	
Heavy duty aluminum base	



Bench Grinder
EDC098

350w

Input Power

Accessory List

- > With 1set eye shields
- > With 1pcs tool storage box



- High-Efficiency Motor ,Powerful, durable, and energy-saving for longlasting performance.
- Optimized Structure & Vibration Damping Ensures minimal vibration, low noise, and easy achievement of efficient grinding.
- Sealed Ball Bearings Dust-proof design protects the motor and extends service life.
- Reinforced Base with Non-Slip Rubber Pads Provides stability and prevents slipping during operation.

Specification

Voltage	220-240V~50-60Hz
Input Power	350W
No-load Speed	2950rpm
Wheel Size	200mm
Adjustable work rest	
Heavy duty aluminum base	



ASPIRATOR BLOWER

EDL-GF35-E1 **600W**



Suction and Blowing



Switch to Lock



Small and Light

Blow-suction dual-function, suitable for different working conditions.
Small and light, comfortable for holding.
Switch locking, for easy dust blowing.

GEARED SPEED

regulation for strong wind

Aspirator Blower
EDL-GF03-E1

500w	2.0m³/min
RATED POWER	WIND VOLUME



- Powerful motor, with extremely powerful and concentrated storm-level wind force, it significantly shortens cleaning time, doubles efficiency, and easily deals with stubborn debris.
- One-click switch between blowing and vacuuming modes, dual-purpose in one device, saving money and space;
- The body is compact, lightweight and ergonomically designed. It is not easy to get tired after long-term operation and greatly reduces the burden on the wrists and arms;
- The switch can be locked in the on position, eliminating the need for continuous pressing, making work more efficient and comfortable.

Accessory List

> 1 pcs dust bag

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	500W
No-load Speed	13000rpm
Wind Volume	2.0m³/min



Aspirator Blower
EDL-GF35-E1

600w	2.5m³/min
RATED POWER	WIND VOLUME



- Powerful motor, with extremely powerful and concentrated storm-level wind force, it significantly shortens cleaning time, doubles efficiency, and easily deals with stubborn debris.
- One-click switch between blowing and vacuuming modes, dual-purpose in one device, saving money and space;
- The body is compact, lightweight and ergonomically designed. It is not easy to get tired after long-term operation and greatly reduces the burden on the wrists and arms;
- The switch can be locked in the on position, eliminating the need for continuous pressing, making work more efficient and comfortable.

Accessory List

> 1 pcs dust bag

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	600W
No-load Speed	15000rpm
Wind Volume	2.5m³/min



PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Spray Gun

Spray Gun
EDC090



Spray Gun
EDC091

TOP
500



450w
RATED POWER

Integral

TYPE

500w
RATED POWER

Split

TYPE

Specification

Rated Power	450W	500W
Rated Voltage	220-240V	220-240V
Paint Reservoir	800ml	800ml
Max. Viscosity	50din/sec	50din/sec
Max. Flow	700ml/min	850ml/min
Nozzle	Φ1.8/2.6mm	Φ2.6mm
Nozzle Material	Metal	Metal
Container Material	/	/

Accessory List

> 1 pcs Viscosity Measuring Cup	> 1 pcs Viscosity Measuring Cup
> 1 pcs 2.6mm Nozzle	> 1 pcs 1.8m Hose
	> 1 pcs Shoulder Belt

Sales Point

- Multiple spraying modes are available, eliminating the need to replace nozzles and significantly enhancing the accuracy and efficiency of spraying;
- Precisely control the spray volume, effectively avoid over-spraying, and save up to 20% of the paint;
- The quickly replaceable filter screen greatly reduces the maintenance difficulty and time cost, ensuring the long-term stable operation of the spray gun;
- Dust-proof and moisture-proof switches prevent dust and moisture from entering, enhancing the durability and reliability of the tools, and providing a reliable guarantee for harsh working environments.

Multi-function Tools
EDC650

300w

RATED POWER

- High-performance pure copper motor, with strong power, high speed, fast cutting speed, improving work efficiency and saving working time;
- With 6 speed Settings, it can be used for multiple purposes in one device and precisely handle various scenarios;
- High-frequency 3° swing Angle vibration, optimized impact structure, faster start-up, greatly enhancing operation efficiency.

Accessory List

- > Delta sand pad*1
- > Sand papers*10(80#*3、120#*3、180#*3、240#*1)
- > Cutting saw blade*3(28mm、32mm、62mm)
- > Flexibel scraper blade*1

Specification

Rated Voltage	220-240V~50/60Hz
Rated Power	300W
No Load Speed	15000-22000rpm
Oscillation angle	3°

Dust Collector
EDC870

3V

Rated Voltage

- Automatic dust collection: Reduces pollution, it eliminates the heavy subsequent cleaning work, improving work efficiency and comfort;
- Extended lifespan: Dust-proof switch, it has reduced the failure rate and maintenance costs during long-term use;
- Compact and lightweight: Body, significantly reduce the burden on wrists and arms, effectively lower work intensity, and enhance work pleasure.

Specification

Rated Voltage	3V
Dust Collection Aperture	10mm



deli

YELLOW SERIES TOOLS

HAND TOOLS



ACCESSORY

Drilling
Cutting
Grinding



ACCESSORY

2 Pcs Screwdriver Bits Set



- Super hardness, durable and torsion-resistant
- Precise bite, non-slip and anti-collapse
- Suitable for electronic maintenance/automobile assembly/furniture installation

Item #	Spec	Pack Qty
EDL25I001	PH1x25mm	1/100/800
EDL25I002	PH2x25mm	1/100/800
EDL25I003	PH3x25mm	1/100/800
EDL25I004	SL5x25mm	1/100/800
EDL25I005	SL6x25mm	1/100/800
EDL25I007	PZ1x25mm	1/100/800
EDL25I008	PZ2x25mm	1/100/800
EDL25I009	PZ3x25mm	1/100/800
EDL50I002	PH2x50mm	1/100/800
EDL50I005	SL6x50mm	1/100/800
EDL652001	PH2x65mm	1/100/800
EDL653001	SL6/PH2x65mm	1/100/800

2 Pcs Impact Screwdriver Bits Set



- S2 special alloy steel (hardness HRC60-63) molybdenum-vanadium reinforcement process, torsional strength increased by 50%
- Reinforced magnetism, screw adsorption is more firm, and it will not fall off when working at height
- Double-stage buffer groove absorbs shock and protects the screw head from damage
- Nano blackening coating, anti-rust and corrosion resistance, suitable for oily/humid environments

Item #	Spec	Pack Qty
EDL25I002Z	PH2x25mm	1/100/800
EDL25I003Z	PH3x25mm	1/100/800
EDL25I005Z	SL6x25mm	1/100/800
EDL50I002Z	PH2x50mm	1/100/800
EDL50I003Z	PH3x50mm	1/100/800
EDL50I005Z	SL6x50mm	1/100/800
EDL652001Z	PH2x65mm	1/100/800
EDL653001Z	SL6/PH2x65mm	1/100/800

10 Pcs Screwdriver Bit

500



- Super hardness, durable and torsion-resistant
- Precise bite, non-slip and anti-collapse
- Suitable for electronic maintenance/automobile assembly/furniture installation

Item #	Spec	Pack Qty
EDL6902	PH2x65mm	1/12/120
EDL6904	SL6/PH2x65mm	1/10/120
EDL6903	PH2x110mm	1/12/120



PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

10 Pcs Impact Screwdriver Bit Set

500

S2

+

-



- S2 special alloy steel (hardness HRC60-63) molybdenum-vanadium reinforcement process, torsional strength increased by 50%

- Reinforced magnetism, screw adsorption is more firm, and it will not fall off when working at height

- Double-stage buffer groove absorbs shock and protects the screw head from damage

- Nano blackening coating, anti-rust and corrosion resistance, suitable for oily/humid environments

Item #	Spec	Pack Qty
EDL25I050	PH2x50mm	1/100/800
EDL25I100	PH2x100mm	1/10/200
EDL25I150	PH2x150mm	1/10/100
EDL25I200	PH2x200mm	1/10/50
EDL252202D	SL6/PH2x65mm	1/10/50
EDL252202	PH2x65mm Dual head	1/12/144
EDL253202	PH2x100mm Dual head	1/12/72

Anti-Slip Impact Screwdriver

S2

+



- Anti-slip does not damage screws, one screw to the end, say goodbye to the trouble of slipping teeth, and increase efficiency by 50%

- S2 alloy steel/quenching process, anti-wear, anti-breaking, longer life

Item #	Spec	Pack Qty
EDL25I050K	PH2x50mm	1/10/100
EDL25I065K	PH2x65mm	1/10/100
EDL25I090K	PH2x90mm	1/10/100

Bits With Magnetic Rings

500

S2

+



- Super magnetic suction, precise positioning

- S2 alloy steel core (hardness HRC60), torsional strength increased by 40%

- Laser micro-tooth bite perfectly matches the screw grooves

Item #	Spec	Pack Qty
EDL255065	PH2x65mm	1/10/120
EDL255100	PH2x100mm	1/10/100

Impact Socket Adapter

Cr-V



- Forged from chrome-molybdenum alloy steel, designed for impact wrenches/hammers

- H-lock groove Laser-calibrated square tenon eliminates service gap and < power loss of 3%

- Four heat treatment processes, violent disassembly and assembly without breaking, the service life is 2 times that of ordinary conversion heads

Item #	Spec	Pack Qty
EDL110002	1/4" 3/8" 1/2"	1/20/160

Screwdriver Bits Holder

Stainless Steel



- Strong magnetic adsorption for precise operation

- High torque transmission, industrial grade durability

- Humanized design, easy to operate

- Versatile adaptation, widely compatible

Item #	Spec	Pack Qty
EDL107401	60mm	1/20/160

2Pcs Screwdriver Bits Holder

Cr-V



- Strong magnetic adsorption for precise operation

- High torque transmission, industrial grade durability

- Humanized design, easy to operate

- Versatile adaptation, widely compatible

Item #	Spec	Pack Qty
EDL106002	60mm	1/20/160

39 Pcs Screwdriver Bit Set

500

Cr-V



- Full scene coverage, one box

- Industrial-grade durable design

- Humanized portable set

Item #	Spec	Pack Qty
EDL25I202	39Pcs screwdriver bit set 28Pcs 25mm screwdriver bits set PH1*2/PH2*3/PH3*2/SL3/SL4/SL5/SL6/H3/H4/H5*2/H6/T10/T15/T20/T25/T27/T30/SI/S2/S3/PZ1/PZ2/PZ3 7Pcs 50mm screwdriver bits set PH2*2/SL6/H4/H5/T15/T20 2Pcs 42mm magnetic socket 8/10mm 1Pcs 60mm magnetic screwdriver bit holder 1Pcs 1/4"x65mm impact socket adaptor	1/10/40

15Pcs Screwdriver Bits Set

S2



- Full scene coverage, one box

- Industrial-grade durable design

- Humanized portable set

Item #	Spec	Pack Qty
EDL25I201	SL4/SL5/SL6/PH0/PH1/PH2/PH3/T15/T20/T25/H5/H6/PZ1/PZ2 1Pcs screwdriver bits holder	1/10/120

39 Pcs Impact Screwdriver Bit Set

S2



- Full scene coverage, one box

- Industrial-grade durable design

- Humanized portable set

Item #	Spec	Pack Qty
EDL25I203	39Pcs impact screwdriver bit set 27Pcs 25mm impact screwdriver bits set PH1*2/PH2*3/PH3*2/SL3/SL4/SL5/SL6/H3/H4/H5*2/H6*2/T10/T15/T20/T25*2/T27/T30/PZ1/PZ2/PZ3 5Pcs 50mm impact screwdriver bits set PH2*2/SL6/H4/H5/T15/T20 2Pcs 75mm impact screwdriver bits set PH2*2 2Pcs 42mm magnetic socket 8/10mm 1Pcs 60mm quick release bit holder 1Pcs 80mm extension screwdriver bit holder 1Pcs 1/4"x65mm impact socket adaptor	1/5/20

35 Pcs Impact Screwdriver Bit Set

S2



- Full scene coverage, one box

- Industrial-grade durable design

- Humanized portable set

Item #	Spec	Pack Qty
EDL25I204	35Pcs impact screwdriver bit set 14Pcs 25mm impact screwdriver bits set PH1/PH2/PH3/SL5/SL6/H4/H5/H6/T10/T15/T20/T25/T27/T30 14Pcs 50mm impact screwdriver bits set PH2*2/PH3/H3/H4/H5/H6/SL6/T10/T15/T20/T25/T27/T30 2Pcs 75mm impact screwdriver bits set PH2*2 4Pcs HSS twist drill bit 3/4/5/6mm 1Pcs 80mm extension screwdriver bit holder	1/5/20

157

158

HSS TWIST DRIL BIT

				
Materials	M35	M2	HSS-G	HSS-R
Steel (N/mm²)900	●●●	●●●	●●●	●●●
Steel (N/mm²)1100	●●●	●●	/	/
Steel (N/mm²)1300	●●	●	/	/
Stainless steels	●●●	●●	/	/
Aluminium	●●●	/	●●●	/
Brass	●●●	●●●	●●●	●●
Bronze	●●	●●	●●	●●
Plastics	●●●	●●●	●●●	/
Cast iron	●●●	●●	●●●	●●

- Excellent choice
- suitable for occassional use

MANUFACTURING METHOD



Helical grinding
This process involves cutting the helix from a round rod. These bits are extremely precise and used for quality work. A cut bit is normally identifiable by its silver colour.



Roller pressing
More simple bits are manufactured using a (hot) roller-pressing process. A round metal bar is clamped by a mould, thus giving it a helical shape. These bits are perfect for rough work. Roller-pressed bits are often identifiable by their black colour

HSS Drill Bit



HSS-R



- High-performance material for durability
- Rolling process, higher precision
- It is versatile and suitable for a variety of materials
- Economical and practical, cost-effective

Item #	Spec	Pack Qty
EDH-MHZ020-EI	2mm	1/20/80
EDH-MHZ025-EI	2.5mm	1/20/80
EDH-MHZ030-EI	3mm	1/20/80
EDH-MHZ035-EI	3.5mm	1/20/80
EDH-MHZ040-EI	4mm	1/20/80
EDH-MHZ045-EI	4.5mm	1/12/72
EDH-MHZ050-EI	5mm	1/12/72
EDH-MHZ055-EI	5.5mm	1/12/72
EDH-MHZ060-EI	6mm	1/12/72
EDH-MHZ065-EI	6.5mm	1/12/72
EDH-MHZ070-EI	7mm	1/12/72
EDH-MHZ075-EI	7.5mm	1/12/72
EDH-MHZ080-EI	8mm	1/12/36
EDH-MHZ085-EI	8.5mm	1/12/36
EDH-MHZ090-EI	9mm	1/12/36
EDH-MHZ095-EI	9.5mm	1/12/36
EDH-MHZ100-EI	10mm	1/12/36
EDH-MHZ105-EI	10.5mm	1/12/36
EDH-MHZ110-EI	11mm	1/12/36
EDH-MHZ115-EI	11.5mm	1/12/36
EDH-MHZ120-EI	12mm	1/12/36
EDH-MHZ125-EI	12.5mm	1/12/36
EDH-MHZ130-EI	13mm	1/12/36
EDH-MHZ140-EI	14mm	1/4/16
EDH-MHZ150-EI	15mm	1/4/16
EDH-MHZ160-EI	16mm	1/4/16

4341 HSS Drill Bit



HSS-G



- The hardness can reach HRC 63-65, which is suitable for processing metal materials
- Maintains cutting performance at high temperatures, suitable for high-speed continuous drilling, and reduces frequent tool change downtime
- Compared with ordinary HSS, it has stronger resistance to chipping and is suitable for interrupted cutting

Item #	Spec	Pack Qty
EDH-MHZ010-E3	1mm	1/20/80
EDH-MHZ015-E3	1.5mm	1/20/80
EDH-MHZ020-E3	2mm	1/20/80
EDH-MHZ025-E3	2.5mm	1/20/80
EDH-MHZ030-E3	3mm	1/20/80
EDH-MHZ035-E3	3.5mm	1/20/80
EDH-MHZ040-E3	4mm	1/20/80
EDH-MHZ045-E3	4.5mm	1/20/80
EDH-MHZ050-E3	5mm	1/20/80
EDH-MHZ055-E3	5.5mm	1/10/60
EDH-MHZ060-E3	6mm	1/10/60
EDH-MHZ065-E3	6.5mm	1/10/60
EDH-MHZ070-E3	7mm	1/10/60
EDH-MHZ075-E3	7.5mm	1/10/60
EDH-MHZ080-E3	8mm	1/10/60
EDH-MHZ085-E3	8.5mm	1/10/60
EDH-MHZ090-E3	9mm	1/10/60
EDH-MHZ095-E3	9.5mm	1/10/60
EDH-MHZ100-E3	10mm	1/10/40
EDH-MHZ105-E3	10.5mm	1/10/40
EDH-MHZ110-E3	11mm	1/10/40
EDH-MHZ115-E3	11.5mm	1/10/40
EDH-MHZ120-E3	12mm	1/8/32
EDH-MHZ125-E3	12.5mm	1/8/32
EDH-MHZ130-E3	13mm	1/8/32

HSS M2 Drill Bit

M2



- The wear resistance is better than that of ordinary HSS (such as 4341), and it is suitable for processing hard materials such as stainless steel, alloy steel, and cast iron

- Retains cutting performance at temperatures up to 600°C, making it suitable for high-speed drilling and reducing edge softening

- Compared with cobalt drills (such as HSS-Co), it has stronger resistance to chipping and is suitable for interrupted cutting

Item #	Spec	Pack Qty
EDL16020G	2mm	1/10/120
EDL16025G	2.5mm	1/10/120
EDL16030G	3mm	1/10/120
EDL16032G	3.2mm	1/10/240
EDL16035G	3.5mm	1/10/120
EDL16040G	4mm	1/10/160
EDL16042G	4.2mm	1/10/160
EDL16045G	4.5mm	1/10/160
EDL16050G	5mm	1/10/160
EDL16055G	5.5mm	1/10/160
EDL16060G	6mm	1/20/400
EDL16065G	6.5mm	1/20/400
EDL16070G	7mm	1/20/400
EDL16075G	7.5mm	1/20/400
EDL16080G	8mm	1/20/400
EDL16085G	8.5mm	1/20/400
EDL16090G	9mm	1/20/400
EDL16095G	9.5mm	1/20/400
EDL16100G	10mm	1/10/200
EDL16105G	10.5mm	1/10/200
EDL16110G	11mm	1/10/200
EDL16115G	11.5mm	1/10/200
EDL16120G	12mm	1/10/200
EDL16125G	12.5mm	1/10/200
EDL16130G	13mm	1/10/200

HSS-Co M35 Drill Bit

M35



- Cobalt significantly improves the hardness and wear resistance at high temperatures, and the service life is 30%-50% longer than that of M2

- Sharp at 650°C, suitable for high-speed, high-feed machining (e.g. continuous drilling of stainless steel)

- Compared to M42 (8% cobalt), M35 has better toughness and reduces the risk of chipping, especially for interrupted cutting

Item #	Spec	Pack Qty
EDH-MHZ010-E2	1mm	1/200/400
EDH-MHZ015-E2	1.5mm	1/200/400
EDH-MHZ020-E2	2mm	1/200/400
EDH-MHZ025-E2	2.5mm	1/200/400
EDH-MHZ030-E2	3mm	1/200/400
EDH-MHZ032-E2	3.2mm	1/200/400
EDH-MHZ035-E2	3.5mm	1/200/400
EDH-MHZ040-E2	4mm	1/200/400
EDH-MHZ045-E2	4.5mm	1/200/400
EDH-MHZ050-E2	5mm	1/200/400
EDH-MHZ055-E2	5.5mm	1/200/400
EDH-MHZ060-E2	6mm	1/100/200
EDH-MHZ065-E2	6.5mm	1/100/200
EDH-MHZ070-E2	7mm	1/100/200
EDH-MHZ075-E2	7.5mm	1/100/200
EDH-MHZ080-E2	8mm	1/100/200
EDH-MHZ085-E2	8.5mm	1/100/200
EDH-MHZ090-E2	9mm	1/100/200
EDH-MHZ095-E2	9.5mm	1/50/100
EDH-MHZ100-E2	10mm	1/50/100
EDH-MHZ105-E2	10.5mm	1/50/100
EDH-MHZ110-E2	11mm	1/50/100
EDH-MHZ120-E2	12mm	1/50/100
EDH-MHZ130-E2	13mm	1/50/100
EDH-MHZ140-E2	14mm	1/30/60
EDH-MHZ160-E2	16mm	1/25/50

HSS Drill Bit Set



- High-performance material for durability

- Rolling process, higher precision

- It is versatile and suitable for a variety of materials

- Economical and practical, cost-effective

Item #	Spec	Pack Qty
EDH-MHZ013-ED1	1.5/2/2.5/3/3.2/3.5/4/4.5/4.8/5/5.5/6/6.5mm	1/10/60
EDH-MHZ019-ED1	1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10mm	1/10/40
EDH-MHZ025-ED1	1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10/10.5/11/11.5/12/12.5/13mm	1/-/20

HSS Twist Drill Bits Set

HSS-G



- The hardness can reach HRC 63-65, which is suitable for processing metal materials

- Maintains cutting performance at high temperatures, suitable for high-speed continuous drilling, and reduces frequent tool change downtime

- Compared with ordinary HSS, it has stronger resistance to chipping and is suitable for interrupted cutting

Item #	Spec	Pack Qty
EDH-MHZ006-ED3	2,3,4,5,6,8mm	1/20/60
EDH-MHZ008-ED3	3/4/5/6/7/8/9/10mm	1/20/60
EDH-MHZ019-ED3	1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10mm	1/10/20

13Pcs HSS Twist Drill Bits Set



- Grinding process

- 135° standard double trailing edge

- Spiral groove design, good chip removal performance, fast drilling speed

- Non-slip hexagonal handle design, no slip in clamping

Item #	Spec	Pack Qty
EDH-MHZ013-ED2	1.5/2/2.5/3/3.2/3.5/4/4.5/4.8/5/5.5/6/6.5mm	1/10/80

HSS Twist Drill Bits Set

HSS-G



- The hardness can reach HRC 63-65, which is suitable for processing metal materials

- Maintains cutting performance at high temperatures, suitable for high-speed continuous drilling, and reduces frequent tool change downtime

- Compared with ordinary HSS, it has stronger resistance to chipping and is suitable for interrupted cutting

Item #	Spec	Pack Qty
EDH-MHZ007-ED3	2/2/3/3/4/5/6mm	1/20/60
EDH-MHZ008-ED2	2/3/3/4/4/5/6/8mm	1/20/60
EDH-MHZ009-ED3	2/3/3.5/4/4.5/5/6/8/10mm	1/20/60
EDH-MHZ012-ED2	2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/8mm	1/20/60

15Pcs HSS M2 Drill Bits Set

M2




- The wear resistance is better than that of ordinary HSS (such as 4341), and it is suitable for processing hard materials such as stainless steel, alloy steel, and cast iron

- Retains cutting performance at temperatures up to 600°C, making it suitable for high-speed drilling and reducing edge softening

- Compared with cobalt drills (such as HSS-Co), it has stronger resistance to chipping and is suitable for interrupted cutting

Item #	Spec	Pack Qty
EDH-MHZ015-ED4	1/2/2.5/3/3.5/4/4.5/5/5.5/6/7/8/9/10/12mm	1/10/40



161

162

SDS Plus Hammer Drill



YG8

- The use of tungsten carbide bit has superior punching performance

- The tip of the cutter head is pointed, and it is easy to position the hole at a regular time

- The groove is deeper than the current product, and the chip evacuation is faster, so that the drilling speed is improved

Item #	Spec	Pack Qty
EDH-Y06110	6x110mm	1/20/500
EDH-Y08110	8x110mm	1/20/500
EDH-Y10110	10x110mm	1/10/400
EDH-Y06160	6x160mm	1/20/400
EDH-Y08160	8x160mm	1/20/400
EDH-Y10160	10x160mm	1/20/300
EDH-Y12160	12x160mm	1/15/300
EDH-Y14160	14x160mm	1/10/200
EDH-Y16160	16x160mm	1/10/200
EDH-Y08210	8x210mm	1/15/300
EDH-Y10210	10x210mm	1/15/300
EDH-Y12210	12x210mm	1/10/200
EDH-Y14210	14x210mm	1/10/150
EDH-Y16210	16x210mm	1/10/150
EDH-Y18210	18x210mm	1/10/100
EDH-Y20210	20x210mm	1/10/100

SDS Plus Hammer Drill



YG8

- The use of tungsten carbide bit has superior punching performance

- The tip of the cutter head is pointed, and it is easy to position the hole at a regular time

- The groove is deeper than the current product, and the chip evacuation is faster, so that the drilling speed is improved

Item #	Spec	Pack Qty
EDH-Y10310	10x310mm	1/10/150
EDH-Y12310	12x310mm	1/10/150
EDH-Y14310	14x310mm	1/10/120
EDH-Y16310	16x310mm	1/10/100
EDH-Y18310	18x310mm	1/10/80
EDH-Y20310	20x310mm	1/10/60
EDH-Y22310	22x310mm	1/10/50
EDH-Y25310	25x310mm	1/10/50

X-Tip SDS Plus Hammer Drill



YG8

- The use of tungsten carbide bit has superior punching performance

- The tip of the cutter head is pointed, and it is easy to position the hole at a regular time

- The groove is deeper than the current product, and the chip evacuation is faster, so that the drilling speed is improved

Item #	Spec	Pack Qty
EDH-YCZ11006-EI	6x110mm	1/10/500
EDH-YCZ11008-EI	8x110mm	1/10/500
EDH-YCZ11010-EI	10x110mm	1/10/400
EDH-YCZ16006-EI	6x160mm	1/10/500
EDH-YCZ16008-EI	8x160mm	1/10/400
EDH-YCZ16010-EI	10x160mm	1/10/350
EDH-YCZ16012-EI	12x160mm	1/10/300
EDH-YCZ16014-EI	14x160mm	1/10/250
EDH-YCZ16016-EI	16x160mm	1/10/200

X-Tip SDS Plus Hammer Drill



YG8

- The use of tungsten carbide bit has superior punching performance

- The tip of the cutter head is pointed, and it is easy to position the hole at a regular time

- The groove is deeper than the current product, and the chip evacuation is faster, so that the drilling speed is improved

Item #	Spec	Pack Qty
EDH-YCZ35010-EI	10x350mm	1/10/160
EDH-YCZ35012-EI	12x350mm	1/10/140
EDH-YCZ35014-EI	14x350mm	1/10/100
EDH-YCZ35016-EI	16x350mm	1/10/80
EDH-YCZ35018-EI	18x350mm	1/10/80
EDH-YCZ35020-EI	20x350mm	1/10/50
EDH-YCZ35022-EI	22x350mm	1/10/40
EDH-YCZ35025-EI	25x350mm	1/5/40

efficient operation
fast chip removal



SDS PLUS clamping handle

U-shaped large groove

Tungsten carbide bits



SDS Plus Chisel



40Cr

- 40Cr alloy steel one-piece construction withstands 1600MPa bending force

- Optimized tip geometry for concrete/stone/metal/wood

- Universal compatibility with major hammer drill brands

Item #	Spec	Pack Qty
EDH-YJZ014-EI	14x250mm	1/20/80
EDH-YBZ20250-EI	14x250x20mm	1/20/80
EDH-YBZ40250-EI	14x250x40mm	1/15/60

Hex Chisel



40Cr

- 40Cr alloy steel one-piece construction withstands 1600MPa bending force

- Optimized tip geometry for concrete/stone/metal/wood

- Universal compatibility with major hammer drill brands

Item #	Spec	Pack Qty
EDH-HJZ017-EI	17x280mm	1/10/60
EDH-HBZ25280-EI	17x280x25mm	1/10/60

Hex Chisel



40Cr

- 40Cr alloy steel one-piece construction withstands 1600MPa bending force
- Optimized tip geometry for concrete/stone/metal/wood
- Universal compatibility with major hammer drill brands

Item #	Spec	Pack Qty
EDH-HJZ030-EI	30x410mm	1/-/15
EDH-HBZ35410-EI	30x410x35mm	1/-/15

10 Pcs Hammer Drill Bits And Chisels Set



YG8

- Electric hammer drill electric chisel multi-scene cloth bag set
- The use of tungsten carbide bit has superior punching performance
- The tip of the cutter head is pointed, and it is easy to position the hole at a regular time
- The groove is deeper than the current product, and the chip evacuation is faster, so that the drilling speed is improved

Item #	Spec	Pack Qty
EDH-YCZ010-EH1	8pcs SDS Plus hammer drill bits: 6X160mm 8X160mm 10X160mm 8X210mm 10X210mm 12X210mm 14X210mm 16X210mm 2pcs SDS Plus chisel 14X250mm 14X250X220mm	1/-/16

Glass Drill Bit



YG6X

- Alloy four-edged, easy punching
- The cutting hole wall is smooth and the drilling is smooth
- U-shaped groove, high-speed operation, fast chip removal

Item #	Spec	Pack Qty
EDH-CZZ006-EI	6mm	1/10/100
EDH-CZZ008-EI	8mm	1/10/100
EDH-CZZ010-EI	10mm	1/10/100
EDH-CZZ012-EI	12mm	1/10/100

Glass Drill Bit



YG6X

- Tungsten carbide bit for smooth punching
- Multi-specification combination to meet daily needs

Item #	Spec	Pack Qty
EDH-CZZ005-ED1	4/5/6/8/10mm	1/10/100

Glass Drill Bit



YG6X

- Alloy four-edged, easy punching
- The cutting hole wall is smooth and the drilling is smooth
- U-shaped groove, high-speed operation, fast chip removal

Item #	Spec	Pack Qty
EDH-CZZ005-ED2	4/5/6/8/10mm	1/10/100

Hex Shank

For use with multiple
corded/cordless power tools



Hexagonal handle

Ceramic Tile Drill Bit



YG6X

- Tungsten steel cutter head, super penetrating power
- Dual-material structure, durable and efficient
- Recommended with water-cooled drilling (reduce drill bit temperature and extend service life)

Item #	Spec	Pack Qty
EDH-CBZ003-EI	3mm	1/10/100
EDH-CBZ004-EI	4mm	1/10/100
EDH-CBZ005-EI	5mm	1/10/100
EDH-CBZ006-EI	6mm	1/10/100
EDH-CBZ008-EI	8mm	1/10/100
EDH-CBZ010-EI	10mm	1/10/50
EDH-CBZ012-EI	12mm	1/10/50
EDH-CBZ006-ED1	6/6/8/8/10/10mm	1/10/100

Ceramic Tile Drill Bit



YG6X

- After the selection of high-quality steel heat treatment, the hardness can reach 93HRC
- Staggered cutting edges form a special cutting trajectory to improve work efficiency
- The alternating center head is more stable on hard tiles than a self-centering tip at one point
- Helix 1, Helix 2,increase the amount of waste discharged during high-speed operation

Item #	Spec	Pack Qty
EDH-CBZ006-E2	6mm	1/10/100
EDH-CBZ008-E2	8mm	1/10/100
EDH-CBZ010-E2	10mm	1/10/50
EDH-CBZ012-E2	12mm	1/10/50

Multi-Function Drill Bit



YG6X

- Carbide is indestructible
- Composite structure, intelligent response
- Full scene conquest

Item #	Spec	Pack Qty
EDH-BWZ003-EI	3mm	1/10/100
EDH-BWZ004-EI	4mm	1/10/100
EDH-BWZ005-EI	5mm	1/10/100
EDH-BWZ006-EI	6mm	1/10/100
EDH-BWZ008-EI	8mm	1/10/100
EDH-BWZ010-EI	10mm	1/10/50
EDH-BWZ012-EI	12mm	1/10/50

Masonry Drill Bit



YG6X

- Tungsten carbide alloy can easily drill through cement, masonry and concrete
- Spiral flutes to reduce debris clogging and drill bit wear
- Low-cost replacement, long-term use is more economical

Item #	Spec	Pack Qty
EDH-JGZ030-EI	3x60mm	1/10/500
EDH-JGZ040-EI	4x75mm	1/10/500
EDH-JGZ050-EI	5x85mm	1/10/500
EDH-JGZ060-EI	6x100mm	1/10/500
EDH-JGZ080-EI	8x120mm	1/10/500
EDH-JGZ100-EI	10x120mm	1/10/500

Masonry Drill Bit Set



- YG8 tungsten carbide tip (HRA92) cuts rebar-concrete without chipping
- Works on concrete, masonry, metal, and wood
- opper brazing + cooling grooves reduce heat buildup

Item #	Spec	Pack Qty
EDH-JGZ005-ED1	4/5/6/8/10mm	1/20/120

5 Pcs Wood Drill Bit Set



- No pilot hole needed, ensures straight and accurate drilling
- Deep spiral flutes for fast chip removal, preventing clogging
- Works on softwood, hardwood, plywood, and MDF
- Available in various sizes for versatile applications

Item #	Spec	Pack Qty
EDH-MGZ005-ED1	4/5/6/8/10mm	1/20/120

Step Drill Bit



- Easy drilling, reaming, deburring
- Double straight grooves, fast perforation to expand chip removal
- The firm triangular handle is not easy to slip

Item #	Spec	Pack Qty
EDH-JTZ0003-ED1	4-12mm	1/10/50
	4-20mm	
	4-32mm	

Step Drill Bit



- Easy drilling, reaming, deburring
- Double spiral groove for fast chip evacuation
- Hexagonal shank for easy clamping

Item #	Spec	Pack Qty
EDH-JTZ012-E1	4-12mm	1/25/500
EDH-JTZ020-E1	4-20mm	1/10/200
EDH-JTZ032-E1	4-32mm	1/10/100

Step Drill Bit



- Easy drilling, reaming, deburring
- Double spiral groove for fast chip evacuation
- Hexagonal shank for easy clamping

Item #	Spec	Pack Qty
EDH-JTZ012-E2	4-12mm	1/25/500
EDH-JTZ020-E2	4-20mm	1/10/200
EDH-JTZ032-E2	4-32mm	1/10/100

Step Drill Bit



- Easy drilling, reaming, deburring
- Double spiral groove for fast chip evacuation
- Hexagonal shank for easy clamping

Item #	Spec	Pack Qty
EDH-JTZ012-E3	4-12mm	1/25/500
EDH-JTZ020-E3	4-20mm	1/10/200
EDH-JTZ032-E3	4-32mm	1/10/100

Countersink Bit



- Precision chamfering, perfect edges
- Composite material, super durable
- Applicable materials: steel/aluminum alloy/plastic

Item #	Spec	Pack Qty
EDH-DJZ001-E1	8.3mm	1/40/320
EDH-DJZ002-E1	12.4mm	1/40/320
EDH-DJZ003-E1	20.5mm	1/20/100

6Pcs Composite Tap Set



- The cutting edge angle design makes the tapping and punching more stable
- The tapping drill bit is integrated, and the operation is more efficient
- Hexagonal shank design, stable clamping without slipping

Item #	Spec	Pack Qty
EDH-TAP006-ED1	M3/4/5/6/8/10	1/10/200

3 In 1 Machine Tap



- The cutting edge angle design makes the tapping and punching more stable
- The tapping drill bit is integrated, and the operation is more efficient
- Hexagonal shank design, stable clamping without slipping

Item #	Spec	Pack Qty
EDH-TAP003-E2	M3	1/100/800
EDH-TAP004-E2	M4	1/100/800
EDH-TAP005-E2	M5	1/100/600
EDH-TAP006-E2	M6	1/100/600
EDH-TAP008-E2	M8	1/100/400
EDH-TAP010-E2	M10	1/100/400

M2 HSS Spiral Machine Tap



- M2 high-speed steel is titanium-plated and ultra-durable
- Iron plate below 15mm, tapping without pressure
- Large spiral design, smooth tapping

Item #	Spec	Pack Qty
EDH-TAP003-E1	M3	1/100/800
EDH-TAP004-E1	M4	1/100/800
EDH-TAP005-E1	M5	1/100/600
EDH-TAP006-E1	M6	1/100/600
EDH-TAP008-E1	M8	1/100/400
EDH-TAP010-E1	M10	1/100/400

6 Pcs Flat Wood Drill Bit Set



- Tungsten tip ensures ±0.2mm straight-line accuracy
- Optimized for solid wood/plywood/MDF processing
- Multiple shank sizes for tool-free bit changes

Item #	Spec	Pack Qty
EDH-MBZ006-ED1	10/12/16/18/20/25mm	1/20/80

Forstner Drill Bits



- Flat-wing blade creates smooth, splinter-free cuts in one pass
- Tungsten pilot tip ensures straight and accurate drilling
- Dual-ground cutting edges reduce friction for faster feed rates

Item #	Spec	Pack Qty
EDH-MKK025-E1	25mm	1/20/400
EDH-MKK032-E1	32mm	1/10/200
EDH-MKK035-E1	35mm	1/10/200

Forstner Drill Bits Set



- Flat-wing blade creates smooth, splinter-free cuts in one pass
- Tungsten pilot tip ensures straight and accurate drilling
- Dual-ground cutting edges reduce friction for faster feed rates

Item #	Spec	Pack Qty
EDH-MKK005-ED1	15/20/20/30/35mm	1/-/20

Wood Hole Saw Set



- Sharp carbon steel cutter head for easy cutting of all kinds of wood
- Optimized serration design for fast cutting speed and smooth chip evacuation
- Quick interface change, saw blade replacement in 3 seconds

Item #	Spec	Pack Qty
EDH-MKK007-ED1	26/32/38/45 50/56/63*25mm	1/10/60
EDH-MKK007-ED2	26/32/38/45 50/56/63*50mm	1/10/60



Bi-metal Hole Saw



- Bi-metal blessing, cutting metal like a knife to cut butter
- One hole to the end, saving time, effort and cost
- From thin sheets to deep holes, it can handle everything

Item #	Spec	Pack Qty
EDH-SKK016-E1	16mm	1/20/100
EDH-SKK019-E1	19mm	1/10/100
EDH-SKK022-E1	22mm	1/10/100
EDH-SKK025-E1	25mm	1/10/100
EDH-SKK029-E1	29mm	1/10/100
EDH-SKK032-E1	32mm	1/10/100
EDH-SKK035-E1	35mm	1/10/100
EDH-SKK038-E1	38mm	1/10/100
EDH-SKK044-E1	44mm	1/10/100
EDH-SKK046-E1	46mm	1/10/100
EDH-SKK051-E1	51mm	1/10/100
EDH-SKK057-E1	57mm	1/10/100
EDH-SKK064-E1	64mm	1/10/100
EDH-SKK068-E1	68mm	1/10/100
EDH-SKK076-E1	76mm	1/10/60
EDH-SKK114-E1	114mm	1/10/20

Arbor for hole saw



- Supporting bimetal hole saws to achieve batch standardized processing
- Fit hole saws 13mm to 30mm

Item #	Spec	Pack Qty
EDH-SKZ001-E1	3/8"	1/20/100

Arbor for hole saw



- Supporting bimetal hole saws to achieve batch standardized processing
- Fit hole saws 32mm to 230mm

Item #	Spec	Pack Qty
EDH-SKZ002-E1	7/16"	1/10/60



Hole Core Bit



- Tungsten carbide tips for concrete, brick, and tile
- Tungsten pilot bit ensures straight and accurate drilling
- Water-cooled operation reduces dust and extends tool life

Item #	Spec	Pack Qty
EDH-QKK050-E1	50X220mm	1/-/40
EDH-QKK065-E1	65X220mm	1/-/30
EDH-QKK080-E1	80X220mm	1/-/30
EDH-QKK100-E1	100X220mm	1/-/20
EDH-QKK065-E2	65x400mm	1/5/15
EDH-QKK080-E2	80x400mm	1/5/15

Diamond Hole Saw



- Thickened corundum plating, sharp and durable
- Quick opening, smooth and no broken edges
- It is suitable for a variety of building materials and openings

Item #	Spec	Pack Qty
EDH-BKK060-E1	6mm	1/50/800
EDH-BKK080-E1	8mm	1/50/800
EDH-BKK100-E1	10mm	1/40/640
EDH-BKK120-E1	12mm	1/35/560
EDH-BKK140-E1	14mm	1/30/480
EDH-BKK160-E1	16mm	1/25/400
EDH-BKK180-E1	18mm	1/25/400
EDH-BKK200-E1	20mm	1/20/320
EDH-BKK210-E1	21mm	1/25/400
EDH-BKK220-E1	22mm	1/20/320
EDH-BKK250-E1	25mm	1/20/320
EDH-BKK270-E1	27mm	1/12/192
EDH-BKK280-E1	28mm	1/10/160
EDH-BKK300-E1	30mm	1/10/160
EDH-BKK320-E1	32mm	1/10/160
EDH-BKK340-E1	34mm	1/10/160
EDH-BKK350-E1	35mm	1/10/160
EDH-BKK400-E1	40mm	1/10/160
EDH-BKK420-E1	42mm	1/8/128
EDH-BKK450-E1	45mm	1/10/80
EDH-BKK490-E1	49mm	1/6/96
EDH-BKK500-E1	50mm	1/10/60
EDH-BKK550-E1	55mm	1/10/60
EDH-BKK650-E1	65mm	1/10/60

TCT Hole Saw



- Thickened corundum plating, sharp and durable
- Quick opening, smooth and no broken edges
- It is suitable for a variety of building materials and openings

Item #	Spec	Pack Qty
EDH-TCT016-E1	16mm	1/10/200
EDH-TCT017-E1	17mm	1/10/200
EDH-TCT018-E1	18mm	1/10/200
EDH-TCT019-E1	19mm	1/10/200
EDH-TCT020-E1	20mm	1/10/200
EDH-TCT021-E1	21mm	1/10/200
EDH-TCT022-E1	22mm	1/10/200
EDH-TCT024-E1	24mm	1/10/200
EDH-TCT025-E1	25mm	1/10/200
EDH-TCT027-E1	27mm	1/10/200
EDH-TCT028-E1	28mm	1/10/200
EDH-TCT030-E1	30mm	1/10/200
EDH-TCT032-E1	32mm	1/8/120
EDH-TCT034-E1	34mm	1/8/120
EDH-TCT035-E1	35mm	1/8/120
EDH-TCT040-E1	40mm	1/8/120
EDH-TCT042-E1	42mm	1/6/90
EDH-TCT045-E1	45mm	1/6/90
EDH-TCT049-E1	49mm	1/6/90
EDH-TCT050-E1	50mm	1/6/90
EDH-TCT053-E1	53mm	1/6/90
EDH-TCT055-E1	55mm	1/6/90
EDH-TCT060-E1	60mm	1/6/90

12 Pcs Router Bits Set



- 12 commonly used knife types (straight knife/round bottom knife/V-shaped knife/trimming cutter, etc.), to meet the full needs of grooving/carving/chamfering/mortise and tenon
- High-precision cutting edge (±0.05mm tolerance), smooth and bur-free, eliminating the need for secondary grinding
- All-tungsten steel tool body (hardness HRA90), the life of the ultra-carbon steel tool is 5 times
- Universal handle diameter, suitable for mainstream trimming/engraving machines

Item #	Spec	Pack Qty
EDH-MXD006-EH1	6mm	1/-/20
EDH-MXD008-EH1	8mm	1/-/20
EDH-MXD012-EH1	12mm	1/-/20

Available Materials

Suitable for various types of wood





Product Dimensions



ABRASIVE CUTTING WHEEL



MATERIAL	A	WA	GC
CUTTING FOR	Metal	Stainless	Stone
TYPE	T41	T42	T27
SHAPE			
APPLICATION	Cutting	Cutting	Grinding

ACCESSORY

Abrasive Metal Cutting Disc



- Cast iron, aluminum, copper and other metals are easily cut with special ratios
- Reinforced with glass fiber or resin matrix, anti-crack and explosion-proof, and high safety
- Laser alignment ensures a flat facet, reducing burrs and reducing the need for subsequent grinding

Item #	Spec	Pack Qty
EDH-SZP107-E1	107x1.2x16.0mm,	1/50/800

Abrasive Metal Cutting Disc



- White corundum (WA) abrasive is used, which has high hardness and can easily cut stainless steel
- High-strength resin bond, high temperature resistance, impact resistance, suitable for continuous cutting operations
- High-strength fiberglass mesh pressing, bending and cracking resistance, to prevent bursting during high-speed cutting
- Compared with ordinary grinding wheels, the service life is increased by 30%-53% and the replacement frequency is reduced

Item #	Spec	Pack Qty
EDH-SZP107-E2	107x1.2x16.0mm	1/50/800

Abrasive Metal Cutting Disc



- Save time, save money
- Cutting disc with 30% faster speed
- Same quality, 20% cheaper

Item #	Spec	Pack Qty
EDH-SZP107-E4	107x1.2x16.0mm	1/-/8

Abrasive Metal Cutting Disc



- Super durable, one outperforms two
- Cutting disc with 40% longer cutting life
- Same quality, 20% cheaper

Item #	Spec	Pack Qty
EDH-SZP107-E5	107x1.2x16.0mm	1/-/8
EDH-SZP107-E6	107x1.2x16.0mm	1/-/8

Abrasive Metal Cutting Disc



- Super durable, one outperforms two
- Cutting disc with 40% longer cutting life
- Same quality, 20% cheaper

Item #	Spec	Pack Qty
EDH-SZP355-E2	355x3.0x25.4mm	1/-/25

Abrasive Metal Cutting Disc



- Save time, save money
- Cutting disc with 30% faster speed
- Same quality, 20% cheaper

Item #	Spec	Pack Qty
EDH-SZP355-E3	355x3.0x25.4mm	1/-/25

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Abrasive Metal Cutting Disc



- Cast iron, aluminum, copper and other metals are easily cut with special ratios
- Reinforced with glass fiber or resin matrix, anti-crack and explosion-proof, and high safety
- Laser alignment ensures a flat facet, reducing burrs and reducing the need for subsequent grinding

Item #	Spec	Pack Qty
EDH-SZP115-E1	115X1.2X22.2mm	1/50/400
EDH-SZP125-E1	125X1.2X22.2mm	1/50/400
EDH-SZP180-E1	180X1.6X22.2mm	1/50/200
EDH-SZP230-E1	230X1.6X22.2mm	1/50/100
EDH-SZP355-E1	355X3X25.4mm	1/-/25

Abrasive Metal Cutting Disc



- White corundum (WA) abrasive is used, which has high hardness and can easily cut stainless steel
- High-strength resin bond, high temperature resistance, impact resistance, suitable for continuous cutting operations
- High-strength fiberglass mesh pressing, bending and cracking resistance, to prevent bursting during high-speed cutting
- Compared with ordinary grinding wheels, the service life is increased by 30%-50% and the replacement frequency is reduced

Item #	Spec	Pack Qty
EDH-SZP115-E3	115x1.0x22.2mm	1/50/600
EDH-SZP115-E4	115x1.0x22.2mm	1/-/6
EDH-SZP115-E2	115x1.2x22.2mm	1/50/400
EDH-SZP115-E5	115x1.2x22.2mm	1/-/40
EDH-SZP115-E6	115x1.2x22.2mm	1/-/12
EDH-SZP125-E3	125x1.0x22.2mm	1/50/600
EDH-SZP125-E2	125x1.2x22.2mm	1/50/400
EDH-SZP125-E4	125x1.2x22.2mm	1/5/40
EDH-SZP180-E2	180x1.6x22.2mm	1/50/200
EDH-SZP230-E2	230x1.6x22.2mm	1/50/100

Abrasive Metal Grinding Disc



- Resin-bonded with diamond/SiC abrasives for extended lifespan
- Heat-resistant formula prevents workpiece burning
- Continuous self-renewing abrasive layer for consistent performance
- Fiberglass mesh reinforcement for explosion-proof safety

Item #	Spec	Pack Qty
EDH-MGP100-E2	100X3.0X16.0mm	1/25/400
EDH-MGP115-E2	115x3.0x22.2mm	1/25/400
EDH-MGP125-E2	125x3.0x22.2mm	1/25/200
EDH-MGP180-E2	180x3.0x22.2mm	1/25/100
EDH-MGP230-E2	230x3.0x22.2mm	1/25/50

Abrasive Metal Grinding Disc



- Resin-bonded with diamond/SiC abrasives for extended lifespan
- Heat-resistant formula prevents workpiece burning
- Continuous self-renewing abrasive layer for consistent performance
- Fiberglass mesh reinforcement for explosion-proof safety

Item #	Spec	Pack Qty
EDH-MGP100-E1	100X6X16.0mm	1/25/200
EDH-MGP115-E1	115X6.0X22.2mm	1/25/200
EDH-MGP125-E1	125X6.0X22.2mm	1/25/100
EDH-MGP180-E1	180X6.0X22.2mm	1/25/50
EDH-MGP230-E1	230X6.0X22.2mm	1/25/50

Flap Disc



- Superior cutting speed with less effort
- Perfect for professional metalworking

Item #	Spec	Pack Qty
EDH-100P40	100mm,P40	1/-/200
EDH-100P60	100mm,P60	1/-/200
EDH-100P80	100mm,P80	1/-/200
EDH-100P100	100mm,P100	1/-/200
EDH-115P40	115mm,P40	1/-/100
EDH-115P60	115mm,P60	1/-/100
EDH-115P80	115mm,P80	1/-/100
EDH-115P100	115mm,P100	1/-/100
EDH-125P40	125mm,P40	1/-/100
EDH-125P60	125mm,P60	1/-/100
EDH-125P80	125mm,P80	1/-/100
EDH-125P100	125mm,P100	1/-/100

Flap Disc



- Smoothing the weld in 5 seconds, increasing the efficiency by 40%
- High cutting force alumina sand particles, metal grinding is effortless
- Resistant to high-temperature calcination process, 100 hours of high-intensity use without sand collapse
- Metal welding scars, wood burrs, and stone trimming are done in one piece

Item #	Spec	Pack Qty
EDH-BYP10040-E1	100mm,P40	1/-/200
EDH-BYP10060-E1	100mm,P60	1/-/200
EDH-BYP10080-E1	100mm,P80	1/-/200
EDH-BYP11540-E1	115mm,P40	1/-/100
EDH-BYP11560-E1	115mm,P60	1/-/100
EDH-BYP11580-E1	115mm,P80	1/-/100
EDH-BYP12540-E1	125mm,P40	1/-/100
EDH-BYP12560-E1	125mm,P60	1/-/100
EDH-BYP12580-E1	125mm,P80	1/-/100

Zirconium Flap Disc



- Smoothing stainless steel welding scars in 3 seconds, the efficiency is 50% higher than that of ordinary grinding wheels
- Zirconia corundum microcrystalline self-sharpening, the more grinding the sharper, farewell to frequent changes
- Specialized in stainless steel, titanium alloy, quenched steel and other refractory materials

Item #	Spec	Pack Qty
EDH-BYP10040-E2	100mm,P40	1/-/200
EDH-BYP10060-E2	100mm,P60	1/-/200
EDH-BYP10080-E2	100mm,P80	1/-/200
EDH-BYP11540-E2	115mm,P40	1/-/100
EDH-BYP11560-E2	115mm,P60	1/-/100
EDH-BYP11580-E2	115mm,P80	1/-/100
EDH-BYP12540-E2	125mm,P40	1/-/100
EDH-BYP12560-E2	125mm,P60	1/-/100
EDH-BYP12580-E2	125mm,P80	1/-/100

Poly Disc



- As delicate as sandpaper, as efficient as a grinding wheel, precision polishing does not damage the substrate
- Automobile wheel repair artifact, 0 scratches mirror polishing

Item #	Spec	Pack Qty
EDH-NLP115-E1	115mm	1/-/100

Sponge Disc



- Fits like an 'eraser', and the hub is drawn without dead ends
- Eliminates the need to change sandpaper frequently, increasing efficiency by 50%
- Automatic debris shedding to eliminate clogging (5 times longer life than traditional sandpaper)

Item #	Spec	Pack Qty
EDH-HMP115-E1	115mm	1/-/100

Felt Disc



- Natural wool fibres have a natural rebound rate of 5%-15% and are perfectly adapted to curved workpieces
- The aluminum alloy wheels achieve super mirror finishing
- Paint repair without swirl treatment

Item #	Spec	Pack Qty
EDH-YMP115-E1	115mm	1/-/100

Dry Diamond Disc



- Segmented diamond blades are designed for the powerful cutting of masonry materials such as granite, concrete, sandstone and limestone
- Segmented diamond discs increase cutting speed by up to 30%
- The blade gap promotes airflow and helps dissipate the heat generated during the cutting process, removing fumb and extending service life

Item #	Spec	Pack Qty
EDH-SQP100-E1	100x16mm	1/50/100
EDH-SQP110-E1	110x20mm	1/50/100
EDH-SQP115-E1	115x22.2mm	1/50/100
EDH-SQP125-E1	125x22.2mm	1/50/100
EDH-SQP180-E1	180x22.2m	1/-/50
EDH-SQP230-E1	230x22.2mm	1/-/25
EDH-SQP100-E2	100X16mm,Hot Pressed	1/10/100
EDH-SQP110-E2	110X20mm,Hot Pressed	1/10/100
EDH-SQP115-E2	115X22.2mm,Hot Pressed	1/10/100
EDH-SQP125-E2	125X22.2mm,Hot Pressed	1/10/100
EDH-SQP180-E2	180X22.2mm,Hot Pressed	1/10/50
EDH-SQP230-E2	230X22.2mm,Hot Pressed	1/10/20

Wet Diamond Disc



- Universal blades for cutting tiles, granite, ceramics, porcelain and stone
- Constant contact with the material provides a more precise and smooth surface than segmented inserts
- Professionally balanced high-quality steel core to reduce vibration and noise

Item #	Spec	Pack Qty
EDH-SQP100-E3	100X16mm	1/10/100
EDH-SQP110-E3	110X20mm	1/10/100
EDH-SQP115-E3	115X22.2mm	1/10/100
EDH-SQP125-E3	125X22.2mm	1/10/100
EDH-SQP180-E3	180X22.2mm	1/10/50
EDH-SQP230-E3	230X22.2mm	1/10/20
EDH-SQP100-E4	100X16mm,Hot Pressed	1/10/100
EDH-SQP110-E4	110X20mm,Hot Pressed	1/10/100
EDH-SQP115-E4	115X22.2mm,Hot Pressed	1/10/100
EDH-SQP125-E4	125X22.2mm,Hot Pressed	1/10/100
EDH-SQP180-E4	180X22.2mm,Hot Pressed	1/10/50
EDH-SQP230-E4	230X22.2mm,Hot Pressed	1/10/20

Diamond saw blade

Texture map					
Teeth Type	Segmented	Continuous	Turbo	Ultra-thin Fine Turbo	Ultra-thin Mesh Turbo
Cutting Method	Dry	Wet	Dry/Wet	Dry/Wet	Dry/Wet

Diamond saw blade-cutting object

Texture map						
SAW BLADE TYPE	BRICK	CONCRETE	MARBLEE	GRANITE	CERAMIC TILE	FLOOR TILE
Segmented	○	●	●	●	○	○
Continuous	●	●	●	●	●	●
Turbo	○	○	●	●	●	●
Ultra-thin Fine Turbo	○	○	●	●	●	●
Ultra -thin Mesh Turbo	●	●	●	●	●	●

Turbo Diamond Disc



- The widened head is designed for long life and faster cutting speeds
- It is used to cut concrete, blocks, bricks, paving stones and roof tiles
- The optimal binding matrix provides a faster, longer-lasting, and smoother cut
- 30% smoother cutting than segmented blades

Item #	Spec	Pack Qty
EDH-CQP100-E1	100x16mm	1/50/100
EDH-CQP110-E1	110x20mm	1/50/100
EDH-CQP115-E1	115x22.2mm	1/50/100
EDH-CQP125-E1	125x22.2mm	1/50/100
EDH-CQP180-E1	180x22.2m	1/-/50
EDH-CQP230-E1	230x22.2mm	1/-/25
EDH-CQP100-E4	100x16mm,Hot Pressed	1/10/100
EDH-CQP110-E4	110x20mm,Hot Pressed	1/10/100
EDH-CQP115-E4	115x22.2mm,Hot Pressed	1/10/100
EDH-CQP125-E4	125x22.2mm,Hot Pressed	1/10/100
EDH-CQP180-E4	180x22.2m,Hot Pressed	1/10/50
EDH-CQP230-E4	230x22.2mm,Hot Pressed	1/10/20

Ultrathin Diamond Disc



- Ultra-slim design designed to provide precise and clean cutting for a wide range of tile materials such as ceramic, porcelain
- The X-tooth turbine mesh edge and diamond-embedded cutting edge ensure a clean and precise cut
- Manufactured with high-strength alloy steel and a high-quality diamond matrix, it ensures spark-free cutting and no burn marks on hard materials

Item #	Spec	Pack Qty
EDH-CQP105-E3	105X20mm	1/10/100
EDH-CQP110-E3	110x20mm	1/10/100
EDH-CQP115-E3	115X22.2mm	1/10/100
EDH-CQP125-E3	125X22.2mm	1/10/100
EDH-CQP180-E3	180X22.2mm	1/10/50
EDH-CQP230-E3	230X22.2mm	1/10/20

Mesh Rim Ultrathin Diamond Disc



- Wet or dry cutting
- Thin turbine rims and cores allow for fast, clean, debris-free cuts
- Ideal for cutting marble and tiles

Item #	Spec	Pack Qty
EDH-CQP105-E2	105X20mm	1/10/100
EDH-CQP110-E2	110x20mm	1/10/100
EDH-CQP115-E2	115X22.2mm	1/10/100
EDH-CQP125-E2	125X22.2mm	1/10/100
EDH-CQP180-E2	180X22.2mm	1/10/50
EDH-CQP230-E2	230X22.2mm	1/10/20

Diamond Cup Wheels



- Turbine grinding wheels provide smooth and efficient grinding
- Strong and durable, rust-proof and corrosion-resistant, not easy to deform, made of heat-treated steel
- The lower air hole design keeps the grinder cup cool and reduces wear
- Angle grinders designed for curing concrete and hard stone grinding

Item #	Spec	Pack Qty
EDH-JML100-E1	100x20mm	1/10/20
EDH-JML115-E1	115x22.2(20)mm	1/10/20
EDH-JML125-E1	125x22.2(20)mm	1/10/20
EDH-JML150-E1	150x22.2(20)mm	1/10/20

Diamond Cup Wheels



- The double-row segmented grinding wheels are designed for grinding concrete and rough
- Suitable for grinding machines and angle grinders, it quickly removes thin and unwanted material from the surface
- Ideal for all types of stone such as concrete, ceramic, tile, marble, granite, rock, cement, etc

Item #	Spec	Pack Qty
EDH-JML100-E2	100x20mm	1/10/20
EDH-JML115-E2	115x22.2(20)mm	1/10/20
EDH-JML125-E2	125x22.2(20)mm	1/10/20
EDH-JML150-E2	150x22.2(20)mm	1/10/20

TCT Saw Blade For Aluminum



- Specialized aluminum design, more efficient cutting
- Super-hard material, long-lasting sharpness
- Precision cutting with smooth cross-section
- Heat dissipation coating, continuous cutting without high temperature annealing

Item #	Spec	Pack Qty
EDH-LJP254-E1	254x30mm,120T	1/10/20

TCT Saw Blade



- Tungsten carbide tips (YG8) with HRA90+ hardness for 3-5x longer lifespan
- ATB tooth design with shock-absorbing slots for vibration reduction
- Cuts hardwood, plastics with one blade

Item #	Spec	Pack Qty
EDH-MJP110-E2	110x20mm,30T	1/10/100
EDH-MJP110-E1	110x20mm,40T	1/50/100
EDH-MJP115-E1	115x22.2mm,40T	1/50/100
EDH-MJP185-E1	185x20mm,60T	1/-/50
EDH-MJP210-E1	210x30mm,48T	1/-/50
EDH-MJP235-E1	235x30mm,60T	1/-/25
EDH-MJP254-E1	254x30mm,60T	1/-/25
EDH-MJP254-E2	254x30mm,40T	1/10/20

Jig Saw Blade For Wood



- It is suitable for cutting wood and plastic, and is economical and durable
- Optimize the tooth pitch design, increase the cutting speed and reduce jamming

Item #	Spec	Pack Qty
EDH-QJT008-E1	5PCS T111C	1/25/250
EDH-QJT015-ED1	15PCS T111C	1/25/100

Jig Saw Blade For Wood



- Quickly cut cork, plastic
- Large-capacity chip chute prevents sawdust build-up and keeps cutting smooth

Item #	Spec	Pack Qty
EDH-QJT006-E2	5PCS T144D	1/25/250

Jig Saw Blade For Wood



- The saw blade itself grinds the tooth and grinds the surface, and the details are handled
- Finely cut hardwoods for smoother cuts

Item #	Spec	Pack Qty
EDH-QJT010-E3	5PCS T101B	1/25/250

Jig Saw Blade For Metal



- HSS tooth edge spring steel matrix, both toughness and sharpness, suitable for mixed cutting of metal and wood
- High-quality steel heat treatment process to reduce the risk of breakage

Item #	Spec	Pack Qty
EDH-QJT012-E4	5PCS T118B	1/25/250

Jig Saw Blade For Metal



- HSS tooth edge spring steel matrix, both toughness and sharpness, suitable for mixed cutting of metal and wood
- High-quality steel heat treatment process to reduce the risk of breakage

Item #	Spec	Pack Qty
EDH-QJT021-E4	5PCS T118A	1/25/250

Jig Saw Blade Set



- It is suitable for mixed cutting of metal, aluminum, and wood
- High-quality steel heat treatment process to reduce the risk of breakage

Item #	Spec	Pack Qty
EDH-QJT005-EH1	2PCS T111C 1PCS T127D 2PCS T118B	1/25/250

15 Pcs Jig Saw Blade Set



- It is suitable for mixed cutting of metal, aluminum, and wood
- High-quality steel heat treatment process to reduce the risk of breakage

Item #	Spec	Pack Qty
EDH-QJT015-EH1	2pcs T118A ,76*8*0.92*2IT HSS 2pcs T118B,76*8*0.92*12T HSS 1pcs T127D,100*8*0.92*8T BIM 2pcsT144D,100*8*1.2*6T HCS 2pcsT111C,100*8*1.2*8T HCS 2pcsT101B,100*8*1.45*10T HCS 2pcsT101B,100*8*1.45*10T HCS 2pcsT101D,100*8*1.45*6T HCS	1/25/100

8 Pcs Jig Saw Blade Set



- It is suitable for mixed cutting of metal and wood
- High-quality steel heat treatment process to reduce the risk of breakage

Item #	Spec	Pack Qty
EDH-QJT008-EH1	1pcs for cutting aluminum 1pcs for cutting wood (clean surface) 2pcs for cutting metal 4pcs for cutting wood(fast cut)	1/25/100

Reciprocating Saw Blades For Wood



- Carbon steel material, economical and practical
- Coarse teeth for quick sawing of wood and PVC pipes

Item #	Spec	Pack Qty
EDH-WJT006-E1	150mmx19mmx1.2mm ,6TPI	1/25/100

Reciprocating Saw Blades For Metal



- Easily handles mixed metal and wood cutting
- The deep groove chip evacuation design avoids sawdust clogging and maintains efficient cutting
- Optimized tooth pitch arrangement, smoother cutting, and reduced operating fatigue

Item #	Spec	Pack Qty
EDH-WJT018-E2	150mm(6"),18TPI	1/25/100

Reciprocating Saw Blades Set



- HSS tooth blade high-toughness spring steel matrix, easy to cope with mixed cutting of metal and wood, the service life is increased by more than 5 times
- The back of the knife is thickened to prevent breakage, and it is suitable for violent demolition operations
- Optimized tooth pitch arrangement, smoother cutting, and reduced operating fatigue

Item #	Spec	Pack Qty
EDH-WJT010-EH1	3pcs 150*19*1.2*6T,cutting for wood with nail 2pcs 150*19*0.92*18T,cutting for metal 3pcs 150*19*0.92*10T,cutting for metal 2pcs 200*19*1.2*6T,cutting for wood with nail	1/10/40

Multi Tool Blade Sets



- Carbon Steel Saw Blades (Wood/Plastic/Drywall)
- Bimetal saw blade (steel/ aluminum/copper pipe)
- Diamond saw blades (tile/ concrete)
- Full scene coverage, floor slotting/door and window trimming/water pipe cutting

Item #	Spec	Pack Qty
EDH-BDJ017-EH1	17pcs/set 10pcs 80mm Sandpaper 1pcs 80mm Sander 1pcs 50mm Rigid Scraper 1pcs 50mm Bent Scraper 1pcs 34x40-18T HCS Milled Saw Blade 1pcs 34x40-14T HCS Ground Saw Blade 1Pcs 34x40-18T Bi - Metal Saw Blade 1pcs 87mm HCS Half Saw Blade	1/10/40

Wire Cup Brush



- The wavy steel wire increases the contact area, can penetrate deep into the crevices and grooves, and the cleaning effect is more thorough
- The curved wire has good elasticity and is suitable for irregular surfaces (such as welds, threads) to reduce the risk of scratches
- Compared with ordinary wire brushes, copper plating delays rust and is suitable for wet or corrosive environments

Item #	Spec	Pack Qty
EDH-GSS075-E1	75mm, 3"	1/10/80
EDH-GSS100-E1	100mm, 4"	1/10/60
EDH-GSS125-E1	125mm, 5"	1/6/24

Sanding Sheet Set



- Coarse to fine grits for versatile sanding applications
- Made with aluminum oxide, grains for superior durability
- Aggressive cutting for quick stock removal
- Ideal for wood, metal, paint, drywall, and automotive use

Item #	Spec	Pack Qty
EDH-DSZ610-EI	100x610mm	1/-/100

2 Pcs Medium Bristle Brush Set



- Large flat brush - flat surface for efficient cleaning
- Small round brush - cleaning of narrow spaces

Item #	Spec	Pack Qty
EDH-QJS01-EH1	1pcs 2" medium bristle brush, 1pcs 4 " medium bristle brush	1/6/36
EDH-QJS02-EH1	1 Pcs 2" medium bristle brush 1 Pcs 3.5" 360-Degree medium brush 1 Pcs 4" medium bristle brush	1/6/36



Polishing Pad With Flange



- Special rubber bottom for polishing machines
- For use with the EDH-YML180-EI

Item #	Spec	Pack Qty
EDH-YML180-E2	180mm	1/10/40
EDH-YML180-EI	180mm	1/10/60



Accessories For Die Grinder



- Multi-specification grinding head, all-round grinding
- Industrial-grade material for durability
- Precision machining, professional-grade results
- Meet the needs of fine processing of metal/wood/glass/plastic and other materials

Item #	Spec	Pack Qty
EDH-ZMT001	5pcs/set include 1 Pcs bullet type 13*20mm 1 Pcs cone 13*15mm 1 Pcs cone 13*23mm 1 Pcs T-type 12*13mm 1 Pcs round 12mm Shank diameter: 3mm	1/10/100
EDH-ZMT002	5pcs/set include 1 Pcs cylindrical 18*25mm 1 Pcs bullet type 14*25mm 1 Pcs cone 25*38mm 1 Pcs T-type 25*14mm 1 Pcs round 25mm Shank diameter: 6mm	1/10/100
EDH-ZMT003	10pcs/set include 1 Pcs bullet type 13*20mm 1 Pcs cone 13*15mm 1 Pcs cone 13*25mm 1 Pcs T-type 12*13mm 1 Pcs round 12mm 1 Pcs cylindrical 18*25mm 1 Pcs bullet type 14*25mm 1 Pcs cone 25*38mm 1 Pcs T-type 25*14mm 1 Pcs round 25mm	1/10/100
EDH-ZMT004	5pcs/set include Shank diameter: 3.17mm 1pcs bullet type 9.5*19mm 1pcs bullet type 6*16mm Shank diameter: 6.35mm 1 Pcs cone 19*28mm 1 Pcs T-type 19*19mm 1 Pcs round 25mm	1/10/100
EDH-ZMT005	7pcs/set include 1 Pcs bullet type 22*50mm 1 Pcs bullet type 16*32mm 1 Pcs cone 19*28mm 1 Pcs T-type 25*14mm 1 Pcs T-type 19*19mm 1 Pcs Umbellate 32*6mm 1 Pcs round 25mm Shank diameter: 6.35mm	1/5/40
EDH-ZMT006	5pcs/set include 1 Pcs bullet type 16*32mm 1 Pcs cone 19*28mm 1 Pcs T-type 25*13mm 1 Pcs T-type 19*19mm 1 Pcs round 25mm Shank diameter: 6.35mm	1/10/100
EDH-ZMT007	10pcs/set include 1 Pcs bullet type 22*50mm 1 Pcs bullet type 16*32mm 1 Pcs cone 19*28mm 1 Pcs cone 19*63mm 1 Pcs T-type 25*14mm 1 Pcs T-type 19*19mm 1 Pcs T-type 25*50mm 1 Pcs Umbellate 32*6mm 1 Pcs horn 35*25mm 1 Pcs round 25mm Shank diameter: 6.35mm	1/5/40

Sanding And Grinding Set For Mini Drill



- Engraving and grinding
- Metal polishing
- Playthings to take care of

Item #	Spec	Pack Qty
EDH-ZMT01-EH1	10pcs sand rings 4pcs grinding stone 1pcs rubber wheel drums 4pcs grinding wheels 20pcs sandpaper 1pcs mandrel	1/-/24
EDH-ZMT02-EH1	9pcs wool polishing wheel 3pcs nylon brush 1pcs wire brushes 1pcs wool grinding head 2pcs rubber flakes 1pcs wool bullet 1pcs polishing compound 1pcs mandrel	1/-/24
EDH-ZMT03-EH1	1pcs diamond grinding discs 1pcs stainless steel saw blades 18pcs fiberglass cutting discs 66pcs cut-off wheel 2pcs cutting disc 2pcs mandrel	1/-/24
EDH-ZMT04-EH1	6pcs rubber grinding head 6pcs rubber flakes 6pcs grinding stone 6pcs grinding wheels 36pcs cut-off wheel 40pcs sandpaper 2pcs mandrel	1/-/24

Electromechanical Equipment



Electrode Holder



- Pure copper conductive head
- Insulated resin handle
- Non-slip handle design

Item #	Spec	Pack Qty
EDL23300A	300A	1/-/40
EDL23500A	500A	1/1/30
EDL23800A	800A	1/1/30
EDL231000A	1000A	1/-/30

Magnetic Welding Holder



- Precise positioning, efficient welding
- Super load-bearing, stable and durable
- It supports multi-angle welding, reducing the workpiece turning time and improving efficiency by more than 30%

Item #	Spec	Pack Qty
EDL-HDW25	25Lbs	1/-/48
EDL-HDW50	50Lbs	1/-/24
EDL-HDW75	75Lbs	1/12/24

6 Pcs Magnetic Welding Holder Set



- Precise positioning, efficient welding
- Super load-bearing, stable and durable
- It supports multi-angle welding, reducing the workpiece turning time and improving efficiency by more than 30%

Item #	Spec	Pack Qty
EDL-HDW06-EH1	25Lbs*2 10Lbs*4	1/6/18

Gasoline Generator



- All copper large motor, strong load force
- High quality air filter to reduce noise
- High-efficiency carburetor saves energy and fuel

Item #	Spec	Pack Qty
EDL-KFD10-E1	Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):1.0 Rated output(kW):0.95 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(mL):98 Cooling system:Air-cooled Ignition system:TCI Starting system:Recoil Fuel tank(L):3.8 Dry weight(kg):13 Copper coil alternator	1/-/1

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Gasoline Generator

500



- All copper large motor, strong load force

- High quality air filter to reduce noise

- High-efficiency carburetor saves energy and fuel

Item #	Spec	Pack Qty
EDL-KFD28-EI	Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):2.8 Rated output(kW):2.5 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(mL):210 Cooling system:Air-cooled Ignition system:T.C.I Starting system:Recoil Fuel tank(L):15 Dry weight(kg):36 Copper coil alternator	1/-/1

Gasoline Generator



- All copper large motor, strong load force

- High quality air filter to reduce noise

- High-efficiency carburetor saves energy and fuel

Item #	Spec	Pack Qty
EDL-KFD35-EI	Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):3.5 Rated output(kW):2.8 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(mL):210 Cooling system:Air-cooled Ignition system:T.C.I Starting system:Recoil Fuel tank(L):15 Dry weight(kg):39.5 Copper coil alternator	1/-/1

Diesel Generator

500



- Air-cooled diesel power, continuous endurance and low failure, portable and mobile, more suitable for outdoor work

- Meet the power supply requirements of multiple scenarios

Item #	Spec	Pack Qty
EDL-DG28-EI	Rated voltage(V):220-240 Rated frequency(Hz):50 Phase:Single Max.output(kW):2.8 Rated output(kW):2.6 Rated speed(rpm):3000 DC output:12V8.3A Engine:Diesel 5.0HP Displacement(mL):296 Cooling system:Air-cooled Starting system:Recoil Copper coil alternator Fuel tank(L):12.5 Dry weight(kg):76.8	1/-/1

Diesel Generator

500



- Air-cooled diesel power, continuous endurance and low failure, portable and mobile, more suitable for outdoor work

- Meet the power supply requirements of multiple scenarios

Item #	Spec	Pack Qty
EDL-DGE50-EI	Rated voltage(V):220-240 Rated frequency(Hz):50 Phase:Single Max.output(kW):5.0 Rated output(kW):4.5 Rated speed(rpm):3000 DC output:12V8.3A Engine:Diesel 8.0HP Displacement(mL):418 Cooling system:Air-cooled Starting system:Electric+Recoil Copper coil alternator Fuel tank(L):12.5 Dry weight(kg):103.5	1/-/1

Gasoline Generator

500



- All copper large motor, strong load force

- High quality air filter to reduce noise

- High-efficiency carburetor saves energy and fuel

Item #	Spec	Pack Qty
EDL-KFD55-EI	Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):5.5 Rated output(kW):5.0 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(mL):420 Cooling system:Air-cooled Ignition system:T.C.I Starting system:Recoil+Electric Fuel tank(L):25 Dry weight(kg):83 Copper coil alternator	1/-/1

Gasoline Generator

500



- All copper large motor, strong load force

- High quality air filter to reduce noise

- High-efficiency carburetor saves energy and fuel

Item #	Spec	Pack Qty
EDL-KFD65-EI	Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):6.5 Rated output(kW):6.0 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(mL):420 Cooling system:Air-cooled Ignition system:T.C.I Starting system:Recoil+Electric Fuel tank(L):25 Dry weight(kg):83 Copper coil alternator	1/-/1

Inverter MMA Welding Machine

500



- Single-knob operation, easy to operate

- Lightweight body, easy to carry

- IGBT inverter technology, energy saving and noise reduction

- High-frequency magnetic ring transformer, longer life and more durable

Item #	Spec	Pack Qty
EDL-MMA120-EI	Input voltage(V):1~220-240 Frequency(Hz):50/60 Output current(A):10-120 Duty cycle(%):120A@30% No-load voltage(V):65±5 Max.output current(A):120 Diameter of electrode(mm):1.6-3.2 IGBT inverter technology LED display Anti-stick/Hot start/Arc-force	1/-/1

Inverter MMA Welding Machine

500



- Single-knob operation, easy to operate

- Lightweight body, easy to carry

- IGBT inverter technology, energy saving and noise reduction

- High-frequency magnetic ring transformer, longer life and more durable

Item #	Spec	Pack Qty
EDL-MMA140-EI	Input voltage(V):1~220-240 Frequency(Hz):50/60 Output current(A):10-140 Duty cycle(%):140A@40% No-load voltage(V):65±5 Max.output current(A):140 Diameter of electrode(mm):1.6-4.0 IGBT inverter technology LED display Anti-stick/Hot start/Arc-force	1/-/1

189

190

Inverter MMA Welding Machine



- Single-knob operation, easy to operate
- Lightweight body, easy to carry
- IGBT inverter technology, energy saving and noise reduction
- High-frequency magnetic ring transformer, longer life and more durable

Item #	Spec	Pack Qty
EDL-MMA160-E1	Input voltage(V):1-220-240 Frequency(Hz):50/60 Output current(A):10-160 Duty cycle(%):160A@40% No-load voltage(V):65±5 Max.output current(A):160 Diameter of electrode(mm):1.6-4.0 IGBT inverter technology LED display Anti-stick/Hot start/Arc-force	1/-/1

Inverter MMA Welding Machine



- Single-knob operation, easy to operate
- Lightweight body, easy to carry
- IGBT inverter technology, energy saving and noise reduction
- High-frequency magnetic ring transformer, longer life and more durable

Item #	Spec	Pack Qty
EDL-MMA180-E1	Input voltage(V):1-220-240 Frequency(Hz):50/60 Output current(A):20-180 Duty cycle(%):180A@40% No-load voltage(V):73±5 Max.output current(A):180 Diameter of electrode(mm):1.6-5.0 IGBT inverter technology LED display Anti-stick/Hot start/Arc-force	1/-/1

Inverter MIG/MMA Welding Machine



- One machine is multi-purpose, and there are many possibilities for welding
- There is no need for a split body, and the integrated design is required
- The welding efficiency is far superior to that of manual welding

Item #	Spec	Pack Qty
EDL-MIG120-E2	Input voltage(V):1-220-240 Frequency(Hz):50/60 MIG output current(A):30-120 MMA output current(A):20-120 Duty cycle(%):40% LCD display With pulse and spot function MIG no-load voltage(V):55±5 MMA no-load voltage(V):55±5 MMA diameter of electrode(mm):0.8-1.0	1/1/4

Inverter MIG/MMA Welding Machine



- One machine is multi-purpose, and there are many possibilities for welding
- There is no need for a split body, and the integrated design is required
- The welding efficiency is far superior to that of manual welding

Item #	Spec	Pack Qty
EDL-MIG160-E1	Input voltage(V):1-220-240 Frequency(Hz):50/60 MIG output current(A):20-160 MMA output current(A):20-140 Duty cycle(%):MIG:30%/MMA:40% MIG no-load voltage(V):65±5 MMA no-load voltage(V):65±5 MMA diameter of electrode(mm):0.8-1.0 Inverter MIG/MMA welding machine LED display With pulse and spot function With 1pcs MIG welding torch with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by color box	1/-/1

Inverter MMA Welding Machine



- Single-knob operation, easy to operate
- Lightweight body, easy to carry
- IGBT inverter technology, energy saving and noise reduction
- High-frequency magnetic ring transformer, longer life and more durable

Item #	Spec	Pack Qty
EDL-MMA200-E1	Input voltage(V):1-220-240 Frequency(Hz):50/60 Output current(A):20-200 Duty cycle(%):200A@40% No-load voltage(V):73±5 Max.output current(A):200 Diameter of electrode(mm):1.6-5.0 IGBT inverter technology LED display Anti-stick/Hot start/Arc-force	1/-/1

Inverter MMA welding machine



- There is a degree of advance and retreat, and it is not easy to adhesion
- One-touch welding, easy arc starting
- IGBT inverter technology, energy saving and noise reduction
- High-frequency magnetic ring transformer, longer life and more durable

Item #	Spec	Pack Qty
EDL-MMA250-E2	IGBT inverter technology Input voltage:1-220-240/380-400V Phase:single Frequency:50/60Hz Output current: 220-240V:20-200A 380-400V:20-260A Duty cycle:260A@30% LED Display With Lift TIG function With VRD function No-load voltage:83/73V Max. output current:220V:200A/380V:260A Diameter of electrode:1.6-5.0mm Anti-stick/Hot start/Arc-force	1/-/1

Air Compressor



- Oil-free bass
- Gasp quickly
- High-power motors
- Smart start and stop

Item #	Spec	Pack Qty
EDL-WKY6-E1	Voltage:220-240V~50Hz Input power:1100W(1.5HP) Tank:6L(1.6Gal) Oil free system Noise:78db Aluminium wire motor No-load speed:2800rpm Operation pressure:max.8bar	1/-/1

Air Compressor



- Oil-free bass
- Gasp quickly
- High-power motors
- Smart start and stop

Item #	Spec	Pack Qty
EDL-WKY10-E2	Voltage:220-240V~50Hz Input power: 550W(0.75HP) Tank:10L(2.6Gal) Oil free system Noise: 78db Aluminium wire motor No-load speed:1400rpm Operation pressure:max.8bar	1/-/1

Air Compressor



- Oil-free bass
- Gasp quickly
- High-power motors
- Smart start and stop

Item #	Spec	Pack Qty
EDL-WKY15-E1	Voltage:220-240V~50Hz Input power:1100W(1.5HP) Tank:15L(4Gal) Oil free system Noise:78db Aluminium wire motor No-load speed:2800rpm Operation pressure:max.8bar	1/-/1

Air Compressor



- Oil-free bass
- Gasp quickly
- High-power motors
- Smart start and stop

Item #	Spec	Pack Qty
EDL-WKY25-E1	Voltage:220-240V~50Hz Input power:1200W(1.6HP) Tank:25L(6.6Gal) Oil free system Noise:78db Aluminium wire motor No-load speed:2800rpm Operation pressure:max.8bar	1/-/1

Air Compressor



- Fast up-and-out and low noise
- Powerful power
- Thickened chassis
- Fully enclosed grille

Item #	Spec	Pack Qty
EDL-PKY0.12/8-E1	Voltage:220-240V~50Hz Input power:1.5kW(2HP) Tank:50L(13.2Gal) No-load speed:960rpm Operation pressure:max 0.8Mpa Copper wire induction motor Belt driving system Pump lubricated with oil	1/-/1

Air Compressor



- Fast up-and-out and low noise
- Powerful power
- Thickened chassis
- Fully enclosed grille

Item #	Spec	Pack Qty
EDL-PKY0.25/8-E1	Voltage:220-240V~50Hz Input power:2.2kW(3HP) Tank:100L(26.4Gal) No-load speed:960rpm Operation pressure:max 0.8Mpa Copper wire induction motor Belt driving system Pump lubricated with oil	1/-/1

Air Compressor



- Oil-free bass
- Gasp quickly
- High-power motors
- Smart start and stop

Item #	Spec	Pack Qty
EDL-WKY50-E1	Voltage:220-240V~50Hz Input power:1200W (1.6HP) Tank:50L(13.2Gal) Oil free system Noise: 78db Copper wire motor No-load speed:2800rpm Operation pressure:max.8bar	1/-/1

Air Compressor



- Oil-free bass
- Gasp quickly
- High-power motors
- Smart start and stop

Item #	Spec	Pack Qty
EDL-WKY100-E1	Voltage:220-240V~50Hz Input power: 2x1200W (3.2HP) Tank:100L(26.4Gal) Oil free system Noise: 84db Copper wire motor No-load speed:2800rpm Operation pressure:max.8bar	1/-/1

Air Compressor



- Fast up-and-out and low noise
- Powerful power
- Thickened chassis
- Fully enclosed grille

Item #	Spec	Pack Qty
EDL-PKY0.36/8-E1	Voltage:380V~50Hz Phase:Three Input power: 3.0kW (4HP) Tank:200L(52.8Gal) Noise:82db 3000Hr lifetime promise Belt driving system Pump lubricated with oil Copper wire induction motor Operation pressure:max.8bar	1/-/1

Air Compressor



- Fast up-and-out and low noise
- Powerful power
- Thickened chassis
- Fully enclosed grille

Item #	Spec	Pack Qty
EDL-PKY0.60/8-E1	Voltage:380V~50Hz Phase:Three Input power: 4.0kW (5.5HP) Tank:300L Noise:86db 3000Hr lifetime promise Belt driving system Pump lubricated with oil Copper wire induction motor Operation pressure:max.8bar	1/-/1

Air Impact Wrench



- High torque output, easy to handle the disassembly and assembly of high-strength bolts such as automobile tires and large machinery
- All-metal gearbox for durability and resistance to high-intensity continuous operation
- Ergonomic grip design, non-slip and shock-absorbing, more comfortable to use for a long time
- Double hammer strike structure to provide stable torque output

Item #	Spec	Pack Qty
EDL-QDB21-550EI	Square drive:12.5mm(1/2") No-load speed:8000/min Max.torque:650Nm(480FT-lb) Twin hammer mechanism	1/-/6

Air Impact Wrench



- High torque output, easy to handle the disassembly and assembly of high-strength bolts such as automobile tires and large machinery
- All-metal gearbox for durability and resistance to high-intensity continuous operation
- Ergonomic grip design, non-slip and shock-absorbing, more comfortable to use for a long time
- Double hammer strike structure to provide stable torque output

Item #	Spec	Pack Qty
EDL-QDB43-1180EI	Square drive:19mm(3/4") No-load speed:6200/min Max.torque:1100Nm(811ft) Twin hammer mechanism	1/-/6

Pneumatic Screwdriver



- High speed design, quickly complete screw disassembly and assembly, improve work efficiency
- Lightweight design, labor-saving operation
- Precision bearing gear set, smooth operation, low noise, suitable for high-intensity continuous operation
- It is suitable for electronic assembly, automobile maintenance, furniture installation, production lines and other scenarios

Item #	Spec	Pack Qty
EDL-QDP05	No Load Speed:12000r/min Air Consumption:4.0cfm Working air pressure:0.63Mpa Maximum torque:48Nm Multi-speed speed regulation, convenient and controllable The concentric precision is high, and the force is concentrated and not easy to slip Suitable for M3-M5	1/-/12

Pneumatic Screwdriver



- High speed design, quickly complete screw disassembly and assembly, improve work efficiency
- Lightweight design, labor-saving operation
- Precision bearing gear set, smooth operation, low noise, suitable for high-intensity continuous operation
- It is suitable for electronic assembly, automobile maintenance, furniture installation, production lines and other scenarios

Item #	Spec	Pack Qty
EDL-QDP05Z	No Load Speed:13500r/min Air Consumption:4.0cfm Working air pressure:0.63Mpa Maximum torque:52Nm Multi-speed speed regulation, convenient and controllable The concentric precision is high, and the force is concentrated and not easy to slip Suitable for M3-M6	1/-/12

Brad Nailer



- Efficient and strong, stable and durable
- Lightweight design, labor-saving operation
- Safe and reliable, precise control
- Fast nailing and efficient operation

Item #	Spec	Pack Qty
EDL-QDQ-ST64	Load capacity:75pcs Brad size:18-64mm,ST64, 2.2x64mm Operation pressure:0.4-0.7Mpa(60-100Psi) Material:Aluminum Alloy With safety trigger With Europe type connector, USA type connector, Nitto type connector and Italy type connector	1/-/6

Brad Nailer



- Efficient and strong, stable and durable
- Lightweight design, labor-saving operation
- Safe and reliable, precise control
- Fast nailing and efficient operation

Item #	Spec	Pack Qty
EDL-QDQ-F30	Load capacity:100pcs Brad size:10-30mm,F30, 1.26x1.05x30mm Working air pressure:0.4-0.7Mpa Material:Aluminum Alloy Decoration helper, strong binding	1/-/12

Brad Nailer



- Efficient and strong, stable and durable
- Lightweight design, labor-saving operation
- Safe and reliable, precise control
- Fast nailing and efficient operation

Item #	Spec	Pack Qty
EDL-QDQ-F30B	Load capacity:100pcs Brad size:10-30mm F30B, 1.26x1.05x30mm Working air pressure:0.4-0.7Mpa Material:Aluminum Alloy Decoration helper, strong binding	1/-/12

Brad Nailer



- Efficient and strong, stable and durable
- Lightweight design, labor-saving operation
- Safe and reliable, precise control
- Fast nailing and efficient operation

Item #	Spec	Pack Qty
EDL-QDQ-1013J	Load capacity: 100pcs Brad size: 6-13mm 1013J, 0.6x10x13mm Working air pressure:0.4-0.7Mpa Material:Aluminum Alloy Decoration helper, strong binding	1/-/20

Air Spray Gun



- Efficient spraying, saving time and effort
- Fine atomization, smooth paint finish
- It is suitable for latex paint, water-based paint, oil-based paint, varnish and other coatings
- It can spray walls, furniture, automobiles, metal products, wood, etc., to meet the needs of multiple scenarios such as home decoration, industry, and automobile maintenance

Item #	Spec	Pack Qty
EDL-QPQ-W71G	Standard nozzle:1.5mm Pattern width:50-100mm Spraying Distance:150-200mm Paint capacity:400cc Optional nozzle:1.0/1.3/1.5/1.8mm Operating pressure:0.25-0.4Mpa Air cons:95-220l/min	1/-/20

Air Spray Gun



- Efficient spraying, saving time and effort
- Fine atomization, smooth paint finish
- It is suitable for latex paint, water-based paint, oil-based paint, varnish and other coatings
- It can spray walls, furniture, automobiles, metal products, wood, etc., to meet the needs of multiple scenarios such as home decoration, industry, and automobile maintenance

Item #	Spec	Pack Qty
EDL-QPQ-K-3	Standard nozzle:0.5mm Pattern width:50-100mm Spraying Distance:150-200mm Paint capacity:100cc Optional nozzle:1.0/1.3/1.5/1.8mm Operating pressure:0.25-0.4Mpa Air cons:180-350l/min	1/10/40

Air Spray Gun



- Efficient spraying, saving time and effort
- Fine atomization, smooth paint finish
- It is suitable for latex paint, water-based paint, oil-based paint, varnish and other coatings
- It can spray walls, furniture, automobiles, metal products, wood, etc., to meet the needs of multiple scenarios such as home decoration, industry, and automobile maintenance

Item #	Spec	Pack Qty
EDL-QPQ-990S	Standard nozzle:2.5mm Pattern width:50-100mm Spraying Distance:100-200mm Paint capacity:750cc Optional nozzle:2.0/2.5/3.0mm Working air pressure:0.25-0.4Mpa Air cons:180-350l/min	1/-/20

Air Spray Gun



- Efficient spraying, saving time and effort
- Fine atomization, smooth paint finish
- It is suitable for latex paint, water-based paint, oil-based paint, varnish and other coatings
- It can spray walls, furniture, automobiles, metal products, wood, etc., to meet the needs of multiple scenarios such as home decoration, industry, and automobile maintenance

Item #	Spec	Pack Qty
EDL-QPQ-F75G	Standard nozzle:1.5mm Pattern width:130-180mm Spraying Distance:150-200mm Paint capacity:400cc Optional nozzle:2.0/2.5/3.0mm Working air pressure:0.25-0.4Mpa Air cons:180-350l/min	1/-/20

Air Spray Gun



- Efficient spraying, saving time and effort
- Fine atomization, smooth paint finish
- It is suitable for latex paint, water-based paint, oil-based paint, varnish and other coatings
- It can spray walls, furniture, automobiles, metal products, wood, etc., to meet the needs of multiple scenarios such as home decoration, industry, and automobile maintenance

Item #	Spec	Pack Qty
EDL-QPQ-W77S	Standard nozzle:2.5mm Pattern width:50-100mm Spraying Distance:100-200mm Paint capacity:1000cc Optional nozzle:2.0/2.5/3.0mm Working air pressure:0.25-0.4Mpa Air cons:180-350l/min	1/-/10

Air Spray Gun



- Efficient spraying, saving time and effort
- Fine atomization, smooth paint finish
- It is suitable for latex paint, water-based paint, oil-based paint, varnish and other coatings
- It can spray walls, furniture, automobiles, metal products, wood, etc., to meet the needs of multiple scenarios such as home decoration, industry, and automobile maintenance

Item #	Spec	Pack Qty
EDL-QPQ-990G	Standard nozzle:2.5mm Pattern width:130-180mm Spraying Distance:100-200mm Paint capacity:750cc Optional nozzle:2.0/2.5/3.0mm Working air pressure:0.25-0.4Mpa Air cons:180-350l/min	1/-/20

Air Spray Gun



- Efficient spraying, saving time and effort
- Fine atomization, smooth paint finish
- It is suitable for latex paint, water-based paint, oil-based paint, varnish and other coatings
- It can spray walls, furniture, automobiles, metal products, wood, etc., to meet the needs of multiple scenarios such as home decoration, industry, and automobile maintenance

Item #	Spec	Pack Qty
EDL-QPQ-F75S	Standard nozzle:1.5mm Pattern width:130-180mm Spraying Distance:150-200mm Paint capacity:750cc Optional nozzle:2.0/2.5/3.0mm Working air pressure:0.25-0.4Mpa Air cons:180-350l/min	1/-/20

5 Pcs Air Tools Set



- Efficient spraying, saving time and effort
- Fine atomization, smooth paint finish
- It is suitable for latex paint, water-based paint, oil-based paint, varnish and other coatings
- It can spray walls, furniture, automobiles, metal products, wood, etc., to meet the needs of multiple scenarios such as home decoration, industry, and automobile maintenance

Item #	Spec	Pack Qty
EDL-QPQ-990G-5	Air tools 5pcs set Only with nitto type connector Recoil hose length:5m Recoil hose diameter:8mm Air blow gun nozzle length:16mm Air spray gun operating pressure:3-4bar Air spray gun paint capacity:800cc Air spray gun pattern width:180-250mm Air washing gun operation pressure:4bar Air washing gun washing capacity:750cc Air tire inflating gun max pressure:12bar	1/-/10

5 Pcs Air Tools Set



- Efficient spraying, saving time and effort
- Fine atomization, smooth paint finish
- It is suitable for latex paint, water-based paint, oil-based paint, varnish and other coatings
- It can spray walls, furniture, automobiles, metal products, wood, etc., to meet the needs of multiple scenarios such as home decoration, industry, and automobile maintenance

Item #	Spec	Pack Qty
EDL-QPQ-990S-5	Air tools 5pcs set Only with nitto type connector Recoil hose Length:5m Recoil hose Diameter:8mm Air blow gun rated pressure:100PSI Air blow gun max pressure:150PSI Air spray gun air pressure:3.0-5.0bar Air spray gun aluminum cap(lower):750cc Air spray gun fluid nozzle:160mm-240mm Air washing gun rated pressure:90PSI Air washing gun max pressure:150PSI Air washing gun capacity:750cc Air tire inflating gun max pressure:120PSI	1/-/10

Blow Gun



- Strong wind power, efficient dust removal
- Precise cleaning without damaging surfaces
- It is suitable for various scenarios such as computers, car interiors, mechanical equipment, home cleaning, DIY handicrafts, etc

Item #	Spec	Pack Qty
EDL-XQ01	100mm	1/25/100
EDL7631	250mm	1/10/60

Peripheral Pump



- Efficient and energy-saving, strong flow
- Corrosion and wear resistance
- Intelligent and stable operation

Item #	Spec	Pack Qty
EDL-QB60-EI	Voltage:220-240V~50Hz Rated power:370W(0.5HP) Max.head:35m Max.flow:35L/min Max.suction:8m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Brass impeller	1/-/6

Peripheral Pump



- Efficient and energy-saving, strong flow
- Corrosion and wear resistance
- Intelligent and stable operation

Item #	Spec	Pack Qty
EDL-QB70-EI	Voltage:220-240V~50Hz Rated power:550W(0.75HP) Max.head:45m Max.flow:45L/min Max.suction:8m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Brass impeller	1/-/2

Blow Gun



- Strong wind power, efficient dust removal
- Precise cleaning without damaging surfaces
- It is suitable for various scenarios such as computers, car interiors, mechanical equipment, home cleaning, DIY handicrafts, etc

Item #	Spec	Pack Qty
EDL-XQ11	100mm	1/10/120
EDL-XQ12	200mm	1/10/120
EDL-XQ13	300mm	1/10/120

Air Hose



- High-strength material, pressure resistance and durability
- Flexible, lightweight, and flexible operation
- Good air tightness and efficient conveying
- It is suitable for pneumatic tools, spray guns, air compressors, industrial equipment and other scenarios

Item #	Spec	Pack Qty
EDL-PU05	5m	1/-/25
EDL-PU10	10m	1/-/25
EDL-PU15	15m	1/-/25

Peripheral Pump



- Efficient and energy-saving, strong flow
- Corrosion and wear resistance
- Intelligent and stable operation

Item #	Spec	Pack Qty
EDL-QB80-EI	Voltage:220-240V~50Hz Rated power:750W(1.0HP) Max.head:55m Max.flow:50L/min Max.suction:8m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Brass impeller	1/-/2

Intelligent Self-priming Pump



- Strong self-priming, fast water diversion
- Corrosion and wear resistance
- Energy saving, efficient and stable operation
- Low noise and easy maintenance

Item #	Spec	Pack Qty
EDL-GSP370-E2	Voltage:220-240V~50Hz Rated power:370W(0.5HP) Max.head:32m Max.flow:35L/min Max.suction:9m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft :304+45# Electrophoresis pump body Brass impeller 1.2m length cable with vde plug With 1pcs pressure switch With 1pcs 2L pressure tank	1/-/1

Intelligent Self-priming Pump



- Strong self-priming, fast water diversion
- Corrosion and wear resistance
- Energy saving, efficient and stable operation
- Low noise and easy maintenance

Item #	Spec	Pack Qty
EDL-GSP550-E2	Voltage:220-240V~50Hz Rated power:550W(0.75HP) Max.head:45m Max.flow:45L/min Max.suction:9m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft :304+45# Electrophoresis pump body Brass impeller 1.2m length cable with vde plug With 1pcs pressure switch With 1pcs 2L pressure tank	1/-/1

Intelligent Self-priming Pump



- Strong self-priming, fast water diversion
- Corrosion and wear resistance
- Energy saving, efficient and stable operation
- Low noise and easy maintenance

Item #	Spec	Pack Qty
EDL-GSP750-E2	Voltage:220-240V~50Hz Rated power:750W(1.0HP) Max.head:52m Max.flow:50L/min Max.suction:9m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft :304+45# Electrophoresis pump body Brass impeller 1.2m length cable with vde plug With 1pcs pressure switch With 1pcs 2L pressure tank	1/-/1

Intelligent Self-priming Pump



- Strong self-priming, fast water diversion
- Corrosion and wear resistance
- Energy saving, efficient and stable operation
- Low noise and easy maintenance

Item #	Spec	Pack Qty
EDL-WZB750-E2	Voltage:220-240V~50Hz Rated power:750W(1.0HP) Max.head:52m Max.flow:60L/min Max.suction:8m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Brass impeller	1/-/1

Self-priming Jet Pump



- No mechanical transmission, ultra-high reliability
- Adaptability to extreme environments
- Energy-saving and economical choice

Item #	Spec	Pack Qty
EDL-JET750-E2	Voltage:220-240V~50Hz Rated power:750W(1.0HP) Max.head:51m Max.flow:70L/min Max.suction:9m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Stainless steel impeller	1/-/1

Intelligent Self-priming Pump



- Strong self-priming, fast water diversion
- Corrosion and wear resistance
- Energy saving, efficient and stable operation
- Low noise and easy maintenance

Item #	Spec	Pack Qty
EDL-WZB370-E2	Voltage:220-240V~50Hz Rated power:370W(1.0HP) Max.head:35m Max.flow:40L/min Max.suction:8m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Brass impeller	1/-/1

Intelligent Self-priming Pump



- Strong self-priming, fast water diversion
- Corrosion and wear resistance
- Energy saving, efficient and stable operation
- Low noise and easy maintenance

Item #	Spec	Pack Qty
EDL-WZB550-E2	Voltage:220-240V~50Hz Rated power:550W(0.75HP) Max.head:45m Max.flow:50L/min Max.suction:8m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Brass impeller	1/-/1

Centrifugal Pump



- High efficiency and energy saving, large flow transmission
- Super durable, industrial-grade quality
- Ultra-quiet and low maintenance

Item #	Spec	Pack Qty
EDL-CPM130-EI	Voltage:220-240V~50Hz Rated power:370W(0.5HP) Max.head:18m Max.flow:80L/min Max.suction:8m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Stainless steel impeller	1/-/1

Centrifugal Pump



- High efficiency and energy saving, large flow transmission
- Super durable, industrial-grade quality
- Ultra-quiet and low maintenance

Item #	Spec	Pack Qty
EDL-CPM146-EI	Voltage:220-240V~50Hz Rated power:550W(0.75HP) Max.head:25m Max.flow:100L/min Max.suction:8m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Stainless steel impeller	1/-/1

Centrifugal Pump



500

- High efficiency and energy saving, large flow transmission
- Super durable, industrial-grade quality
- Ultra-quiet and low maintenance

Item #	Spec	Pack Qty
EDL-CPM158-EI	Voltage:220-240V~50Hz Rated power:750W(1.0HP) Max.head:33m Max.flow:120L/min Max.suction:8m Pipe diameter:1"x1" Copper wire motor Stainless steel welding shaft:304#45# Electrophoresis pump body Stainless steel impeller	1/-/1

Sewage Submersible Pump



500

- Strong sewage discharge and unimpeded access
- Resistant to blockage, durable, industrial-grade quality
- Intelligent and safe, worry-free and labor-saving

Item #	Spec	Pack Qty
EDL-WQD750-EI	Voltage:220-240V~50Hz Rated power:750W(1.0HP) Max.head:13m Max. flow:333L/min Pipe diameter:2" Copper wire motor Pump body:stainless Motor body:cast Iron 9m length cable For dirty water	1/-/1

Automatic Pump Control



500

- Fully automatic precise control
- Energy saving is the first choice
- Compatible with all pump types such as centrifugal pumps/submersible pumps/booster pumps

Item #	Spec	Pack Qty
EDL-WAPS01	Rated voltage:220-240V Frequency:50/60Hz Starting pressure:1.5bar Max.current:10A Max.pressure:10bar Pipe diameter:1"x1" Protection degree:IP65	1/-/12

Automatic Pump Control



500

- Fully automatic precise control
- Energy saving is the first choice
- Compatible with all pump types such as centrifugal pumps/submersible pumps/booster pumps

Item #	Spec	Pack Qty
EDL-WAPS02	Rated voltage:220-240V Frequency:50/60Hz Starting pressure:1.5bar Max.current:10A Max.pressure:10bar Pipe diameter:1"x1" Protection degree:IP65	1/-/12

Sewage Submersible Pump




500

- Strong sewage discharge and unimpeded access
- Resistant to blockage, durable, industrial-grade quality
- Intelligent and safe, worry-free and labor-saving

Item #	Spec	Pack Qty
EDL-WQD1100-EI	Voltage:220-240V~50Hz Rated power:1100W(1.5HP) Max.head:15m Max. flow:366L/min Pipe diameter:2" Copper wire motor Pump body:stainless Motor body:cast Iron 9m length cable For dirty water	1/-/1

Sewage Submersible Pump




500

- Strong sewage discharge and unimpeded access
- Resistant to blockage, durable, industrial-grade quality
- Intelligent and safe, worry-free and labor-saving

Item #	Spec	Pack Qty
EDL-WQD1500-EI	Voltage:220-240V~50Hz Rated power:1500W(2.0HP) Max.head:14.5m Max. flow:366L/min Pipe diameter:2" Copper wire motor Pump body:stainless Motor body:cast Iron 9m length cable Built-in cutting blade For dirty water Control box for protection	1/-/1

Booster Pump



500

- Efficient and energy-saving, silent operation
- Intelligent and precise control
- Super supercharged performance
- Mini lightweight design

Item #	Spec	Pack Qty
EDL-ZYB120-EI	Voltage:220-240V~50Hz Rated power:120W Max.head:26m Max.flow:36L/min Pipe diameter:3/4"	1/-/12

Stable high-pressure with extra-large flow



Elaborate Construction

Unparalleled Efficiency in Hot Water Recirculating

Aluminum Pump Housing

Advanced Stainless Steel Pump Head

Robust Motor
Ensure continuous, efficient operating

Durable Rotor
Generate smooth and efficient water circulation

Impeller of Upgraded PP
Excellent heat & corrosion resistance

Circulating Pump



- Smarter Flow, Lower Bills! – Cut energy waste without sacrificing performance
- Built to Endure, Designed to Save!– The reliable choice for HVAC professionals

Item #	Spec	Pack Qty
EDL-SCM120-EI	Voltage:220-240V~50Hz Rated power:120W Max.head:9m Max.flow:32L/min Maximum water temperature:110 °C Pipe diameter:3/4" 3 position adjustment Copper wire motor PPD impeller	1/-/8

Submersible Pump



500



- Efficient and energy-saving, strong power
- Ultra-quiet operation, stable and durable
- Safe and reliable, multiple protections

Item #	Spec	Pack Qty
EDL-QDX370-EI	Voltage:220-240V~50Hz Rated power:370W(0.5HP) Max.head:17m Max.flow:100L/min Pipe diameter:1" 9m length cable Copper wire motor Stainless steel base Stainless steel screws Stainless steel shaft Thermal protection With float switch For clean water	1/-/1

Submersible Pump



500



- Efficient and energy-saving, strong power
- Ultra-quiet operation, stable and durable
- Safe and reliable, multiple protections

Item #	Spec	Pack Qty
EDL-QDX550-EI	Voltage:220-240V~50Hz Rated power:550W(0.75HP) Max.head:25m Max.flow:117L/min Pipe diameter:1" 9m length cable Copper wire motor Stainless steel base Stainless steel screws Stainless steel shaft Thermal protection With float switch For clean water	1/-/1

Submersible Pump



500



- Efficient and energy-saving, strong power
- Ultra-quiet operation, stable and durable
- Safe and reliable, multiple protections

Item #	Spec	Pack Qty
EDL-QDX750-EI	Voltage:220-240V~50Hz Rated power:750W(1.0HP) Max.head:32m Max.flow:120L/min Pipe diameter:1" 9m length cable Copper wire motor Stainless steel base Stainless steel screws Stainless steel shaft Thermal protection With float switch For clean water	1/-/1

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Automotive Tools



Automotive Tool

Air Pump



- The ergonomic handle design ensures a comfortable and effortless grip.
- The all-metal pump body construction is both durable and wear-resistant.
- Weighing only 0.33 kg, the lightweight design enhances portability and ease of operation.
- Crafted to industrial-grade standards, this product meets the demands of high-intensity use.

Item #	Spec	Pack Qty
EDL880016	Size: 38*500mm	1/-/30

Air Pump



- 5.5bar/80psi
- Compatible with: schrader, presta, dunlop Valve
- With Bar and PSI double units
- Designed with a gauge
- High pressure durable hose
- Steel cylinder and frame
- Rubber pedal

Item #	Spec	Pack Qty
EDL880006	φ9*270mm	1/1/10/40

Air Pump

500



- 5.5bar/80psi
- Compatible with: schrader, presta, dunlop Valve
- With Bar and PSI double units
- High pressure durable hose
- Steel cylinder and frame
- Rubber pedal

Item #	Spec	Pack Qty
EDL880002	φ3.5*130mm	1/1/10/40

Air Pump



- 5.5bar/80psi
- Compatible with: schrader, presta, dunlop Valve
- With Bar and PSI double units
- Designed with a gauge
- High pressure durable hose
- Steel cylinder and frame
- Rubber pedal

Item #	Spec	Pack Qty
EDL880003	φ3.5*145mm	1/1/20

Air Pump

500



- Max air pressure: 120psi
- Anti- freezing and heat- resistant gas belt design, frost- and heat- resistant range: (-20°—50°).
- Double boost pressurization design, more labor- saving, air nozzle storage

Item #	Spec	Pack Qty
EDL-QT002	φ8*600mm	1/-/20

Air Pump



- Powerful pressure boost for high-pressure needs.
- Effortless and efficient, inflates quickly.
- Robust construction, simple and durable.

Item #	Spec	Pack Qty
EDL-QT011	8bar/116psi	1/1/32

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Air Pump



- Precision control with clear pressure reading
- Powerful single-stage boost for high-pressure tires
- Effortless design for efficient inflation

Item #	Spec	Pack Qty
EDL-QT012	8bar/116psi	1/1/24

Air Pump



- Dual-stage boost for effortless high pressure
- Energy-efficient, faster and easier inflation
- Robust construction, maintenance-free simplicity

Item #	Spec	Pack Qty
EDL-QT013	8bar/116psi	1/1/10/20

Air Pump



- Dual-Stage Power, Effortless from Start to Finish
- Precision Control with Real-Time Pressure Reading
- Engineered for Heavy-Duty Use and Lasting Reliability

Item #	Spec	Pack Qty
EDL-QT014	8bar/116psi	1/1/10/20

Tire gauge



- aluminum alloy hand plank type, solid & durable

Item #	Spec	Pack Qty
EDL8530	0-16bar	1/10/50

Auto Air Compressor



- Max pressure: 140psi/10bar
- Inflation speed: ≤5min

Item #	Spec	Pack Qty
EDL8058	180W/36L/min	1/-/8

Auto Air Compressor



- Max pressure: 101psi/7bar
- Inflation speed: ≤3min

Item #	Spec	Pack Qty
EDL8059	160W/36L/min	1/1/6

Auto Air Compressor



- Max pressure: 101psi/7bar
- Inflation speed: ≤3min

Item #	Spec	Pack Qty
EDL8060	180W/36L/min	1/1/6

Copper core permanent magnet motor



Air Compressor Pump



- Pre-set Tire Pressure
- Auto Stop When Fully Charged
- Tire Pressure Monitoring
- Multi-Purpose Device

Item #	Spec	Pack Qty
EDL880590	90W	1/1/24

Auto Air Compressor



- Powerful Core for Rapid Inflation
- Versatile for All Your Needs
- Cordless & Portable with Li-Battery
- Low Noise Operation
- Auto Stop with Pre-Set Pressure

Item #	Spec	Pack Qty
EDL880101	19-cylinder lithium battery	1/-/24

Vacuum Cleaner



- 600W High Power High Inhalation Efficiency

Item #	Spec	Pack Qty
EDL881205	5L	1/-/1

Vacuum Cleaner



- 1000W High Power
- High Inhalation Efficiency,With A Large capacity Of 12L.
- There Is No Need ForFrequent
- Dust Remove

Item #	Spec	Pack Qty
EDL881212	12L	1/-/1

Vacuum Cleaner

- Air flow: ≥15m³/min
- Accessories: With 1pcs 1.5m hose
- With 1pcs Flat Suction Nozzle
- With 1pcs Sofa Suction Nozzle
- With 1pcs Multi- functional Floor Brush
- With 1pcs Metal Telescopic Tube
- With 1pcs HEPA filter
- With 1pcs Muffler
- With 1pcs Dust Collection Bag



Item #	Spec	Pack Qty
EDL881815	15L	1/-/1



Vacuum Cleaner

- 25L Large-Capacity Metal Drum
- Industrial-Strength Steel Construction
- Powerful Suction with Multi-Stage Filtration
- Heavy-Duty Stability with Smooth Mobility



Item #	Spec	Pack Qty
EDL881825	25L	1/-/1

Vacuum Cleaner

- Multi Filtration Avoid Secondary Pollution; Dry,Wet,Blowing Functions Make Cleaning Easier

500



Item #	Spec	Pack Qty
EDL881835	35L	1/-/1

Vacuum Cleaner

- Powerful 5500Pa Suction
- 21-Min Runtime
- 2-Stage HEPA Filtration
- 3-Cell 1800mAh Battery
- Quick Recharge in 3.5 hrs



Item #	Spec	Pack Qty
EDL8080	75W	1/1/20

Vacuum Cleaner

- Powerful 5000Pa suction
- 3m extended power cable
- Dual HEPA filtration system
- Space-saving compact design



Item #	Spec	Pack Qty
EDL8081	70W	11/-/201

Vacuum Cleaner

- 12,000Pa strong suction for fast and efficient dust removal
- Powerful brushless motor with 62,000 RPM high rotation speed
- Large-capacity lithium battery for 30 minutes of continuous runtime
- Extra-large dustbin, no need for frequent emptying
- Versatile cleaning accessories for car, home, and pet use



Item #	Spec	Pack Qty
EDL881401	12000Pa	1/-/36

High Pressure Washer

- Rated flow: 5L/min
- Max flow: 8L/min
- T177Water temperature: 0- 40℃



Item #	Spec	Pack Qty
EDL882201	1400W,95bar	1/-/1

2000mAh*2
ultra-long battery life

>15min
Endurance



12,000 Pa Ultra Suction



High Pressure Washer

- 1400W upgraded suction power, handles both dry and wet messes in one go
- IPX4 waterproof & anti-creep protection
- Multi-layer filtration system, eliminates secondary dust pollution
- Lightweight body + wide suction base, efficient cleaning indoors/outdoors



Item #	Spec	Pack Qty
EDL882211	1400W	1/-/1

High Pressure Washer

- 2000W upgraded suction power, handles both dry and wet messes in one go
- Multi-layer filtration system, eliminates secondary dust pollution
- Lightweight body + wide suction base, efficient cleaning indoors/outdoors



Item #	Spec	Pack Qty
EDL882213	2000W	1/-/1

High Pressure Washer



- Powerful 2200W horizontal washer - affordable and reliable.
- 2200W horizontal cleaner: economical, powerful, straightforward.
- Value-packed horizontal washer: 2200W, low price, easy operation.

Item #	Spec	Pack Qty
EDL882107	2200W/50bar	1/-/1

High Pressure Washer



- Lightweight & Portable Design
- Instant Start/Stop Trigger Control
- Adjustable Spray Patterns with Rotating Nozzle
- Dual Water Intake: Tap or Self-Priming Modes

Item #	Spec	Pack Qty
EDL882210	1000W	1/-/1

High Pressure Washer



- Professional 120Bar Output
- Optimized 9L/min Flow Rate
- Stable Horizontal Operation
- Global Voltage Ready

Item #	Spec	Pack Qty
EDL882105	1400W	1/-/1
EDL882106	1600W	1/-/1



Glue Remover



- Powerful dissolving, works fast.
- Easy spray and wipe.
- No residue, surface safe.

Item #	Spec	Pack Qty
EDL-A268	268ml	1/-/48
EDL-A450	450ml	1/-/24

Rust - Preventive Lubricant



- Fights rust, provides long-lasting protection.
- Penetrates and lubricates to loosen bolts.
- Displaces moisture to prevent corrosion.

Item #	Spec	Pack Qty
EDL60-200	200ml	1/-/24
EDL60-300	300ml	1/-/24
EDL60-100	100ml	1/-/50

Rust - Preventive Lubricant




Item #	Spec	Pack Qty
EDL80-450	450ml	1/-/24
EDL80-200	200ml	1/-/24

Remarkable Anti-rust Performance



Car Sun Shield



- For sunprotection and heat insulation

Item #	Spec	Pack Qty
EDL886010	145*80mm	1/-/50

Storage Box



- Environmentally friendly PP material, PP environmentally friendly material, safe, healthy and odorless.
- High strength, good wear resistance

Item #	Spec	Pack Qty
EDL884135	35L	1/-/6
EDL884160	60L	1/-/4

Auto Air Compressor



- Power supply:DC12V
- Rated current:10A
- Max.pressure:150PSI
- With 1PCS LED light
- With 3M cord with cigarette lighter
- With 1Pcs battery clips
- With 4pcs nozzle adapters

Item #	Spec	Pack Qty
EDL880280S	160W,30L/min	1/1/8

22L/min inflation speed, fast inflation



Auto Maintenance and Repair Tools

Parts Box



New
PP



- Premium PP material for durability
- Flexible storage with removable dividers
- Sturdy honeycomb reinforced base

Item #	Spec	Pack Qty
EDL432301	Size:13.5x10.5x3cm 10 Compartments	1/12/144
EDL432302	Size: 20x15.5x3cm 18 Compartments	1/12/96
EDL432303	Size: 18.5x16x4.4cm 9 Compartments	1/12/72
EDL432304	Size: 26x13.5x4.4cm 12 Compartments	1/12/48
EDL432305	Size: 22.5x17.5x6cm 12 Compartments	1/12/48
EDL432306	Size: 27.5x19x4.4cm 18 Compartments	1/12/48
EDL432307	Size: 28x18x6cm 15 Compartments	1/6/24
EDL432308	Size: 33.5x23x6cm 24 Compartments	1/6/24

Stackable Parts Organizer



PP



- Stackable design for efficient storage
- Made from premium quality PP material
- Removable dividers for flexible organization
- Durable, impact-resistant construction

Item #	Spec	Pack Qty
EDL432061	Size:29x22.8x5.8cm 21 Compartments	1/-/36
EDL432062	Size:37.5x29x6.7cm 17 Compartments	1/-/12

Parts Organizer



PP



- High-quality PP material
- Drawer-style storage for organized categorization
- Can be wall-mounted or placed on a surface
- High toughness and compression resistance
- Modular design for free combination

Item #	Spec	Pack Qty
EDL432051	Size:30x16.5x20CM 1 Compartment	1/-/16
EDL432052	Size:30x16.5x20CM 2 Compartments	1/-/16
EDL432054	Size:30x16.5x20CM 4 Compartments	1/-/16
EDL432059	Size:30x16.5x20CM 12 Compartments	1/-/12

Parts Organizer



PP



- High-quality PP material
- Drawer-style storage for organized categorization
- Can be wall-mounted or placed on a surface
- High toughness and compression resistance

Item #	Spec	Pack Qty
EDL432139	Size: 47.5x16x38CM 39 Compartments	1/-/4

Plastic Tool Box

New
PP



- Three layers collapsible, partition structure design
- Can be equipped with safety lock, anti-theft keyhole
- Environmental protection material, new PP material

Item #	Spec	Pack Qty
EDL432013A	Size:13in.(325 x 200 x 145mm)	1/-/20

5-Tray Cantilever Steel Tool Box



- High quality thickened cold rolled Steel
- Double handles for stronger load bearing capacity
- Powder coated surface prevents corrosion and rust

Item #	Spec	Pack Qty
EDL6232	Size:450 x 200 x 215mm Net Weight: 4.45KG Layers: 3	1/1/4

Trolley Tool Box



- Three boxes combined and detachable
- Retractable pulling handle
- Powder-coated finish for corrosion resistance

Item #	Spec	Pack Qty
EDL-TS3C-20	Size(mm): 520W x 320D x 720H	1/-/1



Drill holster



- Multi functional pockets
- Wear-resistant , tear resistant

Item #	Spec	Pack Qty
EDLP07	Size: 200x60x260mm Pockets QTY:7	1/-/30

Small Electrician Tool Pouch



- Multi functional pockets
- Wear-resistant , tear resistant

Item #	Spec	Pack Qty
EDLP08	Size: 215x65x290mm Pockets QTY:6	1/-/48

Large Electrician Tool Pouch



- Multi functional pockets
- Wear-resistant , tear resistant

Item #	Spec	Pack Qty
EDLP09	Size: 300x155x345mm Pockets QTY:13	1/-/16

Electrician Tool Belt



- Multi functional pockets
- Wear-resistant , tear resistant

Item #	Spec	Pack Qty
EDLP10	Size: 200x60x240+105x60x180+240x90x240mm Pockets QTY:6+10	1/-/12

Small Utility Tool Pouch



- Multi functional pockets
- Wear-resistant , tear resistant

Item #	Spec	Pack Qty
EDLP11	Size: 145x55x140mm Pockets QTY:5	1/-/50

Large Utility Tool Pouch



- Multi functional pockets
- Wear-resistant , tear resistant

Item #	Spec	Pack Qty
EDLP12	Size: 205x210x210mm Pockets QTY:14	1/1/6

Basic Tool Bag



- Multi functional pockets
- Wear-resistant , tear resistant
- Steel bar inside to avoid deformation
- Velcro design

Item #	Spec	Pack Qty
EDL430013	Size:13in. (310 x 170 x 220mm)	1/-/30
EDL430016	Size:16in. (360 x 180 x 250mm)	1/-/30
EDL430018	Size:18in. (400 x 200 x 270mm)	1/-/30

Widen Tool Bag



- High grade polyester cloth Material
- Multifunctional pocket design

Item #	Spec	Pack Qty
EDL-P1	Size:13in. (290 x 240 x 230mm)	1/10/20
EDL-P2	Size:16in. (340 x 260 x 300mm)	1/10/20


Thicke Tool Bag



- Densified Oxford cloth for abrasion resistance
- Multifunctional pockets for easy use
- Reinforced steel bar inside to avoid deformation

Item #	Spec	Pack Qty
EDL430113	Size:13in. (310 x 170 x 220mm)	1/10/20
EDL430116	Size:16in. (360 x 180 x 250mm)	1/10/20
EDL430117	Size:17.5n. (400 x 200 x 270mm)	1/10/20
EDL430118	Size:18n. (430 x 200 x 290mm)	1/10/20
EDL430120	Size:510x250x300mm	1/0/20
EDL430123	Size:600x270x310mm	1/0/20

Plastic Tool Bag



- Waterproof hard base
- Densified Oxford cloth for abrasion resistance
- Multifunctional pockets for easy use
- Reinforced steel bar inside to avoid deformation

Item #	Spec	Pack Qty
EDL586119	Size: 360x220x260mm	1/2/12
EDL586120	Size:410x230x290mm	1/2/12
EDL586121	Size: 450x260x300mm	1/2/10


16 in. Open Top Tool Bag



- Water-resistant hard base
- Reinforced side walls
- Reflective stripes for increased visibility
- Open-top design for excellent visibility and access to all contents

Item #	Spec	Pack Qty
EDL586111	Size:16in. (410 x 220 x 310mm)	1/1/6

16 in. Wide Open Tool Bag



- Water-resistant hard base
- Spacious storage compartment
- Reinforced side walls
- Adjustable and removable shoulder strap
- Reflective stripes for increased visibility

Item #	Spec	Pack Qty
EDL586112	Size:16in. (360 x 220 x 270mm)	1/1/12

Tool Vest



- Light and breathable construction for increased user comfort
- Reflective stripes for increased visibility
- Frees up the hands for increased safety on ladders, roofs and scaffolding

Item #	Spec	Pack Qty
EDL586113	Size: All in one	1/1/20

Tools backpack



- Waterproof hard base
- Densified Oxford cloth for abrasion resistance
- Multifunctional pockets for easy use
- Reinforced steel bar inside to avoid deformation

Item #	Spec	Pack Qty
EDL586122	Size:350x200x470mm	1/-/6


65L Wheel Barrow



- Water Capacity: 65L
- Load bearing: 140kg
- Bucket thickness:0.8mm
- Wheel: 16/4.00-8,Pneumatic wheel
- L*H*C*A*B*h (mm) :1440*550*500*840*685*205
- Net Weight: 11.65KG

Item #	Spec	Pack Qty
EDL436065	65L	1/-/20

Solid wheel



- MAX Load(kg):150KG
- N.W: 3.5kg
- Wheel:14"X4.00
- Suitable for DELI item EDL436065/EDL437065

Item #	Spec	Pack Qty
EDL437065T	14"X4.00	1/-/5

Flat Cart



- High-strength engineering PP platform
- 4 TPR mute bearing wheels
- Casters: 2fixed, 2 Swivel

Item #	Spec	Pack Qty
DL6111	Size(mm): 470W x 730D x 800H Loading Capacity: 150KG Net Weight: 75KG	1/-/1
DL6112	Size(mm): 580W x 870D x 900H Loading Capacity: 300KG Net Weight: 12.82KG	1/-/1


65L Wheel Barrow



- Load Capacity (kg):130
- Water Capacity(L):65
- Sand Capacity(CBF):5
- Bucket thickness:0.8mm
- Wheel:14" x 4.00, Solid wheels
- L*H*C*A*B*h (mm) :1440*543*500*840*685*205
- Net Weight: 13KG

Item #	Spec	Pack Qty
EDL437065	65L	1/-/20

Pneumatic wheel



- MAX Load(kg):150KG
- N.W: 2.2kg
- Wheel:16"X4.00-8, 2PR
- Suitable for DELI item EDL436065/EDL437065

Item #	Spec	Pack Qty
EDL436065T	16"X4.00-8, 2PR	1/-/5

Steel Service Tool Cart



- Heavy duty sheet steel construction
- Push-bar side handle
- Powder-coated finish for corrosion resistance

Item #	Spec	Pack Qty
EDL433013	Size(mm): 610W x 260D x 585H Loading Capacity: 90KG Steel Thickness: 1MM Casters: 2 fixed, 2 Swivel with brakes Product weight: 4.1KG	1/1/4
EDL433023	Size(mm): 755W x 355D x 765H Loading Capacity: 215KG Steel Thickness: 1.2MM Casters: 2 Swivel, 2 Swivel with brakes Product weight: 6.4KG	1/1/4

Trolley Cart



- Aluminum alloy construction for durability
- Adjustable height for custom use
- Foldable design for space-saving storage
- Mute PVC rubber wheels

Item #	Spec	Pack Qty
DL431070	Size(mm): 380W x 280D x 610/810/1110H Folded Size: 645W x 400D x 70H Loading Capacity: 70KG Wheels: PVC, 2 x 12CM Dia.	1/-/6

Trolley Cart



- Aluminum alloy construction for durability
- Adjustable height for custom use
- Foldable design for space-saving storage
- Mute PVC rubber wheels

Item #	Spec	Pack Qty
DL431071	Size(mm): 380W x 280D x 660/870/1070H Folded Size: 645W x 400D x 70H Loading Capacity: 70KG Wheels: PVC, 2 x 12CM Dia. + 4 Swivel small casters	1/-/6

Trolley Cart



- Three-speed adjustment lever
- Triangular wheel for climbing stairs
- Aluminum alloy construction for durability
- Adjustable height for custom use
- Mute TPR rubber wheels

Item #	Spec	Pack Qty
DL431072	Size(mm): 380W x 280D x 630/900/1000H Folded Size: 630W x 400D x 100H Loading Capacity: 70KG/Ground, 20KG/Stair Wheels: TPR, 3 x 9.5CM Dia.	1/1/4

Trolley Cart



- Daily household, convenient and quick
- Large capacity, safe to install
- Strong load-bearing capacity, durable

Item #	Spec	Pack Qty
DL431002A	45L	1/-/6
DL431008A	65L	1/1/4

Trolley Cart



- Daily household, convenient and quick
- Large capacity, safe to install
- Strong load-bearing capacity, durable

Item #	Spec	Pack Qty
DL431002B	45L	1/1/6
DL431004B	65L	1/1/4

Stackable Tool Box



- Stackable Modular Storage System
- Adjustable compartment size for storing parts and tools
- Secure snap fit locks
- Strengthen PP material

Item #	Spec	Pack Qty
EDL1201	Size:340W x 260D x 70H MM	1/-/16

4-Piece Household Tool Set



Includes:

- (1) 8" Combination Pliers
- (1) 7" Diagonal Cutting Pliers
- (1) 6" Long Nose Pliers
- (1) 10" Water Pump Pliers

Item #	Spec	Pack Qty
EDL1204	Size:340W x 260D x 70H MM	1/-/6

11-Piece Household Tool Set



Includes:

- (1) 8oz Claw Hammer
- (1) 7" Combination Pliers
- (1) 6" Adjustable Wrench
- (1) Test Pen 100-500V
- (1) 3m Tape Measure
- (1) 18mm Utility Knife
- (1) Slotted Screwdriver SL6x100mm
- (1) Phillips Screwdriver PH2x100mm
- (1) Slotted Precision Screwdriver 3.0x40mm
- (1) Phillips Precision screwdriver PH0x40mm
- (1) Bubble Level

Item #	Spec	Pack Qty
EDL1211	Size:340W x 260D x 70H MM	1/-/6

29-Piece Household Tool Set



Includes:

- (1) 7" Combination Pliers
- (1) 6" Diagonal Cutting Pliers
- (1) 8" Adjustable Wrench
- (1) Test Pen 100-500V
- (1) 3m Tape Measure
- (1) 18mm Utility Knife
- (1) 170mm Scissors
- (1) Magnetic Bit Holder
- (1) Bubble Level
- (10) Screwdriver Bits Set(Hex 1/8",5/32",3/16",1/4"; Star T10,15,20,25,30,40)
- (10) Screwdriver Bits Set(Slotted 1/8",5/32",3/16",1/4"; Phillips PH1,PH2,PH3, Pozidriv PZ1,PZ2,PZ3)

Item #	Spec	Pack Qty
EDL1229	Size:340W x 260D x 70H MM	1/-/6

32PC. 1/2"Dr. Socket Set



Cr-V

Mirror

Includes:

- (18) 1/2"Dr. standard 6PT sockets: 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30,32 MM
- (2) 1/2"Dr. extension bar: 5in. (125mm), 10in.(250mm)
- (1) 1/2"Dr. quick release ratchet
- (2) 1/2"Dr. spark plug socket:18mm, 21mm
- (6) 1/2"Dr. 12PT sockets: 10,12,14,15,17,19mm
- (1) 1/2" Dr. Sliding bar
- (1) 1/2" Dr. Universal joint
- (1) 3-way adaptor: 3/8"(F) x 1/2"(M)

Item #	Spec	Pack Qty
EDL1032	Drive Size: 1/2in. Number Of Pieces: 32	1/1/5

46PC. 1/4"Dr. Socket Set



Cr-V

Mirror

Includes:

- (18) 1/4"Dr. standard 6PT sockets: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- (1) 1/4" Dr. quick release ratchet
- (2) 1/4" Dr. extension bar:2in.,4in.
- (1) 1/4" Dr. sliding bar
- (1) 1/4" Dr. flex extension bar
- (1) 1/4" Dr. universal joint
- (1) 1/4" Dr. bit adapter
- (1) 1/4"Dr. spinner handle
- (4) Hex key: 1.2,1.5,2,2.5mm
- (2) 1/4" Dr. bit socket: Poz: PZ1,PZ2,PZ3 Phillips: PH1,PH2,PH3 Hex: H3,H4,H5,H6,H7,H8 Star: T10,T15,T20,T25,T30,T40

Item #	Spec	Pack Qty
EDL1046	Drive Size: 1/4in. Number Of Pieces: 46	1/1/12

500



6PT

Cr-V

Mirror

Includes:

(13) 1/4"Dr. sockets: 4,4.5,9,10,11,12,13,14mm

(16) 1/2"Dr. sockets: 8,10,12,13,14,15,16,18,19,20,21,22,24,24.27,30,32mm

(2) Spark plug sockets: 6mm,21mm

(1) 1/2"Dr. 45T quick release ratchet

(1) 1/4"Dr. 45T quick release ratchet

(1) 1/4"Dr. universal joint

(2) 1/4"Dr. Extension bar: 2in,4in.

(1) 1/4"Dr. 14mm sliding bar

(1) 1/4"Dr. 150mm flex extension bar

(1) 1/2"Dr. Universal joint

(2) 1/2"Dr. extension bar: 5in,10in.

(1) 3-way adaptor: 3/8"(F) X 1/2"(M)

Item #	Spec	Pack Qty
EDL1044	Drive Size: 1/4in.+1/2 in. Number Of Pieces: 46	1/1/4

10PCS. 1/2" DR. SOCKET WRENCH SET



6PT

Cr-V

Mirror

Includes:

(1) 1/2" L shape bar: 10in.

(9) 1/2" sockets: 10, 12, 13, 14, 17, 19, 21, 22, 24mm

Item #	Spec	Pack Qty
EDL2010T	Drive Size: 1/4in. Number Of Pieces: 10	1/1/12

500



6PT

Cr-V

Mirror

Includes:

(18) 1/2" Dr. sockets:10,11,12,13,14,15,16,17,18,19,20,21,22,23,,24,27,30,32mm

(2) 1/2" Dr. extension bar: 125,250mm

(1)1/2" Dr. breaker bar: 380mm

(1) 1/2"sliding bar: 250mm

(1)1/2" Dr. universal joint

(1)1/2" Dr. 45 teeth Ratchet

Item #	Spec	Pack Qty
EDL2024T	Drive Size: 1/2in. Number Of Pieces: 24	1/1/4

Household Tool Set



Includes:

(1) Test pencil

(1) Electrical tape

(1) Long nose pliers 160mm (6 inches)

(1) Tape measure 2m

(1) Dual use screwdriver 5/PH2x75(mm)

(1) 18mm utility knife

(1) Precision screwdriver PH0*40mm

(1) Precision screwdriver 3.0*40mm

(1) Blow Case

Item #	Spec	Pack Qty
EDL1008J	Number Of Pieces: 8	1/1/20

Household Tool Set



Includes:

(1) Test pen

(1) Electrical tape 3m

(1) Long nose pliers 160mm (6 inches)

(1) Tape measure 2m

(1) Slotted screwdriver 5x75 (mm)

(1) Phillips screwdriver PHx75mm

(1) 18mm utility knife

(1) 18mm utility knife (10 pieces)

(1) Steel pipe handle claw hammer

(1) 0.25kg parts box (cement nails, self-tapping screws).

(8) Hex key set (1.5, 2, 2.5, 3, 4, 5, 5.5, 6)

(1) Blow Case

Item #	Spec	Pack Qty
EDL1018J	Number Of Pieces: 18	1/1/12

Household Tool Set



Includes:

(1) Test pen

(1) Electrical tape 3m

(1) Long nose pliers 160mm (6 in.)

(1) Tape measure 3m

(1) Slotted screwdriver 5x75 (mm)

(1) Phillips screwdriver PHx75mm

(1) 18mm utility knife

(1) 18mm utility knife (10 pieces)

(1) 8oz Claw hammer

(1) 0.25kg parts box (cement nails, self-tapping screws)

(8) Hex key set (1.5, 2, 2.5, 3, 4, 5, 5.5, 6)

(1) 6in. adjustable wrenches

(1) Raw tape

(1) Tweezer

(1) Bent Tweezer

(6) Precision screwdriver set (PH00, PH0, PH1, 10, 1.2, 1.6mm)

(1) Blow Case

Item #	Spec	Pack Qty
EDL1028J	Number Of Pieces: 28	1/1/10

Household Tool Set



Includes:

(1) Test pen

(1) Electrical tape 3M

(1) Long nose pliers 160mm (6 inches)

(1) Tape measure 3m

(1) Slotted screwdriver 5x75 (mm)

(1) Phillips screwdriver PHx75mm

(1) 18mm utility knife

(1) 18mm utility knife (10 pieces)

(1) Steel pipe handle claw hammer

(1) 0.25kg parts box (cement nails, self-tapping screws).

(8) 8-piece hex key set (1.5, 2, 2.5, 3, 4, 5, 5.5, 6)

(1) 6in. adjustable wrenches

(1) Raw tape

(1) Tweezer

(6) precision screwdriver set (PH00, PH0, PH1, 10, 1.2, 1.6mm)

(1) 75in. scissors

(1) Spirit level (225mm)

(1) 6.3mm socket handle

(8) 6.3mm Sockets Set (4,4.5,5.6,7.8,8,10mm)

(1) Blow Case

Item #	Spec	Pack Qty
EDL1038J	Number Of Pieces: 38	1/1/8

11 PCs Electrician Tools Set



Includes:

(1) 5" mini long nose pliers

(1) 5" mini Diagonal plier

(1) 7" Wire Strippers

(1) Slotted screwdriver SL6x100mm

(1) Phillips screwdriver PH2 x100mm

(1) Utility knife

(1) Insulation Tape

(1) Tweezers

(1) Electrician scissors

(1) Test Pencil 100-500V AC

(1) Storage bag

Item #	Spec	Pack Qty
EDL-C1011E	Number Of Pieces: 11	1/1/10

13 PCs Electrician Tools Set



Includes:

(1) 5" mini long nose plier

(1) 5" mini Diagonal plier

(1) Precision slotted screwdriver

(1) Precision phillips screwdriver

(1) Slotted screwdriver SL6x100mm

(1) Phillips screwdriver PH2 x100mm

(1) Electrician scissors

(1) Electric soldering iron

(1) Soldering iron stand

(1) Solder wire

(1) Vacuum tin pump

(1) Pointed tweezers

(1) Test pencil

(1) Storage bag

Item #	Spec	Pack Qty
EDL-C1013E	Number Of Pieces: 13	1/1/10

7 PCs Electrician Tools Set

500



Includes:

(1) digital multimeter

(1) Digital Clamp Meter

(1) Test pencil

(1) Wire strippers

(1) Insulation Tape

(1) Electrician scissors

(1) Electrician knife

(1) Storage bag

Item #	Spec	Pack Qty
EDL-C1007E-Z	Number Of Pieces: 7	1/1/10

12PC. 1/4"Dr. Socket Set

500



6PT

Cr-V

Mirror

Includes:

(10) 1/4"Dr. socket: 5,6,7,8,9,10,11,12,13,14mm

(1) 1/4"Dr. 4in.(100mm) extension bar

(1) 1/4"Dr. 45T quick release ratchet

Item #	Spec	Pack Qty
EDL0012T	Drive Size: 1/4in. Number Of Pieces: 12	1/6/24

27 PC. 1/4" Dr. socket set





6PT

Includes:

(1) 1/4"Dr. 45T ratchet

(12) 1/4"Dr. socket: 4,4.5,5,6,7,8,9,10,11,12,13,14mm

(14) 1/4"Dr. bit socket: SL4, SL5.5, SL7; PH1, PH2; T10, T15, T20, T25, T30; H4, H5, H6, H7

Item #	Spec	Pack Qty
EDL0027T	Drive Size: 1/4in. Number Of Pieces: 27	1/6/12

12 PC. 3/8" Dr. socket set



6PT

Includes:

- (1) 3/8"Dr. 45T ratchet
- (1) 3/8"Dr. 6in. (150mm) extension bar
- (10) 3/8"Dr. socket: 8,10,11,12,13,14,15,16,17,19mm

Item #	Spec	Pack Qty
EDL1012T	Drive Size: 3/8in. Number Of Pieces: 12	1/5/20

12PC. 1/2"Dr. Socket Set



6PT


Cr-V Mirror

Includes:

- (10) 1/2"Dr. socket:10, 11, 12, 13, 14, 15, 17, 19, 21, 24mm
- (1) 1/2"Dr. 45T quick release ratchet
- (1) 1/2"Dr. 4in.(100mm) extension bar

Item #	Spec	Pack Qty
EDL2012T	Drive Size: 1/2in. Number Of Pieces: 12	1/6/12

17 PC. 1/2" Dr. socket set



6PT

Includes:

- (1) 1/2"Dr. 45T ratchet
- (2) 1/2"Dr. extension bar: 5in.(125mm) ,10in.(250mm)
- (1) 1/2"Dr. spark plug socket: 16mm
- (1) 1/2"Dr. universal joint
- (12) 1/2"Dr. socket: 10,11,12,13,14,15,16,17,18,19,21,24mm

Item #	Spec	Pack Qty
EDL2017T	Drive Size: 1/2in. Number Of Pieces: 17	1/6/12

3PC. 1/2"Dr. Socket Set



Cr-Mo

- Protective outer sheath: prevents damage to the wheel

- Thin-walled design: for use in confined spaces

Item #	Spec	Pack Qty
EDL2003Q	Drive Size: 1/2in. Number Of Pieces: 3 Socket Size: 17,19,21mm	1/6/36

Magnetic Nut Driver Set



Magnetic

- Strong magnet

- Corrosion-resistant sandblasted finish

- Forged and hardened chrome vanadium steel

Item #	Spec	Pack Qty
EDL4808T	Size: 8mm,Length: 65MM,Piece Count: 3	1/10/80
EDL4810T	Size: 10mm,Length: 65MM,Piece Count: 3	1/10/80
EDL4812T	Size: 12mm,Length: 65MM,Piece Count: 3	1/10/80

Magnetic Nut Driver Set



Magnetic

- Strong magnet

- Corrosion-resistant Phosphate finish

- Forged and hardened chrome vanadium steel

Item #	Spec	Pack Qty
EDL4805T	Size: 8mm Length: 48MM Piece Count: 5	1/10/80



Strong Clamping Force Securely Grips Small Components



Wide Jaw Opening Design Easily Clamps Larger Components

ADJUSTABLE WRENCH

Newly Upgraded 5-Tooth Worm Gear Nut,Precision Increased by

30%




Jaw No Back Movement

Proprietary 5-thread adjustment screw make jaws won't back off and improve adjustment accuracy.

Note: Self-adjustment is a big frustration when using lesser quality adjustable wrenches. You set the jaw opening turn a fastener,reset the wrench position for another turn, and find that the opening width has changed.Having to adjust the wrench opening with the thumb wheel every turn or couple of turns of a fastener can really slow things down.

More Torque

Exceeds DIN torque performance requirements.



Adjustable Wrench



- Precision 5-thread knurl - jaws little back off and improves adjustment accuracy
- Parallel jaws won't slip or damage finish surfaces
- Chrome plated surface for an elegant appearance and rust prevention
- Laser-etched scale for easier reading

Item #	Size	Jaw Capacity	Knurl Thread	Pack Qty
EDL006A	6in. (150mm)	0-22mm	5	1/6/108
EDL008A	8in. (200mm)	0-28mm	5	1/6/60
EDL010A	10in. (250mm)	0-30mm	5	1/6/48
EDL012A	12in. (300mm)	0-36mm	5	1/6/36
EDL015A	15in. (350mm)	0-46mm	4	1/1/20
EDL018A	18in. (450mm)	0-55mm	4	1/1/12
EDL024A	24in. (600mm)	0-62mm	4	1/1/6

Adjustable Wrench- Dual Color



- Laser-etched scale for easier reading
- Adjustable knurl for convenient and labor-saving operation
- Parallel jaws won't slip or damage finish surfaces
- Chrome plated surface for an elegant appearance and rust prevention

Item #	Size	Jaw Capacity	Knurl Thread	Pack Qty
EDL30106	6in. (150mm)	0-22mm	4	1/6/108
EDL30108	8in. (200mm)	0-28mm	4	1/6/60
EDL30110	10in. (250mm)	0-33mm	4	1/6/48
EDL30112	12in. (300mm)	0-36mm	4	1/6/36

PROFESSIONAL POWER TOOLS

SEMI-PRO TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL POWER TOOLS

SEMI-PRO TOOLS

HOME SERIES

GARDEN TOOLS



Wrench

3 PCs Adjustable Wrench Set



- Precision 5-thread knurl - jaws little back off and improves adjustment accuracy
- Parallel jaws won't slip or damage finish surfaces
- Chrome plated surface for an elegant appearance and rust prevention
- Laser-etched scale for easier reading

Item #	Spec	Pack Qty
EDL006A-3	Size: 6/8/10in. Jaw Capacity: 0-22/28/30mm Knurl Thread: 5	1/4/24

2 PCs Multifunctional Wrench Set



- Tight tooth pattern design, occlusal fastening is not easy to slip
- Two-color TPR rubberized handle, comfortable to hold
- Overall quenching treatment, enhanced hardness, strong and durable

Item #	Spec	Pack Qty
EDL932-2	Jaw Capacity: 0-36mm23-32mm/9-22mm	1/15/30

Adjustable Wrench-Dipped Handle



PVC Handle

- Laser-etched scale for easier reading
- Adjustable knurl for convenient and labor-saving operation
- Parallel jaws won't slip or damage finish surfaces
- Chrome plated surface for an elegant appearance and rust prevention

Item #	Spec	Pack Qty
EDL120006	Size: 6in. (150mm) Jaw Capacity: 0-22mm Knurl Thread: 4	1/6/120
EDL120008	Size: 8in. (200mm) Jaw Capacity: 0-28mm Knurl Thread: 4	1/6/120
EDL120010	Size: 10in. (250mm) Jaw Capacity: 0-30mm Knurl Thread: 4	1/6/60
EDL120012	Size: 12in. (300mm) Jaw Capacity: 0-36mm Knurl Thread: 4	1/6/48

Extra Wide Jaw Adjustable Wrench



Hanging hole
Easy to hang and place

Adjusting knob
Simple operation, flexible
adjustment without stuck



Thumb rest

Laser Marking

Deeper Capacity
Super Thin Head
Super Wide Jaw Capacity

- Much wider opening than traditional ones
- Super thin and long jaw give greater access in limited and narrow spaces
- High quality non-slip grip

Item #	Spec	Pack Qty
EDL120506	Length:150mm(6") Adjustable clamp size: 0-34mm	1/6/72
EDL120508	Length:200mm(8") Adjustable clamp size: 0-39mm	1/6/36
EDL120510	Length:250mm(10") Adjustable clamp size: 0-50mm	1/6/36
EDL120512	Length:300mm(12") Adjustable clamp size: 0-60mm	1/6/24
EDL120606	Length:150mm(6") Adjustable clamp size: 0-34mm	1/6/72

More Torque

High-quality steel and more evenly distributed force transmit more torque.

More Control

Rounded corners distribute pressure through the faster wall instead of the fragile points of traditional corers.

More Finish

High chrome plating offers long life and maximum corrosion resistance.

Longer Lifespan

The ratchet of exclusive heat-treated CRMO is processed with high precision, making life span three times that of others' (Ratcheting wrenches)



VS




TRADITIONAL 12-POINT


DELI 12-POINT

Puts pressure on the corners of the box end.

Rounded corners distribute pressure through the fastener wall. More torque and control, without the fear of rounding the fastener.



Combination Wrench



- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip

Item #	Size	S	D1	D2	T1	T2	L	Pack Qty
EDL140006L	6mm	6	13.5	10.6	4.3	4.7	110.31	1/10/480
EDL140007L	7mm	7	15.1	12	4.6	4.8	120.31	1/10/480
EDL140008L	8mm	8	18	13.4	5.3	5.6	123.75	1/10/480
EDL140009L	9mm	9	19.5	14.8	5.6	5.9	127.71	1/10/360
EDL140010L	10mm	10	21.5	10	5.7	7	141.27	1/10/360
EDL140011L	11mm	11	23.5	10.5	6.2	7	152.76	1/10/360
EDL140012L	12mm	12	25.5	11.5	6.4	7.2	161.27	1/10/360
EDL140013L	13mm	13	27.5	12	6.6	7.5	170.68	1/10/240
EDL140014L	14mm	14	29.5	13	6.8	7.9	181.67	1/10/240
EDL140015L	15mm	15	31.5	23.2	7.1	7.9	182.12	1/10/180
EDL140016L	16mm	16	33.5	24.6	7.5	8.1	194.16	1/10/180
EDL140017L	17mm	17	35.5	26	7.1	8.4	206.83	1/10/120
EDL140018L	18mm	18	37.5	27.4	7.6	8.8	217.78	1/10/120
EDL140019L	19mm	19	39.5	28.8	7.9	9.4	229.60	1/10/120
EDL140020L	20mm	20	41	30.2	8.3	9.3	239.52	1/10/80
EDL140021L	21mm	21	42.5	31.6	8.5	9.9	250.50	1/10/80
EDL140022L	22mm	22	44.5	33	8.7	10.5	263.61	1/10/60
EDL140024L	24mm	24	48.5	35.8	9.1	11.5	290.07	1/5/60
EDL140027L	27mm	27	54.5	39.5	9.7	12	306.91	1/5/30
EDL140030L	30mm	30	59.5	43.7	10.9	13	341.54	1/5/30
EDL140032L	32mm	32	64.5	46.5	11.4	13.9	355.36	1/5/30
EDL140036L	36mm	36	70.5	55.5	12.4	15.3	410.85	1/5/20
EDL130101	1/4"	1/4"	13.5	10.6	4.3	4.7	110.00	1/10/240
EDL130102	5/16"	5/16"	18	13.4	5.3	5.6	124.00	1/10/240
EDL130103	3/8"	3/8"	21.5	16.2	5.7	7	142.00	1/10/240
EDL130104	7/16"	7/16"	23.5	17.6	6.2	7	154.00	1/10/240
EDL130105	1/2"	1/2"	27.5	20.4	6.6	7.5	172.00	1/10/240
EDL130106	9/16"	9/16"	29.5	21.8	6.8	7.9	183.00	1/10/240
EDL130107	5/8"	5/8"	33.5	24.6	7.5	8.1	195.00	1/10/180
EDL130108	11/16"	11/16"	35.5	26	7.5	8.4	207.00	1/10/120
EDL130109	3/4"	3/4"	39.5	28.8	7.9	9.4	230.00	1/10/120
EDL130110	13/16"	13/16"	42.5	31.6	8.5	9.9	251	1/10/80
EDL130111	7/8"	7/8"	44.5	33	8.7	10.5	264	1/10/60
EDL130112	15/16"	15/16"	48.5	35.8	8.8	11.5	291	1/5/60
EDL130113	1"	1"	50.5	37	9	12	303	1/5/60
EDL130114	1-1/16"	1-1/16"	54.5	39.5	9.7	12	307	1/5/30
EDL130115	1-1/8"	1-1/8"	57.5	42	10.5	12.5	330	1/5/30


Ratcheting Wrench



- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip

Item #	Size	S	D1	D2	T1	T2	L	Pack Qty
EDL34108	8mm	8	17.1	17.7	5.3	6.6	140	1/12/240
EDL34110	10mm	10	21.3	22.1	6	7.8	160	1/12/240
EDL34112	12mm	12	25.5	25.4	6.6	8.7	172	1/12/240
EDL34113	13mm	13	27.6	26.9	6.8	9.1	179	1/12/240
EDL34114	14mm	14	29.7	28.5	7.1	9.5	192	1/12/120
EDL34115	15mm	15	31.8	30.1	7.4	10	210	1/12/120
EDL34116	16mm	16	35	31.9	7.7	10.4	210	1/12/120
EDL34117	17mm	17	36.8	33.3	7.9	10.8	226	1/12/60
EDL34118	18mm	18	38.5	34.8	8.6	11.3	238	1/12/60
EDL34119	19mm	19	40	36.1	8.8	11.3	247	1/12/60
EDL34121	21mm	21	46.3	42.2	9.2	13.1	293	1/5/50
EDL34122	22mm	22	46.3	42.2	9.2	13.1	293	1/5/50
EDL34124	24mm	24	51.8	49.2	10	14.6	335	1/5/40
EDL34127	27mm	27	56.5	53.2	10.8	15.6	359	1/5/30
EDL34130	30mm	30	62.7	58.5	12	17.1	405	1/4/24
EDL34132	32mm	32	66.5	62	12.5	17.6	425	1/4/24
EDL341101	1/4"	1/4"	13.6	17.7	4.6	6.6	126	1/12/240
EDL341102	5/16"	5/16"	17.1	17.7	5.3	6.6	140	1/12/240
EDL341103	3/8"	3/8"	21.3	22.1	6	7.8	160	1/12/240
EDL341104	7/16"	7/16"	23.4	23.4	6.4	8.3	166	1/12/240
EDL341105	1/2"	1/2"	27.6	26.9	6.8	9.1	179	1/12/240
EDL341106	9/16"	9/16"	29.7	28.5	7.1	9.5	192	1/12/120
EDL341107	5/8"	5/8"	35	31.9	7.7	10.4	210	1/12/120
EDL341108	3/4"	3/4"	40	36.1	8.8	11.3	247	1/12/60

Double Open End Wrench



- Hardened and tempered
- Ends are slanted 15 degree for quick access

Item #	Size	S1	S2	T1/T2	D1	D2	L	Pack Qty
EDL160607L	6×7mm	6	7	4.2	15.5	17.5	109.8	1/10/480
EDL160809L	8×9mm	8	9	4.7	18.9	21.6	124.6	1/10/360
EDL160011L	10×11mm	10	11	5.2	22.5	25.5	136.8	1/10/360
EDL160213L	12×13mm	12	13	5.6	27.5	31.5	152.8	1/10/180
EDL160415L	14×15mm	14	15	6.1	31.5	32.5	162.7	1/10/180
EDL160617L	16×17mm	16	17	6.4	32.5	36.5	174.8	1/10/120
EDL160819L	18×19mm	18	19	7.1	36.5	40	189.0	1/10/80
EDL160022L	20×22mm	20	22	7.8	40	44.5	209.1	1/10/80
EDL160123L	21×23mm	21	23	8.6	43.4	46.3	219.8	1/10/60
EDL160427L	24×27mm	24	27	9.1	49.5	54.5	249.7	1/5/40
EDL160528L	25×28mm	25	28	9.9	54.5	58.5	264.2	1/5/40
EDL160032L	30×32mm	30	32	10.5	58.5	64.5	277.7	1/5/30
EDL160101	1/4" × 5/16"	1/4"	5/16"	4.2	15.5	17.5	110	1/10/240
EDL160102	5/16" × 3/8"	5/16"	3/8"	4.7	18.9	21.6	125	1/10/240
EDL160103	3/8" × 7/16"	3/8"	7/16"	5.2	22.5	25.5	137	1/10/240
EDL160104	7/16" × 1/2"	7/16"	1/2"	5.6	25.5	28.5	145	1/10/240
EDL160105	1/2" × 9/16"	1/2"	9/16"	5.8	27.5	32.5	156	1/10/180
EDL160106	9/16" × 5/8"	9/16"	5/8"	6.4	31.5	36.5	169	1/10/80
EDL160107	5/8" × 3/4"	5/8"	3/4"	7.1	36.5	40	189	1/10/80


6PC. Combination Wrenches Set - Metric



- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL130006A	Include: 8,10,12,13,14,17mm	1/5/20

45° Offset Double Box End Wrench



- Hardened and tempered
- 45° offset for better access in tight spaces

Item #	Size	S1	S2	T1/T2	D1	D2	L	Pack Qty
EDL160607L	6×7mm	6	7	5	10.7	12	116.6	1/10/240
EDL150809L	8×9mm	8	9	5.5	13.7	16.2	135.9	1/10/240
EDL150011L	10×11mm	10	11	6.5	16.2	18.8	159.0	1/10/240
EDL150213L	12×13mm	12	13	7.5	18.8	21.3	184.1	1/10/180
EDL150415L	14×15mm	14	15	8.9	21.3	24	211.0	1/10/120
EDL150617L	16×17mm	16	17	8.4	24	26.5	213.5	1/10/80
EDL150819L	18×19mm	18	19	9.4	26.1	27.8	246.6	1/10/80
EDL150022L	20×22mm	20	22	10.1	28.8	32	286.4	1/10/80
EDL150123L	21×23mm	21	23	11.3	32	34.8	288.2	1/5/60
EDL150427L	24×27mm	24	27	12.2	34.8	39	335.7	1/5/40
EDL150528L	25×28mm	25	28	12.8	39	44	365.6	1/5/40
EDL150032L	30×32mm	30	32	14	44	47	393.1	1/5/40
EDL150101	1/4" × 5/16"	1/4"	5/16"	5	10.7	12	123	1/10/240
EDL150102	3/8" × 7/16"	3/8"	7/16"	6.5	16.2	18.8	165	1/10/240
EDL150103	1/2" × 9/16"	1/2"	9/16"	8.2	20	24	191	1/10/180
EDL150104	5/8" × 11/16"	5/8"	11/16"	8.3	24	26.5	224	1/10/80
EDL150105	3/4" × 7/8"	3/4"	7/8"	10	27.8	32	299	1/10/80
EDL150106	15/16" × 1"	15/16"	1"	11.7	34.8	39	350	1/5/40

8PC. Combination Wrenches Set - Metric




- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL130008A	Include: 6,8,10,12,14,15,17,19mm	1/5/20

PROFESSIONAL POWER TOOLS
SEMI-PRO TOOLS
HOME SERIES
GARDEN TOOLS

PROFESSIONAL POWER TOOLS
SEMI-PRO TOOLS
HOME SERIES
GARDEN TOOLS

6PC. Combination Wrenches Set - Inch



Matte

- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL130106T	Includes: 5/16, 3/8, 7/16, 1/2, 9/16,5/8	1/5/20

11PC. Combination Wrenches Set - Inch



Matte

- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL130111T	Includes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16,5/8,11/16,3/4,13/16, 7/8	1/5/20

8PC. Double Open End Wrenches Set - Metric




Matte

- Hardened and tempered
- Ends are slanted 15 degree for quick access
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL160008A	Include: 6x78x9,10x11,12x13,14x15,16x17,8x19,20x-22mm	1/5/20

5PC. Double Open End Wrenches Set - Inch




Matte

- Hardened and tempered
- Ends are slanted 15 degree for quick access
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL160105T	Includes: 1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 9/16x 5/8, 5/8x3/4	1/5/20

8PC. 45° Offset Double Box End Wrench - Metric




Matte

- Hardened and tempered
- 45° offset for better access in tight spaces
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL150008A	Include: 6x78x9,10x11,12x13,14x15,16x17,8x19,20x-22mm	1/5/20

5PC. 45° Offset Double Box End Wrench - Inch



Matte

- Hardened and tempered
- 45° offset for better access in tight spaces
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL150105T	Includes: 1/4x5/16,3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 7/8	1/5/20

6PC. Ratcheting Combination Wrenches Set - Metric




Mirror

- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL140206T	Includes: :8,10,12,13,14,17mm	1/5/20

12PC. Combination Wrenches Set - Metric




Matte

- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included oxford pouch for storage and organization

Item #	Spec	Pack Qty
EDL130012A	Includes:6,8,10,11,12,13,14,15,17,19,22,24mm	1/4/8

14PC. Combination Wrenches Set - Metric




Matte

- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included oxford pouch for storage and organization

Item #	Spec	Pack Qty
EDL130014A	Includes: 6,7,8,9,10,11,12,13,14,15,17,19,22,24mm	1/4/8

14PC. Combination Wrenches Set - Metric




Matte

- Hardened and tempered
- 15° offset for better access in tight spaces
- Off-corner loading design on box end provides better grip
- Included oxford pouch for storage and organization

Item #	Spec	Pack Qty
EDL130014B	Includes: 10,11,12,13,14,16,17,18,19,21,24,27,30,32mm	1/4/8

12PC. Double Open End Wrenches Set - Metric




Matte

- Hardened and tempered
- Ends are slanted 15 degree for quick access
- Included oxford pouch for storage and organization

Item #	Spec	Pack Qty
EDL160012A	Includes: 6x78x9,10x11,12x13,14x15,16x17,8x19,20x-22,21x23,24x27,25x28,30x32mm	1/4/8

12PC. 45° Offset Double Box End Wrench - Metric



Matte

- Hardened and tempered
- 45° offset for better access in tight spaces
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL150012A	Includes: 6x78x9,10x11,12x13,14x15,16x17,8x19,20x-22,21x23,24x27,25x28,30x32mm	1/4/8



Rachet Wrenches

500

45T Cr-Mo



- Handle forged with 40# chrome steel
- Ratchet and driving heads are forged with 42 Cr-Mo steel
- 45T ratchet head with reversing paddles and quick removal

Item #	Spec	Pack Qty
EDL2323	Drive Size: 1/4 in. Length:150MM	1/6/36
EDL2421	Drive Size: 3/8in. Length:200MM	1/6/36
EDL2521	Drive Size: 1/2in. Length:254MM	1/6/24



8PC. Ratcheting Combination Wrenches Set - Metric

Mirror

- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL140108T	Includes: 8,10,12,13,14,15,17,19mm	1/5/20

8PC. Ratcheting Combination Wrenches Set - Inch

Mirror

- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL341108T	Includes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16,5/8,3/4	1/5/20

8PC. Flex Head Ratcheting Combination Wrenches Set - Metric

Mirror

- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL140208T	Includes:8,10,12,13,14,15,17,19mm	1/5/20

6PC. Ratcheting Combination Wrench Set - Metric

Mirror

- 72 Teeth delivers 5-degree arc swing
- Hardened and tempered
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Off-corner loading design on box end provides better grip
- Included rack for storage and organization

Item #	Spec	Pack Qty
EDL140106T	Include: 19, 22, 24, 27, 30, 32mm	1/1/6

Pre-Set Torque Wrench



- 72 Teeth delivers 5-degree arc swing
- CrMo ratchet head
- Click alert when the preset value is reached
- Twist lock ring locking mechanism

Item #	Drive Size	Torque Range	Accuracy	Length	Pack Qty
EDL170025	3/8in.	5-25N.M	+/- 3%	240MM	1/1/10
EDL170050	3/8in.	10-50N.M	+/- 3%	305MM	1/1/10
EDL-YN-20100	1/2in.	20-100N.M	+/- 3%	425MM	1/1/10
EDL-YN-40200	1/2in.	40-200N.M	+/- 3%	505MM	1/1/6
EDL-YN-60300	1/2in.	60-300N.M	+/- 3%	560MM	1/1/6
DL-YN-150450	3/4in.	150-450N.M	+/- 4%	685MM	1/-/4
DL-YN-280760	3/4in.	280-760N.M	+/- 4%	835MM	1/-/4
DL-YN-2001000	3/4in.	200-1000N.M	+/- 4%	900+570MM	1/-/1
DL-YN-7502000	1in.	750-2000N.M	+/- 4%	1010+870MM	1/-/1

L-Angled socket wrench



Item #	Socket Size	Product Size	Pack Qty
EDL4208	8mm	115mm	1/25/300
EDL4210	10mm	130mm	1/20/240
EDL4212	12mm	150mm	1/20/120
EDL4213	13mm	160mm	1/20/120
EDL4214	14mm	160mm	1/15/90
EDL4217	17mm	185mm	1/10/60
EDL4219	19mm	210mm	1/10/60

Torque Wrench



500

- Chrome finish for corrosion resistance
- Cr-V steel

Item #	Spec	Pack Qty
EDL300	Drive Size: 1/2in. Torque Range: 0-300N.M Head Material: Cr-V Body Material: Carbon Steel Length: 480mm	1/-/20



Y-Handle Automotive Wrenches



6PT

- Chrome finish for corrosion resistance
- Cr-V steel

Item #	Spec	Pack Qty
EDL81012	Socket Size: 8x10x12mm Product Size: 140mm	1/20/80
EDL101214	Socket Size: 10x12x14mm Product Size: 140mm Material: Cr-V Finish: Chrome, Mirror	1/20/80

Y-Type 3 Way Socket Wrench



6PT

- Black finish for corrosion resistance
- High carbon steel

Item #	Spec	Pack Qty
EDL8910B	Size: 08-09-10mm Length:140mm	1/20/80
EDL81012B	Size: 08-10-12mm Length:140mm	1/20/80
EDL101214B	Size: 10-12-14mm Length:140mm	1/20/80
EDL121417B	Size: 12-14-17mm Length:140mm	1/20/80
EDL141719B	Size: 14-17-19mm Length:140mm	1/20/80

T-Type Socket Wrench




6PT

- Chrome finish for corrosion resistance
- Cr-V steel

Item #	Spec	Pack Qty
EDL06	Socket Size: 6mm	1/20/80
EDL07	Socket Size: 7mm	1/20/80
EDL08	Socket Size: 8mm	1/20/80
EDL09	Socket Size: 9mm	1/20/80
EDL10	Socket Size: 10mm	1/20/80
EDL11	Socket Size: 11mm	1/20/80
EDL12	Socket Size: 12mm	1/20/80
EDL13	Socket Size: 13mm	1/20/80
EDL14	Socket Size: 14mm	1/20/80
EDL15	Socket Size: 15mm	1/20/80
EDL17	Socket Size: 17mm	1/20/80
EDL18	Socket Size: 18mm	1/20/80
EDL19	Socket Size: 19mm	1/20/80

T-Type Socket Wrench




6PT

- Black finish for corrosion resistance
- High carbon steel

Item #	Spec	Pack Qty
EDL06B	Socket Size: 6mm	1/20/80
EDL07B	Socket Size: 7mm	1/20/80
EDL08B	Socket Size: 8mm	1/20/80
EDL09B	Socket Size: 9mm	1/20/80
EDL10B	Socket Size: 10mm	1/20/80
EDL11B	Socket Size: 11mm	1/20/80
EDL12B	Socket Size: 12mm	1/20/80
EDL13B	Socket Size: 13mm	1/20/80
EDL14B	Socket Size: 14mm	1/20/80
EDL15B	Socket Size: 15mm	1/20/80
EDL17B	Socket Size: 17mm	1/20/80
EDL18B	Socket Size: 18mm	1/20/80
EDL19B	Socket Size: 19mm	1/20/80



14 in. Cross Wrench




6PT

- Chrome finish for corrosion resistance
- Cr-V steel

Item #	Spec	Pack Qty
EDL4414	Socket Size: 17mm, 19mm, 21mm, 22m Product Size: 14 in.(350MM)	1/-/20
EDL4416	Socket Size: 17mm, 19mm, 21mm, 22m Product Size: 16 in.(400MM)	1/-/20
EDL4418	Socket Size: 17mm, 19mm, 21mm, 22m Product Size: 18 in.(450MM)	1/-/16

Cross Wrench Sets



- Chrome finish for corrosion resistance
- Cr-V steel

Item #	Spec	Pack Qty
EDL4416K	Size:17/19mm+21/23mm	1/-/12

Oil Filter Wrench



Cr-V

- Heat-treated Cr-V steel

- Rubber handle

Item #	Spec	Pack Qty
DL7408	Size: 8in. Capacity: 55-75mm Material: Cr-V Max Torque: 100N.M	1/6/60
DL7410	Size: 8in. Capacity: 75-95mm Material: Cr-V Max Torque: 100N.M	1/6/60

7 Pieces Tyre Repair Kit



- PP+butyl rubber

- No glue needed

- Includes:

(1) T-handle reamer tool

(1) T-handle plugger tool

(5) Black tire plugs, 10-ply and odorless

Item #	Spec	Pack Qty
EDL120001	Number Of Pieces: 7 Material: PP+butyl rubber Package: blister card	1/24/96

Three-Jaw Filter Wrench



Cr-V

- Heat-treated Cr-V steel

- High precision gears

- Peak torque: 60N

Item #	Spec	Pack Qty
EDL7400B	Capacity: 54-116mm	1/-/50

Strap Wrenches



- Connecting head with anti-skid teeth, not easy to slip

Item #	Spec	Pack Qty
DL7309	Handle Length: 230mm Capacity: 60-140mm	1/10/60

Chain Wrenches



- The chain is tightly connected, strong support and not easy to slip

Item #	Spec	Pack Qty
DL7409	Handle Length: 230mm Capacity: 30-160mm	1/10/60



Bearing Puller



- Made of 45 steel with heat treatment

Item #	Spec	Pack Qty
EDL-E103	Size:3" Travel Distance:65mm Maximum Spacing:38mm Maximum grip: 600kg	1/-/50
EDL-E104	Size:4" Travel Distance:80mm Maximum Spacing:40mm Maximum grip: 800kg	1/-/40
EDL-E106	Size:6" Travel Distance:90mm Maximum Spacing:55mm Maximum grip: 1200kg	1/-/30

Three Jaws Puller



- Made of 45 steel with heat treatment

Item #	Spec	Pack Qty
EDL-S3	Size:3" Open size: 50mm Maximum grip: 1000kg	1/-/30
EDL-S4	Size:4" Open size: 100mm Maximum grip: 1500kg	1/-/30
EDL-S6	Size:6" Open size: 150mm Maximum grip: 2700kg	1/-/16



Hydraulic Puller



- Processed and formed by a whole piece of steel
- With pressure relief safety valve to prevent overload design
- Can be switched between two and three claws
- The handle can be rotated 360°, detachable design

Item #	Pulling Capacity	Stroke Length	Reach	Pack Qty
DL-ZL5	5T	50	50-200	1/1/3
DL-ZL10	10T	50	50-200	1/1/2
DL-ZL15	15T	50	100-350	1/-/2
DL-ZL20	20T	76	100-350	1/-/2
DL-ZL30	30T	80	150-400	1/-/1
DL-ZL50	50T	80	200-500	1/-/1

Hydraulic bottle jack





- Welding process, not easy to leak oil
- With safety valve, safe and reliable
- Finish drawing oil cylinder, enhanced service life
- Thick base, strong stability

Item #	Capacity	Min height	Max height	Lift height	Adjustable height	With safety valve	Product weight	Package	Pack Qty
EDQ71002	2 Ton	180mm	333mm	105mm	48mm	Yes	2.5KG	Color Box	1/-/6
EDQ71004	4 Ton	190mm	370mm	120mm	60mm	Yes	3.2KG	Color Box	1/-/6
EDQ71006	6 Ton	210mm	420mm	140mm	70mm	Yes	4.2KG	Color Box	1/-/4
EDQ71010	10 Ton	230mm	460mm	150mm	80mm	Yes	5.8KG	Color Box	1/-/4
EDQ71012	12 Ton	235mm	470mm	155mm	80mm	Yes	6.8KG	Color Box	1/-/3
EDQ71020	20 Ton	240mm	460mm	160mm	60mm	Yes	8.7KG	Color Box	1/-/2
EDQ71032	32Ton	260mm	430mm	170mm	-	Yes	15.8KG	Color Box	1/-/1
EDQ71050	50Ton	280mm	470mm	190mm	-	Yes	22.6KG	Color Box	1/-/1

Single Pump Horizontal Jack



- All steel structure
- Small size, easy to carry and use
- 360-degree universal rear wheels, 360-degree rotating top plate
- Safety valve design to prevent overload

Item #	Capacity	Min Height	Max Height	Lift Height	Product Weight	Pack Qty
DQ-WD1.5T290	1.5 Ton	135mm	290mm	155mm	5.9KG	1/-/1

Single Pump Horizontal Jack



- All steel structure
- Small size, easy to carry and use
- 360-degree universal rear wheels, 360-degree rotating top plate
- Safety valve design to prevent overload

Item #	Capacity	Min Height	Max Height	Lift Height	Product Weight	Pack Qty
DQ-WD2T330	2 Ton	135mm	340mm	205mm	8.2KG	1/-/1

Single Pump Horizontal Low Jack



- All steel structure
- Low-profile design
- 360-degree universal rear wheels, 360-degree rotating top plate
- Safety valve design to prevent overload

Item #	Capacity	Min Height	Max Height	Lift Height	Product Weight	Pack Qty
DQ-WD2.5T380	2.5 Ton	85mm	380mm	295mm	11.8KG	1/-/1

Double Pump Horizontal Low Jack



- All steel structure
- Double pump design, fast lifting
- Low-profile design,
- 360-degree universal rear wheels, 360-degree rotating top plate
- Safety valve design to prevent overload

Item #	Capacity	Min Height	Max Height	Lift Height	Product Weight	Pack Qty
DQ-WD3T505D	3 Ton	80mm	508mm	428mm	31.5KG	1/-/1

Jack stand



- Strong support for most cars and small SUVs
- Heavy-Duty Steel Construction
- Adjustable Height with ratchet mechanism
- Wide Base Design increases stability and safety during use

Item #	Spec	Pack Qty
EDQ-ZJ2T	2Ton Min. height: 268mm Max. height: 418mm Net weight:4.8kg	1/-/1
EDQ-ZJ3T	3Ton Min. height: 276mm Max. height: 420mm Net weight:6.4kg	1/-/1



Chain Block



- Specification IT;
- CE and GS certified hooks, safe and reliable;
- Galvanized national standard 80 grade chain, rust resistant and durable;
- Dual pawl system, stable and safe;

Item #	Rating lift weight	Lift height	Number of load chain	Hook to hook distance	Chainpull to lift full load	Net weight	Pack Qty
EDL301	1Ton	3m	1	300 mm	322.5N	12.2kg	1/-/1
EDL302	2Ton	3m	2	300 mm	345N	13.5kg	1/-/1
EDL303	3Ton	3m	2	300 mm	404N	21.5kg	1/-/1
EDL305	5Ton	3m	2	600 mm	476N	35kg	1/-/1

Plastic Oil Can



- Made of engineering plastic with plastic nozzle and copper head
- The product has stable oil output and is not prone to oil leakage

Item #	Spec	Pack Qty
EDL2402	Capacity: 250ml Product height: 148mm	1/10/120

Plastic Oil Can



- Made of engineering plastic with plastic nozzle and copper head
- The product has stable oil output and is not prone to oil leakage

Item #	Spec	Pack Qty
DL468250	Capacity: 250ml Product height: 160mm	1/10/120

High Pressure Metal Oil Can



- All-steel body, durable and rust-resistant
- Seamless drawn body to prevent leaks at the bottom
- Detachable plastic spout with a pure copper oil nozzle for even distribution

Item #	Spec	Pack Qty
EDL2401	Capacity: 180ml Product height: 128mm	1/10/120
EDL468300	Capacity: 220ml Product height: 145mm	1/10/120

High Pressure Metal Oil Can



- All-steel body, durable and rust-resistant
- Seamless drawn body to prevent leaks at the bottom
- Detachable plastic spout with a pure copper oil nozzle for even distribution

Item #	Spec	Pack Qty
EDL2403	Capacity: 350ml Product height: 145mm	1/10/100
EDL2404	Capacity: 500ml Product height: 250mm	1/10/100

Grease Gun



- Alloy aluminum precision die-casting gun head, more wear-resistant, more pressure-resistant
- Self-priming function structure design, easy and fast to use
- Includes flexible hose, hard tube, flat nozzle, pointed nozzle, can be used for different use environment

Item #	Spec	Pack Qty
EDL471400	Capacity: 400CC /14oz Working pressure: 4500psi Maximum pressure: 6000psi Oil output: 1oz\40 times	1/-/20

Grease Gun



- Alloy aluminum precision die-casting gun head, more wear-resistant, more pressure-resistant
- Self-priming function structure design, easy and fast to use
- Non-slip knurling for sure grip handling
- Includes flexible hose, hard tube, flat nozzle, pointed nozzle, can be used for different use environment

Item #	Spec	Pack Qty
EDL2602	Capacity: 400CC /14oz Working pressure: 4500psi Maximum pressure: 6000psi Oil output: 1oz\40 times	1/1/20

Grease Gun



- Alloy aluminum precision die-casting gun head, more wear-resistant, more pressure-resistant
- Self-priming function structure design, easy and fast to use
- Includes flexible hose, hard tube, flat nozzle, pointed nozzle, can be used for different use environment

Item #	Spec	Pack Qty
EDL2603	Capacity: 400CC /14oz Working pressure: 6000psi Maximum pressure: 10000psi Oil output: 1oz\40 times	1/-/20

Grease Gun



- Alloy aluminum precision die-casting gun head, more wear-resistant, more pressure-resistant
- Self-priming function structure design, easy and fast to use
- Non-slip knurling for sure grip handling
- Includes flexible hose, hard tube, flat nozzle, pointed nozzle, 45° nozzle, 90° nozzle

Item #	Spec	Pack Qty
EDL2602A	Capacity: 400CC /14oz Working pressure: 8000psi Maximum pressure: 15000psi Oil output: 1oz\40 times	1/-/20

High Pressure Oil Nozzle



- High pressure resistant nozzle
- Dual handle press structure, labor-saving and more efficient;
- Fast oil injection
- 10000psi

Item #	Spec	Pack Qty
DL471002	Head diameter: 15mm	1/12/120



Hydraulic Rebar Cutter



- Working pressure 8T, shear labor-saving
- Shear range $\phi 4-\phi 16$, the use of a large range
- Cutter head material using Cr12, good shear performance

Item #	Spec	Pack Qty
EDL-YQ16	Specifications: $\Phi 4-16$ mm pressure: 8T	1/-/4
EDL-YQ70	Specifications: 6-70mm ² Crimping force: 45kN cutting range: 12mm	1/-/5
EDL-YQ120	Specifications: 10-120mm ² Crimping force: 70kN cutting range: 14mm	1/-/4
EDL-YQ240	Specifications: 16-240mm ² Crimping force: 85kN cutting range: 15mm	1/-/4

Insulated Labor-saving long nose plier



- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL512106	Size: 6in. (160mm)	1/6/60
EDL512108	Size: 8in. (200mm)	1/6/60

Insulated Labor-saving Combination Plier

500



- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL512006	Size: 6in. (169mm)	1/6/60
EDL512007	Size: 7in. (180mm)	1/6/60
EDL512008	Size: 8in. (200mm)	1/6/60

Insulated Labor-saving diagonal cutting plier



- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL512207	Size: 7in. (180mm)	1/6/60

Insulated Wire Stripping Plier



- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL515006	Size: 6in. (160mm)	1/6/60

Insulated Labor-saving Diagonal Cutting Plier

500



- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL512206	Size: 6in. (160mm)	1/6/60

Insulated Pump Pliers



- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
DQ90210	Size: 10in. Max Capacity: 38mm	1/6/36

Insulated Adjustable Wrench



- VDE and GS certification
- IEC 60900 standard
- TPE handle

Item #	Spec	Pack Qty
EDQ90408	Size: 8"/200mm Jaw capacity: 0-25mm	1/6/36
EDQ90410	Size: 10"/250mm Jaw capacity: 0-30mm	1/6/36
EDQ90412	Size: 12"/300mm Jaw capacity: 0-35mm	1/6/24

Insulated Cable Cutter Plier

500



- Heat-treated Cr-V material
- Insulated rubber handle
- VDE and GS certification
- IEC 60900 standard

Item #	Spec	Pack Qty
EDL515106	Size: 6in. (160mm)	1/6/60

Insulated slotted screwdriver



- PP+TPR dual- color insulated plastic handle
- Shank blackening treatment

Item #	Spec	Pack Qty
EDL5141001	Size: 4.0*100mm	1/12/240
EDL5151251	Size: 5.5*125mm	1/12/240
EDL5161501	Size: 6.5x150mm	1/12/120
EDL513060	Size: PH0*60mm	1/12/480
EDL514080	Size: PH1*80mm	1/12/240
EDL516100	Size: PH2x100mm	1/12/120
EDL518150	Size: PH3*150mm	1/12/120

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Insulated Billhook Cable Stripping Knife



1000V

- Heat-treated stainless steel, 58-62HRC

- Insulated rubber handle

- VDE and GS certification

- IEC 60900 standard

Item #	Spec	Pack Qty
EDL515180	Size: 180mm	1/6/60

Insulated Flat Cable Stripping Knife



1000V

- Heat-treated stainless steel, 58-62HRC

- Insulated rubber handle

- VDE and GS certification

- IEC 60900 standard

Item #	Spec	Pack Qty
EDL515185	Size: 185mm	1/6/60

Insulated Cutting Nippers



Cr-V

1000V

- Insulated rubber handle

- VDE and GS certification

- IEC 60900 standard

Item #	Spec	Pack Qty
DQ90301	Size: 160mm	1/6/72

Insulated Test Pen



Cr-V

1000V

- VDE and GS certification

- IEC 60900 standard

Item #	Spec	Pack Qty
DL515250	Size: 140mm Rated AC Voltage: 110V~250V	1/12/360

Insulated Pliers Set



Cr-V

1000V

- VDE and GS certification

- IEC 60900 standard

- Includes:


(1) 8in. Linesman plier

(1) 6in. Long nose plier

(1) 6in. Diagonal plier

Item #	Spec	Pack Qty
EDL512003T	Number of Pieces: 6	1/4/16

Insulated Screwdrivers Set



Cr-V

1000V

- VDE and GS certification

- IEC 60900 standard

- Includes:

(1) SL3.0x75 mm

(1) SL4.0x100 mm

(1) SL6.5x150 mm

(1) PH0x60 mm

(1) PH1x80 mm

(1) PH2x100 mm

Item #	Spec	Pack Qty
EDL510006T	Number of Pieces: 6	1/6/24

Insulated Tools Set



Cr-V

1000V

- VDE and GS certification

- IEC 60900 standard

- Includes:

(1) SL5.5x125mm

(1) SL4.0x100mm

(1) PH2x100mm

(1) 7in. Linesman plier

(1) 6in. Diagonal plier

(1) Test Pen: AC Voltage-110V~250V

Item #	Spec	Pack Qty
EDL512006T	Number of Pieces: 6	1/6/12

Insulation Tool Set



Cr-V

1000V

- Insulated rubber handle

- VDE and GS certification

- IEC 60900 standard

- Includes:

(1) Testing pencil 125-250 V

(1) Adjustable Wrench 8"

(1) Labor Saving Wire Pliers 6"

(1) Phillips screwdriver PH2*100mm

(1) Slotted Screwdriver SL2.5*0.4*75mm

(1) Slotted Screwdriver SL5.5*1*125mm

Item #	Spec	Pack Qty
DQ91001	Number of Pieces: 6	1/1/10

Insulation Tool Set



Cr-V

1000V

- Insulated rubber handle

- VDE and GS certification

- IEC 60900 standard

- Includes:

(1) Saving Wire Pliers 6"

(1) Labor Saving Diagonal Nose Pliers 6"

(1) Labor Saving Needle Nose Pliers 6"

(1) Cable cutter 185mm

(1) Phillips screwdriver PH1*80mm

(1) Phillips screwdriver PH2*100mm

(1) Slotted screwdriver SL3*0.5*100mm

(1) Slotted screwdriver SL5.5*1*125mm

Item #	Spec	Pack Qty
DQ91002	Number of Pieces: 8	1/1/10

7Pcs Insulation Tool Set



Cr-V

1000V

- Insulated rubber handle

- VDE and GS certification

- IEC 60900 standard

- Includes:

(1) SL 0.5*3*100mm screwdriver

(1) SL 0.8*4*100mm screwdriver

(1) SL 1*5.5*100mm screwdriver

(1) PH 1*80mm screwdriver

(1) PH 2*100mm screwdriver

(1) Quick change rubber handle

(1) Triangle electrical box key wrench

(1) Quadrangle electrical box key wrench

Item #	Spec	Pack Qty
DL510107	Number Of Pieces: 7	1/1/24

12Pcs Insulation Tool Set



Cr-V

1000V

- Insulated rubber handle

- VDE and GS certification

- IEC 60900 standard

- Includes:

(1) SL 0.5*3*100mm screwdriver

(1) SL 0.8*4*100mm screwdriver

(1) SL 1*5.5*100mm screwdriver

(1) SL 12*6.5*100mm screwdriver

(1) PH 1*80mm screwdriver

(1) PH 2*100mm screwdriver

(1) PZ 2*100mm screwdriver

(1) T10*100mm screwdriver

(1) T15*100mm screwdriver

(1) T20*100mm screwdriver

(1) Rubber handle

(1) 250V testing pen

Item #	Spec	Pack Qty
DL510012	Number Of Pieces: 12	1/1/12





Hand Tools

HAND TOOLS

Deli 2008C



Carbon Steel
Polished head

Deli 2008



Carbon Steel
Classic Bi-Material
handle

Deli 0001



Carbon Steel
Improved Cutting
performance
Bi-Material handle

Deli Z



Cr-V
Improved Cutting
performance
Bi-Material handle
15% less effort
required

Deli Morehelp®



Cr-V
Morehelp® handle
35% less effort
required
Nickle Plating for
anti-rust
200% cutting
performance

Combination Plier



High
Carbon
Steel

- #55 Carbon Steel
- Classic handle
- Edge cutting life exceeds 10,000 times

Item #	Spec	Pack Qty
EDL2008C	8"	1/6/60
EDL2106C	6"	1/6/72
EDL2206C	6"	1/10/100
EDL2008C-3	8" Combination Plier 6" Long Nose Plier 6" Diagonal Plier	1/6/24

Combination Pliers



High
Carbon
Steel

- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2006	6"	1/6/72
EDL2007	7"	1/6/60
EDL2008	8"	1/6/60

Long Nose Pliers



High
Carbon
Steel

- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2106	6"	1/6/72
EDL2108	8"	1/6/60

Diagonal Cutting Pliers



High
Carbon
Steel

- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2206	6"	1/6/72
EDL2207	7"	1/6/60

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Heavy-duty diagonal cutting pliers



High Carbon Steel

- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2017H	7"	1/6/60

Bent Nose Pliers



High Carbon Steel

- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2306	6"	1/6/72

3 Pcs Pliers Sets



High Carbon Steel

- Forged Carbon steel head
- High-frequency quenched cutting edges, UP to 62HRC
- Bi-color ergonomic handle

Item #	Spec	Pack Qty
EDL2008-3	8" Combination Plier 6" Long Nose Plier, 6" Diagonal Plier	1/6/24

Labor-Saving Combination Pliers



High Carbon Steel
15% Less Effort

- Up to a 15% effort saving.
- Improved grip and control with ergonomic handle design.
- One- piece cast construction for exceptional durability.

Item #	Spec	Pack Qty
EDL0001	6"	1/6/72
EDL0002	7"	1/6/60
EDL0003	8"	1/6/60

Labor-Saving Long Nose Pliers



High Carbon Steel
15% Less Effort

- Up to a 15% effort saving.
- Improved grip and control with ergonomic handle design.
- One- piece cast construction for exceptional durability.

Item #	Spec	Pack Qty
EDL0101	6"	1/6/72
EDL0102	8"	1/6/60

Labor-Saving Diagonal Cutting Pliers



High Carbon Steel
15% Less Effort

- Up to a 15% effort saving.
- Improved grip and control with ergonomic handle design.
- One- piece cast construction for exceptional durability.

Item #	Spec	Pack Qty
EDL0201	6"	1/6/72
EDL0202	7"	1/6/60

3 Pcs Pliers Sets



High Carbon Steel
15% Less Effort

- Up to a 15% effort saving.
- Improved grip and control with ergonomic handle design.
- One- piece cast construction for exceptional durability.

Item #	Spec	Pack Qty
EDL0003-3	8" Combination Plier 6" Long Nose Plier, 6" Diagonal Plier	1/6/24

Labor-Saving Combination Pliers



Cr-V
15% Less Effort

- Up to 15% effort saving.
- Unique designed Cr-V head
- High frequency quenching of cutting edge
- Two-color TPR handle

Item #	Spec	Pack Qty
EDL2006Z	6"	1/6/72
EDL2007Z	7"	1/6/60
EDL2008Z	8"	1/6/60

Labor-Saving Long Nose Pliers



Cr-V
15% Less Effort

- Up to 15% effort saving.
- Unique designed Cr-V head
- High frequency quenching of cutting edge
- Two-color TPR handle

Item #	Spec	Pack Qty
EDL2106Z	6"	1/6/72
EDL2108Z	8"	1/6/60

Labor-Saving Diagonal Cutting Pliers



Cr-V
15% Less Effort

- Up to 15% effort saving.
- Unique designed Cr-V head
- High frequency quenching of cutting edge
- Two-color TPR handle

Item #	Spec	Pack Qty
EDL2206Z	6"	1/6/72
EDL2207Z	7"	1/6/60

3 Pcs Pliers Sets



Cr-V
15% Less Effort

- Up to 15% effort saving.
- Unique designed Cr-V head
- High frequency quenching of cutting edge
- Two-color TPR handle

Item #	Spec	Pack Qty
EDL2008Z-3	8" Combination Plier 6" Long Nose Plier, 6" Diagonal Plier	1/6/24



PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Multifunctional Combination Pliers

500

Cr-V

30%
Less Effort



- Clamp head material: CRV

- Effort-saving

- Black hair Treatment

- Twisting, clamping, cutting, stripping, crimping

Item #	Spec	Pack Qty
EDL100008	8.5"(215mm)	1/6/60

Multifunctional Long Nose Pliers

500

Cr-V

30%
Less Effort



- Clamp head material: CRV

- Effort-saving

- Black hair Treatment

- Twisting, clamping, cutting, stripping, crimping

Item #	Spec	Pack Qty
EDL101008	9"(220mm)	1/6/60

Multifunctional Diagonal Cutting Pliers

500

Cr-V

30%
Less Effort



- Clamp head material: CRV

- Effort-saving

- Black hair Treatment

- Twisting, clamping, cutting, stripping, crimping

Item #	Spec	Pack Qty
EDL102008	8"(200mm)	1/6/60

Mini Combination Pliers

Rebound

High Carbon Steel



- Shrapnel design: press to rebound

- Mini size: small and portable

- Quenching blade for shape cutting

- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103201	5"(115mm)	1/10/240

Mini Needle Nose Pliers

Rebound

High Carbon Steel



- Shrapnel design: press to rebound

- Mini size: small and portable

- Quenching blade for shape cutting

- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103202	5"/150mm	1/10/240

Mini End Cutting Pliers

Rebound

High Carbon Steel



- Shrapnel design: press to rebound

- Mini size: small and portable

- Quenching blade for shape cutting

- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103203	4"/100mm	1/10/240

Mini Bent Nose Pliers

Rebound

High Carbon Steel



- Shrapnel design: press to rebound

- Mini size: small and portable

- Quenching blade for shape cutting

- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103204	5"/125mm	1/10/240

Mini Long Nose Pliers

Rebound

High Carbon Steel



- Head material: Carbon Steel

- Two color handle,comfortable for holding

- Edge high frequency quenching,more sharper than normal

Item #	Spec	Pack Qty
EDL103205	5"(125mm)	1/10/240

Mini Diagonal Pliers

Rebound

High Carbon Steel



- Head material: Carbon Steel

- Two color handle,comfortable for holding

- Edge high frequency quenching,more sharper than normal

Item #	Spec	Pack Qty
EDL103206	4.5"(109mm)	1/10/240

3 Pcs Mini Pliers Set

Rebound

High Carbon Steel



- Shrapnel design: press to rebound

- Mini size: small and portable

- Quenching blade for shape cutting

- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103201-3	5"(115mm) Combination pliers 5"(110mm) Diagonal cutting pliers 5"(125mm) Long nose pliers	1/6/24

Mini Long Nose Pliers

500

Rebound

High Carbon Steel



- Shrapnel design: press to rebound

- Mini size: small and portable

- Quenching blade for shape cutting

Item #	Spec	Pack Qty
EDL20026	5"(125mm)	1/10/240

Mini Diagonal Pliers

500

Rebound

High Carbon Steel



- Shrapnel design: press to rebound

- Mini size: small and portable

- Quenching blade for shape cutting

Item #	Spec	Pack Qty
EDL20025	5"(110mm)	1/10/240

Mini Combination Pliers



ReboundHigh Carbon Steel

- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103045	4.5"(109mm)	1/10/240

Mini Needle Nose Pliers



500ReboundHigh Carbon Steel

- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103006	6"	1/10/240

3 Pcs Mini Pliers Set



ReboundHigh Carbon Steel

- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103205-3	4.5"Diagonal Plier 4.5"Combination Plier 5"Long Nose Plier	1/6/48

6 Pcs Mini Pliers Set



ReboundHigh Carbon Steel

- Shrapnel design: press to rebound
- Mini size: small and portable
- Quenching blade for shape cutting
- Two-color rubberized handle

Item #	Spec	Pack Qty
EDL103205-6	4"End Cutting Plier 6"Needle Nose Plier 4.5"Diagonal Plier 4.5"Combination Plier 5"Long Nose Plier 5"Flat Nose Plier	1/6/36

Internal Straight Circlip Plier



Cr-V

- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL0341	Size: 7"	1/6/96

External Straight Circlip Plier



Cr-V

- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL0342	Size: 7"	1/6/96

Internal Bent Circlip Plier



Cr-V

- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL0343	Size: 7"	1/6/96

External Bent Circlip Plier



Cr-V

- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL0344	Size: 7"	1/6/96

4 Pcs Circlip Pliers Set



Cr-V

- Portable fabric pouch set
- Forged Cr-V steel for high strength and long durability
- Special head design for better grip
- Rustproof surface with black finish

Item #	Spec	Pack Qty
EDL104407	Size: 7"	1/4/16

Internal Straight Circlip Plier



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL104007	Size: 7"	1/6/60

External Straight Circlip Plier



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL104107	Size: 7"	1/6/60

Internal Bent Circlip Plier



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL104207	Size: 7"	1/6/60

External Bent Circlip Plier



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL104307	Size: 7"	1/1/60

4 Pcs Circlip Pliers Set



- Forged with high carbon steel for high strength and long durability
- Polished head for antislip, safe and firm grip
- Two-color handle for comfortable holding

Item #	Spec	Pack Qty
EDL20521-4	Size: 7"	1/6/24

5in1 Circlip Pliers



- Forged with high quality carbon steel
- 4 replaceable heads of pliers for convenient operation

Item #	Spec	Pack Qty
EDL104506	Size: 6"	1/6/60

Curved Jaw Locking Pliers



- Maximum opening: 40mm
- Adjustable sScrew: variable opening
- Teeth jaws for firm clamping
- Quick release handle

Item #	Spec	Pack Qty
EDL2001-7	Size: 7"	1/10/60
EDL2001	Size: 10"	1/6/48

Straight Jaw Locking Plier



- High carbon steel
- Maximum opening 65mm

Item #	Spec	Pack Qty
EDL109010	Size: 10"	1/10/60

Long Nose Locking Pliers



- Maximum opening: 70mm
- Adjustable sScrew: variable opening
- Teeth jaws for firm clamping
- Quick release handle

Item #	Spec	Pack Qty
EDL20015B	Size: 9"	1/10/60

Chain Clamp Locking Plier



- High carbon steel
- Strong clamping force

Item #	Spec	Pack Qty
EDL20018	Size: 18"	1/5/30

Welding Locking Plier



- High carbon steel
- Strong clamping force

Item #	Spec	Pack Qty
EDL20017	Size: 10"	1/2/24

Sheet Metal Locking Plier



- High carbon steel
- Strong clamping force

Item #	Spec	Pack Qty
EDL20016	Size: 10"	1/2/24

C-Clamp Locking Pliers 11"



- Maximum opening: 78mm
- Adjustable sScrew: variable opening
- Teeth jaws for firm clamping
- Quick release handle

Item #	Spec	Pack Qty
EDL20011	Size: 11"	1/10/40



PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Curved Jaw Locking Plier



Cr-V

- Cr-V

- Maximum opening 50mm

Item #	Spec	Pack Qty
EDL109107Z	Size: 7"	1/10/60
EDL0381	Size: 10"	1/10/60

Straight Jaw Locking Plier



Cr-V

- Cr-V

- Maximum opening 65mm

Item #	Spec	Pack Qty
EDL109010Z	Size: 10"	1/6/36

Long Nose Locking Plier



Cr-V

- Cr-V

- Maximum opening 100mm

- Small space operation

Item #	Spec	Pack Qty
EDL109209Z	Size: 9"	1/10/40

Quick clamping
One key release



Pipe Wrench



High Carbon Steel

- Maximum opening: 40mm

- Heat- treated jaws, high carbon steel

Item #	Spec	Pack Qty
EDL2508C	Size: 8" Length:200mm	1/1/72



Pipe Wrench



High Carbon Steel

- Knurled nuts for smooth, easy adjustment

- Heat- treatment

- Ergonomic,anti- slip handle

- Stable clamping with toothed jaws

- Adjustable pitch

Item #	Spec	Pack Qty
EDL2508	Size: 8"	1/1/72
EDL2510	Size: 10"	1/1/48
EDL2512	Size: 12"	1/1/36
EDL2514	Size: 14"	1/1/24
EDL2516	Size: 16"	1/1/12
EDL2524	Size: 24"	1/1/6
EDL2536	Size: 36"	1/1/4
EDL2548	Size: 48"	1/1/2

Swedish Pipe Wrench



High Carbon Steel

- High Carbon steel

- Max clamping diameter: 40mm

- Light use and powerful clamping

Item #	Spec	Pack Qty
EDL105140	Jaws:90° Size:1"	1/1/24
EDL105155	Jaws:90° Size:1.5"	1/1/16
EDL105167	Jaws:90° Size:2"	1/1/10
EDL105240	Jaws:45° Size:1"	1/1/24
EDL105255	Jaws:45° Size:1.5"	1/1/16
EDL105267	Jaws:45° Size:2"	1/1/10

Aluminum Alloy Pipe Wrench



Cr-Mo

- Maximum opening: 48cm

- Chrome- molybdenum steel plier head

- 25% lighter than standard pipe pliers

Item #	Spec	Pack Qty
EDL105014	Size:14"	1/1/12
EDL105018	Size:18"	1/1/12
EDL105024	Size:24"	1/1/6

Water Pump Pliers



High Carbon Steel

- Applicable range: 6-35mm

- Five-position adjustment

- Coarse teeth clamping: stable and non-slip

Item #	Spec	Pack Qty
EDL2608	Size: 8" Length:200mm	1/6/60
EDL2610	Size: 10" Length:250mm	1/10/60
EDL2612	Size: 12" Length:300mm	1/6/36
EDL2616	Size: 16" Length:410mm	1/6/12

Water Pump Pliers



High Carbon Steel

- Applicable range: 8-55mm
- Flexible clamping
- Coarse teeth clamping
- Two-color rubberized handle, comfortable grip

Item #	Spec	Pack Qty
EDL2610E	Size: 10" Length:250mm	1/6/48

Slip Joint Pliers



High Carbon Steel

- Use range: 4-25mm
- Double-position adjustment for flexible clamping
- Support cutting and clamping functions
- Coarse teeth clamping: stable and antislip

Item #	Spec	Pack Qty
EDL25506	6"	1/10/100
EDL25508	8"	1/10/80
EDL25510	10"	1/6/60

Rabbet Pliers



- High carton steel.
- High-Frequency heat-treatment.
- Precision cutting edge.
- Blacking treatment.

Item #	Spec	Pack Qty
EDL11008	Size:8"	1/6/60
EDL11009	Size:9"	1/6/60
EDL11010	Size:10"	1/6/48
EDL20308	Size:8"	1/6/60

End Cutting Pliers



High Carbon Steel

- Carbon Steel forged
- Smooth jaw sharp cutting
- Non-slip handle
- Sharp cutting edge

Item #	Spec	Pack Qty
EDL20406	Size:6"	1/6/72
EDL20407	Size:7"	1/6/60
EDL20408	Size:8"	1/6/48

Fence Plier



- Multifunctional:hammer stakes,twist wire,split wood, and more for all your gardening needs.
- High-carbon steel: One-piece forged for maximum durability.
- Non-slip striking surface: Ensures safe and easy use.

Item #	Spec	Pack Qty
EDL100310	Size:10"	1/6/24

Leather Hole Punch



- Turntable type punch, switch at will
- CRV, heat treatment, strong and durable shear sharp
- Self-locking structure, safe and reliable

Item #	Spec	Pack Qty
EDL1919C	Size: 9" Length:215mm	1/10/50

Leather Hole Punch



- Cr-V steel head, overall heat treatment
- Rotating punching head with 6 adjustable round holes for quick punching
- Labor saving mechanism


Item #	Spec	Pack Qty
EDL108011	Size: 9" Length:225mm	1/10/50

Leather Hole Punch



- The head adopts Cr-V steel and overall heat treatment
- Rotating punching head with 6 adjustable round holes for quick punching

Item #	Spec	Pack Qty
EDL1919	Size: 9" Length:230mm	1/6/48




Leather Hole Punch



- Double lever design, efficient and labor-saving
- 6 kinds of punches
- Range of application: leather, cloth, paper card

Item #	Spec	Pack Qty
EDL1919A	Size: 9" Length:230mm	1/10/50



Slotted Screwdriver



- Cr-V Shaft
- Classic handle

Item #	Spec	Pack Qty
EDL623075IT	3x75mm	1/12/480
EDL625075IT	5x75mm	1/12/240
EDL625100IT	5x100mm	1/12/240
EDL626038IT	6x38mm	1/12/240
EDL626100IT	6x100mm	1/12/120
EDL626150IT	6x150mm	1/12/120
EDL628200IT	8x200mm	1/12/120

Phillips Screwdriver



- Cr-V Shaft
- Classic handle

Item #	Spec	Pack Qty
EDL623075T	PH0x75mm	1/12/480
EDL625075T	PH1x75mm	1/12/240
EDL625100T	PH1x100mm	1/12/240
EDL626038T	PH2x38mm	1/12/240
EDL626100T	PH2x100mm	1/12/120
EDL626150T	PH2x150mm	1/12/120
EDL628200T	PH3x200mm	1/12/120

	Deli Classic	Deli Classic Pass-thru	Deli 62	Deli 63N	Deli Morehelp®
Range	⊖x7 ⊕x7	⊖x7 ⊕x7	⊖x18 ⊕x18	⊖x16 ⊕x16 ⊖x5 ⊕x3	⊖x13 ⊕x13
Shaft	Cr-V	Cr-V	Cr-V	Cr-V	S2
Handle	PVC	PP	PP	PP+TPR	PP+TPR
Color	Yellow	Black	Yellow	Yellow + Black	Red + Black+ White
Position	Classic Choice	Classic Choice	Economic Choice	Cost-Effective	Premium



Slotted Screwdriver



- PP coated handle, long lasting and durable
- Anti-slip handle for comfortable use

Item #	Spec	Pack Qty
EDL623075I	SL3x75mm	1/12/480
EDL623100I	SL3x100mm	1/12/480
EDL623150I	SL3x150mm	1/12/480
EDL625075I	SL5x75mm	1/12/240
EDL625100I	SL5x100mm	1/12/240
EDL625125I	SL5x125mm	1/12/240
EDL625150I	SL5x150mm	1/12/240
EDL625200I	SL5x200mm	1/12/240
EDL626038I	SL6x38mm	1/12/240
EDL626100I	SL6x100mm	1/12/120
EDL626125I	SL6x125mm	1/12/120
EDL626150I	SL6x150mm	1/12/120
EDL626200I	SL6x200mm	1/12/120
EDL626250I	SL6x250mm	1/12/120
EDL626300I	SL6x300mm	1/12/120
EDL628200I	SL8x200mm	1/12/120
EDL628250I	SL8x250mm	1/12/120
EDL628300I	SL8x300mm	1/12/120

Phillips Screwdriver



- PP coated handle, long lasting and durable
- Anti-slip handle for comfortable use

Item #	Spec	Pack Qty
EDL623075	PH0x75mm	1/12/480
EDL623100	PH0x100mm	1/12/480
EDL623150	PH0x150mm	1/12/480
EDL625075	PH1x75mm	1/12/240
EDL625100	PH1x100mm	1/12/240
EDL625125	PH1x125mm	1/12/240
EDL625150	PH1x150mm	1/12/240
EDL625200	PH1x200mm	1/12/240
EDL626038	PH2x38mm	1/12/240
EDL626100	PH2x100mm	1/12/120
EDL626125	PH2x125mm	1/12/120
EDL626150	PH2x150mm	1/12/120
EDL626200	PH2x200mm	1/12/120
EDL626250	PH2x250mm	1/12/120
EDL626300	PH2x300mm	1/12/120
EDL628200	PH3x200mm	1/12/120
EDL628250	PH3x250mm	1/12/120
EDL628300	PH3x300mm	1/12/120

Slotted Screwdriver

- 30% thicker TPR grip for comfort

- Magnetic tip holds screws securely

- Improved handle contact reduces slippage

- Durable Cr- V shaft resists bending

Item #	Spec	Pack Qty
EDL633075IN	3x75mm	1/12/480
EDL633100IN	3x100mm	1/12/480
EDL633150IN	3 X150mm	1/12/480
EDL635075IN	5x 75mm	1/12/240
EDL635100IN	5x 100mm	1/12/240
EDL635125IN	5x 125mm	1/12/240
EDL635150IN	5 x 150mm	1/12/240
EDL636038IN	6 x 38mm	1/12/240
EDL636100IN	6x 100mm	1/12/120
EDL636125IN	6x125mm	1/12/120
EDL636150IN	6 X 150mm	1/12/120
EDL636200IN	6 x 200mm	1/12/120
EDL638150IN	8 X 150mm	1/12/120
EDL638200IN	8 X 200mm	1/12/120
EDL638250IN	8 x 250mm	1/12/120
EDL638300IN	8 x 300mm	1/12/120

Phillips Screwdriver

- 30% thicker TPR grip for comfort

- Magnetic tip holds screws securely

- Improved handle contact reduces slippage

- Durable Cr- V shaft resists bending

Item #	Spec	Pack Qty
EDL633075N	PH0x 75mm	1/12/480
EDL633100N	PH0 x 100mm	1/12/480
EDL633150N	PH0 x 150mm	1/12/480
EDL635075N	PH1x 75mm	1/12/240
EDL635100N	PH1x 100mm	1/12/240
EDL635125N	PH1 x 125mm	1/12/240
EDL635150N	PH1 x 150mm	1/12/240
EDL636038N	PH2 x 38mm	1/12/240
EDL636100N	PH2 x 100mm	1/12/120
EDL636125N	PH2 X 125mm	1/12/120
EDL636150N	PH2 X 150mm	1/12/120
EDL636200N	PH2 X 200mm	1/12/120
EDL638150N	PH3 X 150mm	1/12/120
EDL638200N	PH3 X 200mm	1/12/120
EDL638250N	PH3 X 250mm	1/12/120
EDL638300N	PH3 x 300mm	1/12/120

Dual head Screwdriver

- 30% thicker TPR grip for comfort

- Magnetic tip holds screws securely

- Improved handle contact reduces slippage

- Durable Cr- V shaft resists bending

Item #	Spec	Pack Qty
EDL632101	SL6/PH2x75mm	1/12/240
EDL632102	SL6/PH2x135mm	1/12/120
EDL632103	SL6/PH2x160mm	1/12/120

Torx Screwdriver

- 30% thicker TPR grip for comfort

- Magnetic tip holds screws securely

- Improved handle contact reduces slippage

- Durable Cr- V shaft resists bending

Item #	Spec	Pack Qty
EDL6310010T	T10x100mm	1/12/240
EDL6310015T	T15x100mm	1/12/240
EDL6310020T	T20x100mm	1/12/240
EDL6310025T	T25x100mm	1/12/120
EDL6310030T	T30x100mm	1/12/120

Pozidriv Screwdriver

- 30% thicker TPR grip for comfort

- Magnetic tip holds screws securely

- Improved handle contact reduces slippage

- Durable Cr- V shaft resists bending

Item #	Spec	Pack Qty
EDL631001P	PZ1x75mm	1/12/240
EDL631002P	PZ2x100mm	1/12/120
EDL631003P	PZ3x150mm	1/12/120

Slotted Screwdriver With Pass-Thru Shank

- Hexagonal shank with pass thru design

- Quenched Cr-V shank for high hardness

- Matte treated

- Rubber-plastic bi-material handle

Item #	Spec	Pack Qty
EDL627004I	6x100mm	1/12/120
EDL627006I	6x150mm	1/12/120
EDL627008I	8x200mm	1/12/120
EDL627010I	8x250mm	1/12/120
EDL627012I	9.5x300mm	1/12/72

Phillips Screwdriver With Pass-Thru Shank

- Hexagonal shank with pass thru design

- Quenched Cr-V shank for high hardness

- Matte treated

- Rubber-plastic bi-material handle

Item #	Spec	Pack Qty
EDL627004	PH2x100mm	1/12/120
EDL627006	PH2x150mm	1/12/120
EDL627008	PH3x200mm	1/12/120
EDL627010	PH3x250mm	1/12/120
EDL627012	PH4x300mm	1/12/72

2 In 1 Screwdriver

- Rubber-plastic bi-material handle

- Hexagonal shank with pass thru design

- Interchangeable shank with strong magnet

- Anti-drop design to prevent removal of shank

Item #	Spec	Pack Qty
EDL626001	6/PH2x100mm	1/12/120
EDL626150S	6/PH2x150mm	1/12/120

2 In 1 Ratchet Screwdriver

- Three-way adjustable high-torque ratchet
- Interchangeable bit with adjustable length
- PP&TPR bi-material handle
- Quenched Cr-V shank

Item #	Spec	Pack Qty
EDL626010	6/PH2x85mm	1/12/240
EDL626011	6/PH2x180mm	1/12/144

13 In 1 Ratchet Screwdriver

- Replaceable head design
- Material of batch head: CR-V
- TPR soft glue
- Strong magnetic bit head, easy to use

Item #	Spec	Pack Qty
EDL260206	6.35*65mm; PH1/SL5 8.00*75mm: PH2/SL6 Two-way Sleeve: 6.35mm, 8mm	1/12/144

21 Pcs Multi-Purpose Screwdriver Set

- 8 in 1 function to meet the daily needs
- Cr-V bits with magnetic, easy to use
- Rubber-plastic bi-material handle
- Exquisite transparent plastic box

Item #	Spec	Pack Qty
EDL636009	9 pcs	1/-/30

13 In 1 Ratchet Screwdriver

- Cr- V bits with heat- treatment
- Bits are magnetically charged
- Precision- machined tip
- High- torque ratchet

Item #	Spec	Pack Qty
EDL260113	1 Ratcheting Screwdriver+12 bits	1/12/48

2 Pcs Massage Screwdriver Set

- Tool holder material Cr-V
- Rubber-plastic dual-material handle
- Surface bump design, anti-skid, anti-scratch

Item #	Spec	Pack Qty
EDL260002B	1 pcs SL5x100mm 1 pcs PH1x100mm	1/12/96



2 Pcs Screwdriver Set

- Cr-V shaft
- Comfortable ABS grip

Item #	Spec	Pack Qty
EDL620002	SL6 x 125mm PH2 x 125mm 2pcs/set Material: Cr-V Packed by plastic hanger	1/20/80
EDL620004	5 x 100mm 6 x 150mm PH2 x 150mm PH1 x 100mm 4pcs/set Material: Cr-V Packed by plastic hanger	1/12/48
EDL620006	5 x 75mm 5 x 100mm 6 x 150mm PH2 x 150mm PH1 x 100mm PH1 x 75mm 6pcs/set Material: Cr-V Packed by plastic hanger	1/6/36

Screwdriver Set

- 30% thicker TPR grip for comfort
- Magnetic tip holds screws securely
- Improved handle contact reduces slippage
- Durable Cr- V shaft resists bending

Item #	Spec	Pack Qty
EDL630002N	6 x 125mm, PH2 x 125mm	1/12/96
EDL630004N	5 x 100mm, 6 x 150mm, PH2 x 150mm, PH1 x 100mm	1/12/48
EDL630006N	5 x 75mm, 5 x 100mm, 6 x 150mm, PH2 x 150mm, PH1 x 100mm, PH1 x 75mm	1/12/48

7 Pcs Nut Screwdriver Set

- Soft grip handle for comfortable and powerful handling
- CR- V shaft, high durability
- Wide range, wide applications

Item #	Spec	Pack Qty
EDL636007H	6mm,7mm,8mm,9mm,10mm,11mm,12mm	1/6/24

6 in 1 Stubby Screwdriver

- Quick-Change Bits for Effortless Switching
- Ergonomic Grip for Comfort and Control

Item #	Spec	Pack Qty
EDL636181N	SL5,SL6,PH0,PH1,T10,T20	1/12/96
EDL636182N	SL5,SL6,PH0,PH1,T10,T20	1/12/96

Pick and Hook Set

- S2 industrial steel
- Chrome plating surface with magnet
- Head geometry design for higher precision

Item #	Spec	Pack Qty
EDL3104	4 pcs	1/12/120

13 in1 Ratcheting Screwdriver




Cr-V

- Cr-V bits ensures robustness-Multi-in-one storage,handy AND portable-strong ABS structure handle

Item #	Spec	Pack Qty
EDL240013D	13 in 1	1/12/144

6 Pcs Clock Precision Screwdriver




500

- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL3206	PH00 PH0 PH1 SL 1.4mm 2.0mm 2.4mm	1/12/96

7 Pcs Clock Precision Screwdriver



500

- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL241007	SL2, SL2.5, SL3, PH00, PH0, T6	1/6/48

33 Pcs Electronic Precision Screwdriver Set




500

- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL1033D	SL1.5,SL2,SL2.5,SL3,SL3.5 PH(1.5,2.2,5,3,3.5) T3,T4,T5,T6,T7,T8,T9,T10,T15,T20 H1.3,H1.5,H2,H2.5,H3,H4 P0.8 1pcs Anti-slip Screwdriver Handle 1pcs Extension Rod H4x60mm 1pcs Tweezers 115mm Y shape 2.0mm Triangle 2.0mm 1pcs U shape 2.6mm	1/25/100



38 Pcs Electronic Precision Screwdriver Set



500

- 38 bits free combinations with extension bar and universal bar, suitable for more complex applications
- Quenched S2 and Cr-V bits with chrome-plated surface for high hardness,good toughness and long durability
- The jack has a built-in strong magnetic block to absorb bits for quick replacement of bits and magnet increase
- Anti-skid two-color handle for comfortable grip, and rotating tail for quick operation

Item #	Spec	Pack Qty
EDL3538J	38 Pcs	1/24/96

65 Pcs Precision Screwdriver Set




500

- Tri-color handle with soft, non-slip grip
- S2 bar hardened to 58HRC for durability
- Anti-roll design on handle
- Scratch-resistant black finish with magnetic bits
- Engraved shank for easy identification

Item #	Spec	Pack Qty
EDL3565	65 pcs 3pcs Phillips: 1.2,3 5pcs Torx: T4,T5,T6,T7,T8 3pcs Hex Key: 0.9,1.3,1.5 1pcs Y shape: Y2 1pcs Triangle: 2.3 1pcs U type: 2.6 2pcs Star: 0.8,1.2 1pcs 4.0 Extension rod 1pcs 4.0 Handle 6.3Series 4pcs Slotted: 4,5,6,7 4pcs Phillips: 4,5,6,5 6pcs Hex Key: 2.2,5,3,4,5,6 11pcs Torx: T4,T5,T6,T7,T8,T9,T10,T15,T20,T25,T30 3pcs Pozidriv: PZ1,PZ2,PZ3 1pcs Y shape: Y3 2pcs U shape: 6.8 1pcs Jinter6.3 9pcs 6.3mm Sockets: M4,M5,M6,M7,M8,M9,M10,M11,M12 1pcs 6.3mm Extension Rod 1pcs 6.3mm Ratchet Wrench	1/6/24

78-in-1 Ratchet Repair Tool Set



500

- 48T ratchet – 4.5° precision stroke
- Home, pro, field – ready for any repair task

Item #	Spec	Pack Qty
EDL250078	78pcs	1/6/12

13Pcs Impact Driver Set



500

- Material:Cr-V
- Heat treatment and Nickel plated
- With 1 pcs powerful impact driver

Item #	Spec	Pack Qty
EDL8901	13 pcs	1/1/20

Flat End Hex Key Set

- Material: CRV;
- Process: Nickel plating on the surface;
- Size: 1.5/2/2.5/3/3.5/4/5/5.5/6

Item #	Spec	Pack Qty
EDL230008	Range: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm	1/20/120
EDL230009	Range: 1.5,2,2.5,3,4,5,6,8,10mm	1/10/60



9Pcs Long Flat End Hex Key Set WithRed Finish

S2

- Material: S2
- Torque increased by 20%

Item #	Spec	Pack Qty
EDL230708G	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/60
EDL230709G	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/60
EDL230707G	Range: T10,T15,T20,T25,T27,T30,T40,T45,T50	1/6/60
EDL230808G	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/48
EDL230809G	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/48

8 Pcs Flat End Hex Key Set

- CR-V material, superior performance, complete specifications and configurations and universal applications
- Nickel-plated surface for good appearance and rust resistance
- Spec:-5.2,-5.3,-5.4,5.6mm

Item #	Spec	Pack Qty
EDL3080	Range: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm	1/20/120
EDL3100	Range: 1.5, 2, 2.5, 3,3.5,4, 5, 6, 8, 10mm	1/10/60

9 Pcs Long Flat End Hex Key Set With Black Finish

500

- Cr-V Materail for better performance
- Plastic frame for better appearance and easy carry
- Laser scale for clear identity and abrasion resistance

Item #	Spec	Pack Qty
EDL231209H	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/60
EDL232209H	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/60
EDL234209H	Range: T10,T15,T20,T25,T27,T30,T40,T45,T50	1/6/60
EDL231309H	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/48
EDL232309H	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/48

9 Pcs Long Flat End Hex Key Set

500

- High quality Cr-V steel for excellent performance
- Plastic frame for better appearance and easy carry
- Laser marking, clear and wear-resistant; chrome-plated surface, beautiful and rustproof
- Specifications: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Item #	Spec	Pack Qty
EDL3590	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/60
EDL3088	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/60
EDL3091	Range: T10,T15,T20,T25,T27,T30,T40,T45,T50	1/6/60
EDL3089	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/48
EDL3090	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/48
EDL3095	Range: T10,T15,T20,T25,T27,T30,T40,T45,T50	1/6/48

8Pcs Foldable Flat End Hex Key Set

Cr-V

- Cr-V Materail for better performance
- Folding desing for easy carry

Item #	Spec	Pack Qty
EDL230308	Range: 1.5, 2, 2.5, 3, 4, 5, 6, 8mm	1/20/120
EDL234308	Range: T9,T10,T15,T20,T25,T27,T30,T40	1/20/120

8 Pcs T-Type Flat End Hex Key

500

Cr-V

- Cr-V Materail for better performance
- Coated handle for comfortable grip

Item #	Spec	Pack Qty
EDL233108	2x75mm,2.5x75mm,3x100mm,4x100mm,5x150mm,6x150mm,8x200mm,10x200mm	1/6/24
EDL233208	2x75mm,2.5x75mm,3x100mm,4x100mm,5x150mm,6x150mm,8x200mm,10x200mm	1/6/24

Plastic Staple Gun

- Suitable for 0.7mm door-shaped nails

Item #	Spec	Pack Qty
EDL238002	4-10mm	1/10/40

Staple Gun

- Full steel structure for long lasting
- Compact size for easy carry and emergent use
- Suitable for 4-8mm D nail

Item #	Spec	Pack Qty
EDL238001	4-8mm	1/10/40

Staple Gun



500

- Full steel structure for long lasting
- Compact size for easy carry and emergent use
- Suitable for 4-14mm D nail

Item #	Spec	Pack Qty
EDL238003	4-14mm	1/10/40

3 In 1 Staple Gun



- Full steel structure for long lasting
- Adjustable hitting force
- Suitable for D/U/T nails

Item #	Spec	Pack Qty
EDL1313	4-14mm	1/10/40

4 In 1 Staple Gun



- Full steel structure for long lasting
- Adjustable hitting force, easy to operate
- Widely used in box making, packaging, furniture, decoration, leather, rattan and shoe making industries
- Suitable for D/U/T nails

Item #	Spec	Pack Qty
EDL1313B	4-14mm	1/6/24

4 Pcs Staple Gun Set



- Full steel structure for long lasting
- Adjustable hitting force
- Suitable for D/U/T nails

Item #	Spec	Pack Qty
EDL238104	1 pcs EDL1313, 2000pcs D,U,T type staples	1/-/18

4 In 1 Staple Gun



- Full steel structure for long lasting
- Adjustable hitting force, easy to operate
- Widely used in box making, packaging, furniture, decoration, leather, rattan and shoe making industries
- Suitable for 53F/28/10/8 nails

Item #	Spec	Pack Qty
EDL238401	4-14mm	1/8/32

5 Pcs Staple Gun Set







- Full steel structure for long lasting
- Adjustable hitting force
- Suitable for D/U/T nails

Item #	Spec	Pack Qty
EDL238105	1 pcs Staple gun, 2000pcs D,U 1000pcs T,I 1 pcs nail remover	1/-/12

Staple Guns

			EDL238002	EDL238001	EDL238003	EDL1313	EDL238104	EDL238105
	EDL238014-1	Length: 8mm	●	●	●	-	-	-
	EDL238011	Length: 8mm	-	-	-	●	●	●
	EDL238015-1	Length: 10mm	-	-	-	●	●	●
	EDL238016-1	Length: 12mm	-	-	-	●	●	●
	EDL238012	Length: 12mm	-	-	-	●	●	●
	EDL238010	Length: 10mm	-	-	-	●	●	●

Staples

	Home decoration, repair and making sofas, beds, wooden boxes, etc.	
		
	Home decoration, repair and making sofas, beds, wooden boxes, etc.	
	Suitable for home decoration, floor and door/window repair and installation, billboard setting and fixing.	

1000pcs Staple(Type 53)



- Full steel structure for long lasting
- Adjustable hitting force, easy to operate
- Widely used in box making, packaging, furniture, decoration, leather, rattan and shoe making industries
- Suitable for 53F/28/10/8 nails

Item #	Spec	Pack Qty
EDL238014-1	Crown: 11.2mm length: 8mm Width: 0.7mm	1/25/100

Staple(Type 53F)



- Full steel structure for long lasting
- Adjustable hitting force, easy to operate
- Widely used in box making, packaging, furniture, decoration, leather, rattan and shoe making industries
- Suitable for 53F/28/10/8 nails

Item #	Spec	Pack Qty
EDL238011	2000pcs Crown: 11.2mmlength:8mm Width: 1.2mm	1/24/96
EDL238011-1	1000pcs Crown: 11.2mm length:8mm Width: 1.2mm	1/8/32
EDL238015-1	1000pcs Crown: 11.3mm length:10mm width:1.2mm	1/25/100
EDL238016-1	1000pcs Crown: 11.3mm length:12mm width:1.2mm	1/25/100

Brad Nail(Type 8)



- Full steel structure for long lasting
- Adjustable hitting force, easy to operate
- Widely used in box making, packaging, furniture, decoration, leather, rattan and shoe making industries
- Suitable for 53F/28/10/8 nails

Item #	Spec	Pack Qty
EDL238010	2000pcs Crown: 2mm length:10mm width:1.2mm	1/24/96
EDL238010-1	1000pcs Crown: 2mm length:10mm width:1.2mm	1/8/32


Staple(Type 28)



- Full steel structure for long lasting
- Adjustable hitting force, easy to operate
- Widely used in box making, packaging, furniture, decoration, leather, rattan and shoe making industries
- Suitable for 53F/28/10/8 nails

Item #	Spec	Pack Qty
EDL238012	2000pcs Crown: 6.3mm length:12mm width:1.2mm	1/24/96
EDL238012-1	1000pcs Crown: 6.3mm length:12mm width:1.2mm	1/8/32

Hand Riveter



- 20Cr alloy steel for better riveting performance
- Replaceable nose for convenient operation
- Coated handle for comfortable grip, labor-saving and convenient

Item #	Spec	Pack Qty
EDL2310	Size:10"	1/-/40
EDL236910	Size:10.5"	1/10/40

Hand Riveter



- 20Cr alloy steel for better riveting performance
- Replaceable nose for convenient operation
- Coated handle for comfortable grip

Item #	Spec	Pack Qty
EDL236910T	Size:10.5"	1/6/24

Hand Riveter



- Cr-Mo alloy steel
- Aluminum alloy shell
- Replaceable nose
- Coated handle for comfortable grip

Item #	Spec	Pack Qty
EDL236911	Size:10.5"	1/6/24

360°Swivel Head-Hand Riveter



- EDL236911W 360 degrees of rotation in the head
- Applicable rivet
- EDL236911W:2.4mm,3.2mm,4.0mm,4.8mm
-

Item #	Spec	Pack Qty
EDL236911W	Size:10.5"	1/6/24

Folding Hand Riveter



- EDL236932: 3.2mm,4.0mm,4.8mm,6.0mm,6.4mm

Item #	Spec	Pack Qty
EDL236932	815mm,32"	1/1/8

Hand Riveter



- Cr-Mo alloy steel
- Replaceable guide nozzle
- Ergonomic handle

Item #	Spec	Pack Qty
EDL2320	Size:17"	1/1/24


Hand Riveter



- Cr-Mo alloy steel
- Replaceable guide nozzle
- Ergonomic handle

Item #	Spec	Pack Qty
EDL236913	Size:13"	1/1/12

5-In-1 Rivets



- Plastic box package
- Rivets diameter: -4mm,-2mm,-0mm,-8mm, -0mm, 15pcs each

Item #	Spec	Pack Qty
EDL236906	2.4mm,3.2mm,4.0mm,4.8mm, 6.0mm	1/24/96

Claw Hammer



- Forged Steel hammer head
- Embedding process to avoid falling of head
- High strength Fiberglass Handle for comfortable grip

Item #	Spec	Pack Qty
EDL5001	Size:8oz(0.25kg)	1/6/36
EDL5002	Size:16oz(0.5kg)	1/6/36
EDL5027Y	Size:16oz(0.5kg)	1/6/24

Claw Hammer



- Material:carbon steel
- Overall forging technology
- plastic-sprayed hammerhea

Item #	Spec	Pack Qty
EDL5072	16OZ	1/4/16
EDL5073	20OZ	1/4/16

Claw Hammer



- High quality high Carbon Steel hammer head
- Green Gump wood hammer handle, comfortable grip
- Hammer head edge steel special tempering Treatment

Item #	Spec	Pack Qty
EDL5240	Size:8oz(0.5kg)	1/6/48
EDL5250	Size:16oz(0.5kg) length:330mm	1/6/36
EDL5050	Size:16oz(0.5kg)	1/6/36

Mini Claw Hammer



- High Carbon Steel hammerhead
- TPR soft grip
- Heat treatment hardening

Item #	Spec	Pack Qty
EDL441008	Size:8oz(0.25kg)	1/6/48

Multifunctional Claw Hammer



- Drop-forged and plastic-sprayed hammerhead
- Magnetic nail Function and anti-slip Function
- Anti slip face

Item #	Spec	Pack Qty
EDL5001F	8OZ	1/6/48
EDL5002F	16OZ	1/6/24

Roofing Hammer



- Material:carbon steel
- Unique design fiberglass handle
- Drop-forged and Heat treatment hammerhead

Item #	Spec	Pack Qty
EDL5060	600g	1/4/16

Stoning Hammer



- High quality Carbon Steel hammer head with Input power coated surface
- High strength Fiberglass Handle for comfortable grip
- Embedding process to avoid falling of head

Item #	Spec	Pack Qty
EDL447010	Size:2lb(1kg)	1/4/12
EDL447030	Size:6lb(3kg)	1/-/4

Stoning Hammer



- Rubber hammerhead
- Unique design fiberglass handle
- Drop-forged and plastic-sprayed hammerhead
- Magnetic nail Function and anti-slip Function

Item #	Spec	Pack Qty
EDL448010	1000g	1/4/12

Machinist Hammer



- Unique design fiberglass handle
- Drop-forged and plastic-sprayed hammerhead
- Magnetic nail Function and anti-slip Function

Item #	Spec	Pack Qty
EDL442300	Size:10oz(0.3kg)	1/6/48
EDL442003	Size:8oz(0.25kg)	1/6/36
EDL442005	Size:16oz(0.5kg)	1/6/36
EDL442010	Size:32oz(1kg)	1/4/16


Ball Pein Hammer



- High quality Carbon Steel hammer head
- High strength Fiberglass Handle for comfortable grip
- Embedding process to avoid falling of head

Item #	Spec	Pack Qty
EDL443016	Size:1lb(0.5kg)	1/6/36
EDL443024	Size:1.5lb(0.75kg)	1/6/24
EDL443020	Size:2lb(1kg)	1/6/12

Sledge Hammer



- High Carbon Steel hammerhead
- Fiber Handle
- Heat treatment hardening

Item #	Spec	Pack Qty
EDL447003	Size:3lb(1.5kg)	1/6/12
EDL447004	Size:4lb(2kg)	1/-/6
EDL6911	Size:6lb(3kg)	1/-/4
EDL6912	Size:8lb(4kg)	1/-/4
EDL6913	Size:10lb(5kg)	1/-/4
EDL6914	Size:12lb(6kg)	1/-/4

Rubber Hammer



- Rubber hammerhead
- Unique design fiberglass handle
- Non-spark,Non-marring plastic faces,Protect workpiece surface

Item #	Spec	Pack Qty
EDL5908	8oz	1/6/36
EDL5916	16oz	1/6/24

Rubber Hammer



- Double-sided hammer head is made of PVC, resistant to knocking, not easy to deformation
- Rubber coated steel pipe handle, comfortable grip

Item #	Spec	Pack Qty
EDL5616	Size:16oz(0.5kg)	1/6/36
EDL5612	Size:12oz(0.34kg)	1/6/36

White Black Rubber Mallet



- Non-spark soft striking face
- Gentle on surfaces, tough on tasks
- Eco-Friendly Rubber

Item #	Spec	Pack Qty
EDL5808	8oz	1/6/36
EDL5816	16oz	1/6/24

White Rubber Mallet



- Non-spark soft striking face
- Gentle on surfaces, tough on tasks
- Eco-Friendly Rubber

Item #	Spec	Pack Qty
EDL5908B	8oz	1/6/36
EDL5916B	16oz	1/6/24

Installation Hammer



- Rubber material hammer head, no loss of striking surface
- Hammer head contains iron sand, no rebound when striking
- Rubber coated steel pipe handle, comfortable grip

Item #	Spec	Pack Qty
EDL5340	Size:40mm	1/6/36

Fiber Handle Axe



- High-quality steel axe with high hardness, great strength and wear resistance.
- Axe handle treated with glue pouring, not easy to fall off.
- Fiberglass Handle, TPR encapsulated, non-slip, comfortable and durable.

Item #	Spec	Pack Qty
EDL5708	Size:21oz(0.6kg)	1/6/24
EDL5709	Size:28oz(0.8kg)	1/6/24

Wrecking Bar



- Sprayed surface, rust and wear resistant
- Overall quenching

Item #	Spec	Pack Qty
EDL448901	Size:24"	1/2/8
EDL448902	Size:36"	1/2/8

9mm Snap-off Knife



- High quality SK5 blade, smooth cutting
- Electrophoretic blade body, beautiful and corrosion-resistant
- Push button self-locking, easy to use
- Tail cover foldable blade, easy to replace

Item #	Spec	Pack Qty
EDL007B	SK5 Blade, 60°	1/50/600

9mm Snap-Off Knife



- Classic flat stainless steel body design
- Durable SK5 blade
- Auto lock mechanism

Item #	Spec	Pack Qty
EDL007	SK5 Blade, 30°	1/24/288

9mm Snap-off Knife



- High quality SK5 blade, smooth cutting
- Electrophoretic blade body, beautiful and corrosion-resistant
- Push button self-locking, easy to use
- Tail cover foldable blade, easy to replace

Item #	Spec	Pack Qty
EDL007H	SK5 Blade, 30°	1/50/600

9mm Snap-Off Knife



- High-quality ABS body
- High quality SK5 blade for sharp cutting
- Double-teeth slot for a smooth push

Item #	Spec	Pack Qty
EDL009H	SK5 Blade, 60°	1/50/600

9mm Snap-off Knife



- High-quality ABS body
- High quality SK5 blade for sharp cutting
- Double-teeth slot for a smooth push

Item #	Spec	Pack Qty
EDL009A	SK5 Blade, 60°	1/50/600
EDL009B	SK4 Blade, 60°	1/50/300






18mm Snap-off Knife



- SK5 Steel – Hard, Sharp, Long-Lasting
- Ergo Grip – Comfort in Every Cut

Item #	Spec	Pack Qty
EDLP1018	SK5 Blade, 60°	1/25/300

Utility Knives

Image	Ref. No.	Type	Blade size	Blade Spec
	EDL007B	Snap-off Knife	9mm	SK5 Blade, 60°
	EDL007H	Snap-off Knife	9mm	SK5 Blade, 30°
	EDL009A	Snap-off Knife	9mm	SK5 Blade, 60°
	EDL009B	Snap-off Knife	9mm	SK4 Blade, 60°
	EDL003	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL003A	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL003C	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL003B	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL018B	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL018	Snap-off Knife	18mm	SK2 Blade, 60°
	EDL018Z	Snap-off Knife	18mm	SK4 Blade, 60°
	EDL009	Snap-off Knife	18mm	SK5 Blade, 60°
	EDL4255	Snap-off Knife	18mm	SK2 Blade, 60°
	EDL4256	Snap-off Knife	18mm	SK2 Blade, 60°
	EDL025	Snap-off Knife	25mm	SK4 Blade, 60°
	EDL0035	Snap-off Knife	25mm	SK5 Blade, 60°
	EDL006K	Folding Knife	Utility Blade 19mm	SK5 Blade
	EDL008Z	Folding Knife	Utility Blade 19mm	SK5 Blade
	EDL006Z	Folding Knife	Utility Blade 19mm	SK2 Blade
	EDL007Z	Folding Knife	Utility Blade 19mm	SK2 Blade
	EDL4260	Utility Knife	Utility Blade 19mm	SK2 Blade
	EDL410	Utility Knife	Utility Blade 19mm	SK5 Blade

Repacement Blades

EDL-DP092	9mm	CK75, 60°
EDL-DP	18mm	CK75, 60°
EDL-D05P	25mm	CK75, 60°
EDL-DP30A	Utility Blade, 19mm	CK75, 60°
EDL-DP091	9mm	SK4, 60°
EDL-DP181	18mm	SK4, 60°
EDL-DP251	25mm	SK4, 60°
EDL-DP30	Utility Blade, 19mm	SK4, 60°
EDL-DPJ09B	18mm	Alloy Steel, 60°

18mm Snap-Off Knife




SK5

- SK5 Steel – Hard, Sharp, Long-Lasting
- Ergo Grip – Comfort in Every Cut

Item #	Spec	Pack Qty
EDL003H	SK5 Blade, 60°	1/24/288

18mm Snap-off Knife



SK5

- High-quality ABS body
- High quality SK5 blade for sharp cutting
- Double-teeth slot for a smooth push

Item #	Spec	Pack Qty
EDL003	SK5 Blade, 60°	1/25/300
EDL003A	SK5 Blade, 60°	1/25/300
EDL003C	SK5 Blade, 60°	1/25/300
EDL003B	SK5 Blade, 60°	1/1/12

18mm Snap-off Knife



SK5

- High quality SK5 blade, smooth cutting
- Electrophoretic blade body, beautiful and corrosion-resistant
- Push button self-locking, easy to use
- Tail cover foldable blade, easy to replace

Item #	Spec	Pack Qty
EDL018B	SK5 Blade, 60°	1/50/300
EDL018	SK2 Blade, 60°	1/20/120
EDL018Z	SK4 Blade, 60°	1/10/120

18mm Snap-off Knife



SK5

- Three blades included
- Automatic replacement of blades
- ABS and TPR coated shell for comfortable grip

Item #	Spec	Pack Qty
EDL009	SK5 Blade, 60°	1/12/96

18mm Snap-off Knife



SK2

- Aluminum alloy shell, lightweight and long lasting
- SK2 blade for sharp cutting

Item #	Spec	Pack Qty
EDL4255	SK2 Blade, 60°	1/12/144

18mm Snap-off Knife



SK2

- 0.6mm SK2 blade material
- 0.8mm thickened blade track
- TPR+ABS+Aluminum alloy body
- Rubber and double sided teeth push button

Item #	Spec	Pack Qty
EDL4256	SK2 Blade, 60°	1/12/144

25mm Snap-off Knife

500



SK5

- High-quality SK4 blade for sharp cutting
- Double-teeth structure of blade holder for smooth push
- Auto-lock push button for convenient use

Item #	Spec	Pack Qty
EDL025	SK5 Blade, 60°	1/10/80
EDL0035	SK4 Blade, 60°	1/12/144

2Pcs Snap-Off Knife Set

500



SK5

- Classic flat stainless steel body design
- Durable SK5 blade
- Auto lock mechanism

Item #	Spec	Pack Qty
EDL0918-2	SK5 Blade, 60°	1/10/80

Folding Knife

500



SK5

- High quality SK2blade, smooth cutting
- Zinc alloy blade body, strong and durable, comfortable grip
- Built- in 3 spare blades, easy to replace

Item #	Spec	Pack Qty
EDL006K	SK5+3CK75	1/12/144

Folding Knife



SK5

- Zinc alloy blade body, strong and durable, comfortable grip
- Built- in 5 spare blades, easy to replace

Item #	Spec	Pack Qty
EDL008Z	SK5	1/12/96

Folding Knife

500



SK2

- High quality SK2blade, smooth cutting
- Zinc alloy blade body, strong and durable, comfortable grip
- Built-in 5 spare blades, easy to replace

Item #	Spec	Pack Qty
EDL006Z	SK2+3CK5	1/12/96

Folding Knife



SK2

- SK2 blade material
- Stainless steel+Zinc alloy body
- Foldable design,with 6pcs SK2 blade

Item #	Spec	Pack Qty
EDL007Z	SK2+3CK5	1/12/96

Folding Knife



SK5

- 4 knives per pack with distinct color
- High quality SK5 blade, smooth cutting
- ABS body, strong and durable, comfortable grip
- With 10 extra blades

Item #	Spec	Pack Qty
EDL006K-4	SK5	1/6/36

Utility Knife

500



SK2

- Aluminum alloy shell, lightweight and long lasting
- Adjustable screws for 3 positions of blades
- SK2 blade for sharp cutting
- Three blades included

Item #	Spec	Pack Qty
EDL4260	SK2 Blade Aluminum Shell	1/12/144

Utility Knife



SK5

- High-quality aluminum alloy shell coated with TPR
- Three adjustable postions
- High-quality SK5 blade, sharp and durable
- Quick blade replacement

Item #	Spec	Pack Qty
EDL410	SK5 Blade Zinc Shell	1/12/72

10 Pcs Knife Blades Set



- Integrally heat-treated alloy steel
- 2-stage blade design for sharp cutting
- V-shaped engraved line

Item #	Spec	Pack Qty
EDL-DP092	9mm, CK75, 60°	1/10/240
EDL-DP	18mm, CK75, 60°	1/24/288
EDL-DP05	25mm, CK75, 60°	1/10/120
EDL-DP30A	T type, CK75, 60°	1/20/300

10 Pcs 18mm Knife Blades Set



SK5

- SK5 Blade – Hard, Sharp, Long-Lasting
- Precision Edge – Clean Cuts, No Tear

Item #	Spec	Pack Qty
EDLP1118	18mm,SK5, 60°	1/24/288

10 Pcs Knife Blades Set



SK5

- Durable blades via SK5 material
- Heat treatment for extra hardness
- Rust-resistant coating

Item #	Spec	Pack Qty
EDL-DP092A	9mm,SK5, 60°	1/10/240
EDL-DP093A	9mm,SK5, 30°	1/10/240
EDL-DPA	18mm,SK5, 60°	1/24/288
EDL-DP05A	25mm,SK5, 60°	1/10/120

10 Pcs Utility Knife Blades Set



SK4

- Blade life extended by 50% with a 20% sharper edge
- High- temperature heat treatment for superior hardness
- Rust- resistant coating for long- lasting performance.

Item #	Spec	Pack Qty
EDL-DP09I	9mm,SK4, 60°	1/10/300
EDL-DP18I	18mm, SK4, 60°	1/10/240
EDL-DP25I	25mm, SK4, 60°	1/10/120
EDL-DP30	T type, SK4, 60°	1/20/300

10 Pcs 18mm Sharp Knife Blades Set



- Two-stage cutting edge and grinding process,the blade is sharper
- Deli patent design
- Overall heat treatment,Longer service life
- 15 cutter head design, multiple breaks, increase the use time

Item #	Spec	Pack Qty
EDL-DPI09B	18mm, 60°	1/10/280

Carving Knife



SK5

- 25° sharp acute angle, S5 high- carbon steel blade.
- Lightweight aluminum handle designed for a comfortable grip.

Item #	Spec	Pack Qty
EDL359201A	146 x 9 mm; S5 Blade x 10	1/20/160
EDL359201B	146 x 9 mm; S5 Blade x 10	1/20/160

16pcs Hobby Knife Set



SK5

- Versatile Blades for Every Cut – Precision in Detail
- Ergonomic Handle, Secure Grip – Comfort Meets Control

Item #	Spec	Pack Qty
EDL359016	16 in 1	1/6/48

Diamond Glass Knife



500

- Surface heat treatment, cutting sharpness
- Tool shank can be rotated and dismantled, easy to replace

Item #	Spec	Pack Qty
EDL2701	Size:180mm	1/6/120

PVC Pipe Cutter



- The knife shell is made of G38W rigid plastic, which is light in weight and convenient to use
- The blade is made of 65Mn, cutting sharp
- The blade adopts Teflon processing technology, the cutting surface is flat, and the cutting is easy

Item #	Spec	Pack Qty
EDL350033	Teflon-Treated Blade Rigid Plastic Handle Buckle At Tail Continuous Fast Cutting	1/10/100
EDL350042	Cutting Range: 42mm Aluminum Alloy Handle 65Mn	1/6/60

Pvc Pipe Cutter



SK5

- SK5 blade with 4-layer Teflon coating for smoother cuts
- Durable blackened aluminum body for long-lasting performance
- Built-in ratchet mechanism ensures easy, controlled operation

Item #	Spec	Pack Qty
EDL25003	Cutting Range: 33mm Aluminum Alloy Handle SK5 Blade	1/10/80
EDL2501	Cutting Range: 36mm Aluminum Alloy Handle SK5 Blade	1/6/72
EDL2501	Cutting Range: 42mm Aluminum Alloy Handle SK5 Blade	1/6/48

Quick change PVC Pipe Cutter



SK5

- 3Cr13 steel blade, waterproof and rust-proof
- Aluminum alloy body, lightweight and durable
- Ratchet structure, easy and effortless cutting

Item #	Spec	Pack Qty
EDL2507	Cutting Range: 42mm Aluminum Alloy Handle SK5 Blade Quick Balde Change	1/6/48
EDL2509	Cutting Range: 63mm Aluminum Alloy Handle SK5 Blade Quick Balde Change	1/5/20
EDL2504	Cutting Range: 3~32mm Sicr Alloy Steel	1/10/50

Wire Cutter



65 Mn

- Using 65Mn blackened pliers, rust and corrosion resistance
- Plier head hardness up to 56HRC, shear sharp

Item #	Spec	Pack Qty
EDL2685C	Size:8"	1/10/60

Bolt Cutter



Cr-Mo

- Using Cr-Mo pliers hardness up to 56HRC, strong and durable
- Shear hardness up to 30HRC, shear sharp

Item #	Spec	Pack Qty
EDL2687	Size:12"	1/-/24
EDL2688	Size:14"	1/-/24
EDL2618	Size:18"	1/-/10
EDL2624	Size:24"	1/-/8
EDL2630	Size:30"	1/-/5
EDL2636	Size:36"	1/-/4
EDL2642	Size:42"	1/-/2

Cable Cutter



- Alloy forging
- Heat treatment
- Maximum cutting cable diameter 9mm

Item #	Spec	Pack Qty
EDL20048	Size:6"	1/6/120
EDL20038	Size:8"	1/10/60
EDL20028	Size:10"	1/6/48

Heavy Duty Cable Cutter



- Alloy forging
- Heat treatment
- Maximum cutting cable diameter 16mm

Item #	Spec	Pack Qty
EDL20138	Size:9.5"	1/6/60

Cable Cutter



500

- High-frequency heat-treatment
- The handle is made of PVC Material
- Used for cutting multi-strand copper and aluminum wires, up to 500mm²

Item #	Spec	Pack Qty
EDL45018	Size: 18"	1/1/12
EDL60024	Size: 24"	1/1/10
EDL90036	Size: 36"	1/1/5

Chisel



- High- carbon steel for exceptional durability and impact resistance.
- Equipped with hand guard for enhanced safety.

Item #	Spec	Pack Qty
EDL6310	Size: 10"	1/6/24
EDL6312	Size: 12"	1/6/24

Chisel



- High- carbon steel for exceptional durability and impact resistance.
- Equipped with hand guard for enhanced safety.

Item #	Spec	Pack Qty
EDL6410	Size: 10"	1/6/24
EDL6412	Size: 12"	1/6/24

Medium-tooth Flat File



- T12 material
- Heat treatment
- Two-color handle

Item #	Spec	Pack Qty
EDL75108	Size: 200mm	1/10/100
EDL76108	Size: 200mm	1/10/100
EDL77108	Size: 200mm	1/10/100
EDL78108	Size: 200mm	1/10/100
EDL79108	Size: 200mm	1/10/100
EDL353083	Size: 200mm	1/5/20

Medium-tooth Flat File



- T12 material
- Heat treatment
- Two-color rubber handle

Item #	Spec	Pack Qty
EDL65108	Size: 200mm	1/10/100
EDL66108	Size: 200mm	1/10/100
EDL67108	Size: 200mm	1/10/100
EDL68108	Size: 200mm	1/10/100
EDL4538	Size: 200mm	1/10/100
EDL351083	Size: 200mm (Flat\Half Round\Round)	1/5/20

Coarse-tooth Flat File



- T12 material
- Heat treatment
- Two-color rubber handle

Item #	Spec	Pack Qty
EDL65208	Size: 200mm	1/10/100
EDL66208	Size: 200mm	1/10/100
EDL68208	Size: 200mm	1/10/100
EDL352083	8" Round file 8"Half round file 8"Flat file	1/5/20

File Set 5pcs



- T12 steel
- Rubber covered plastic handle
- Hardened through quenching process

Item #	Spec	Pack Qty
EDL352085	8"Flat File 8"Triangle File 8"Square File 8"Round File 8"Half Round File	1/5/20


Assorted File Set File 6pcs



- High-quality bearing steel file
- PVC-coated handle for comfortable grip
- 6 different shapes, suitable for various polishing

Item #	Spec	Pack Qty
EDL2141	Flat, pointed half-round, pointed square, pointed equilateral triangular, pointed round, pointed double-sided curved, pointed knife, pointed single-sided triangular, pointed curved, pointed rhombic.	1/10/120

Flat Wood Rasp File



- T12 Body with randomly spaced teeth
- Cut wood with little tear- out or clogging
- Controlled- cutting tasks, ideal for wood shaping & carving

Item #	Spec	Pack Qty
EDL85108	8" T12 Steel Flat	1/10/100
EDL86108	8" T12 Steel Round	1/10/100
EDL88108	8" T12 Steel Half Round	1/10/100
EDL354083	8" T12 Steel	1/5/20

Putty Knife 1"



- Stainless steel cutting edge with polished surface
- Dual-color coated handle
- Wide range of applications

Item #	Spec	Pack Qty
EDL-HD1	Size: 1"/25mm 12mm Length Stainless Steel	1/12/240
EDL-HD2	Size: 2"/50mm 12mm Length Stainless Steel	1/12/240
EDL-HD2-5	Size: 2.5"/63mm 12mm Length Stainless Steel	1/12/240
EDL-HD3	Size: 3"/75mm 12mm Length Stainless Steel	1/12/240
EDL-HD4	Size: 4"/100mm 12mm Length Stainless Steel	1/12/240
EDL-HD5	Size: 5"/125mm 12mm Length Stainless Steel	1/12/240
EDL-HD6	Size: 6"/148mm 12mm Length Stainless Steel	1/12/240


Multifunction Putty Scraper



- All-in-one utility blade
- Crafted from 2mm thick stainless steel and heat-treated for extra durability.

Item #	Spec	Pack Qty
EDL-HD03	Size: 3x75mm	1/12/96

7 Pcs Cleaning Scraper Set



- 5- in- 1: Scrape, Hook, Press, Trim, Clean – Easy Setup
- Rotary swivel handle with TPR non- slip grip
- SK5 blade + zinc alloy base
- Portable Blade Cover

Item #	Spec	Pack Qty
EDL365108	7 in 1	1/6/60
EDL365107	210mm	1/12/144

Basic Scarper



- Alloy blade with heat-treated surface for sharp cutting
- HIPS handle, lightweight and durable

Item #	Spec	Pack Qty
EDL4723C	Length: 145mm	1/10/120
EDL4723	1pcs Scrapper, 10 supply blades	1/10/120


Scraper



- SK5 blade with heat-treated surface for sharp cutting
- Aluminum alloy cutter head
- PP handle, and can be extended with wood stick

Item #	Spec	Pack Qty
EDL359210	Length: 210mm	1/10/120

Scraper



- SK5 blade with heat-treated surface for sharp cutting
- Aluminum alloy cutter head
- ABS handle for comfortable grip
- Metal scraper handle with a thick tail that for knocking and tapping

Item #	Spec	Pack Qty
EDL4725	300mm	1/10/60
EDL4726	600mm	1/10/60
EDL4727	900mm	1/10/60


2pcs Putty Knife Set



- Three types of blades for multiple scenarios

Item #	Spec	Pack Qty
EDL359204	2 pcs	1/-/50


Mini Hacksaw



- Aluminum alloy frame for easy carry and convenient use
- 65Mn steel saw blade for good toughness, high abrasion resistance, and sharp cutting, suitable for decoration, cutting wood boards, plastics, aluminum, copper, stainless steel, and other materials
- Adjustable screw for quick change of saw blades
- Coated handle for comfortable grip

Item #	Spec	Pack Qty
EDL6007	Size: 6",150mm	1/26/104
EDL353106	Size: 6",150mm	1/12/48
EDL353312	Size: 12"	1/12/48

Mini Hacksaw



- Small space operation
- Bimetal saw blade
- Aluminum alloy saw body

Item #	Spec	Pack Qty
EDL353112	Size: 12",300mm	1/25/100

Plastic handle Hacksaw



- Falt steel frame, strong and durable
- Adjustable screw for quick change of saw blades
- Ergonomic handle designed for optimal comfort and anti-slip grip.
- 12" (300mm) blade, specifically designed for use with 300mm saw blades.

Item #	Spec	Pack Qty
EDL353212	12",300mm Saw Blade	1/6/36
EDL353712	12", 300mm Saw Blade	1/6/36


Adjustable Hacksaw



- Three gears adjustable 8"-10"-12"
- Flat steel saw body
- Adjustable cutting angle: 45 ° - 90

Item #	Spec	Pack Qty
EDL6008	12"	1/10/40


Square Tube Hacksaw



- Bi-metal saw blade
- Flat steel saw body
- Non-slip handle
- Knob adjustment

Item #	Spec	Pack Qty
EDL353012	12"	1/6/24
EDL6001	Aluminium alloy frame,12"	1/6/24

Heavy Duty Hacksaw



- All-aluminum heavy-duty steel frame: heavy and durable
- Plastic handle with Rubber coated: comfortable and durable
- Double metal blade: sharp and durable

Item #	Spec	Pack Qty
EDL353812	12"	1/6/24

Scissor



500

- Material: 65Mn
- Blackening for rust prevention
- Reinforced rivet
- High temperature quenching

Item #	Spec	Pack Qty
EDL2615	Size:200mm	1/10/80
EDL2613	Size:195mm	1/8/72

Scissor



High quality stainless steel

- High- quality stainless steel
- Ergonomic handle for comfortable grip.

Item #	Spec	Pack Qty
EDL358215	Size: 5×75mm	1/12/144

Multifunction Scissor



All-in-one kitchen tool

- All- in- one kitchen tool
- Made of high- quality stainless steel
- Ergonomic handle for comfortable grip.

Item #	Spec	Pack Qty
EDL358019	Size: 5×100mm	1/12/72

Tin Snips



Two-color Plastic-dipped handle

- Two-color Plastic-dipped handle
- Carbon steel 0.8mm,Stainless steel 0.5mm

Item #	Spec	Pack Qty
EDL25910	Size:10"	1/6/48
EDL25912	Spec: 12" (300mm)	1/6/36

Tin Snips



The cutting edge is made of forging and pressing of alloy steel, and the surface is high-frequency quenched for sharp cutting

- The cutting edge is made of forging and pressing of alloy steel, and the surface is high-frequency quenched for sharp cutting
- Plastic handle, comfortable grip

Item #	Spec	Pack Qty
EDL4371	Spec:10" (250mm)	1/6/48

Tin Snips



Stainless steel cutting edge

- Stainless steel cutting edge

Item #	Spec	Pack Qty
EDL351215	Size:8.5" 215mm	1/10/60

Aviation Snip(Straight)



Cr-V

- 60 Cr-v cutting edge with high-frequency quenched and polished surface, serrated sides for easy clamping and cutting
- Dual-color PVC handle for a good appearance and a comfortable grip
- Suitable for cutting - 2mm cold rolled steel and 0.7mm stainless steel

Item #	Spec	Pack Qty
EDL20030	Spec:10" (255mm)	1/6/48
EDL20031	Spec:10" (250mm)	1/6/48
EDL20032	Spec:10" (250mm)	1/6/48

G Clamp



Effective anti-bending

- Effective anti-bending
- T-shaped rotating handle

Item #	Spec	Pack Qty
EDL-G203	Size: 3"	1/6/48
EDL-G204	Size: 4"	1/5/50
EDL-G205	Size: 5"	1/6/36
EDL-G206	Size: 6"	1/5/30
EDL-G208	Size: 8"	1/2/12

Quick Bar Clamp



Trigger-type clamp

- Trigger-type clamp
- Rubber chuck

Item #	Spec	Pack Qty
EDL110106	Size: 6"	1/6/36
EDL110112	Size: 12"	1/6/24
EDL110118	Size: 18"	1/6/24
EDL110124	Size: 24"	1/6/12
EDL110136	Size: 36"	1/6/12

F Clamp



A3 Steel

- Thickness and width of iron ruler -5mm
- Max clamp force 1000N
- Diagonal of screw thread 9.5mm

Item #	Spec	Pack Qty
EDL110515	Size: 50x150mm	1/6/48
EDL110525	Size: 50x250mm	1/6/48
EDL110830	Size: 80x300mm	1/6/24
EDL111230	Size: 120x300mm	1/6/12
EDL111250	Size: 120x500mm	1/6/12
EDL111280	Size: 120x800mm	1/6/12

Spring Clamp



NYLON

- Quick releasing and clamping
- Max clamp force: 12kgf
- Max clamping diameter:30mm

Item #	Spec	Pack Qty
EDL110004	Size:4"	1/12/480
EDL110006	Size:6"	1/6/120

Measuring Tools




Measuring Tools

Performance Improvement Tape Standout



Stronger Tape

Extra-thick steel with special techniques generates more stiffness than 1 in/25 mm standard tape measures



Performance Improvement Lifecycle

Have user+20 Times /Day+MON to FRI Week

1Month


Brand A-Mainstream brands on the market

2.5Month

Brand B-Great brands on the market

6+Month

Deli Brand-Product after improvement



Performance Improvement Tape resistance

Tape printing+Anti rust+Corrosion resisting


Store at room temperature for 12 months



Rival



DELI



*The data comes from the sand flushing experiment using a tape measure. Sand flushing experiment: It is a testing method used to evaluate the durability and surface treatment quality of tape measures

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Type	Sale Point	Width	Standout	Extra
	Economic	16mm-19mm-25mm	1.4m-2m-2.6m	/
	High Cost-Performance	16mm-19mm-25mm	1.4m-2m-2.6m	  
	Auto Lock	16mm-19mm-25mm	1.4m-2m-2.6m	  
	Wear-Resistant	16mm-19mm-25mm	1.4m-2m-2.6m	  
	High-Rigidity	28mm	3m	  

Steel Tape Measure





- Durable steel blade, ABS shell
- Auto- correct hook for precision
- Double button
- Tape measure thickness increased by 15%
- Double- sided printing
- Reverse reading design

Item #	Spec	Pack Qty
EDL9002B	2m*13mm	1/12/240
EDL9003B	3m*16mm	1/12/180
EDL9035B	5m*19mm	1/12/180
EDL9005B	5m*19mm	1/12/120
EDL9025B	5m*25mm	1/12/96
EDL9075B	8m*25mm	1/6/60
EDL9010B	10m*25mm	1/6/48

Steel Tape Measure





- Metric-Imperial Measuring Tape
- Durable steel blade, ABS shell
- Auto- correct hook for precision
- Double button
- Tape measure thickness increased by 15%
- Double- sided printing

Item #	Spec	Pack Qty
EDL9003Y	3m*16mm	1/12/180
EDL9005Y	5m*19mm	1/12/120
EDL9025Y	5m*25mm	1/12/120
EDL9075Y	8m*25mm	1/6/60
EDL9010Y	10m*25mm	1/6/48

Steel Tape Measure





- Metric-Imperial Measuring Tape
- Durable steel blade, ABS shell
- Auto- correct hook for precision
- Double button

Item #	Spec	Pack Qty
EDL290316Y	3m*16mm	1/12/180
EDL290519Y	5m*19mm	1/12/120
EDL290825Y	8m*25mm	1/6/60
EDL291025Y	10m*25mm	1/6/48

Steel Tape Measure





- Durable steel blade, ABS shell
- Auto- correct hook for precision
- Double button

Item #	Spec	Pack Qty
EDL290316	3m*16mm	1/12/180
EDL290519	5m*19mm	1/12/120
EDL290825	8m*25mm	1/6/60
EDL291025	10m*25mm	1/6/48

Steel Tape Measure





- Metric-Imperial Measuring Tape
- Durable steel blade, ABS shell with TPR cover
- Auto lock function
- One button

Item #	Spec	Pack Qty
EDL3795Y	3m*16mm	1/12/180
EDL3796Y	5m*19mm	1/12/120
EDL3797Y	5m*25mm	1/12/120
EDL3798Y	75m*25mm	1/6/60
EDL3799Y	10m*25mm	1/6/48

Steel Tape Measure





- Durable steel blade, ABS shell with TPR cover
- Auto lock function
- One button

Item #	Spec	Pack Qty
EDL3795	3m*16mm	1/12/180
EDL3796	5m*19mm	1/12/120
EDL3798	75m*25mm	1/6/60
EDL3799	10m*25mm	1/6/48

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Steel Tape Measure



ABS Material

graduation

- Metric-Imperial Measuring Tape
- Nylon coated
- Base brake design
- Nylon lanyard
- ABS durable case

Item #	Spec	Pack Qty
EDL9003PY	3m/10ft*16mm	1/12/180
EDL9005PY	5m/16ft*19mm	1/12/120
EDL9008PY	8m/26ft*25mm	1/6/60
EDL9010PY	10m/33ft*25mm	1/6/48

Steel Tape Measure



ABS Material

graduation

- Nylon coated
- Base brake design
- Nylon lanyard
- ABS durable case

Item #	Spec	Pack Qty
EDL9003P	3m*16mm	1/12/180
EDL9005P	5m*19mm	1/12/120
EDL9008P	8m*25mm	1/6/60
EDL9010P	10m*25mm	1/6/48

Steel Tape Measure



ABS Material

graduation

Chrome

- Metric-Imperial Measuring Tape
- Wear- resistant and drop- resistant
- Buffering design
- Continuous readings
- 1.8 m of stand out

Item #	Spec	Pack Qty
EDL270005CY	5m/16ft*19mm	1/12/120
EDL270008CY	8m/26ft*25mm	1/6/60
EDL270010CY	10m/33ft*25mm	1/6/48

Steel Tape Measure



ABS Material

graduation

500

- Simple design, round and compact shape
- Selflock function
- Ruler with environmentally friendly water-based paint, uniform and clear scale printing

Item #	Spec	Pack Qty
EDL290316C	3m*16mm	1/12/180
EDL290519C	5m*19mm	1/12/120
EDL290525C	5m*25mm	1/12/120
EDL290825C	8m*25mm	1/6/60
EDL291025C	10m*25mm	1/6/60

Steel Tape Measure



ABS Material

graduation

- Simple design, round and compact shape
- The tape adopts fluorescent color for easy reading
- Ruler with environmentally friendly water-based paint, uniform and clear scale printing

Item #	Spec	Pack Qty
EDL250519	5m*19mm	1/12/120
EDL250825	8m*25mm	1/6/60

Steel Tape Measure



ABS Material

graduation

PC

- Metric-Imperial Measuring Tape
- Brand new PC shell, resistant to falling
- Double brake design, push twist + bottom brake
- Transparent design, pure shell + transparent label

Item #	Spec	Pack Qty
EDL270316TY	3m*16mm	1/12/180
EDL270519TY	5m*19mm	1/12/120

Steel Tape Measure



ABS Material

graduation

- Compact and convenient;
- Easy to carry

Item #	Spec	Pack Qty
EDL270206	2m*6mm	1/100/600

Long Tape Measure



ABS Material

graduation

ABS TPR

- Ruler tape glass fiber + PVC on the glue process, tensile, toughness
- Metric and imperial ruler tape design, metric accuracy of 2 levels, accurate measurement

Item #	Spec	Pack Qty
EDL9820ZY	20m*12.5mm	1/10/40
EDL9830ZY	30m*12.5mm	1/10/40
EDL9850ZY	50m*12.5mm	1/5/20

Long Steel Tape Measure



ABS Material

graduation

- Carbon steel tape
- ABS plastic shell
- Clear, wear- resistant printing

Item #	Spec	Pack Qty
EDL9030GY	30m*12.5mm	1/1/20
EDL9050GY	50m*12.5mm	1/1/20

Fibreglass Measuring Tape



ABS Material

graduation

Class II

- PVC tape, 24 fiberglass, durable
- ABS plastic shell
- Clear, wear- resistant printing

Item #	Spec	Pack Qty
EDL98050Y	50m/164ft*14.5mm	1/-/20
EDL98100Y	100m/328ft*14.5mm	1/-/20

PROFESSIONAL POWER TOOLS
SEMI-PRO TOOLS
HOME SERIES
GARDEN TOOLS

PROFESSIONAL POWER TOOLS
SEMI-PRO TOOLS
HOME SERIES
GARDEN TOOLS

Fibreglass Measuring Tape



MID

ABS Material

1 Meter 1 Graduation

- MID certified steel band
- Rubber-wrapped case, anti-fall
- The ruler shell is made of high-strength ABS plastic
- Rocker design for easy recycling
- The printing is clear, read able and wear-resistant

Item #	Spec	Pack Qty
EDL9820GY	20m/65ft*12.5mm	1/1/40
EDL9830GY	30m/98ft*12.5mm	1/1/40

Spirit Bubble



- Compact and convenient;
- Easy to carry

Item #	Spec	Pack Qty
EDL293001	15*30*70mm	1/100/600

Type	Class	Accuracy	Thickness	Magnetic	Scale	End Cap	Advantages
	Easy to carry	1mm/m	1mm	✓	✓	TPR	/
	Economic	1mm/m	0.7mm	✓	✓	ABS	
	High cost-performance	0.5mm/m	1mm	✓	✓	TPR	
	Sight Glass Function	0.5mm/m	1.5mm	Powerful	✓	Thickened TPR	  
	Easy to carry	1.5mm/m	/	✓	/	/	/
	High rigidity	1mm/m	2mm	/	/	/	
	Thick aluminum	0.5mm/m	1.5mm	Powerful	/	TPR	

Flat Layout Line Level



- Multi- functional measurement
- Built- in handle for easy operation

Item #	Spec	Pack Qty
EDL700300A	60mm	1/5/30

Spirit Level



500

Magnetic

Aluminum

- High- precision vials, CNC- machined smooth surface
- Soft rubber ends for shock resistance
- Magnet for easy use
- 1mm/m accuracy leveling vials

Item #	Spec	Pack Qty
EDL700400B	400mm	1/10/60
EDL700600B	600mm	1/10/60
EDL700800B	800mm	1/10/60
EDL7001000B	1000mm	1/5/30

Spirit Level



Aluminum

Magnetic

- Mini level ruler, acrylic level foam
- Horizontal measurement, 1 water bubble
- Mini and compact, easy to carry

Item #	Spec	Pack Qty
EDL290100	100mm 0.75mm/m	1/20/120



Spirit Level



500

Aluminum

- 3-in-1 function: horizontal, vertical, 45° measurement
- Accuracy:0.5mm/m
- Single-sided precision milling bottom
- TPR rubber end caps
- 1mm thickness body

Item #	Spec	Pack Qty
EDL290300	300mm	1/10/60
EDL290400	400mm	1/10/60
EDL290500	500mm	1/10/60
EDL290600	600mm	1/10/60
EDL290800	800mm	1/10/60
EDL291000	1000mm	1/5/30
EDL291200	1200mm	1/5/30
EDL291500	1500mm	1/5/30

Heavy-Duty Mason'S Level



Aluminum

- 3-in-1 function: horizontal, vertical, 45° measurement
- Accuracy:0.5mm/m
- Single-sided precision milling bottom
- TPR rubber end caps
- 2mm thickness body

Item #	Spec	Pack Qty
EDL290400Q	400mm	1/10/60
EDL290600Q	600mm	1/10/40

Spirit Level



Aluminum

- Spray painting process
- 1mm/m accuracy
- 2mm body thickness

Item #	Spec	Pack Qty
EDL29800G	600mm	1/10/60
EDL29800G	800mm	1/10/60
EDL291000G	1000mm	1/10/60

Digital Level



- Alumina alloy
- Built-in magnet
- Gravity sensing, automatic screen rotation
- Beep prompt

Item #	Spec	Pack Qty
EDL293600	60cm	1/5/20

Spirit Level



ABS Material

- Magnetic bottom, stable measurement
- 3-in-1 function: horizontal, vertical, 45° measurement
- ABS body

Item #	Spec	Pack Qty
EDL290230	230*40*17mm 1mm/m	1/-/100

Feeler gauge



- Polishing treatment of shell
- Heat treated spring steel sheet
- The edge of the ruler is smooth and free of burrs
- The ruler is detachable and can be used as a single piecet

Item #	Spec	Pack Qty
EDL9501	14-pcs set(0.05-1mm)	1/10/200
EDL9502	17-pcs set(0.02-1mm)	1/10/200

Angle Square



graduation

- 2Cr13 stainless steel ruler
- Dual-color etching scale for high visibility and abrasion resistance
- Thickened tape blade for no distortion and accurate measurement

Item #	Spec	Pack Qty
EDL7130	150*300mm	1/10/100
EDL7150	250*500mm	1/10/100

Folding Square



- Aluminum alloy material, not easy to rust
- Foldable ruler body, convenient for measurement

Item #	Spec	Pack Qty
EDL7307	1200mm	1/10/60

Mechanical Measuring Wheel



- Division value: 0.1mm, Accuracy: ±0.5%
- 2-stage aluminum scalable handle for easy storage and carrying
- High strength ABS wheel hub
- Non-slip wheel for different measuring conditions

Item #	Spec	Pack Qty
EDL330060	150mm (6") 0-9999.9m	1/-/10

Mechanical Measuring Wheel



500

- Division value: 0.1mm, Accuracy: ±0.5%
- Foldable design for easy storage
- Non-slip wheel for different measuring conditions

Item #	Spec	Pack Qty
EDL330112	300mm (12.5") 0-9999.9m	1/-/6

Digital Measuring Wheel



- Metric and imperial switch
- Large LCD digital display, 5 sets of data storage
- 3-stage aluminum scalable handle for easy storage and carrying

Item #	Spec	Pack Qty
EDL9713	150mm (6") 0-9999.9m	1/-/10

Digital Measuring Wheel



- Metric and imperial switch
- Large LCD digital display, 5 sets of data storage
- 3-stage aluminum scalable handle for easy storage and carrying

Item #	Spec	Pack Qty
EDL4179	300mm (12.5") 0-9999.9m	1/-/6

Vernier Caliper



ABS Material

- Carbon fiber full plastic ruler body
- One button switch between metric and English
- One button reset

Item #	Spec	Pack Qty
EDL90150	0-150mm	1/1/10/60

Vernier Caliper



- Carbon fiber full plastic ruler body
- One button switch between metric and English
- One button reset

Item #	Spec	Pack Qty
EDL90150B	150mm	1/15/60


Vernier Caliper



- Carbon steel material, laser-etching scale
- Measures ID, OD, depth, step

Item #	Spec	Pack Qty
EDL92150	0-150mm	1/5/30
EDL92200	0-200mm	1/5/30

Vernier Caliper



- Metric Inch Scale
- One-piece design for greater accuracy
- Stainless steel body, not easy to rust
- 0.02mm accuracy, professional measurement

Item #	Spec	Pack Qty
EDL92150C	150mm	1/5/30
EDL92200C	200mm	1/5/30

Digital Vernier Caliper



- Stainless steel blade with 3-button operation
- Large LED display for fast measurement and clear reading
- Measurement accuracy 0.03mm
- Input powered by 1.5v LR44 button battery

Item #	Spec	Pack Qty
EDL91150B	150mm	1/5/30
EDL91200B	200mm	1/5/30

Vernier Caliper



- Stainless steel blade with 3-button operation
- Large LED display for fast measurement and clear reading
- Zn-alloy meter shell
- Input powered by 1.5v LR44 button battery

Item #	Spec	Pack Qty
EDL91150	0-150mm	1/5/30
EDL91200	0-200mm	1/5/30

Laser distance detector



- 50m maximum measurement
- 30 group data storage
- ±3mm measurement accuracy

Item #	Spec	Pack Qty
EDL331040B	0.05~50m	1/5/50

Laser distance detector



- 30 groups of data storage
- 1.7 inch display
- Dual laser projection
- Millimeter-level accuracy

Item #	Spec	Pack Qty
EDL4168	0.05~60m	1/5/50
EDL4169	0.05~80m	1/5/50
EDL4170	0.05~100m	1/5/50
EDL4171	0.05~120m	1/5/50

Mini Laser 2 Line Projector



- Automatic leveling time ≤ 4s
- Red enhanced beam
- 2 * AA battery

Item #	Spec	Pack Qty
EDL332102	2 Red Line	1/1/30

Laser level Beam



- LD green beam, outdoor use
- Long operating time: >8H
- Touch button, convenient and responsive
- Laser enhancement, fine beam, easy to use

Item #	Spec	Pack Qty
EDL332302	LD2 Line	1/-/8
EDL332303	LD3 Line	1/-/8
EDL332305	LD5 Line	1/-/8

12Ld Self-Leveling Laser Level



- Green light for eye protection
- The laser is clear and easy to identify
- Equipped with a charger

Item #	Spec	Pack Qty
EDL332212	12LD	1/8
EDL332216	16LD	1/8

Tape Measure



- 2-in-1 function: laser measurement(50m) and tape measurement (5m)
- Polymer battery for repeated use
- LED digital display and two measurement basis
- Changeable unit in m/in/ft.

Item #	Spec	Pack Qty
EDL4172B	Length & Width: 5m+50m	1/1/30

Electronic Scale



- Colorful box packaging, exquisite and beautiful
- Accurate measurement, accurate to 0.1g

Item #	Spec	Pack Qty
EDL338002	Range: 0-5kg	1/10/40
EDL338003	Range: 0-10kg	1/10/40

Mechanical weighing scale



Stainless Steel

- Stainless steel waterproof tray
- Purely mechanical, no electricity required
- One scale for multiple uses, suitable for various scenarios

Item #	Spec	Pack Qty
EDL338004	Max. weight:20kg	1/8

Electronic scale



Stainless Steel

- One-key zeroing, easy to tare
- The stainless steel weighing tray can be directly washed with water.
- LCD high-definition display, large screen for easy reading.

Item #	Spec	Pack Qty
EDL338005	Max. weight:30kg	1/8

Soil Tester



- Temperature detection
- Humidity monitoring
- PH detection
- Light detection

Item #	Spec	Pack Qty
EDL333218	Measurement range: PH Humidity, light, temperature	1/6/48

Water Quality Tester



- High sensitivity glass probe
- LR44 button battery
- High definition large screen display

Item #	Spec	Pack Qty
EDL339005	0.00-14.00pH	1/12/96

Thermo-hygrometer



DEL

UNIQUE

- Real time monitoring of temperature changes
- High precision sensor
- Compact and convenient body

Item #	Spec	Pack Qty
EDL336012K	-9.9°C to 50°C	1/100/200
EDL336013K	-9.9°C to 50°C	1/100/200

Infrad Thermometer



ABS Material

- Temperature measurement range:-30°C ~380°C
- 0.5s fast response
- Object distance ratio D:S=8:1
- °C / °F dual measurement mode conversion
- LCD digital display screen, HD backlight display

Item #	Spec	Pack Qty
EDL333380	-30~380°C	1/5/60

Water Quality Tester



ABS Material

- Sensitive probe, faster and more accurate
- With a gentle press, the data will be displayed
- Can detect heavy metal ions, ionic organic compounds, soluble salts

Item #	Spec	Pack Qty
EDL339010	0-9990PPM	1/10/80

Coating Thickness Gauge



- Automatically identify the type of substrate
- High definition rotatable color screen
- 1500 data storage records
- 1000mA lithium battery

Item #	Spec	Pack Qty
EDL333301	0~1300µm/67mil	1/1/20

Sound Level Meter



ABS Material

- A-weighted, ambient noise measurement
- 30dBA~130dBA, measurement range
- Sampling rate 2 times/second
- Condenser microphone for quick measurements

Item #	Spec	Pack Qty
EDL333201	30~130dBA	1/10/40

Digital Lux Meter



ABS Material

- Lux/FC, double unit switching
- Silicone diode, more accurate measurement,
- 0-200000Lux*, measuring range
- Temperature measurement, -9.9°C-49.9°C

Item #	Spec	Pack Qty
EDL333215	0-200000Lux	1/10/40

Stand For Laser Level



500

Aluminum Alloy

- Smooth and flexible rocker
- 2-gear retractable structure for flexible applications
- Comes with level vial
- Abrasion resistant, stands firmly

Item #	Spec	Pack Qty
EDL4161-2	0.45~1.2m	1/1/20



PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Electrical Tools

Electrical Tools

Socket Tester



- RCD leakage protection test
- Convenient and compact, one handed control
- ABS flame retardant shell

Item #	Spec	Pack Qty
EDL333010	Working voltage: 220-250V	1/20/100

Voltage Tester

500

S2



- 40Cr shank with heat treatment and nickel-plated surface for rust resistance, hardness: 50HRC for long lasting
- Easyplug-in head, convenient use for narrow sockets

Item #	Spec	Pack Qty
EDL8001	140mm, AC 100-500V	1/24/480
EDL8002	190mm, AC 100-500V	1/24/480

Voltage Tester



S2



- Insulated handle
- S2 Knife Rod Material

Item #	Spec	Pack Qty
EDL8000	123mm	1/24/480

Voltage Tester



S2



- Insulated handle
- S2 Knife Rod Material

Item #	Spec	Pack Qty
EDL8007	140mm	1/12/72

Voltage Tester

500

S2



- No battery required, convenient and economical.
- Easy identification with LED display
- Induction breakpoint test function to easily find the breakpoint position
- Suitable for 12/36/55/110/220V AC/DC voltage
- Do not use it as an ordinary screwdriver

Item #	Spec	Pack Qty
EDL8003	130mm, AC/DC 12-250V	1/24/480

Voltage Tester

S2



- LED high brightness
- Zero live wire detection
- On-off detection

Item #	Spec	Pack Qty
EDL8004	140mm, AC 12-250V	1/12/96

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Test Pen





- Two-tone handle
- 1:1 plastic frame can be hung and displayed
- High-brightness neon lamp

Item #	Spec	Pack Qty
EDL8101	140mm	1/24/480
EDL8102	190mm	1/24/480

Voltage Tester





- Detects and displays AC/DC voltages (12- 250V) on LCD.
- Checks circuit continuity, distinguishes live and neutral wires, finds breaks.
- Non- contact voltage detection.
- Built- in light for dark environments, doubles as a flashlight.
- Pen clip for easy carrying.

Item #	Spec	Pack Qty
EDL8005	140mm,12-250V AC	1/12/72

Voltage Tester



- Non- contact live detection, safe and reliable.
- Compact with clip, easy to carry.
- Sound and light alarms, easy to operate.
- Built- in light for dark environments, doubles as a flashlight.
- Detects live and neutral wires, nearby EM radiation.
- Meets CAT IV 1000V AC safety standard.

Item #	Spec	Pack Qty
EDL8008	90-1000V AC	1/12/96

Contactless Test Pen



- No battery required, convenient and economical.
- Easy identification with LED display
- Induction breakpoint test function to easily find the breakpoint position
- Suitable for 12/36/55/110/220V AC/DC voltage
- Do not use it as an ordinary screwdriver

Item #	Spec	Pack Qty
EDL8011	12/48-1000V AC	1/12/96

Digital Multimeter





- Overload protection function, misoperation does not burn the meter
- High definition display screen with clear handwriting

Item #	Spec	Pack Qty
EDL8490	Max 1999 CAT III 600V	1/10/60

NCV measurement



Digital Multimeter





- Overload protection function, misoperation does not burn the meter
- High definition display screen with clear handwriting

Item #	Spec	Pack Qty
EDL8470	Max 3999 CAT III 600V	1/5/30

Clamp-on Digital Multimeter





ABS Material

- Compact clamp- shaped watch, 600A DC output.
- For electrical maintenance, power parameter detection, and equipment inspection.

Item #	Spec	Pack Qty
EDL8440	1999 counts	1/10/50

Hot Melt Glue Gun





PBT

- Aluminum outlet with stop valve
- PTC core for stable glue flow
- Silicone guard for safety

Item #	Spec	Pack Qty
EDL5044	Input power:20W	1/12/48
EDL2560	Input power:60W	1/6/36

Hot Melt Glue Gun





PBT

- PTC heating for stable glue flow
- Eco- friendly shell, RoHS certified
- Glue stop valve prevents overflow
- 3C- certified power cord for safety

Item #	Spec	Pack Qty
EDL402020	Input power:20W	1/12/48
EDL402040	Input power:40W	1/12/48
EDL402060	Input power:60W	1/12/36

Hot Melt Glue Gun





- PTC heating elements for stable glue melting
- Copper nozzle for long lasting
- Glue stop value to avoid glue overflow
- 3C certified power cord, safe and reliable

Item #	Spec	Pack Qty
EDL402040C	40w	1/48
EDL402060C	60w	1/36

Hot Melt Glue Stick



- Strong adhesion
- Pure and free of impurities

Item #	Spec	Pack Qty
EDL5042	øx200 mm	1/50/300
EDL5043	ø11x200 mm	1/30/120

Soldering Iron

500



PBT

- Fast- heating nickel- chromium core

- Insulated mica sheet

- Heat- resistant PRT handle

Item #	Spec	Pack Qty
EDL8830	Input power:30W	1/12/96
EDL8840	Input power:40W	1/12/96
EDL8860	Input power:60W	1/12/96
EDL88101	Input power:100W	1/10/50

Soldering Iron

500



PBT

- Temperature sensor for precise control

- Ceramic core for fast heating

- Stainless steel, corrosion- resistant

- Durable copper alloy soldering tip

Item #	Spec	Pack Qty
EDL8820	Input power:60W	1/6/48

Soldering Iron

500



PBT

- Fast- heating Ni- Cr core

- Insulated mica sheet

- Heat- resistant PRT handle

Item #	Spec	Pack Qty
EDL88060	Input power:60W	1/12/96
EDL88100	Input power:100W	1/10/50

Soldering Iron

500



PBT

- Precise sensor control

- Fast ceramic heating

- Corrosion- resistant steel

- Durable copper tip

Item #	Spec	Pack Qty
EDL88035A	Input power:35W	1/6/96

Heat Gun

500



PBT

- Fast temperature rise

-Overheat protection

Item #	Spec	Pack Qty
EDL391201	Input power: 2000W	1/-/10

Heat Gun

500



PBT

- Fast temperature rise

-Overheat protection

- Infinitely adjustable temperature

Item #	Spec	Pack Qty
EDL391202	Input power: 2000W	1/-/10

Heat Gun

500



PBT

- Fast temperature rise

-Overheat protection

- Infinitely adjustable temperature

Item #	Spec	Pack Qty
EDL5200	Input power: 1600W	1/-/10

Heat Gun

500



PBT

- Fast temperature rise

-Overheat protection

- Infinitely adjustable temperature

-LCD digital display

Item #	Spec	Pack Qty
EDL5318	Input power: 1600W	1/-/10

Plastic Tube Welding Tool

500



PBT

- Dual control switch, knob adjustment

- Copper hole for fast heat conduction

- Polished aluminum plate for quick heating

- Teflon- coated head for non- stick use

- Quick connection for PPR, PE, and PB tubes

Item #	Spec	Pack Qty
EDL397263	800W Sockets:16,20,25,32mm	1/-/10

Plastic Tube Welding Tool

500



PBT

- Dual control switch with speed and temperature adjustment

- Multifunctional aluminum bracket

- Copper through- hole for fast heat conduction

- Polished aluminum plate for rapid heating

- Teflon- coated head for non- stick use and durability

- Fast connection for PPR, PE, and PB tubes

Item #	Spec	Pack Qty
EDL397363	800/1500W Sockets:20,25,32,40,50,63mm	1/-/5

Tube Welding Machine

500



PBT

- Polished aluminum plate for rapid heating

- Teflon- coated head for non- stick melting and durability

- Fast connection for PPR, PE, and PB tubes

Item #	Spec	Pack Qty
EDL82032	800W Sockets:20, 25, 32mm	1/1/6

Electrician Knife

500



PBT

- Durable 3Cr13 steel edge

- Comfortable rosewood handle

- Efficient for electrical systems

Item #	Spec	Pack Qty
EDL0060	Over length: 200mm	1/10/80
EDL0070	Over length: 200mm	1/10/80

Plastic Cutting Nippers



- Stainless steel forged body, heat- treated for sharpness (48- 52HRC)
- Non- slip PP + TPR rubber cover for a comfortable grip

Item #	Spec	Pack Qty
EDL2908	8"	1/6/72

Plastic Cutting Nippers

500



- 45# high carbon steel caliper, high hardness
- Quenched edge for sharp cuts
- Comfortable PVC handle

Item #	Spec	Pack Qty
EDL2705	5"	1/12/144

Plastic Cutting Nippers

500



- Forged carbon steel, sharp cuts
- Quenched edges, 50- 60HRC hardness
- Cuts copper, aluminum, and non- ferrous wire


Item #	Spec	Pack Qty
EDL2706	6"	1/6/120
EDL2715	5"	1/6/120

Plastic Cutting Nippers



- 55# high carbon steel pliers, sharp cuts
- High- frequency quenched edge, 56- 60HRC hardness
- Reset spring for labor- saving cuts
- PVC handle for a comfortable grip

Item #	Spec	Pack Qty
EDL0305A	5"	1/6/120
EDL0306A	6"	1/6/120



Type	Material	Wire Stripping Spec.(mm ²)	Crimp Range (mm ²)	Peel	Cut Line
	50#carbon steel	0.2-4.0	/	/	/
	50#carbon steel	0.6/0.8/1/1.3 1.6/2/2.6	1-2.5	/	✓
	4Cr13	0.6/0.8/1/1.3 1.6/2/2.6	1-2.5	✓	✓
	4Cr13	0.2/0.3/0.4 0.5/0.6/0.8	1-2.5	✓	✓
	4Cr13	0.2-6	/	✓	✓
	4Cr13	0.2-6	0.5-6	✓	✓
	4Cr13	0.2-6	0.5-6	✓	✓

Wire Stripper

500



- 45# high carbon steel forged caliper, high hardness
- Quenched cutting edge for sharp, labor- saving cuts
- PVC handle for a comfortable grip

Item #	Spec	Pack Qty
EDL2607	7"	1/10/60

Wire Stripper

3in1



- The clamp body is made of zinc alloy material
- Chromium molybdenum vanadium wire stripping blade
- SK5 blade, powerful spring, automated wire stripping

Item #	Spec	Pack Qty
EDL2018	8"	1/10/60

Wire Stripper



- 50# carbon steel
- Nylon injection non- slip handle + carbon steel, comfortable grip
- Built- in spring, light and labor- saving
- Strips and cuts, versatile functions

Item #	Spec	Pack Qty
EDL2003	6.5"	1/6/72

Simple Wire Stripper



- Small and convenient
- Easy to store

Item #	Spec	Pack Qty
EDL383005	4.5"	1/12/144


7-IN-1 Wire Stripper



- PVC coating, easy to use
- Corrosion resistant, not easy to rust
- High strength carbon steel with good hardness

Item #	Spec	Pack Qty
EDL2661	8.5"	1/10/60
EDL2662	10"	1/10/60

Ethernet Crimper



- Forged cold- rolled steel, electrophoresis- treated surface
- PVC handle for comfortable grip
- Ideal for wire cutting, stripping, and crimping

Item #	Spec	Pack Qty
EDL2468	4P/6P/8P	1/6/48

Ethernet Crimper



- Forged cold- rolled steel, electrophoresis- treated surface
- PVC handle for comfortable grip
- Ideal for wire cutting, stripping, and crimping

Item #	Spec	Pack Qty
EDL2468C	4P/6P/8P	1/6/48

Ethernet Crimper 8P



- Three- in- one stripping & cutting
- Cold- rolled steel body, blackened, rust- resistant
- SK5 blade, sharp
- Plastic handle, wear- resistant, non- slip

Item #	Spec	Pack Qty
EDL381008	8P	1/6/72

Ethernet Crimper(4P,6P,8P)



- A3 steel body, heat- treated, durable
- PVC + TPR handle, comfortable grip
- Ratchet mechanism, force- saving, good crimping
- Cuts, strips UTP/STP and flat phone lines

Item #	Spec	Pack Qty
EDL4971	4P/6P/8P	1/6/72

Ratchet Crimping Plier



- Crimps insulated and non- insulated terminals to a quadrilateral shape.
- Range: 0.25 - 10mm² (AWG23- 7)

Item #	Spec	Pack Qty
EDL-L11	Crimping Range:0.25-10mm ²	1/6/48
EDL-L12	Crimping Range:0.25-6mm ²	1/6/48

Wire Stripper



- Stainless steel precision forged caliper body, higher hardness
- Cutting edge quenching treatment, cutting sharp and labor saving
- PVC material handle, comfortable grip

Item #	Spec	Pack Qty
EDL2607C	7"/180mm	1/10/60

Wire Stripper



- The clamp body is made of zinc alloy material
- Chromium molybdenum vanadium wire stripping blade
- SK5 blade, powerful spring, automated wire stripping

Item #	Spec	Pack Qty
EDL2018C	205mm	1/6/60

Alkaline Battery



- 10-Year warranty, long-term energy Gathering
- Mercury free and environmental

Item #	Spec	Pack Qty
EDL-JD05-EI	AA(LR6)	1/20/120
EDL-JD07-EI	AAA(LR03)	1/20/120

Alkaline Battery



- 10-Year warranty, long-term energy Gathering
- Mercury free and environmental

Item #	Spec	Pack Qty
EDL-JD05-EID	AA(LR6)	1/20/200
EDL-JD07-EID	AAA(LR603)	1/20/200

Paint Pen



- Good coverage with bright color
- Fiber pen head not easy to deform and suitable for writing on various materials
- Waterproof and fast drying oily ink that is not easy to fade

Item #	Spec	Pack Qty
EDL-YQ01-EI	Black	1/12/144/864
EDL-YQ02-EI	White	1/12/144/864
EDL-YQ03-EI	Silver	1/12/144/864

Permanent Marker



- Oil ink not easy to fade
- Fiber pen head with smooth writing
- Excellent wear resistance

Item #	Spec	Pack Qty
EDL-JH01-EI	Black	1/10/120/960
EDL-JH02-EI	Blue	1/10/120/960
EDL-JH03-EI	Red	1/10/120/960

Double-Ended Marker



- Dual-tip design: The ultra-fine tip can be used for drawing lines and writing, while the fine tip is suitable for marking and writing. The smooth and silky feel of the pen makes it easy to use.
- Clip design allows the pen to be attached to pockets, notebooks, and other items for convenient access.
- Writing line width: Fine tip: 1.0mm; Ultra-fine tip: 0.5mm

Item #	Spec	Pack Qty
EDL-ST01-EI	Writing specifications:1.0+0.5mm	1/10/160/1280
EDL-ST02-EI	Writing specifications:1.0+0.5mm	1/10/160/1280

Deep Hole Marker



- Pen tip length 20mm, pen tip diameter 2.8mm
- Adequate ink capacity and even ink control
- Hole marking, object surface marking, etc. can all be used
- Ink fast drying, water- resistant and light resistant

Item #	Spec	Pack Qty
EDL-SK01-EI	Bullet tip: 2.8mm	1/4/24/192
EDL-SK02-EI	Bullet tip: 2.8mm	1/4/24/192
EDL-SK03-EI	Bullet tip: 2.8mm	1/4/24/192

Electical Tape



- No plumbum, flame retardant
- RoHS detection
- Temperature range: 0- 80 °C

Item #	Spec	Pack Qty
EDL5261	0.13mm*18mm*915mm	1/10/250
EDL5262	0.13mm*18mm*10m	1/10/250
EDL5263	0.13mm*18mm*10m	1/10/250
EDL5265	0.13mm*18mm*10m	1/10/250
EDL5266	0.13mm*18mm*10m	1/10/250

Insulating Tape



- Environment- friendly PVC Material, tough and anti- aging
- RoHS certificated, Lead- free, safe and healthy
- Flame- retarding, moisture- proof, abrasion- resistant

Item #	Spec	Pack Qty
EDL5264-6	0.13mmx18mmx10y	1/40



Home Decoration and Landscaping

Home Decoration and Landscaping

Iron Padlock



- Brass lock cylinder
- With waterproof rubber cover
- With 3 pcs iron keys

Item #	Spec	Pack Qty
EDL508904	Size:32mm	1/6/36
EDL508903	Size:38mm	1/6/48
EDL508902	Size:50mm	1/6/120
EDL508901	Size:63mm	1/6/120
EDL508909	Size:75mm	1/1/6/36

Brass Padlock



- Brass lock body
- With 3 pcs brass keys

Item #	Spec	Pack Qty
EDL508905	Size:40mm	1/12/72
EDL508906	Size:50mm	1/6/72
EDL508907	Size:20mm	1/12/288
EDL508908	Size:30mm	1/12/144

Square-Type Iron Padlock



- Brass lock cylinder
- Thickened lock body
- With 4 pcs iron keys

Item #	Spec	Pack Qty
EDL508910	Size:40mm	1/6/120
EDL508911	Size:50mm	1/6/72
EDL508912	Size:70mm	1/6/36

Shackle Protected Alloy Padlock



- Alloy lock body
- With 4 pcs brass keys

Item #	Spec	Pack Qty
EDL508105	Size:50mm	1/12/48
EDL508106	Size:60mm	1/12/48
EDL508107	Size:70mm	1/12/36

Shackle Protected Brass Padlock



- Brass lock body
- With 3 pcs brass keys

Item #	Spec	Pack Qty
EDL508205	Size:50mm	1/6/48
EDL508206	Size:60mm	1/6/36
EDL508207	Size:40mm	1/12/96

Heavy Duty Iron Block Padlock



- Iron lock body
- With 3 pcs brass keys

Item #	Spec	Pack Qty
EDL508306	Size:60mm	1/12/36
EDL508307	Size:70mm	1/12/36
EDL508308	Size:80mm	1/12/36
EDL508309	Size:90mm	1/12/36

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Long Iron Padlock



- long Iron lock body
- With 3 pcs brass keys

Item #	Spec	Pack Qty
EDL508404	Size:40mm	1/12/144
EDL508405	Size:50mm	1/12/72
EDL508406	Size:60mm	1/12/48

Long Brass Padlock



- Long brass lock body
- With 3 pcs brass keys

Item #	Spec	Pack Qty
EDL508504	Size:40mm	1/6/96
EDL508505	Size:50mm	1/6/72
EDL508506	Size:60mm	1/6/48

Series	Type	Ref. No.	Material	Size	Accessories
Basic Padlock		EDL508904	Iron	32mm	3 pcs iron keys
		EDL508903		38mm	3 pcs iron keys
		EDL508902		50mm	3 pcs iron keys
		EDL508901		63mm	3 pcs iron keys
		EDL508909		75mm	3 pcs iron keys
		EDL508910	Iron	40mm	4 pcs iron keys
		EDL508911		50mm	4 pcs iron keys
		EDL508912		70mm	4 pcs iron keys
		EDL508907	Brass	20mm	3 pcs brass keys
		EDL508908		30mm	3 pcs brass keys
		EDL508905		40mm	3 pcs brass keys
		EDL508906		50mm	3 pcs brass keys
Shackle Protected Padlock		EDL508105	Alloy	50mm	4 pcs brass keys
		EDL508106		60mm	4 pcs brass keys
		EDL508107		70mm	4 pcs brass keys
		EDL508205	Brass	50mm	3 pcs brass keys
		EDL508206		60mm	3 pcs brass keys
		EDL508207		40mm	3 pcs brass keys
Heavy Duty Block Padlock		EDL508306	Iron	60mm	3 pcs brass keys
		EDL508307		70mm	3 pcs brass keys
		EDL508308		80mm	3 pcs brass keys
		EDL508309		90mm	3 pcs brass keys
Long Padlock		EDL508404	Iron	40mm	3 pcs iron keys
		EDL508405		50mm	3 pcs iron keys
		EDL508406		60mm	3 pcs iron keys
		EDL508504	Brass	40mm	3 pcs brass keys
		EDL508505		50mm	3 pcs brass keys
		EDL508506		60mm	3 pcs brass keys

4 Digit Combination Bicycle Lock(With Lock Frame)



- PVC coated braided,waterproof and rustproof
- With 4 code wheels,10,000 password combinations
- Can be rolled up for easy storage

Item #	Spec	Pack Qty
EDL508051	Size:10X1200mm	1/20/80

Bicycle Lock(With Lock Frame)



- PVC coated braided
- High quality wire rope
- Padlock rack for bicycle frame
- Can be rolled up for easy storage
- With 2 pcs brass keys

Item #	Spec	Pack Qty
EDL508061	Size:10X1000mm	1/15/60
EDL508062	Size:12X1000mm	1/20/80
EDL508063	Size:15X1000mm	1/10/40

Bicycle Lock(With Lock Frame)



- PVC coated braided
- High quality wire rope
- Padlock rack for bicycle frame
- Can be rolled up for easy storage
- With 2 pcs brass keys

Item #	Spec	Pack Qty
EDL508064	Size:20X1000mm	1/10/30

Bar Lock



- High quality wire rope
- Padlock rack for bicycle frame, easy storage
- With 4 Code Wheels

Item #	Spec	Pack Qty
DL508041	10X470mm	1/10/80

Bar Lock



- High quality wire rope
- Padlock rack for bicycle frame, easy storage
- With 2psc brass keys

Item #	Spec	Pack Qty
DL508042	10X470mm	1/20/80

U-Shaped Lock



40Cr

- Padlock rack for bicycle frame
- With 2 keys
- Brass lock cylinder

Item #	Spec	Pack Qty
DL508101	120X145mm	1/1/5/20

U-Shaped Lock



40Cr

- Padlock rack for bicycle frame
- With 2 keys
- Brass lock cylinder

Item #	Spec	Pack Qty
DL508301	180X330mm	1/5/10
DL508302	280X400mm	1/5/10



Bricklaying Trowel



Stainless Steel

- Wear-resistant manganese steel material: wear-resistant
- Precision welding: strong and durable

Item #	Spec	Pack Qty
EDL509206	Size:6"/150mm Diameter of shank:9.5mm	1/12/120
EDL509208	Size:6"/150mm Diameter of shank:9.5mm	1/12/96

Bricklaying Trowel



Stainless Steel

- Diameter of shank:75mm
- Unique design handle

Item #	Spec	Pack Qty
EDL509216	Size:6"/150mm Diameter of shank:75mm	1/12/72
EDL509217	Size:7"/180mm Diameter of shank:75mm	1/12/72
EDL509218	Size:8"/200mm Diameter of shank:75mm	1/12/72
EDL509219	Size: 9"/230mm Diameter of shank:75mm	1/12/72

Bricklaying Trowel



Stainless Steel

- Unique design handle
- Heat treatment surface

Item #	Spec	Pack Qty
EDL509322	Size: 7"/180mm	1/12/72
EDL509323	Size: 8"/200mm	1/12/72

Bricklaying Trowel



- Unique design handle
- Heat treatment surface

Item #	Spec	Pack Qty
EDL509324	Size: 60*100mm	1/12/72
EDL509325	Size: 80*110mm	1/12/72
EDL509326	Size: 100*120mm	1/12/72
EDL509327	Size: 120*130mm	1/12/72

Bricklaying Trowel



- Unique design handle
- Heat treatment surface

Item #	Spec	Pack Qty
EDL509328	Size: 65*80*140mm	1/12/72
EDL509329	Size: 90*110*140mm	1/12/72
EDL509330	Size: 79*105*180mm	1/12/72
EDL509331	Size: 95*120*160mm	1/12/72
EDL509332	Size: 95*125*180mm	1/12/72



Series	Type	Ref. No.	Material	Size	Accessories
Bicycle Lock		EDL508051	PVC	32mm	4 code wheels
		EDL508061		38mm	2 pcs bass keys
		EDL508062		50mm	2 pcs bass keys
		EDL508063		63mm	2 pcs bass keys
		EDL508064		75mm	2 pcs bass keys
		DL508041		10X470mm	4 code wheels
		DL508042		10X470mm	2 pcs bass keys
U-Shape Lock		DL508101	40Cr	10X470mm	4 code wheels
		DL508301		180X330mm	4 code wheels
		DL508302		280X400mm	4 code wheels

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Plastering Trowel



- Wear-resistant manganese steel Material:Wear-resistant
- Precision welding:strong and durable

Item #	Spec	Pack Qty
EDL509309	Size:230x100mm	1/12/72

Plastering Trowel



- 50 # steel wear-resistant base plate
- Teeth:8*8mm
- Plastic handle

Item #	Spec	Pack Qty
EDL509310	Size:230x100mm Teeth:10*10mm	1/12/72

Plastering Trowel



- Wear-resistant manganese steel Material:Wear-resistant
- Precision welding:strong and durable

Item #	Spec	Pack Qty
EDL509311	Size:280x130mm	1/12/48

Plastering Trowel



- Unique design handle
- Slight bow in blade good for working

Item #	Spec	Pack Qty
EDL509320	Size:280x130mm Teeth:10*10mm	1/12/48

Plastering Trowel



- 50 # steel wear-resistant base plate
- Teeth:10*10mm
- Soft grip

Item #	Spec	Pack Qty
EDL509312	Size:280x130mm Teeth:10*10mm	1/12/48

Plastering Trowel



- Unique design handle
- Slight bow in blade good for working

Item #	Spec	Pack Qty
EDL509321	Size:280x130mm Teeth 10x10mm	1/12/48

Axes



- Drop-forged axe head
- Heat treatment,45# carbon steel

Item #	Spec	Pack Qty
EDL5711	Weight:600g	1/6/24
EDL5712	Weight:800g	1/6/24

Fiber Handle Axe



- Drop-forged axe head
- Heat treatment,45# carbon steel
- Unique design fiberglass handle

Item #	Spec	Pack Qty
EDL5710	Weight:1000g	1/6/12

Chisel



- Handle material:PP+TPR
- Heat treatment surface

Item #	Spec	Pack Qty
EDL6206-EI	Width:6mm(1/4") Length:140mm	1/1/5/30
EDL6209-EI	Width:9mm(3/8") Length:140mm	1/1/5/30
EDL6212-EI	Width:12mm(1/2") Length:140mm	1/5/30
EDL6214-EI	Width:14mm(9/16") Length:140mm	1/5/30
EDL6216-EI	Width:16mm(3/4") Length:140mm	1/5/30
EDL6219-EI	Width:19mm(5/8") Length:140mm	1/5/30
EDL6222-EI	Width:22mm(7/8") Length:140mm	1/5/30
EDL6225-EI	Width:25mm(1") Length:140mm	1/5/30

Mirror polishing
of the blade edge
Sharp without curled edges



Chisel



- Handle material:PP+TPR
- Heat treatment surface

Item #	Spec	Pack Qty
EDL6203-ED1	Width:12mm,19mm,25mm Length:140mm	1/5/20

Spring Clamp



NYLON

- Quick releasing and clamping
- Max clamp force: 40N
- Max clamping diameter:35mm

Item #	Spec	Pack Qty
EDL110003	Size:3"	1/24/864
EDL110002-E1	Size:2"	1/24/2304

Quick Bar Clamp



A3
Steel

- Trigger-type clamp
- Rubber chuck

Item #	Spec	Pack Qty
EDL110106	Size: 6"	1/6/36
EDL110112	Size: 12"	1/6/24
EDL110118	Size: 18"	1/6/24
EDL110124	Size: 24"	1/6/12
EDL110136	Size: 36"	1/6/12

F Clamp



A3
Steel

- Thickness and width of iron ruler -5mm
- Diagonal of screw thread 9.5mm

Item #	Spec	Pack Qty
EDL110515	Size: 50x150mm	1/6/48
EDL110525	Size: 50x250mm	1/6/48
EDL110830	Size: 80x300mm	1/6/24
EDL111230	Size: 120x300mm	1/6/12
EDL111250	Size: 120x500mm	1/6/12
EDL111280	Size: 120x800mm	1/6/12

Chalk Line Set



ABS
Material

- 30m nylon + polyester rope;
- Micro-particle blue powder, staining the thread without fading the color
- Level assisted judgment

Item #	Spec	Pack Qty
EDL25	30m	1/6/36
EDL23	15m	1/6/72
EDL22	6m	1/6/36

Roller Cover



- Acrylic fiber core material
- Suitable for EDL509629, EDL509601
- Used for inner wall

Item #	Spec	Pack Qty
EDL509609-1	Size: 230mm/9" Fibre height: 7mm	1/-/100
EDL509619-1	Size:230mm/9" Fibre height:12mm	1/-/100
EDL509629-1	Size:230mm/9" Fibre height:18mm	1/-/100


Mini Paint Roller Cover



- Suitable for EDL509514, EDL509501
- Used for Inner wall

Item #	Spec	Pack Qty
EDL509514-1	Size:100mm/4" Fibre height:12mm	1/-/500


Cylinder Brush (Inner Wall)



- Galvanized steel wire with 4 bars
- Easy to wash and clean
- Suitable for inner wall
- With 1pcs roller cover
- With 4pcs assistant shank

Item #	Spec	Pack Qty
EDL509609	Size:230mm/9" Fibre height:7mm	1/-/50

Cylinder Brush (Outer Wall)



- Suitable for outer wall
- With 1pcs roller cover
- With 4pcs assistant shank

Item #	Spec	Pack Qty
EDL509619	Size: 230mm/9" Fibre height:12mm	1/-/50
EDL509629	Size: 230mm/9" Fibre height: 18mm	1/-/50

Mini Paint Roller Cover



- Easy to wash and clean
- Suitable for inner wall

Item #	Spec	Pack Qty
EDL509514	Size:100mm/4" Fibre height:12mm	1/-/100

Cylinder Brush Bracket



- Steel wire with zinc plated with 4 bars
- Suitable for EDL509609-1, EDL509619-1, EDL509629-1

Item #	Spec	Pack Qty
EDL509601	9"	1/-/50

Cylinder Brush Bracket



- Steel wire with zinc plated with 4 bars
- Suitable for EDL509514- 1

Item #	Spec	Pack Qty
EDL509501	Size: 24"	1/-/100

Cylinder Brush 3 In 1 Set



- Load bearing capacity of paint tray
- 60kg/25kg
- 1 * roller core, 1 * roller frame, 1 * paint plate

Item #	Spec	Pack Qty
EDL509703	230mm/9"	1/-/12

Cylinder Brush 4 In 1 Set



- Load bearing capacity of paint tray
- 60kg/25kg
- 2 * roller core, 1 * roller frame, 1 * paint plate

Item #	Spec	Pack Qty
EDL509704	100mm/4"	1/-/12

Cylinder Brush Set



- With 1pc roller cover
- With 6pcs Cylinder Brush

Item #	Spec	Pack Qty
DL528214	Size: 100mm/4"	1/-/12
DL528217	Size: 200mm/7"	1/-/6
DL528219	Size: 230mm/9"	1/-/6

Telescopic Rod



- Easy to operate and flexible
- Bold aluminum alloy strut, strong and durable
- Non- slip handle design, comfortable grip

Item #	Spec	Pack Qty
DL528302	Size:2m	1/6/48

Wooden Handle Paint Brush



- For Oil-Based paint
- Wooden handle
- Chemical fiber mixing

Item #	Spec	Pack Qty
EDL509121	Size:1"(25mm) Bristle Length: 44mm Thickness: 12.5mm	1/12/600
EDL509122	Size:2"(50mm) Bristle Length: 51mm Thickness: 14.5mm	1/12/600
EDL509123	Size:3"(75mm) Bristle Length: 57mm Thickness:16mm	1/12/240
EDL509124	Size:4"(100mm) Bristle Length: 57mm Thickness:16mm	1/12/120

Plastic Handle Paint Brush



- For Oil-Based paint
- Plastic handle
- Chemical fiber mixing

Item #	Spec	Pack Qty
EDL509111	Width:1"(25mm) Bristle length: 40mm Thickness: 10mm	1/12/600
EDL509112	Width:2"(50mm) Bristle length: 45mm Thickness: 11mm	1/12/360
EDL509113	Width:3"(75mm) Bristle length: 51mm Thickness: 12mm	1/12/240
EDL509114	Width:4"(100mm) Bristle length: 51mm Thickness: 12mm	1/12/120

Paint Brush



- For Oil-Based paint
- Unique design handle
- PET filaments

Item #	Spec	Pack Qty
EDL509151	Width:1"	1/12/288
EDL509152	Width:1.5"	1/12/288
EDL509153	Width:2"	1/12/288
EDL509154	Width:2.5"	1/12/288
EDL509155	Width:3"	1/6/144
EDL509156	Width:4"	1/6/144

3Pcs Paint Brush Set



- For Oil-Based paint
- Unique design handle
- PET filaments

Item #	Spec	Pack Qty
EDL509157	1pcs 1" 1pcs 2" 1pcs 3"	1/-/60

Paint Brush



- For Oil-Based paint
- Unique design plastic handle

Item #	Spec	Pack Qty
EDL509131	Width:12mm(0.78") Bristle length: 40mm Thickness: 10mm	1/12/720
EDL509132	Width:20mm(0.8") Bristle length: 40mm Thickness: 12mm	1/12/720
EDL509133	Width:30mm(1.18") Bristle length: 40mm Thickness: 12mm	1/12/648
EDL509134	Width:40mm(1.6") Bristle length: 40mm Thickness: 13mm	1/12/432
EDL509135	Width:50mm(2") Bristle length: 44mm Thickness: 13mm	1/12/336
EDL509136	Width:60mm(2.4") Bristle length: 44mm Thickness: 15mm	1/12/300
EDL509137	Width:70mm(2.7") Bristle length: 44mm Thickness: 16mm	1/12/192
EDL509138	Width:90mm(3.5") Bristle length: 51mm Thickness: 16mm	1/12/192
EDL509139	Width:100mm(2.9") Bristle length: 57mm Thickness: 20.5mm	1/6/144

Paint Brush



- For Oil-Based paint
- High quality bristles
- Unique design plastic handle

Item #	Spec	Pack Qty
EDL509141	Width:1" Bristle length: 51mm Thickness: 12.5mm	1/12/144
EDL509142	Width:1.5" Bristle length: 51mm Thickness: 15mm	1/12/144
EDL509143	Width:2" Bristle length: 51mm Thickness: 15mm	1/12/144
EDL509144	Width:2.5" Bristle length: 57mm Thickness: 15.5mm	1/12/144
EDL509145	Width:3" Bristle length: 57mm Thickness: 20mm	1/6/72
EDL509146	Width:4" Bristle length: 57mm Thickness:20.5mm	1/6/72

Wooden Handle Paint Brush



- High-quality natural wool
- Brush bristles with high elasticity and resilience

Item #	Spec	Pack Qty
DL528102	Size: 50mm/2"	1/10/240
DL528103	Size: 75mm/3"	1/10/160
DL528104	Size: 100mm/4"	1/10/120

3Pcs Paint Brush Set



- High-quality natural wool
- Brush bristles with high elasticity and resilience

Item #	Spec	Pack Qty
DL528101	1pcs 2" 1pcs 3" 1pcs 4"	1/6/96

Painting Set



- Fine and smooth brushing, leaving no brush marks
- Easy to clean after use
- Good brushing coverage and high construction efficiency

Item #	Spec	Pack Qty
DL528003	3Pcs	1/12/48

Painting Set



- A variety of product collocations, save worry and time and effort
- Easily polish the wall surface, paint efficiently and with high quality
- Wide range of usage scenarios

Item #	Spec	Pack Qty
DL528006	6Pcs	1/-/12

Caulking Gun



- Aluminum handle
- Double push plate
- With needle
- With rotary function

Item #	Spec	Pack Qty
EDL2350	Size: 9" Length:230mm(9") Thickness: 0.8mm Diameter: 55mm	1/6/36
EDL2360	Size: 9" Length:230mm Thickness:2.2mm Diameter:55mm	1/6/36
EDL2370	Size: 9" Length: 230mm Thickness:1.8mm Diameter:55mm Smooth rod:8.0mm	1/6/36
EDL2370A	Size: 10" Length: 230mm Thickness:1.8mm Diameter:55mm Smooth rod:8.0mm	1/6/36
EDL2380	Size: 15" Length:380mm Diameter:51mm	1/-/24

Glass Sucker



- ABS disc body, sturdy and durable.
- Rubber sucker, robust suction

Item #	Spec	Pack Qty
EDL-XP21	40kg	1/-/40

Glass Sucker



- ABS disc body, sturdy and durable.
- Rubber sucker, robust suction

Item #	Spec	Pack Qty
EDL-XP22	100kg	1/-/20

Glass Sucker



- ABS disc body, sturdy and durable.
- Rubber sucker, robust suction

Item #	Spec	Pack Qty
EDL-XP23	125kg	1/-/10

Mini Glass Sucker



- ABS disc body, sturdy and durable.
- Rubber sucker, robust suction

Item #	Spec	Pack Qty
DL-XP21S	12kg	1/20/200

Tile Cutter



- Maximum cutting length: 600mm
- Maximum cutting thickness: 12mm
- Cutting life: over 700 meters

Item #	Spec	Pack Qty
EDL354060	Size:600mm Net weight:4KG	1/1/4
EDL354080	Size:800mm Net weight:9KG	1/1/2

Tile Cutter Blade



- YG6X blade with sharp cutting edge, wear-resistant
- Cutting life: >700m
- Edge hardness: up to 88HRA

Item #	Spec	Pack Qty
EDL354001	Size:15×6×1.5mm Net weight:0.01KG	1/150/300
EDL354002	Size:22×6×2mm Net weight:0.02KG	1/150/300

Safety Helmet



- PE shell with vents
- Chin strap included
- 8 Point suspension

Item #	Spec	Pack Qty
EDL525021	Cap Band Size:52-64mm	1/-/30

Safety Helmet



- PE shell with vents
- Chin strap included
- 8 Point suspension

Item #	Spec	Pack Qty
EDL525022	Cap Band Size:52-64mm	1/-/30

Safety Helmet



- PE shell with vents
- Chin strap included
- 8 Point suspension

Item #	Spec	Pack Qty
EDL525023	Cap Band Size:52-64mm	1/-/30

Safety Helmet



- PE shell with vents
- Chin strap included
- 8 Point suspension

Item #	Spec	Pack Qty
EDL525024	Cap Band Size:52-64mm	1/-/30

Safety Helmet



- PE shell with vents
- Chin strap included
- 8 Point suspension
- Ratchet Knob

Item #	Spec	Pack Qty
EDL525011	Cap Band Size:52-64mm	1/-/30

Safety Helmet



- PE shell with vents
- Chin strap included
- 8 Point suspension
- Ratchet Knob

Item #	Spec	Pack Qty
EDL525014	Cap Band Size:52-64mm	1/-/30



Safety Boots



- Anti-smashing
- Anti-puncture
- Oil resistant
- Anti-static
- Waterproof

Item #	Spec	Pack Qty
EDA-AQX39AH	Sizes assortment:39	1/1/10
EDA-AQX40AH	Sizes assortment:40	1/1/10
EDA-AQX41AH	Sizes assortment:41	1/1/10
EDA-AQX42AH	Sizes assortment:42	1/1/10
EDA-AQX43AH	Sizes assortment:43	1/1/10
EDA-AQX44AH	Sizes assortment:44	1/1/10
EDA-AQX45AH	Sizes assortment:45	1/1/10
EDA-AQX46AH	Sizes assortment:46	1/1/10

Safety Boots



- Anti-smashing
- Oil resistant
- Anti-static
- Waterproof

Item #	Spec	Pack Qty
EDA-AQX39AH-SB	Sizes assortment:39	1/-/10
EDA-AQX40AH-SB	Sizes assortment:40	1/-/10
EDA-AQX41AH-SB	Sizes assortment:41	1/-/10
EDA-AQX42AH-SB	Sizes assortment:42	1/-/10
EDA-AQX43AH-SB	Sizes assortment:43	1/-/10
EDA-AQX44AH-SB	Sizes assortment:44	1/-/10
EDA-AQX45AH-SB	Sizes assortment:45	1/-/10
EDA-AQX46AH-SB	Sizes assortment:46	1/-/10

Rain Boots



- Steel toe cap to anti-smashing
- High level oil, acid, alkali resistance
- 100% Waterproof

Item #	Spec	Pack Qty
EDA-AQX39RB-SB	Sizes assortment:39	1/-/10
EDA-AQX40RB-SB	Sizes assortment:40	1/-/10
EDA-AQX41RB-SB	Sizes assortment:41	1/-/10
EDA-AQX42RB-SB	Sizes assortment:42	1/-/10
EDA-AQX43RB-SB	Sizes assortment:43	1/-/10
EDA-AQX44RB-SB	Sizes assortment:44	1/-/10
EDA-AQX45RB-SB	Sizes assortment:45	1/-/10
EDA-AQX46RB-SB	Sizes assortment:46	1/-/10

Rain Boots



- High level oil, acid, alkali resistance
- 100% Waterproof
- 100% PVC

Item #	Spec	Pack Qty
EDA-AQX39RB	Sizes assortment:39	1/-/15
EDA-AQX40RB	Sizes assortment:40	1/-/15
EDA-AQX41RB	Sizes assortment:41	1/-/15
EDA-AQX42RB	Sizes assortment:42	1/-/15
EDA-AQX43RB	Sizes assortment:43	1/-/15
EDA-AQX44RB	Sizes assortment:44	1/-/15
EDA-AQX45RB	Sizes assortment:45	1/-/15
EDA-AQX46RB	Sizes assortment:46	1/-/15

Safety Boots



- Anti-smashing
- Anti-slip

Item #	Spec	Pack Qty
EDA-AQX39AK-SB	Sizes assortment:39	1/-/10
EDA-AQX40AK-SB	Sizes assortment:40	1/-/10
EDA-AQX41AK-SB	Sizes assortment:41	1/-/10
EDA-AQX42AK-SB	Sizes assortment:42	1/-/10
EDA-AQX43AK-SB	Sizes assortment:43	1/-/10
EDA-AQX44AK-SB	Sizes assortment:44	1/-/10
EDA-AQX45AK-SB	Sizes assortment:45	1/-/10
EDA-AQX46AK-SB	Sizes assortment:46	1/-/10

Safety Boots



- Anti-smashing
- Anti-puncture
- Anti-slip

Item #	Spec	Pack Qty
EDA-AQX39AK-SIP	Sizes assortment:39	1/-/10
EDA-AQX40AK-SIP	Sizes assortment:40	1/-/10
EDA-AQX41AK-SIP	Sizes assortment:41	1/-/10
EDA-AQX42AK-SIP	Sizes assortment:42	1/-/10
EDA-AQX43AK-SIP	Sizes assortment:43	1/-/10
EDA-AQX44AK-SIP	Sizes assortment:44	1/-/10
EDA-AQX45AK-SIP	Sizes assortment:45	1/-/10
EDA-AQX46AK-SIP	Sizes assortment:46	1/-/10

Rain Suit



- 100% Waterproof
- 100% PVC

Item #	Spec	Pack Qty
EDA-AQX01	Size:L	1/-/15
EDA-AQX02	Size:XL	1/-/15
EDA-AQX03	Size:XXL	1/-/15
EDA-AQX04	Size:XXXL	1/-/15

Safety Goggles



PC

- Integrated encircle type design gives flank position
- The length of temple can be adjusted in 4 different positions
- Temple line can be added for easier and safer use

Item #	Spec	Pack Qty
EDL23901	Size:140x58x55mm	1/20/160

Safety Goggles

500



PC

- Effective defense against splash impact

- Wind and sand protection.

- Large mirror body design,Full-view full-slice structure

- Fit to wearing the corrective glasses,also can be used as visitors glasses

Item #	Spec	Pack Qty
EDL522012	Size:160x45x55mm	1/20/160

Safety Goggles

500



PC

- Use for welding.

- Lightweight, comfortable to wear , wide visual field

- Poly carbonate, high light transmission.

- With fine workmanship, allowing it to effectively block many kinds of spatters

- The supraorbital ridge and protective wing extend the glasses' service life

Item #	Spec	Pack Qty
EDL522901	Size:160x45x55mm	1/20/160

Cotton Gauze Gloves



- Cutton material

- 10 needle process

- Lightweight breathable

- Elastic wrist

- Suitable for house decoration, field work, property cleaning and other places

Item #	Spec	Pack Qty
DL521004	Size:L	1/-/40

PU Coated Gloves



- Use for oil environment (Less oil)worker etc

- Fingertip dip glue, more suitable for fine work

Item #	Spec	Pack Qty
EDL521022	Size:XL	1/-/40

PU Coated Gloves



- Use for oil environment (Less oil)worker etc

- Palm dip glue, more suitable for fine work

Item #	Spec	Pack Qty
EDL521023	Size:XL	1/-/40

Knitted & PVC Dots Gloves



- Use for transporting and cargo handling worker, recycling worker, repairer etc.

- Anti-skid with PVC point palm beads, abrasion-resistant and ventilation

Item #	Spec	Pack Qty
EDL521021L	Size:L	1/-/40
EDL521021XL	Size:XL	1/-/40

Nitrile Gloves



- Use for oil environment (less oil) worker etc.

- High grade polyester shell

- Nitrile coated palm, smooth and rough- texture palm finish.

Item #	Spec	Pack Qty
EDL521031L	Size:L	1/-/40
EDL521031XL	Size:XL	1/-/40

Latex Gloves



- Use for heavy cargo handling worker, slight sharp objects carrier etc.

- Cotton\polyester seamless knitted shell.

- Latex wrinkles, non-slip and abrasion resistant, comfortable to grip.

Item #	Spec	Pack Qty
EDL521033L	Size:L	1/-/40
EDL521033XL	Size:XL	1/-/40

Cut-Resistant Gloves

500



- Use for timber and glass cutting worker, heavy sharp objects carriers etc.

- High grade HPPE shell, cut-resistance and abrasion, antistatic.

- Pu coated palm, flexible and good feeling.

- Blade cut resistance: 5.

Item #	Spec	Pack Qty
EDL521043L	Size:L,1 Pair/Bag	1/12/144
EDL521043XL	Size:XL,1 Pair/Bag	1/12/144

Nitrile Frosted Coated Gloves



- Double nitrile frosted coated

- Polyester glove core, semi-dipped in yellow nitrile + fingertip dipped in black nitrile scrub

-More wear-resistant.

Item #	Spec	Pack Qty
EDL521024	Size:XL	1/-/20

Latex Gloves



- Use for fisheries, wet handling, and other slip- resistant applications.

- Latex embossed finish for enhanced anti- slip and grip performance.

Item #	Spec	Pack Qty
EDL521025	Size:XL	1/-/20
EDL521026	Size:XL	1/-/20

Anti-Noise Earplug



- SRN:34dB

- PU foam:soft and comfortable

- Bullet shape:easy to wear

Item #	Spec	Pack Qty
DL523001	SRN:34dB	1/200/1200

Anti-Noise Earplug



- SRN:34dB
- PU foam:soft and comfortable
- With tie for easy taken
- Bullet shape:easy to wear

Item #	Spec	Pack Qty
DL523002	SRN:34dB	1/200/1200

Anti-Noise Earmuffs



- 4 layers of sound insulation cotton
- Double-layer detachable headband
- Three-level adjustable headband
- 360° rotating earmuffs to suit all face shapes

Item #	Spec	Pack Qty
DL523011	SRN:31dB	1/1/20
DL523012	SRN:31dB	1/1/20

Cable Ties



- Nylon material
- Mechanical spraying
- Reinforcement buckle

Item #	Spec	Pack Qty
EDL506141	WidthxLength:4x200mm	1/-/120
EDL506151	WidthxLength:5x300mm	1/-/80

Flame Gun



- Precise heating, one touch is ready
- It is resistant to fire and not blocked, and is safe and worry-free

Item #	Spec	Pack Qty
EDL-PHQ01	Consumption rate:150g/h Max Temp:1300°C With gas valve Connection type:bayonet type Igniting method: automatic piezoelectricity Ignite Lightweight plastic body, just cost 2 secs to replace gas cylinder Suitable for household, restaurants and multiple uses Gas cylinder is not include	1/10/100

Flame Gun



- Precise heating, one touch is ready
- It is resistant to fire and not blocked, and is safe and worry-free

Item #	Spec	Pack Qty
EDL-PHQ02	Consumption rate:150g/h Max Temp:1300°C With gas valve and flame adjustment knob Connection type:bayonet type Igniting method: automatic piezoelectricity Ignite Lightweight plastic body, just cost 2 secs to replace gas cylinder Suitable for household, restaurants and multiple uses Gas cylinder is not include	1/10/100

Folding Hammer



- Multi-scenario usage
- High-strength one-piece formed hammer head,High hardness and durable
- Ergonomically designed handle,delicate grip,convenient and easy to use
- Compact, convenient and easy to carry
- It comes with a safety lock function, ensuring safety

Item #	Spec	Pack Qty
EDL555301	9 in 1	1/12/48

Pocket Knife



- Multi-scenario usage
- Compact, convenient and easy to carry

Item #	Spec	Pack Qty
EDL555401	165mm	1/10/80
EDL555402	165mm	1/10/80

Foldable Multi-Tool Plier



- Multi-function Knife with 12 Function
- Anodized aluminium handle

Item #	Spec	Pack Qty
EDL555101	12 in 1	1/12/72
EDL555102	15 in 1	1/12/48
EDL555201	13 in 1	1/12/48

Household Ladder



- Maximum standing height: 460mm
- Wide anti-slip pedal: 360°*270mm
- Maximum load: 150kg
- Forward leaning radian design
- Non-slip foot cover

Item #	Spec	Pack Qty
EDL509012	2 steps 440mm	1/-/4
EDL509013	3 steps 470mm	1/-/4

Steel Shovel



- Multi-functional design
- Compact tri-fold design for easy storage and portability

Item #	Spec	Pack Qty
DL554001	Length: 150mm	1/1/24

Steel Shovel



- Designed with modular components for versatile use
- Fabric pouch for easy storage and portability

Item #	Spec	Pack Qty
DL554002	Length: 740mm	1/1/12



PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Laser Pointer



- Charging Mode: Type-C
- Class 3B laser
- Green Light
- Anti-static
- Watertight

Item #	Spec	Pack Qty
EDL552002	532nm/25mW-50mW	1/12/48

Flashlight



- 100lm brightness, high brightness, far illumination range
- Total battery capacity: 500mah, 90min strong light, super battery life
- Telescopic zoom for both far and near use
- Type-c charging hole, convenient charging
- Five modes: strong light, medium light, weak light, strobe, SOS, multiple modes applicable to different scenarios

Item #	Spec	Pack Qty
EDL551011	100lm	1/20/120

Flashlight



- Operating Time: 2h
- 2 hours of endurance
- Product features: aluminum alloy material, anti-knock and impact-resistant
- Anti-static
- Watertight

Item #	Spec	Pack Qty
EDL551002	100lm	1/20/80

Headlamp



- Easy switch of strong light\flash mode, applicable to various usage scenarios
- AAA dry battery, convenient and durable
- Easy operation, high cost-effectiveness
- Comfortable elastic headband, easy to adjust, convenient to carry

Item #	Spec	Pack Qty
EDL551401	45lm	1/24/96

LED highlight lighting

The product adopts LED high-brightness wick, and the luminous flux can reach 100lm

LED



LED bright lighting, no fear of the dark

100lm



High brightness, constant brightness

deli home.



Mini Grinder



- 6-gear speed adjustment, suitable for various working conditions
- Meet various applications such as polishing, cutting, grinding and drilling
- External carbon brushes for convenient replacement
- Non-slip encapsulated handle for comfortable grip

Item #	Spec	Pack Qty
EDL-DM03-EI	Rated Voltage:220-240V~50/60Hz Rated Power:130W No-load Speed:10000-32000/min Chuck Capacity:φ3.2mm 6-Gear Variable Speed Control With 41pcs Accessories Packed by Color Box	1/-/8

Lithium-Ion Cordless Screwdriver



- Compact size, easy storage
- Led work light for convenient use in a dark environment
- Magnetic chuck to prevent bit loose
- Type-c USB interface for easy charge
- High-quality rubber-coated griper for comfortable grip
- Forward and reverse rotation design for convenient screw driving
- 1/4"(6.4mm) hexagon spindle, suitable for most bits

Item #	Spec	Pack Qty
EDL-DP04-E2BI	Rated Voltage:3.6V No-load Speed:200/min Max torque:3Nm Chuck Capacity:1/4" Battery:1.5Ah With 10pcs Cr-V Drill Bit With 1pcs 50mm Magnetic Extension Rods With 1pcs 80cm Charging Cord Packed by color box	1:PCS 20:CAR

Lithium-ion Cordless Screwdriver



- Pure copper motor
- Strong power
- Long endurance
- Slim body

Item #	Spec	Pack Qty
EDC160	Rated Voltage:4V No-load Speed:300/min Max torque:5N.m Charging voltage/current:5V/2A Battery capacity:2000mAh With 4pcs 25mm screwdriver With 1pcs 60mm extension rod Packed by color box	1:PCS 20:CAR

Lithium-ion Cordless Screwdriver



- Pure copper motor
- Strong power
- Long endurance
- Slim body
- A variety of precision batches are available

Item #	Spec	Pack Qty
EDC161	Rated Voltage:4V No-load Speed:300/min Max torque:5N.m Charging voltage/current:5V/2A Battery capacity:2000mAh With 24pcs 25mm screwdriver With 1pcs 50mm screwdriver With 1pcs 60mm extension rod Packed by plastic box	1:PCS 20:CAR

Electric Precision Screwdriver Set



- High value
- Furniture appearance style design, with storage tool box
- Comfortable to use
- Fine and compact, marker pen shape design, more comfortable to hold
- Complete configuration of accessories
- Precision batch head attachments, in line with the furniture maintenance scenarios, comfortably cope with multiple complex situations"

Item #	Spec	Pack Qty
EDY-DP04-1BI	Rated Voltage:3.7V No-load Speed:200/min Max torque:3Nm Battery:260mAh With 25pcs Cr-V Drill Bit With 1pcs Storage box (with magnetizing/demagnetizing function) With 1pcs TYPE-C cable Packed by plastic box	1:PCS 20:CAR

4V Cordless Form Cutter



- This Foam Cutter cuts, shapes and shaves a variety of foam
- The Hot Wire Tip is ideal for carving, slicing, shaping your foam. Some great places to use this tip will be on upholstery foam when up-cycling furniture or shaping Styrofoam for a DIY project. *The Precision Engraving Tip adds texture or detail to your designs.
- The Holing Tip is ideal for cutting out different shapes or hole digging into Styrofoam.

Item #	Spec	Pack Qty
EDY811	Rated Voltage:4V Battery Capacity:18650/2000mAh Temperature:600°C With 1 pcs hot wire tip With 1 pcs precision engraving tip With 1 pcs holing tip With 1 pcs stand With 1 pcs USB C cable (0.5m) Packed by color box	1:PCS 10:CAR

4V Cordless Welding Kit



- This versatility allows for precise repairs on a wide range of plastic products, including bumpers, dashboards, light sockets, radiators, spoilers, handles, headlights, plastic wings, and more.

Item #	Spec	Pack Qty
EDY812	Rated Voltage:4V Battery Capacity:18650/2000mAh Temperature:600°C Accessories:4x50Nails Packed by color box	1:PCS 20:CAR

18V Mini Grinder Kits



- 5-gear speed adjustment, suitable for various working conditions
- Meet various applications such as polishing, cutting, grinding and drilling
- Non-slip encapsulated handle for comfortable grip

Item #	Spec	Pack Qty
EDY866	Rated Voltage:18V No-load Speed:5000-22000/min Chuck Capacity:Max φ3.2mm Accessories:51pcs Packed by color box	1:PCS 10:CAR



DIY TOOL

4V Cordless Power Carver



-Ideal for carving on all types of wood and furniture restoration
-This product features an LED indicator to signal when the battery is charged (green) or has low battery (red) while in-use.

Item #	Spec	Pack Qty
EDY867	Rated Voltage:4V No-load Speed:14000/min Battery Capacity:18650/2000mAh Accessories:With 1 pcs straight chisel blade (Ideal for detailed carving and furniture resto- ration) With 1 pcs U-Gouge blade (Allows users to clear large amounts of wood while carving) With 1 pcs V-Gouge blade (Best for relief carving) With 1 pcs spanner With 1 pcs USB C cable (0.5m) Packed by color box	1:PCS 20:CAR

4V Cordless Water Sprayer



-Automatic water. Free your hands.
-Type-C universal charging cable is safe and convenient
-Fine atomization, large water output

Item #	Spec	Pack Qty
EDY890	Rated Voltage:4V Battery Capacity:18650/1200mAh Working pressure:>45PSI Flow rate:300-460ml/min Tank Capacity:0.55L Packed by color box	1:PCS 10:CAR

Mini Heat Gun



-Pencil-like design and light weight make the hot air gun fit comfortably in your hand. And the mini heat gun is especially ideal for getting into hard-to-reach places and concentrating high heat on the tight area. Retractable bracket lets this heat shrink gun stand on the table stably and use it hands-free.
-Wide use and perfect for DIY projects. This mini heat gun can be used for shrink wrapping, soldering, paint removing, air bubble removing, candle making, electronics repairing, watercolor drying, defrosting and so on. If you like DIY, it is a great tool for you to make your own handmade work.

Item #	Spec	Pack Qty
EDY092	Rated Voltage:220-240V~50/60Hz No-load Speed:350W Temperature:1230°C 11:400°C Packed by color box Accessories: With 2 pcs nozzle	1:PCS 20:CAR

4V Mini Grinder Kits



- 5-gear speed adjustment, suitable for various working conditions
- Meet various applications such as polishing, cutting, grinding and drilling
- Non-slip encapsulated handle for comfortable grip

Item #	Spec	Pack Qty
EDY862	Rated Voltage:4V No-load Speed:5000-25000/min Speed Level:5Level Battery Capacity:18650/2000mAh Chuck Capacity:Max φ3.2mm Accessories:101pcs Packed by color box	1:PCS 20:CAR

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

Mini Heat Gun



- Pencil-like design and light weight make the hot air gun fit comfortably in your hand. And the mini heat gun is especially ideal for getting into hard-to-reach places and concentrating high heat on the tight area. Retractable bracket lets this heat shrink gun stand on the table stably and use it hands-free.

- Wide use and perfect for DIY projects. This mini heat gun can be used for shrink wrapping, soldering, paint removing, air bubble removing, candle making, electronics repairing, watercolor drying, defrosting and so on. If you like DIY, it is a great tool for you to make your own handmade work.

Item #	Spec	Pack Qty
EDY092	Rated Voltage:220-240V~50/60Hz Rated Power:350W Temperature:1:230°C 11:400°C Accessories: With 2 pcs Nozzle Packed by Color Box	1/-/20

Home° Combination Pliers



- Cr-v material
- Eccentric and labor-saving structure
- High-frequency quenching cutting edge

Item #	Spec	Pack Qty
EHT2007	Size: 7"	1/6/60
EHT2007L	Size: 7"	1/6/60

Home° Long Nose Pliers



- Cr-v material
- Eccentric and labor-saving structure
- High-frequency quenching cutting edge

Item #	Spec	Pack Qty
EHT2106	Size: 6"	1/6/72
EHT2106L	Size: 6"	1/6/72

Home° Screwdriver



- Cr-v material
- Magnetic cape
- Tail logo
- Elastic handle

Item #	Spec	Pack Qty
EHT1103	SL3x75mm	1/12/480
EHT1105	SL5x100mm	1/12/240
EHT1106	SL6x150mm	1/12/120
EHT1203	PH0x75mm	1/12/480
EHT1205	PH1x100mm	1/12/240
EHT1206	PH2x150mm	1/12/120

Home° Screwdriver



- Cr-v material
- Magnetic cape
- Tail logo
- Elastic handle

Item #	Spec	Pack Qty
EHT1055	2 in 1, 5mm/PH1x100mm	1/12/120
EHT1002	2 pcs set: 5x100,PH1x100	1/12/96
EHT1006	6 pcs set	1/12/48

10Pcs Impact Driver Set

S2



- Materia: Cr-V
- Heat treatment and Nickel plated
- Bits are magnetically charged for strong and long-lasting magnetic attraction.
- Precision-machined tip, effectively prevents slipping.

Item #	Spec	Pack Qty
EDL241010J	10 pcs SL1.5, SL2.0 PH00, PH0, PH1 H2.5 T6H, T8H P0.8	1/24/144

25 Pcs Household Precision Screwdriver Set

S2



- Aluminum alloy shank with rotating design
- Press and pull-out design, convenient and flexible in use
- Aluminum alloy shell, high-precision molding process, rounded arc edge for comfortable grip
- Sandblasted surface with anodized treatment, anti-sweat and anti-corrosion

Item #	Spec	Pack Qty
EDL3525	25 pcs SL1.0, SL1.5, SL2.0, SL3.0 PH000, PH00, PH0, PH1 T6H, T8H, T9H, T10H, T15H T3, T4, T5 H1.5, H2.0 U2.6 Y0.8, Y2.5 Triangle 2 P0.8, P1.2 1pcs Aluminum Alloy Handle Packed by plastic box	1/24/96

25 Pcs Household Precision Screwdriver Set



S2



- S2+Cr-V double material combination, the hardness and torque are strongly improved
- Aluminum alloy screw cap handle, continuous operation with one hand
- The batch head is magnetically absorbed, and it will not fall upside down
- The rotary rod has built-in strong magnetism, which makes the bit stable and not easy to shake.

Item #	Spec	Pack Qty
EDL241025	25 pcs SL1.0, SL1.5, SL2.0, SL3.0 PH000, PH00, PH0, PH1 T6H, T8H, T9H, T10H, T15H T3, T4, T5 H1.5, H2.0 U2.6 Y0.8, Y2.5 Triangle 2 P0.8, P1.2 1pcs Aluminum Alloy Handle Packed by plastic box	1/24/96

33Pcs Impact Driver Set

500

S2

- Material: S2, Cr-V

- Heat treatment and Nickel plated

- Bits are magnetically charged for strong and long-lasting magnetic attraction.

- Precision-machined tip, effectively prevents slipping.

Item #	Spec	Pack Qty
EDL24I033	33 pcs PH000, PH00, PH0, PH1, PH2 SL0.8, 1.0, 1.5, 2.0, 3.0 T3, T4, T5 T6H, T7H, T8H, T9H, T10H, T15H H1.5, H2.0, H2.5, H3.0 Y0.8, Y1.5, Y2.0, Y3.0, Y4.0 U2.6 TRIANGLE 2.3 P0.8, P1.2 Packed by color box	1/1/12/120

Suitable for repairing multiple products

Repairing remote controls

Repairing models

Repairing glasses

Repairing pad

41 Pcs Household Precision Screwdriver Set

500

S2

- S2+Cr-V double material combination, the hardness and torque are strongly improved

- Aluminum alloy screw cap handle, continuous operation with one hand

- The batch head is magnetically absorbed, and it will not fall upside down

- The rotary rod has built-in strong magnetism, which makes the bit stable and not easy to shake.

Item #	Spec	Pack Qty
EDL24I041	41 pcs SL1.0,SL1.5,SL2.0,SL2.5,SL3.0,SL3.5,SL4.0 PH000,PH00,PH0,PH1,PH2x2 T6H,T7H,T8H,T9H,T10H,T15H T2,T3,T4,T5 H0.9,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0 Y1.5,Y2.0,/Y3.0 U2.6 Triangle 2.3, 3.0 P0.8, 1.2 Cylinder 0.8 1pcs Aluminum Alloy Handle	1/6/48

57 Pcs Household Precision Screwdriver Set

500

S2

- S2+Cr-V double material combination, the hardness and torque are strongly improved

- Aluminum alloy screw cap handle, continuous operation with one hand

- The batch head is magnetically absorbed, and it will not fall upside down

- The rotary rod has built-in strong magnetism, which makes the bit stable and not easy to shake.

Item #	Spec	Pack Qty
EDL24I057	SL1.0,SL1.5,SL2.0,SL2.5,SL3.0,SL3.5,SL4.0 PH000,PH00,PH0,PH1x2,PH2 T6H,T7H,T8H,T9H,T10H,T15H,T20 T1,T2,T3,T4,T5 H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0 Y0.8,Y1.5,Y2.0,Y2.5,Y3.0 U2.6,U3.0 TRI 2.0,2.3,3.0 P0.8 P1.2 1 pcs cylinder 0.8 1pcs ten letter version(0.8) 1pcs square(R1,R2) 3pcs rice word(PZ0,PZ1,PZ2) 1pcs Aluminum Alloy Handle	1/6/36

home series Ball Pein Hammer

- For home use

- Soft handle

- Good appearece

Item #	Spec	Pack Qty
EHT7008	Size:8oz(0.25kg)	1/6/36
EHT7008C	Size:8oz(0.25kg)	1/1/6/36
EHT7008L	Size:8oz(0.25kg)	1/6/36

home series Cutter

- Blade automatic rebound + self-locking dual function, rebound and self-locking can be switched freely

- Small and portable, convenient to travel with

- The product is suitable for express unpacking, cutting paper

Item #	Spec	Pack Qty
EHT4007	SK5 ABS	1/24/288

home series Cutter

SK2

- T-shaped blade

- SK2 blackened blade

- Telescopic structure

- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4008	SK2,T type blade	1/10/120

home series Cutter

SK2

- T-shaped blade

- SK2 blackened blade

- Telescopic structure

- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4008L	SK2,T type blade	1/24/120

home series Cutter

SK2

- 9mm blade

- SK2 blackened blade

- Telescopic structure

- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4009	SK2,9mm	1/10/240

home series Cutter

SK2

- 9mm blade

- SK2 blackened blade

- Telescopic structure

- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4009L	SK2,9mm	1/10/240

home series Cutter



SK2

- 18mm blade
- SK2 blackened blade
- Telescopic structure
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4018	SK2,18mm	1/10/120

home series Cutter



SK2

- 18mm blade
- SK2 blackened blade
- Telescopic structure
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4018L	SK2,18mm	1/10/120

home series Utility Knife Sets 3Pcs



SK2

- Push button self-locking
- SK2 blackened blade
- Removable knife at the tail
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4003	3pcs: 9mm, 18mm, T type	1/12/96

home series Utility Knife Sets



SK2

- Push button self-locking
- SK2 blackened blade
- Removable knife at the tail
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4003C	3pcs: 9mm, 18mm, T type	1/12/96

home series Utility Knife Sets



SK2

- Push button self-locking
- SK2 blackened blade
- Removable knife at the tail
- ABS engineering plastics

Item #	Spec	Pack Qty
EHT4003L	3pcs: 9mm, 18mm, T type	1/12/96

Safe opening



2CM
Maximum
extension length

Automatic
rebound

Pushing
slide block

Steel Tape Measure



ABS
Material

- Ruler claw design, zero point correction
- Clear printing, wear- resisting and scratch- proof
- Fashion modeling, beautiful color matching

Item #	Spec	Pack Qty
H8003A	3m*16mm	1/1/12/180
H8005A	5m*19mm	1/1/12/120

Steel Tape Measure



ABS
Material

- Ruler claw design, zero point correction
- Clear printing, wear- resisting and scratch- proof
- Fashion modeling, beautiful color matching

Item #	Spec	Pack Qty
H8003B	3m*16mm	1/1/12/180
H8005B	5m*19mm	1/1/12/120

Steel Tape Measure



ABS
Material

- High-contrast black tri-color scale printing
- Minimalist design
- Non-slip rubber back pad

Item #	Spec	Pack Qty
EHT8316Y	3m/10ft*16mm Color: Black	1/1/12/180
EHT8519Y	5m/16ft*19mm Color: Black	1/1/12/120
EHT8316CY	3m/10ft*16mm Color: Orange	1/1/12/180
EHT8519CY	5m/16ft*19mm Color: Orange	1/1/12/120
EHT8316LY	3m/10ft*16mm Color: Green	1/1/12/180
EHT8519LY	5m/16ft*19mm Color: Green	1/1/12/120

Steel Tape Measure



ABS
Material

- High-contrast black tri-color scale printing
- Minimalist design
- Non-slip rubber back pad

Item #	Spec	Pack Qty
EHT8316	3m*16mm Color: Black	1/1/12/120
EHT8519	5m*19mm Color: Black	1/1/6/60
HT8316C	3m*16mm Color: Orange	1/1/12/180
HT8519C	5m*19mm Color: Orange	1/1/12/120
HT8316L	3m*16mm Color: Green	1/1/12/180
HT8519L	5m*19mm Color: Green	1/1/12/120

Steel Tape Measure



ABS
Material

- Minimal design,30% smaller shell

- New self- locking structure, no brakeband,no brakewearband,more stable brake

Item #	Spec	Pack Qty
H8103	3m*19mm	1/1/12/180
H8105	5m*19mm	1/1/12/120
H8125	5m*25mm	1/1/12/120
H8175	75m*25mm	1/1/6/60

Steel Tape Measure



ABS
Material

- Minimal design,30% smaller shell

- New self- locking structure, no brakeband,no brakewearband,more stable brake

Item #	Spec	Pack Qty
H8103A	3m*19mm	1/1/12/180
H8105A	5m*19mm	1/1/12/120

Hot Melt Glue Gun



- PTC heating for stable glue flow

- Eco-friendly shell, RoHS certified

- Glue stop valve prevents overflow

- 3C-certified power cord for safety

Item #	Spec	Pack Qty
EDL390021	Input power:20W (Blue)	1/12/48
EDL390022	Input power:20W (Pink)	1/12/48

8in. Adjustable Wrench



- Jaw capacity: 0-28mm

- Carbon steel material

- The nut opening is smooth

- Laser scale

- Rubberized handle

Item #	Spec	Pack Qty
EHT1508	Color: Black	1/6/60
HT1508C	Color: Orange	1/6/60
HT1508L	Color: Green	1/6/60

6PC. Home Series Tool Set



- Carbon steel material

- High-frequency quenching cutting edge

- Dual material handle

Includes:

(1) 6" long nose plier

(1) 3m tape measure

(1) Installation hammer

(1) Screwdriver SL5*100mm

(1) Screwdriver PH1*100mm

(1) 18mm utility knife

Item #	Spec	Pack Qty
EHT0006	Color: Black	1/-/8
EHT0006L	Color: Orange	1/1/8
HT0006C	Color: Green	1/1/8

8PC. Home Series Tool Set



- Carbon steel material

- High-frequency quenching cutting edge

- Dual material handle

Includes:

(1) 6in. long nose pliers

(1) Dual head screwdriver SL5/PH1*100mm

(1) 8in. adjustable wrench

(1) 3M*16mm tape measure

(1) 18mm utility knife

(1) 80Z installation hammer

(1) PTFE tape 01mm*12mm*15m

(1) Electrical insulation tape 013mm*18mm*10m

Item #	Spec	Pack Qty
EHT0008	Color: Black	1/1/8
HT0008C	Color: Orange	1/1/8
EHT0008L	Color: Green	1/1/8

Storage Box



- Layered design

- Patented boutique

- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-A	L*W*H:305*205*6mm	1/1/8

Parts Box



- Layered design

- Patented boutique

- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-B	L*W*H:305*205*6mm	1/1/8

6-Piece DIY Tool Set



- Layered design

- Patented boutique

- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-C	(1) 20W Hot melt glue gun (1) 7mm glue stick (1) 180mm Scissors (1) Steel ruler (1) Tweezers (1) 9mm utility knife	1/1/8

7-Piece Common Tool Set



- Layered design

- Patented boutique

- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-D	(1) 7" combination plier (2) Slotted screwdriver SL3*75mm,SL5*100mm (2) Phillips screwdriver PH0*75mm,PH1*100mm (1) 18mm utility knife (1) 3m*16mm tape measure	1/1/8



DIY TOOL

34-piece installation tool set



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-E	(1) 6in. long nose plier (1) 8in adjustable wrench (1) Claw hammer 0.3KG (1) PTFE tape (1) Parts assortment pack (8) Hex key (1) Bit holder handle (20) Screwdriver bits	1/1/8

13 pieces lithium battery tool set



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-F	(1) 7.2V Lithium drill (1) Extension bar (2) Twist drills 4/6mm (8) Screwdriver bits (1) Screws set	1/1/8

Stackable Tool Set



- Layered design
- Patented boutique
- Stackable magnetic suction design

Item #	Spec	Pack Qty
H1001-ADE	Include:ADE	1/1/4
H1001-DEF	Include:DEF	1/1/4
H1001-ADEF	Include:ADEF	1/1/4
H1001-ABCDEF	Include:ABCDEF	1/1/1

deli

GARDEN SERIES TOOLS



500



- Max cutting diameter of the 8 - inch model can reach 200mm,
- With a high chain speed of 6,37m/s, even thick pieces of wood can be sawed through quickly,

Item #	Spec	Pack Qty
EDGI05	Brushless Motor Rated Voltage:20V Guide Plate Specification:8"(20cm) No Load Speed:4300rpm Chain Speed:6.37m/s With 1pcs Screw screwdriver With 1pcs Handle With 1pcs 4Ah Battery With 1pcs Charger Packed by Color Box	1/-/6

500



- Powerful battery for fast charging: This cordless weed machine comes with a 20V battery, which is more powerful than a 12V battery pack, The 0Ah battery pack can be fully charged in just 1 hour, Enjoy up to 30 minutes of continuous running time, perfect for efficiently completing all your yard work,
- Adjustable handle and head: The weed trimmer comes with an adjustable cutting head and 180° adjustable auxiliary handle, allowing you to easily trim edges in tight Spaces and rough terrain, Customize angles for comfortable and precise trim and edges
- Lightweight and ergonomic design: This battery-powered weed whacker weighs just 32 pounds and is designed to be easy to use and carry around, The battery-powered weeder's ergonomic design and lightweight construction reduce fatigue and make yard maintenance a breeze,

Item #	Spec	Pack Qty
EDG305-1	Rated Voltage:20V No-load Speed:8000rpm Cutting Circle:260mm Max.Operating Time:Approx 30 min Battery:2Ah*1 Charge Volts:220-240V~50/60Hz With 1pcs Guard With 1pcs Handle Packed by Color Box	1/-/1

500



- Multifunctional 2-in-1: This 20V handheld hedge trimmer uses a high-power motor to ensure optimal cutting performance, Its 2-in-1 design allows easy switching between grass clippers and hedge machines, Long hedge shears have a width of 36 inches (about 6.9 cm) and are suitable for cutting thin branches in hedges and shrubs, The wide grass trimmer is 13 inches (about 10.4 cm) wide and is suitable for small lawns, trimming and removing weeds
- Long battery life and fast charging: The hedge trimmer comes with 2 removable and rechargeable 0Ah lithium batteries that extend the life of the electric hedge trimmer, giving you plenty of time to complete your gardening tasks, In addition, it includes an efficient charger that is able to fully charge in 2 hours, providing about 3-4 hours of working time
- Double Security protection: Double protection to ensure your safety while completing gardening tasks, Our electric trimmers are equipped with safety locks and battery protection to prevent accidental injury during use
- Easy to use: The mower is lightweight and easy to use, The blade release button allows for quick and easy blade replacement, The handle is ergonomically designed to reduce stress on the shoulders and back during use, The safety button is located at the top of the handle and can be operated with one hand, suitable for people with fewer small hands, such as women and the elderly,

Item #	Spec	Pack Qty
EDG621-1	Rated Voltage:20V No-load Speed:1200rpm Cutting Width Grass Shears:100mm Cutting Length Shrub Shears :200mm Cutting Thickness Shrub Shears :8mm Battery:2Ah*1 Charge Volts:220-240V~50/60Hz With 1pcs Grass Cutter Blade With 1pcs Hedge Cutter Blade With 2pcs Knife Pouch Packed by Color Box	1/-/6

500



- Powerful motor and axial fan technology: Equipped with a high-performance motor and advanced axial fan technology, it delivers an impressive 400 CFM turbocharged airflow with a maximum speed of 120 MPH,
- Long battery life: Powered by a 20V 0Ah battery, it can run for up to 25 minutes on a full charge, This battery has a longer operating time compared to 0Ah batteries, making it ideal for a wider range of yard work without the need for frequent charging,

Item #	Spec	Pack Qty
EDG012-1	Rated Voltage:20V Max Air Speed:120mph Battery:4Ah*1 Charge Volts:100-240V~50/60Hz With 1pcs Blower Tube Packed by Color Box	1/-/4

500



- Powerful performance: the power of the motor is up to 1600 W at 740m/min high speed, Our motor can produce a lot of power so you can do your job quickly and well, The product is easy to use with its low weight , The ergonomic handle design can reduce muscle fatigue
- Automatic oil spraying: This product uses the automatic oil spray method, it can automatically lubricate the chain and guide plate to reduce their friction, allowing a better and smoother cut, The fuel filler neck with cover can ensure that the fuel filler neck is better sealed and no oil leaks,
- Safety: As it is equipped with a brake function and a protective cover for the guide plate, the electric chainsaw is safe and reduces injuries during operation,
- Easy to use: with the D-shaped handle and switch control design, it is comfortable to grip and easy to control, As the electric chainsaw is designed with high performance and plug-in model, it offers high work efficiency and easy operation,

Item #	Spec	Pack Qty
EDGI93	Rated Voltage:220-240V~50/60Hz Rated Power:1600W No Load Speed:6500rpm Maximum Cutting Length:395mm Guide Plate Specification:405mm Tank Capacity:220ml 1 pcs Sleeve 1 pcs Guide Plate 1 pcs Chain 1 pcs Bumper Spike 1 pcs Carbon Brush Packed by Color Box	1/-/4

500



- Brushless motors offer greater torque, quieter operation and longer service life,
- Multifunctional:The battery-powered mower features a 5-speed height adjustment for optimal cutting results in all environments,
- Maintenance-free:This walking mower is virtually maintenance-free, free of gas, oil and emissions, it starts immediately, is quiet, but provides gas-like power for your toughest projects,

Item #	Spec	Pack Qty
EDG500-1	Brushless Motor Rated Voltage:20V No-load Speed:4500rpm Cutting Diameter:330mm Grass Bag Capacity:35L Cloth & Plastic Wheel Diameter:150mm Height Mode(5 Gear):25-65mm Battery:4Ah*1 Charge Volts:220-240V~50/60Hz Packed by Color Box	1/-/1

500



- Two-stroke -1.7KW engine, strong power
- Precision tuning, economical and fuel-saving
- Optimized air duct, less susceptible to flameout
- Right angle alloy chain for easy sawing

Item #	Spec	Pack Qty
EDE-LJ16-1	Power:1.7kw Displacement:45cc High Speed:11000±1000r/min Idle Speed:3200±800r/min Guide Plate Specification:16 inches (400mm) Maximum Cutting Length:400mm Fuel Grade:Gasoline + 2T Engine Oil Fuel Mixing Ratio (Gasoline:Engine Oil): 25:1 Engine Cylinder Size: φ43x31mm Tank Volume for Automatic Chain Lubrica-tion:260ml Fuel Tank Volume:550ml With 1 pcs Guide Plate and 1 pcs Chain Packed by Color Box	1/-/4

Gasoline Chain Saw

500



- Two-stroke -2.3KW engine, strong power

- Precision tuning, economical and fuel-saving

- Optimized air duct, less susceptible to flameout

- Right angle alloy chain for easy sawing

Item #	Spec	Pack Qty
EDE-LJ18-1	Power:2.3kw Displacement:45cc High Speed:11000±1000/min Idle Speed:3200±800r/min Guide Plate Specification:18 inches (445mm) Maximum Cutting Length:445mm Fuel Grade:Gasoline + 2T Engine Oil Fuel Mixing Ratio (Gasoline:Engine Oil): 25:1 Engine Cylinder Size: φ43x31mm Tank Volume for Automatic Chain Lubrica-tion:260ml Fuel Tank Volume:550ml With 1 pcs Guide Plate and 1 pcs Chain Packed by Color Box	1/-/4

Gasoline Chain Saw





- Two-stroke -3.3KW engine, strong power

- Precision tuning, economical and fuel-saving

- Optimized air duct, less susceptible to flameout

- Right angle alloy chain for easy sawing

Item #	Spec	Pack Qty
EDE-LJ20-1	Power:3.3kw Displacement:58cc High Speed:11000±1000/min Idle Speed:3200±800r/min Guide Plate Specification:20 inches (500mm) Maximum Cutting Length:500mm Fuel Grade:Gasoline + 2T Engine Oil Fuel Mixing Ratio (Gasoline:Engine Oil):25:1 Engine Cylinder Size: φ45.2x34mm Tank Volume for Automatic Chain Lubrica-tion:260ml Fuel Tank Volume:550ml With 1 pcs Guide Plate and 1 pcs Chain Packed by Color Box	1/-/4

Backpack Brush Cutter

500



- Two-stroke engine, upgraded power less susceptible to cylinder scoring, rotating speed 9500rpm

- Easy to start

- Diaphragm carburetor for stable work

- Durable, responding to different environments

Item #	Spec	Pack Qty
EDG372	Power:0.8kw 2 Stroke Displacement:30.5cc High Speed:9000±500/min Idle Speed:3000±500r/min Fuel Tank Capacity: 1200ml Fuel Grade: Gasoline+2T Engine Oil Fuel Mixing Ratio (gasoline : engine oil):25:1 With 1 pcs 2-teeth 12" blade With 1 pcs 1 pcs Tool Kit With 1 pcs Fuel Mixing bottle Packed by Color Box	1/-/1

Gasoline Grass Trimmer

500



- Two-stroke engine, upgraded power less susceptible to cylinder scoring, rotating speed 9500rpm

- Easy to start

- Diaphragm carburetor for stable work

- Equipped with trimmer head and 3T blade, durable, responding to different environments

Item #	Spec	Pack Qty
EDE-GT255-3	Power:1.0kw 2 Stroke Displacement:32.6cc High Speed:9000±500/min Idle Speed:3200±800/min Trimmer Head Size:2.4mm*4m Fuel Tank Capacity:1000ml Fuel Grade:Gasoline+2T Engine oil Fuel Mixing Ratio (Gasoline:Engine Oil):25:1 With Line Spool and Bush Cutter Blade Packed by Color Box	1/-/1

Gasoline Chain Saw

500



- Two-stroke -3.3KW engine, strong power

- Precision tuning, economical and fuel-saving

- Optimized air duct, less susceptible to flameout

- Right angle alloy chain for easy sawing

Item #	Spec	Pack Qty
EDG080	Power:3.3kw Displacement:58cc High Speed:11000±1000/min Idle Speed:3200±800/min Guide Plate Specification:22 inches (550mm) Maximum Cutting Length:550mm Fuel Grade:Gasoline + 2T Engine Oil Fuel Mixing Ratio (Gasoline:Engine Oil):25:1 Engine Cylinder Size: φ45.2x34mm Tank Volume for Automatic Chain Lubrica-tion:260ml Fuel Tank Volume:550ml With 1 pcs Guide Plate and 1 pcs Chain Packed by Color Box	1/-/4

Gasoline Grass Trimmer

500



- Two-stroke engine, upgraded power less susceptible to cylinder scoring, rotating speed 9500rpm

- Easy to start

- Diaphragm carburetor for stable work

- Equipped with trimmer head and 3T blade, durable, responding to different environments

Item #	Spec	Pack Qty
EDE-GT255-1	Power:0.8kw 2 Stroke Displacement:25.4cc High Speed:9000±500/min Idle Speed:3200±800r/min Trimmer Head Size:2.4mm*3m Fuel Tank Capacity: 700ml Fuel Grade: Gasoline+2T Engine Oil Fuel Mixing Ratio (gasoline : engine oil):25:1 With Line Spool and Bush cutter Blade Packed by Color Box	1/-/1

Gasoline Grass Trimmer

500



- Two-stroke engine, upgraded power less susceptible to cylinder scoring, rotating speed 9500rpm

- Easy to start

- Diaphragm carburetor for stable work

- Equipped with trimmer head and 3T blade, durable, responding to different environments

Item #	Spec	Pack Qty
EDE-GT255-5	Power:1.25kw 2 Stroke Displacement:42.7cc High Speed:9500/min Idle Speed:3200±800r/min Trimmer Head Size:2.4mm*4m Fuel Tank Capacity:1200ml Fuel Grade: Gasoline+2T Engine Oil Fuel Mixing Ratio (Gasoline:Engine Oil):25:1 With Line Spool and Bush Cutter Blade Packed by Color Box	1/-/1

Gasoline Grass Trimmer

500



- Two-stroke engine, upgraded power less susceptible to cylinder scoring, rotating speed 9500rpm

- Easy to start

- Diaphragm carburetor for stable work

- Equipped with trimmer head and 3T blade, durable, responding to different environments


Item #	Spec	Pack Qty
EDE-GT255-7	Power:2.2kw 2 Stroke Displacement:52cc High Speed:9500/min Idle Speed:3200±800r/min Trimmer Head Size:2.4mm*4m Fuel Tank Capacity:1250ml Fuel Grade:Gasoline+2T Engine Oil Fuel Mixing Ratio (Gasoline:Engine Oil):25:1 With Line Spool and Bush Cutter Blade Packed by Color Box	1/-/1

363

364

Sprout Series

- Cultivated by Nature
- Designed for Growth



Sprout SeriesCultivated by Nature, Designed for Growth

Every tool in this series is born from the purest force of nature — the vitality of a sprout. We draw inspiration from the very moment life breaks through the soil, infusing the philosophy of growth into every design. Each curve, each color, embodies the power of life reaching upward.

The Sprout Series represents the harmony between nature and design:

► Form Semantics

Inspired by the elegant posture of a sprout — smooth, organic, and full of life.

► Color Semantics

The fresh green tone symbolizes growth, hope, and balance with nature.

► Design Semantics


Every touch and every cut allows you to feel the strength of growth in your hands.

Created for those who love nature, these tools let the rhythm of life continue in your hands.



Pruning shear
EDL-YL0004

- Sharpness increased by **20%**
- Hardness increased by **3.2** times
- Cutting life exceeds **5000** times



Teflon Coating



Wear Resistant Layer

SK5 Steel



Rebound Life
10000+



Two Opening Sizes


Type	Item#	Size	Blade Material	Blade Surface	Blade Surface	Handle Material	Max. Cutting
	EDL-YL0008	6in.	Straight	Stainless Steel	Polished	PP+TPR	6mm
	EDL-YL0001	9in.	Straight	SK5	Polished	PP	10mm
	EDL-YL0002	8in.	Curved Bypass	SK5	Teflon	PP	15mm
	EDL-YL0003	8in.	Curved Bypass	SK5	Teflon	PP+TPR	15mm
	EDL-YL0004	8.5in.	Curved Bypass	SK5	Teflon	PP+TPR	18mm
	EDL-YL0005	8.5in.	Curved Bypass	SK5	Teflon	PP+TPR	18mm
	EDL-YL0006	8in.	Curved Bypass	SK5	Teflon	Aluminum + TPR	18mm
	EDL-YL0007	8.5in.	Curved Bypass	SK5	Teflon	Aluminum + TPR	20mm




4-Points Leverage
save effort
30%




Extendable length
730-950mm



SK5 Blade



SK5 steel ①
Wear-resistant layer ②
Teflon coating ③



Aluminum
Triangular Tube
for more strength

Type	Item#	Size	Blade Material	Blade Finish	Blade Type	Cutting Mechanism	Tube	Handle	Max. Cutting Dia.
	EDL-YL1101	680mm	65MN	Teflon	Bypass	Ordinary	Triangular Steel	PP + TPR	35mm
	EDL-YL1102	760mm	SK5	Teflon	Bypass	Gear	Triangular Steel	PP + TPR	40mm
	EDL-YL1103	780mm	SK5	Teflon	Bypass	Four-point leverage	Triangular Aluminum	PP + TPR	45mm
	EDL-YL1104	730 - 950mm	SK5	Teflon	Bypass	Four-point leverage	Triangular Aluminum	PP + TPR	50mm




Hedge Shear
EDL-YL1006




Buffer pad reduce fatigue



Anti-slip wave blade



SK5 steel ①
Wear-resistant layer ②
Teflon coating ③



Triangular Tube for more strength



Type	Item#	Sizs	Blade Material	Blade Finish	Blade Type	Blade Length	Tube	Handle	Max. Cutting Dia.
	EDL-YL1001	520mm	65Mn	Electrop horet	Straight	8"	Round Steel	pp	5mm
	EDL-YL1003	600mm	65Mn	Electrop horet	Wave	8"	Triangular Steel	pp	5mm
	EDL-YL1004	630mm	65Mn	Electrop horet	Wave	10"	Triangular Steel	pp	6mm
	EDL-YL1006	650mm	SK5	Teflon	Wave	10"	Triangular Steel	PP + TPR	6mm
	EDL-YL1002	640mm ~ 840mm	65Mn	Electrop horet	Straight	9"	Round Steel	pp	8mm
	EDL-YL1005	720mm ~ 850mm	65Mn	Electrop horet	Wave	10"	Triangular Aluminum	PP + TPR	8mm
	EDL-YL1007	650mm ~ 780mm	SK5	Teflon	Wave	10"	Triangular Aluminum	PP + TPR	6mm



High frequency heat treatment



Three Side Teeth
Sharpness increase by 20% ↑



Anti-rust paint coating ①
Wear-resistant layer ②
SK5 steel ③

Series	Type	Item#	Size	Material	Blade Thickness	Finish	Teeth	Handle
Hand Saw		EDL-YL2001	450mm	65MN	0.9mm	Powder	7TPI	ABS+TPR
		EDL-YL2002	500mm	65MN	0.9mm	Powder	7TPI	ABS+TPR
Wall Board Saw		EDL-YL2302	175mm	SK5	1.2mm	Powder	7TPI	ABS+TPR
Compass Saw		EDL-YL2301	225mm	SK5	1.2mm	Powder	12TPI	ABS+TPR
Compass Saw		EDL-YL2201	240mm	SK5	1.0mm	Powder	9TPI	ABS+TPR
		EDL-YL2202	270mm	SK5	1.0mm	Powder	9TPI	ABS+TPR
Quick Change Garden Saw		EDL-YL2203	350mm	SK5	1.0mm	Powder	7TPI	ABS+TPR
		EDL-YL2204	350mm	SK5	1.0mm	Powder	7TPI	ABS+TPR
Folding Garden Saw		EDL-YL2401	175mm	65MN	1.0mm	Powder	8TPI	ABS+TPR
		EDL-YL2402	200mm	65MN	1.0mm	Powder	8TPI	ABS+TPR
		EDL-YL2403	250mm	65MN	1.0mm	Powder	8TPI	ABS+TPR
Folding Garden Saw with Steel Handle		EDL-YL2404	175mm	SK5	1.0mm	Powder	11TPI	Steel+ABS+TPR
		EDL-YL2405	200mm	SK5	1.0mm	Powder	11TPI	Steel+ABS+TPR
		EDL-YL2406	250mm	SK5	1.0mm	Powder	11TPI	Steel+ABS+TPR

Pruning shear



- SK5 high-carbon steel blade, 20% longer lifespan
- Double-edge precision sharpening, 10% sharper cutting
- Extended straight jaw design, easily accesses dense foliage without damage
- PP non-slip handle, comfortable and secure grip
- Cuts up to 10mm wet wood/green branches

Item #	Spec	Pack Qty
EDL-YL0001	9"	1/10/60

Pruning shear



- Teflon non-stick coating, rust-proof and anti-adhesion
- Three-sided sharpening, 20% sharper cutting
- SK5 high-carbon steel, 20% longer lifespan
- Cuts branches up to 15mm diameter
- Designed for fruit trees/bonsai/herbal plants

Item #	Spec	Pack Qty
EDL-YL0002	8"	1/10/60

Pruning shear



- TPR overmolded handle, comfortable non-slip grip
- Teflon non-stick coating reduces sap buildup
- Triple-edge sharpening, 20% cutting efficiency boost
- SK5 steel enhances durability by 20%
- For branches up to 15mm diameter

Item #	Spec	Pack Qty
EDL-YL0003	8"	1/10/60

Pruning shear



- Dual-size handle fits all hand sizes
- Teflon coating prevents sticking and rust
- Triple-edge sharpening, 20% sharper cutting
- SK5 steel improves durability
- Maximum 18mm branch capacity

Item #	Spec	Pack Qty
EDL-YL0004	8.5"	1/10/60

Pruning shear



- Anvil mechanism optimized for deadwood
- Teflon coating prevents sap adhesion
- Single-blade anvil design reduces effort by 50%
- Cuts dry branches up to 18mm
- Prevents live branch damage (deadwood only)

Item #	Spec	Pack Qty
EDL-YL0005	8.5"	1/10/60

Pruning shear



- Aluminum alloy handle, 50% stronger
- Teflon non-stick coating for easy cleaning
- Triple-edge sharpening, 30% sharper
- SK5 steel with 30% longer lifespan
- Cuts branches up to 18mm

Item #	Spec	Pack Qty
EDL-YL0006	8"	1/10/60

Pruning shear



- Aluminum handle fits all hand sizes
- Triple-edge sharpening, 30% sharper
- SK5 super high-carbon steel, 30% longer life
- Cuts thick branches up to 20mm
- Professional grade for landscaping/fruit trees

Item #	Spec	Pack Qty
EDL-YL0007	8.5"	1/10/60

Grape shears



- Precision-Honed Blades
- Ergonomic Effortless Grip
- Slim Flexible Head
- Non-Slip Precision Control
- Florist-Grade Cutting

Item #	Spec	Pack Qty
EDL-YL0008	stainless steel	1/10/60

Pruning Shears



55C

- Max cutting diameter 14mm
- Metal handle, strong and durable
- Blade sharpness, not deformed

Item #	Spec	Pack Qty
EDL580200	8",205mm	1/10/60

Pruning Shears



55C

- Max cutting diameter 18mm
- Heat treatment Telfon coating

Item #	Spec	Pack Qty
EDL2778	8.5",210mm	1/10/60

Pruning Shears

55C



- Max cutting diameter 12mm
- Handle non slip treatment

Item #	Spec	Pack Qty
EDL580123	8",200mm	1/10/60

Pruning Shears

SK5



- With heat treatment Aluminium handle with soft TPR grip
- With high quality blade

Item #	Spec	Pack Qty
EDL580207	8",200mm	1/10/60

Professional Pruning Shears



- Aluminum body pruning shear blade

Item #	Spec	Pack Qty
EDL580203	8.5"	1/10/60

Pruning Shears



55C

- Teflon treated blade for smooth cutting, better appearance and rust proof
- Dipped plastic handle for comfortable grip
- Max cutting diameter: 15mm

Item #	Spec	Pack Qty
EDL580204	8",200mm	1/10/60

Heavy Pruning Shears



- Aluminum body pruning shear blade

Item #	Spec	Pack Qty
EDL580205	8"	1/10/60

prunning shear



SK5

- The blade is made of selected high-quality steel;The soft rubber-coated handle
- made of aluminum alloy

Item #	Spec	Pack Qty
EDL580229	8"	1/10/60

prunning shear



SK5

- Aluminum Alloy
- Ergonomic Handleesign; Safety Lock More convenient for Storage and Use

Item #	Spec	Pack Qty
EDL580210	8"	1/6/60

Grass Shear



SK5

- 340° grass shear
- Heat treatment w/non stick coating
- ABS handle with TPR grip

Item #	Spec	Pack Qty
EDL58035I	13-1/4"/340mm	1/12/24

2 Pcs garden shears set



55C

- Gardening tools set for different using scenarios
-Heat treatment blade

Item #	Spec	Pack Qty
EDL580002	1pcs :8.5" / 210mm Pruning Shears 1pcs 557mm/22" Lopper	1/-/6

3 Pcs garden shears set

500



55C

- Gardening tools set for different using scenarios
-Heat treatment blade

Item #	Spec	Pack Qty
EDL580003	1pcs 580MM/23" Lopper 1pcs 520mm/ 21" Hedge Shears 1pcs 200mm/8" Pruning Shears	1/-/6

Hedge Shear



- Electrophoretic surface, easy to clean and rust-proof
- Standard blade size, wide applicability
- Professional hedge shears design

Item #	Spec	Pack Qty
EDL-YL1001	520mm	1/12/24

Hedge Shear



- Telescopic handle, adjustable length
- Electrophoretic surface, easy to clean and rust-proof
- Standard blade size

Item #	Spec	Pack Qty
EDL-YL1002	840mm	1/6/12

Hedge Shear



- Electrophoretic surface, easy to clean
- Wave blade design, non-slip
- Triangular steel pipe, improved strength

Item #	Spec	Pack Qty
EDL-YL1003	600mm	1/6/12

Hedge Shear



- Electrophoretic anti-rust surface
- Wave blade anti-slip design
- Triangular steel pipe enhanced strength

Item #	Spec	Pack Qty
EDL-YL1004	630mm	1/6/12

Hedge Shear



- Electrophoretic anti-rust surface
- Wave blade anti-slip design
- Three-stage telescopic handle

Item #	Spec	Pack Qty
EDL-YL1005	850mm	1/6/12

Hedge Shear



- SK5 steel, sharp cutting
- Wave blade anti-slip design
- Rubber-coated handle, comfortable grip

Item #	Spec	Pack Qty
EDL-YL1006	650mm	1/6/12

Hedge Shear



- SK5 steel, sharp cutting
- Three-stage telescopic handle
- Wave blade anti-slip design
- Teflon coating, anti-rust and anti-stick

Item #	Spec	Pack Qty
EDL-YL1007	780mm	1/6/12

Lopper



- Teflon coating, anti-rust and non-stick
- Triangular steel pipe handle, improved strength
- Standard product size, wide applicability

Item #	Spec	Pack Qty
EDL-YL1101	680mm	1/6/12

Lopper



- Gear structure, 20% labor saving
- Triangular steel pipe handle, improved strength
- Teflon anti-rust and non-stick coating

Item #	Spec	Pack Qty
EDL-YL1102	760mm	1/6/12

Lopper



- Teflon coating, anti-rust and non-stick
- Aluminum alloy steel pipe, lightweight and strong
- SK5 steel, sharp cutting
- Four-point lever structure, 30% labor saving


Item #	Spec	Pack Qty
EDL-YL1103	780mm	1/6/12

Lopper



- Teflon coating, anti-rust and non-stick
- Five-speed telescopic handle, adjustable length
- SK5 steel, sharp cutting
- Four-point lever structure, 30% labor saving

Item #	Spec	Pack Qty
EDL-YL1104	950mm	1/6/12



1

SK5 high speed steel
Sharper, stronger and longer service life

2

Wear-resistant layer
Good corrosion resistance,
wear-resistant and rust-resistant

3

Teflon coating
Abrasion-resistant, rust-proof,
non-sticky, easier to maintain

Compass saw



- Precision fine teeth for sharp cutting.
- SK5 saw blade for high strength, toughness, wear resistance, and long service life.
- Non-slip handle for comfortable operation, suitable for extended work.

Item #	Spec	Pack Qty
EDL-YL2301	210mm	1/24/96

Wall board saw



- Seven Teeth with Large Gullet for Efficient Sawing
- Sharpened Tip for Easy Drilling
- TPR Overmolded Handle for Anti-Slip and Non-Stick Grip

Item #	Spec	Pack Qty
EDL-YL2302	165mm	1/6/60

Hand Saw



- Three-sided ground teeth and high-frequency hardening treatment for deep, sharp cutting edges.
- Made of 65-gauge manganese steel for high strength, toughness, wear resistance, and long service life.
- The tooth guard effectively protects the teeth, ensuring safety and convenience.
- Hanging hole for easy hanging.
- The non-slip handle provides a comfortable grip, perfect for extended work.

Item #	Spec	Pack Qty
EDL-YL2001	450mm	1/12/48
EDL-YL2002	500mm	1/12/48

Pruning saw



- Equipped with saw sheath, easy to carry
- Three-sided grinding teeth, sharp sawing
- Anti-slip handle, comfortable grip, suitable for long-term work
- Adopt SK5 saw blade, high strength, good toughness and good wear resistance

Item #	Spec	Pack Qty
EDL-YL2201	240mm	1/12/48
EDL-YL2202	270mm	1/12/48

Pruning saw




EDL-YL2203 EDL-YL2204

- Equipped with saw sheath, easy to carry
- Three-sided grinding teeth, sharp sawing
- Non-slip handle, comfortable grip, suitable for long-term work
- Using SK5 saw blade, high strength, good toughness, good wear resistance

Item #	Spec	Pack Qty
EDL-YL2203	350mm quick-change	1/12/48
EDL-YL2204	350mm quick-change	1/12/48

Folding saw




EDL-YL2401

- Folding design, easy to carry and simple to operate
- The saw blade is made of 65Mn steel, with three-sided grinding teeth for sharp sawing
- Rubber-coated non-slip handle, comfortable to hold; safety lock, easy to use

Item #	Spec	Pack Qty
EDL-YL2401	7 inch	1/8/48
EDL-YL2402	8 inch	1/8/48
EDL-YL2403	10 inch	1/8/48

Folding saw



EDL-YL2404

- Folding design, easy to carry and simple to operate
- SK5 steel blade with three-sided ground teeth for sharp cutting
- Rubber-coated non-slip handle, comfortable to hold; safety lock, easy to use

Item #	Spec	Pack Qty
EDL-YL2404	7 inch	1/8/48
EDL-YL2405	8 inch	1/8/48
EDL-YL2406	10 inch	1/8/48

Back Saw



EDL580900

65 Mn

- 13TPI
- ABS engineering plastic + TPR rubberized handle
- Four cutting angles

Item #	Spec	Pack Qty
EDL580900	12",300mm	1/8/16

gardening tools set



Carbon Steel

EDL-YL3001

- ergonomic grip

Item #	Spec	Pack Qty
EDL-YL3001	3pcs/set	1/1/20

gardening shovel



Carbon Steel

EDL-YL3002

- ergonomic grip

Item #	Spec	Pack Qty
EDL-YL3002	340mm	1/12/48

gardening shovel



Carbon Steel

EDL-YL3003

- ergonomic grip

Item #	Spec	Pack Qty
EDL-YL3003	330mm	1/12/48

gardening rake



Carbon Steel

EDL-YL3004

- 1.8mm thick shovel body

Item #	Spec	Pack Qty
EDL-YL3004	330mm	1/12/48

Hoe/Cultivator



DL-YL3005

- Ergonomic TPR handle

Item #	Spec	Pack Qty
DL-YL3005	340mm	1/12/48

Weed Puller




DL-YL3006

- Ergonomic TPR handle

Item #	Spec	Pack Qty
DL-YL3006	340mm	1/12/48

Weeding Knife



DL-YL3007

- Ergonomic TPR handle

Item #	Spec	Pack Qty
DL-YL3007	345mm	1/12/48



Extendable Pole Saw And Pruner





SK5

- Max cutting diameter:25mm
- SK5 saw blade and triple teeth
- Double wheels design
- Heat treatment blade

Item #	Spec	Pack Qty
EDL580511	180-286cm	1/-/6
EDL580512	235-410cm	1/-/6

Fruit-picking shears





SK5

- free extension and retraction

Item #	Spec	Pack Qty
EDL580512A	2.2-4m	1/-/6
EDL580511A	1.8m-3m	1/-/6

Sprayer



- Press and release fuction
- Nozzle with mist spray

Item #	Spec	Pack Qty
EDL581005A	600ml	1/-/50

Adjustable sprinkler
with two water shapes



Sprayer





- Versatile and portable for all-purpose spraying tasks.

Item #	Spec	Pack Qty
EDL581005C	500ml	1/-/100

Pressure Sprayer



- Safety pressure release valve
- Pressure:2.5BAR
- Press and release fuction
- Adjustable nozzle with straight jet and mist spray

Item #	Spec	Pack Qty
EDL581020	2L	1/-/12

Pump Sprayer





- Powerful, consistent pressure for effective coverage.

Item #	Spec	Pack Qty
EDL581010A	1L	1/-/24
EDL581020A	2L	1/-/20
EDL581030	3L	1/-/12

Pressure Sprayer



- Handy carry strap
- Pressure:2.5BAR
- ON/OFF trigger with trigger lock
- Adjustable sprayer pattern mist to stream

Item #	Spec	Pack Qty
EDL581105A	5L	1/-/6

Pressure Sprayer





- Lockable switch for continuous automatic spraying;innovative patented pressure relief valve for rapid pressure release

Item #	Spec	Pack Qty
EDL581108C	8L	1/-/6
EDL581105C	5L	1/-/6

Pressure Sprayer



- Handy carry strap
- ON/OFF trigger with trigger lock
- Adjustable sprayer pattern mist to stream

Item #	Spec	Pack Qty
EDL581108-E1	8L	1/-/6

Pressure Sprayer



PP

- ON/OFF trigger with trigger lock
- With 1 pcs adjustable strap
- With 1 pcs 1.3m length flexible hose

Item #	Spec	Pack Qty
EDL581103B	3L	1/-/6
EDL581105B	5L	1/-/6

Knapsack Sprayer





- one-piece molded no leakage

Item #	Spec	Pack Qty
EDL581112A	12L	1/-/1
EDL581116A	16L	1/-/1
EDL581120A	20L	1/-/1

Water Can



PP

- sprayer head design for every water flow; - removable spray head design for east storage

Item #	Spec	Pack Qty
EDL581001	1.5L	1/-/36

Water Can



- sprayer head design for every water flow; - removable spray head design for east storage

Item #	Spec	Pack Qty
EDL581005B	5L	1/-/12
EDL581010	10L	1/-/8

Lithium-Ion Sprayer



- Two working modes:columnnar and mist
- TYPE- C charging port, easy to charge
- Transparent level line, intuitive and convenient
- Adjustable nozzle with straight jet and mist spray

Item #	Spec	Pack Qty
EDL581040	1L	1/-/36
EDL581041	1L	1/-/36
EDL581042	1L	1/-/36

Lithium-Ion Sprayer



- Copper wire brushless motor
- Ergonomic design
- Wider and thicker straps
- Power display meter design

Item #	Spec	Pack Qty
EDL581118	18L	1/1/1
EDL581120	20L	1/1/1

hose reel



- Arrange The Water Hose Easily
- Portable Wall- Mounted Dual Mode
- Triangular Frame Structure

Item #	Spec	Pack Qty
EDL581120C	20M	1/-/4
EDL581130C	30M	1/-/4

Mini Hose Reel



- strong water pressure long jet life;complete accessories

Item #	Spec	Pack Qty
EDL581110A	10M	1/-/6
EDL581110B	10M	1/-/6

1/2" Water Hose



- Cold and high temperature resistant temperature range: -20°C -60°C ;Tough and durable burst pressure:25Bar

Item #	Length	Pack Qty
EDL8072A-10	10m	1/-/16
EDL8072A-20	20m	1/-/8
EDL8072A-30	30m	1/-/6

3/4" Water Hose



- Cold and high temperature resistant temperature range: -20°C -60°C ;Tough and durable burst pressure:25Bar

Item #	Length	Pack Qty
EDL8072B-20	20m	1/-/4
EDL8072B-30	30m	1/-/2
EDL8072B-50	50m	1/-/2

1/2" Plastic Hose Connector



ABS Material

- Specification 1/2 " ;
- ABS material

Item #	Spec	Pack Qty
EDL8792	1/2"	1/20/120

1/2" Plastic Hose Connector



ABS Material

- Specification 1/2 " ;
- ABS material
- Water stop valve

Item #	Spec	Pack Qty
EDL8793	1/2"	1/20/120

1/2" Plastic Hose Mender



ABS Material

- Specification 1/2 " ;
- ABS material

Item #	Spec	Pack Qty
EDL8794	1/2"	1/20/120

3/4" Plastic Hose Connector



ABS Material

- Specification 3/4 " ;
- ABS material

Item #	Spec	Pack Qty
EDL8795	3/4"	1/20/120

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

3/4" Plastic Hose Connector



ABS
Material

- Specification 3/4 "

- ABS material

- Water stop valve

Item #	Spec	Pack Qty
EDL8796	3/4"	1/20/120

2-Way Hose Connector



ABS
Material

- Double your watering output from a single faucet.

Item #	Spec	Pack Qty
EDL8797A	1/2"&3/4"	1/20/120

5 Piece Twist Nozzle Set



ABS
Material

- ABS material;

- Specification 1/2 "

- Straight columnar water spray;

- Umbrella shaped water spray;

- Sprinkler shaped water spray

Item #	Spec	Pack Qty
EDL8798	5Pcs 1/2"+3/4"	1/12/48

Hose Quick Connectors Set



ABS
Material

- ABS material

- Specification 1/2 "

Item #	Spec	Pack Qty
EDL8799	3Pcs 1/2"+3/4"	1/12/48

8-In-1 Sprinkler



ABS
Material

- Eight customizable watering patterns in one versatile device.

Item #	Spec	Pack Qty
EDL581300A	8-in-1	1/12/48

3-Arm Sprinkler



ABS
Material

- Delivers wide, robust coverage for medium to large lawns.

Item #	Spec	Pack Qty
EDL581301A	3-arm	1/6/24

Pulsating Spike Sprinkler



ABS
Material

- Made from durable ABS plastic, ensuring long-lasting durability

Item #	Spec	Pack Qty
EDL581302A	11.5in.	1/12/48

Oscillating Sprinkler



ABS
Material

- Made from durable ABS plastic, ensuring long-lasting durability

Item #	Spec	Pack Qty
EDL581303A	13in.	1/-/6

Spray Gun



ABS
Material

- High-pressur ewater output

- Overall rubber coating

Item #	Spec	Pack Qty
EDL8757A	Function Mode: 3	1/12/48

Spray Gun



ABS
Material

- High-pressur ewater output

- Overall rubber coating

Item #	Spec	Pack Qty
EDL8759A	Function Mode: 3	1/12/48

Spray Gun



ABS
Material

- High-pressur ewater output

- Overall rubber coating

Item #	Spec	Pack Qty
EDL8760A	Function Mode: 8	1/12/48

Spray Gun



ABS
Material

- High-pressur ewater output

- Overall rubber coating

Item #	Spec	Pack Qty
EDL8758A	Function Mode: 8	1/12/48

Spray Gun



METAL
Material

- High-pressur ewater output
- Overall rubber coating

Item #	Spec	Pack Qty
EDL8072A	Function Mode: 3	1/12/48

Spray Gun



METAL
Material

- High-pressur ewater output
- Overall rubber coating

Item #	Spec	Pack Qty
EDL8763A	Function Mode: 3	1/12/48

Spray Gun



METAL
Material

- High-pressur ewater output
- Overall rubber coating

Item #	Spec	Pack Qty
EDL8762A	Function Mode: 5	1/12/48

Spray Gun



METAL
Material

- High-pressur ewater output
- Overall rubber coating

Item #	Spec	Pack Qty
EDL8764A	Function Mode: 8	1/12/48

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

PROFESSIONAL
POWER TOOLS

SEMI-PRO
TOOLS

HOME SERIES

GARDEN TOOLS

DL2				DL2			
DL2332	67	DL-YN-2001000	236	DQ2555	70	EDA-AQX42RB	336
DL2344	67	DL-YN-280760	236	DQ2557	70	EDA-AQX42RB-SB	336
DL2351	67	DL-YN-7502000	236	DQ4108	72	EDA-AQX43AH	335
DL2352	67	DL-Z		DQ4109	72	EDA-AQX43AH-SB	335
DL2353	68	DL-ZL10	241	DQ4110	72	EDA-AQX43AH-SIP	335
DL2354	68	DL-ZL15	241	DQ4111	72	EDA-AQX43AK-SB	335
DL2472	69	DL-ZL20	241	DQ4112	72	EDA-AQX43AK-SB	335
DL2473	70	DL-ZL30	241	DQ4113	72	EDA-AQX43RB	336
DL2474	69	DL-ZL5	241	DQ4114	72	EDA-AQX43RB-SB	336
DL2475	69	DL-ZL50	241	DQ4115	72	EDA-AQX44AH	335
DL2476	69	DQ		DQ4116	72	EDA-AQX44AH-SB	335
DL4000	72	DQ02322	76	DQ4117	72	EDA-AQX44AH-SIP	335
DL4002	69	DQ02342	76	DQ4118	72	EDA-AQX44AK-SB	335
DL4005	72	DQ2355	67	DQ4119	72	EDA-AQX44RB	336
DL431002A	223	DQ2357	67	DQ4120	72	EDA-AQX44RB-SB	336
DL431002B	223	DQ2401	66	DQ4121	72	EDA-AQX45AH	335
DL431004B	223	DQ2402	66	DQ4122	72	EDA-AQX45AH-SB	335
DL431008A	223	DQ2403	66	DQ4123	72	EDA-AQX45AH-SIP	335
DL431070	223	DQ2404	66	DQ4124	72	EDA-AQX45AK-SB	335
DL431071	223	DQ2405	66	DQ4125	72	EDA-AQX45RB	336
DL431072	223	DQ2406	66	DQ4127	72	EDA-AQX45RB-SB	336
DL4350	73	DQ2407	66	DQ4130	72	EDA-AQX46AH	335
DL4450	73	DQ2408	66	DQ4132	72	EDA-AQX46AH-SB	335
DL468250	243	DQ2409	66	DQ4250	72	EDA-AQX46AK-SIP	335
DL471002	244	DQ2410	66	DQ42816	70	EDA-AQX46AK-SB	335
DL4922	74	DQ2411	66	DQ42821	70	EDA-AQX46RB	336
DL4923	74	DQ2412	66	DQ42824	70	EDA-AQX46RB-SB	336
DL4925	74	DQ2413	66	DQ43816	74	EDC	
DL4926	74	DQ2414	66	DQ43821	74	EDC041	91
DL4927	74	DQ2424	66	DQ4455	73	EDC053	92
DL4928	74	DQ2425	66	DQ4456	73	EDC054	94
DL4929	74	DQ2426	66	DQ4457	72	EDC090	151
DL508041	322	DQ2427	66	DQ48204	74	EDC091	151
DL508042	322	DQ2428	66	DQ48205	74	EDC096	144
DL508101	322	DQ2429	66	DQ48206	74	EDC097	148
DL508301	323	DQ2430	66	DQ48207	74	EDC098	148
DL508302	323	DQ2431	66	DQ48208	74	EDC112	93
DL510012	248	DQ2432	66	DQ48210	74	EDC120	92
DL510107	248	DQ2433	66	DQ48212	74	EDC130	95
DL515250	247	DQ2446	68	DQ48214	74	EDC150	94
DL521004	337	DQ2447	68	DQ48217	74	EDC160	345
DL523001	338	DQ2448	68	DQ90210	246	EDC161	345
DL523002	339	DQ2449	68	DQ90301	247	EDC174	114
DL523011	339	DQ2450	68	DQ91001	248	EDC176	121
DL523012	339	DQ2451	68	DQ91002	248	EDC177	121
DL528003	332	DQ2452	68	DQ-WD1.5T290	242	EDC181	118
DL528006	332	DQ2453	68	DQ-WD2.5T380	242	EDC230	96
DL528101	331	DQ2454	68	DQ-WD2T330	242	EDC234	97
DL528102	331	DQ2455	68	DQ-WD3T505D	242	EDC235	97
DL528103	331	DQ2456	68	EDA		EDC300	98
DL528104	331	DQ2457	68	EDA-AQX01	336	EDC368	133
DL528214	329	DQ2458	68	EDA-AQX02	336	EDC369	137
DL528217	329	DQ2459	68	EDA-AQX03	336	EDC380	137
DL528219	329	DQ2460	68	EDA-AQX04	336	EDC390	138
DL528302	329	DQ2461	68	EDA-AQX39AH	335	EDC551	101
DL554001	340	DQ2462	68	EDA-AQX39AH-SB	335	EDC552	101
DL554002	340	DQ2464	68	EDA-AQX39AK-SIP	335	EDC561	102
DL6		DQ2469	69	EDA-AQX39AK-SB	335	EDC573	140
DL6111	222	DQ2470	69	EDA-AQX39RB	336	EDC574	140
DL6112	222	DQ2471	69	EDA-AQX39RB-SB	336	EDC575	142
DL7		DQ2478	68	EDA-AQX40AH	335	EDC576	142
DL7309	239	DQ2479	68	EDA-AQX40AH-SB	335	EDC579	142
DL7408	239	DQ2480	68	EDA-AQX40AK-SIP	335	EDC591	143
DL7409	239	DQ2481	68	EDA-AQX40AK-SB	335	EDC592	143
DL7410	239	DQ2482	68	EDA-AQX40RB	336	EDC600	99
DL-X		DQ2483	68	EDA-AQX40RB-SB	336	EDC601	99
DL-XP21S	333	DQ2484	68	EDA-AQX41AH	335	EDC602	100
DL-Y		DQ2485	68	EDA-AQX41AH-SB	335	EDC650	152
DL-YL3005	382	DQ2486	68	EDA-AQX41AK-SIP	335	EDC651-1	105
DL-YL3006	382	DQ2487	68	EDA-AQX41AK-SB	335	EDC662A	125
DL-YL3007	382	DQ2488	68	EDA-AQX41RB	336	EDC671A	127
DL-YN-150450	236	DQ2489	68	EDA-AQX41RB-SB	336	EDC730	139
		DQ2490	68	EDA-AQX42AH	335	EDC820	104
		DQ2491	68	EDA-AQX42AH-SB	335	EDC825	104
		DQ2492	68	EDA-AQX42AK-SIP	335	EDC870	152

EDC890	103	EDH-100P40	176	EDH-CQP105-E2	179	EDH-JT2020-E2	167
EDC891	102	EDH-100P60	176	EDH-CQP105-E3	179	EDH-JT2020-E3	167
EDC901	107	EDH-100P80	176	EDH-CQP110-E1	179	EDH-JT2032-E1	167
EDC902	108	EDH-115P100	176	EDH-CQP110-E2	179	EDH-JT2032-E2	167
EDE		EDH-115P40	176	EDH-CQP110-E3	179	EDH-JT2032-E3	167
EDE231	25	EDH-115P60	176	EDH-CQP110-E4	179	EDH-LJP254-E1	180
EDE570	53	EDH-115P80	176	EDH-CQP115-E1	179	EDH-MBZ006-ED1	169
EDE571	54	EDH-125P100	176	EDH-CQP115-E2	179	EDH-MGP100-E1	175
EDE666A	46	EDH-125P40	176	EDH-CQP115-E3	179	EDH-MGP100-E2	175
EDE750	34	EDH-125P60	176	EDH-CQP115-E4	179	EDH-MGP115-E1	175
EDE820	31	EDH-125P80	176	EDH-CQP125-E1	179	EDH-MGP115-E2	175
EDE830	31	EDH-BD1017-EH1	182	EDH-CQP125-E2	179	EDH-MGP125-E1	175
EDE902	35	EDH-BKK060-E1	171	EDH-CQP125-E3	179	EDH-MGP125-E2	175
EDE903	36	EDH-BKK080-E1	171	EDH-CQP125-E4	179	EDH-MGP180-E1	175
EDE904	37	EDH-BKK100-E1	171	EDH-CQP180-E1	179	EDH-MGP180-E2	175
EDE-BS20-1	25	EDH-BKK120-E1	171	EDH-CQP180-E2	179	EDH-MGP230-E1	175
EDE-CD20A2E	40	EDH-BKK140-E1	171	EDH-CQP180-E3	179	EDH-MGP230-E2	175
EDE-CD20D4	40	EDH-BKK160-E1	171	EDH-CQP180-E4	179	EDH-MGZ005-ED1	167
EDE-CM20A2E	41	EDH-BKK180-E1	171	EDH-CQP230-E1	179	EDH-MHZ006-ED3	162
EDE-CM20A4E	41	EDH-BKK200-E1	171	EDH-CQP230-E2	179	EDH-MHZ007-ED3	162
EDE-CZ13-1E	42	EDH-BKK210-E1	171	EDH-CQP230-E3	179	EDH-MHZ008-ED2	162
EDE-CZ16-1	22	EDH-BKK220-E1	171	EDH-CQP230-E4	179	EDH-MHZ008-ED3	162
EDE-CZ20-1	23	EDH-BKK250-E1	171	EDH-CZZ005-ED1	165	EDH-MHZ009-ED3	162
EDE-CZ20-2	22	EDH-BKK270-E1	171	EDH-CZZ005-ED2	165	EDH-MHZ010-E2	161
EDE-DC16A2	38	EDH-BKK280-E1	171	EDH-CZZ006-E1	165	EDH-MHZ010-E3	160
EDE-DC20-2	26	EDH-BKK300-E1	171	EDH-CZZ008-E1	165	EDH-MHZ012-ED2	162
EDE-DC20A2	38	EDH-BKK320-E1	171	EDH-CZZ010-E1	165	EDH-MHZ013-ED1	162
EDE-DC20A4	39	EDH-BKK340-E1	171	EDH-CZZ012-E1	165	EDH-MHZ013-ED2	162
EDE-DC26-3E	50	EDH-BKK350-E1	171	EDH-D1Z001-E1	168	EDH-MHZ015-E2	161
EDE-DG15-2E	51	EDH-BKK400-E1	171	EDH-D1Z002-E1	168	EDH-MHZ015-E3	160
EDE-DG30-1E	51	EDH-BKK420-E1	171	EDH-D1Z003-E1	168	EDH-MHZ015-ED4	162
EDE-DG5-2E	50	EDH-BKK450-E1	171	EDH-DSZ610-E1	185	EDH-MHZ019-ED1	162
EDE-DZ10-1E	42	EDH-BKK490-E1	171	EDH-FSZ093-ED1	184	EDH-MHZ019-ED3	162
EDE-DZ10-2E	42	EDH-BKK500-E1	171	EDH-FSZ145-ED1	184	EDH-MHZ020-E1	160
EDE-DZ16-1	18	EDH-BKK550-E1	171	EDH-FSZ280-ED1	184	EDH-MHZ020-E2	161
EDE-DZ20-1	18	EDH-BKK650-E1	171	EDH-GSS025-E6	183	EDH-MHZ020-E3	160
EDE-DZ20-2	18	EDH-BWZ003-E1	166	EDH-GSS050-E3	183	EDH-MHZ020-E4	58
EDE-GT255-1	363	EDH-BWZ004-E1	166	EDH-GSS050-E4	183	EDH-MHZ025-E1	160
EDE-GT255-3	364	EDH-BWZ005-E1	166	EDH-GSS075-E1	182	EDH-MHZ025-E2	161
EDE-GT255-5	364	EDH-BWZ006-E1	166	EDH-GSS075-E2	183	EDH-MHZ025-E3	160
EDE-GT255-7	364	EDH-BWZ008-E1	166	EDH-GSS075-E3	183	EDH-MHZ025-E4	58
EDE-JM100-1E	44	EDH-BWZ010-E1	166	EDH-GSS075-E4	183	EDH-MHZ025-ED1	162
EDE-JM100-2E	44	EDH-BWZ012-E1	166	EDH-GSSI00-E1	182	EDH-MHZ030-E1	160
EDE-JM100-3E	46	EDH-BYP10040-E1	176	EDH-GSSI00-E2	183	EDH-MHZ030-E2	161
EDE-JM115-1E	45	EDH-BYP10040-E2	176	EDH-GSSI00-E4	183	EDH-MHZ030-E3	160
EDE-JM115-2E	47	EDH-BYP10060-E1	176	EDH-GSSI00-E5	183	EDH-MHZ030-E4	58
EDE-JM125-1E	48	EDH-BYP10060-E2	176	EDH-GSSI25-E1	182	EDH-MHZ032-E2	161
EDE-JM125-2E	45	EDH-BYP10080-E1	176	EDH-GSSI25-E2	183	EDH-MHZ035-E1	160
EDE-JM125-4E	47	EDH-BYP10080-E2	176	EDH-GSSI25-E5	183	EDH-MHZ035-E2	161
EDE-JM180-1E	48	EDH-BYP11540-E1	176	EDH-GSS200-E5	183	EDH-MHZ035-E3	160
EDE-JM20-1	27	EDH-BYP11540-E2	176	EDH-HBZ25280-E1	164	EDH-MHZ035-E4	58
EDE-JM20-2	28	EDH-BYP11560-E1	176	EDH-HBZ35410-E1	165	EDH-MHZ040-E1	160
EDE-JM20-3	27	EDH-BYP11560-E2	176	EDH-HJZ017-E1	164	EDH-MHZ040-E2	161
EDE-JM230-1E	49	EDH-BYP11580-E1	176	EDH-HJZ030-E1	165	EDH-MHZ040-E3	160
EDE-JM230-2E	49	EDH-BYP11580-E2	176	EDH-HMP115-E1	177	EDH-MHZ040-E4	58
EDE-LJ16-1	362	EDH-BYP12540-E1	176	EDH-JGZ005-ED1	167	EDH-MHZ045-E1	160
EDE-LJ18-1	363	EDH-BYP12540-E2	176	EDH-JGZ030-E1	166	EDH-MHZ045-E2	161
EDE-LJ20-1	363	EDH-BYP12560-E1	176	EDH-JGZ040-E1	166	EDH-MHZ045-E3	160
EDE-QZ20-1	24	EDH-BYP12560-E2	176	EDH-JGZ050-E1	166	EDH-MHZ045-E4	58
EDE-XB550-1E	53	EDH-BYP12580-E1	176	EDH-JGZ060-E1	166	EDH-MHZ050-E1	160
EDE-XQ355-1E	52	EDH-BYP12580-E2	176	EDH-JGZ080-E1	166	EDH-MHZ050-E2	161
EDE-XQ355-2	52	EDH-CBZ003-E1	166	EDH-JGZ100-E1	166	EDH-MHZ050-E3	160
EDE-Y1Z0-1	29	EDH-CBZ004-E1	166	EDH-JML100-E1	179	EDH-MHZ050-E4	58
EDE-YSI10-1E	51	EDH-CBZ005-E1	166	EDH-JML100-E2	180	EDH-MHZ055-E1	160
EDG		EDH-CBZ006-E1	166	EDH-JML115-E1	179	EDH-MHZ055-E2	161
EDG012-1	362	EDH-CBZ006-E2	166	EDH-JML115-E2	180	EDH-MHZ055-E3	160
EDG080	363	EDH-CBZ006-ED1	166	EDH-JML125-E1	179	EDH-MHZ055-E4	58
EDG105	361	EDH-CBZ008-E1	166	EDH-JML125-E2	180	EDH-MHZ060-E1	160
EDG193	362	EDH-CBZ008-E2	166	EDH-JML150-E1	179	EDH-MHZ060-E2	161
EDG305-1	361	EDH-CBZ010-E1	166	EDH-JML150-E2	180	EDH-MHZ060-E3	160
EDG372	364	EDH-CBZ010-E2	166	EDH-JT20003-ED1	167	EDH-MHZ060-E4	58
EDG500-1							

EDH-MHZ070-E1	160	EDH-QJT006-E2	181	EDH-SZP230-E2	175	EDH-YCZ16010-E1	164	EDL0202	251	EDL110002	157	EDL130109	231	EDL160107	232
EDH-MHZ070-E2	161	EDH-QJT008-E1	180	EDH-SZP355-E1	175	EDH-YCZ16012-E1	164	EDL0204	78	EDL110002-E1	327	EDL130110	231	EDL160123L	232
EDH-MHZ070-E3	160	EDH-QJT008-EH1	182	EDH-SZP355-E2	174	EDH-YCZ16014-E1	164	EDL024A	228	EDL110003	327	EDL130111	231	EDL16020G	161
EDH-MHZ070-E4	58	EDH-QJT010-E3	181	EDH-SZP355-E3	174	EDH-YCZ16016-E1	164	EDL025	283	EDL110004	292	EDL130111T	233	EDL160213L	232
EDH-MHZ075-E1	160	EDH-QJT012-E4	181	EDH-TAP003-E1	168	EDH-YCZ35010-E1	164	EDL025G	79	EDL110006	292	EDL130112	231	EDL16025G	161
EDH-MHZ075-E2	161	EDH-QJT015-ED1	180	EDH-TAP003-E2	168	EDH-YCZ35012-E1	164	EDL030	80	EDL110106	292	EDL130113	231	EDL16030G	161
EDH-MHZ075-E3	160	EDH-QJT015-EH1	181	EDH-TAP004-E1	168	EDH-YCZ35014-E1	164	EDL0305A	313	EDL110106	327	EDL130114	231	EDL16032G	161
EDH-MHZ075-E4	58	EDH-QJT021-E4	181	EDH-TAP004-E2	168	EDH-YCZ35016-E1	164	EDL0306A	313	EDL110112	292	EDL130115	231	EDL16035G	161
EDH-MHZ080-E1	160	EDH-QKK050-E1	171	EDH-TAP005-E1	168	EDH-YCZ35018-E1	164	EDL0341	255	EDL110112	327	EDL13131	273	EDL16040G	161
EDH-MHZ080-E2	161	EDH-QKK065-E1	171	EDH-TAP005-E2	168	EDH-YCZ35020-E1	164	EDL0342	255	EDL110118	292	EDL1313B	273	EDL160415L	232
EDH-MHZ080-E3	160	EDH-QKK065-E2	171	EDH-TAP006-E1	168	EDH-YCZ35022-E1	164	EDL0343	256	EDL110118	327	EDL13B	237	EDL160427L	232
EDH-MHZ080-E4	58	EDH-QKK080-E1	171	EDH-TAP006-E2	168	EDH-YCZ35025-E1	164	EDL0344	256	EDL110124	292	EDL14	237	EDL16042G	161
EDH-MHZ085-E1	160	EDH-QKK080-E2	171	EDH-TAP006-ED1	168	EDH-YZ1014-E1	164	EDL0381	259	EDL110124	327	EDL140006L	231	EDL16045G	161
EDH-MHZ085-E2	161	EDH-QKK100-E1	171	EDH-TAP008-E1	168	EDH-YML180-E1	185	EDL040	80	EDL110136	292	EDL140007L	231	EDL16050G	161
EDH-MHZ085-E3	160	EDH-SKK016-E1	170	EDH-TAP008-E2	168	EDH-YML180-E2	185	EDL06	237	EDL110136	327	EDL140008L	231	EDL160528L	232
EDH-MHZ085-E4	58	EDH-SKK019-E1	170	EDH-TAP010-E1	168	EDH-YMP115-E1	177	EDL06B	237	EDL110515	292	EDL140009L	231	EDL16055G	161
EDH-MHZ090-E1	160	EDH-SKK022-E1	170	EDH-TAP010-E2	168	EDH-YSZ125-ED1	184	EDL07	237	EDL110515	327	EDL140010L	231	EDL160607L	232
EDH-MHZ090-E2	161	EDH-SKK025-E1	170	EDH-TCT016-E1	172	EDH-YSZ150-ED1	184	EDL07B	237	EDL110515Z	80	EDL140011L	231	EDL16060G	161
EDH-MHZ090-E3	160	EDH-SKK029-E1	170	EDH-TCT017-E1	172	EDH-YSZ225-ED1	184	EDL08	237	EDL110515Z	86	EDL140012L	231	EDL160617L	232
EDH-MHZ090-E4	58	EDH-SKK032-E1	170	EDH-TCT018-E1	172	EDH-ZMT001	186	EDL08B	237	EDL110525	292	EDL140013L	231	EDL16065G	161
EDH-MHZ095-E1	160	EDH-SKK035-E1	170	EDH-TCT019-E1	172	EDH-ZMT002	186	EDL09	237	EDL110525	327	EDL140014L	231	EDL16070G	161
EDH-MHZ095-E2	161	EDH-SKK038-E1	170	EDH-TCT020-E1	172	EDH-ZMT003	186	EDL0918-2	283	EDL110525Z	80	EDL140015L	231	EDL16075G	161
EDH-MHZ095-E3	160	EDH-SKK044-E1	170	EDH-TCT021-E1	172	EDH-ZMT004	186	EDL09B	237	EDL110525Z	86	EDL140016L	231	EDL160809L	232
EDH-MHZ095-E4	58	EDH-SKK046-E1	170	EDH-TCT022-E1	172	EDH-ZMT005	186	EDL1		EDL110830	292	EDL140017L	231	EDL16080G	161
EDH-MHZ100-E1	160	EDH-SKK051-E1	170	EDH-TCT024-E1	172	EDH-ZMT006	186	EDL10	237	EDL110830	327	EDL140018L	231	EDL160819L	232
EDH-MHZ100-E2	161	EDH-SKK057-E1	170	EDH-TCT025-E1	172	EDH-ZMT007	186	EDL100008	253	EDL110830Z	80	EDL140019L	231	EDL16085G	161
EDH-MHZ100-E3	160	EDH-SKK064-E1	170	EDH-TCT027-E1	172	EDH-ZMT01-EH1	186	EDL100310	261	EDL110830Z	86	EDL140020L	231	EDL16090G	161
EDH-MHZ100-E4	58	EDH-SKK068-E1	170	EDH-TCT028-E1	172	EDH-ZMT02-EH1	186	EDL1008J	225	EDL111008	261	EDL140021L	231	EDL16095G	161
EDH-MHZ105-E1	160	EDH-SKK076-E1	170	EDH-TCT030-E1	172	EDH-ZMT03-EH1	186	EDL101008	253	EDL111009	261	EDL140022L	231	EDL16100G	161
EDH-MHZ105-E2	161	EDH-SKK114-E1	170	EDH-TCT032-E1	172	EDH-ZMT04-EH1	186	EDL101214	238	EDL111010	261	EDL140024L	231	EDL16105G	161
EDH-MHZ105-E3	160	EDH-SKZ001-E1	170	EDH-TCT034-E1	172	EDL0		EDL101214B	238	EDL111230	292	EDL140027L	231	EDL16110G	161
EDH-MHZ110-E1	160	EDH-SKZ002-E1	170	EDH-TCT035-E1	172	EDL0001	251	EDL1012T	227	EDL111230	327	EDL140030L	231	EDL16115G	161
EDH-MHZ110-E2	161	EDH-SQP100-E1	177	EDH-TCT040-E1	172	EDL0002	251	EDL1018J	225	EDL111230Z	80	EDL140032L	231	EDL16120G	161
EDH-MHZ110-E3	160	EDH-SQP100-E2	177	EDH-TCT042-E1	172	EDL0003	251	EDL102008	253	EDL111230Z	86	EDL140036L	231	EDL16125G	161
EDH-MHZ110-E4	58	EDH-SQP100-E3	177	EDH-TCT045-E1	172	EDL0003-3	252	EDL1028J	225	EDL111250	292	EDL140106T	235	EDL16130G	161
EDH-MHZ115-E1	160	EDH-SQP100-E4	177	EDH-TCT049-E1	172	EDL0004	78	EDL103006	255	EDL111250	327	EDL140108T	235	EDL17	237
EDH-MHZ115-E3	160	EDH-SQP110-E1	177	EDH-TCT050-E1	172	EDL0005	78	EDL103045	255	EDL111250Z	80	EDL140206T	234	EDL170025	236
EDH-MHZ120-E1	160	EDH-SQP110-E2	177	EDH-TCT053-E1	172	EDL0012T	226	EDL1032	224	EDL111250Z	86	EDL140208T	235	EDL170030S	75
EDH-MHZ120-E2	161	EDH-SQP110-E3	177	EDH-TCT055-E1	172	EDL0027T	226	EDL103201	253	EDL111280	292	EDL141719B	238	EDL170050	236
EDH-MHZ120-E3	160	EDH-SQP110-E4	177	EDH-TCT060-E1	172	EDL003	282	EDL103201-3	254	EDL111280	327	EDL14B	237	EDL170100S	75
EDH-MHZ120-E4	58	EDH-SQP115-E1	177	EDH-WJT006-E1	182	EDL0035	283	EDL103202	253	EDL111280Z	80	EDL15	237	EDL170340S	75
EDH-MHZ125-E1	160	EDH-SQP115-E2	177	EDH-WJT010-EH1	182	EDL003A	282	EDL103203	253	EDL111280Z	86	EDL150008A	233	EDL17B	237
EDH-MHZ125-E3	160	EDH-SQP115-E3	177	EDH-WJT018-E2	182	EDL003B	282	EDL103204	254	EDL11B	237	EDL150011L	232	EDL18	237
EDH-MHZ130-E1	160	EDH-SQP115-E4	177	EDH-Y06110	163	EDL003C	282	EDL103205	254	EDL12	237	EDL150012A	234	EDL18B	237
EDH-MHZ130-E2	161	EDH-SQP125-E1	177	EDH-Y06160	163	EDL003H	282	EDL103205-3	255	EDL120001	239	EDL150022L	232	EDL19	237
EDH-MHZ130-E3	160	EDH-SQP125-E2	177	EDH-Y08110	163	EDL0060	312	EDL103205-6	255	EDL120006	229	EDL150032L	232	EDL1919	262
EDH-MHZ130-E4	58	EDH-SQP125-E3	177	EDH-Y08160	163	EDL006A	228	EDL103206	254	EDL120008	229	EDL150101	232	EDL1919A	262
EDH-MHZ140-E1	160	EDH-SQP125-E4	177	EDH-Y08210	163	EDL006A-3	229	EDL1033D	269	EDL120010	229	EDL150102	232	EDL1919C	261
EDH-MHZ140-E2	161	EDH-SQP180-E1	177	EDH-Y10110	163	EDL006K	283	EDL1038J	226	EDL120012	229	EDL150103	232	EDL19B	237
EDH-MHZ150-E1	160	EDH-SQP180-E2	177	EDH-Y10160	163	EDL006K-4	284	EDL104007	256	EDL1201	224	EDL150104	232	EDL2	
EDH-MHZ160-E1	160	EDH-SQP180-E3	177	EDH-Y10210	163	EDL006Z	283	EDL104107	256	EDL1204	224	EDL150105	232	EDL2001	257
EDH-MHZ160-E2	161	EDH-SQP180-E4	177	EDH-Y10310	163	EDL007	280	EDL104207	256	EDL120506	229	EDL150105T	233	EDL20011	258
EDH-MJP110-E1	180	EDH-SQP230-E1	177	EDH-Y12160	163	EDL0070	312	EDL104307	257	EDL120508	229	EDL150106	232	EDL20015B	257
EDH-MJP110-E2	180	EDH-SQP230-E2	177	EDH-Y12210	163	EDL007B	280	EDL1044	225	EDL120510	229	EDL150123L	232	EDL20016	258
EDH-MJP115-E1	180	EDH-SQP230-E3	177	EDH-Y12310	163	EDL007H	280	EDL104407	256	EDL120512	229	EDL150213L	232	EDL20017	258
EDH-MJP185-E1	180	EDH-SQP230-E4	177	EDH-Y14160	163	EDL007Z	283	EDL104506	257	EDL120606	229	EDL150415L	232	EDL2001-7	257
EDH-MJP210-E1	180	EDH-SSZ080-ED1	184	EDH-Y14210	163	EDL008A	228	EDL1046	224	EDL1211	224	EDL150427L	232	EDL20018	258
EDH-MJP235-E1	180	EDH-SZP107-E1	174	EDH-Y14310	163	EDL008Z	283	EDL105014	260	EDL121417B	238	EDL150528L	232	EDL20025	254
EDH-MJP254-E1	180	EDH-SZP107-E2	174	EDH-Y16160	163	EDL009	282	EDL105018	260	EDL1229	224	EDL150607L	232	EDL20026	254
EDH-MJP254-E2	180	EDH-SZP107-E4	174	EDH-Y16210	163	EDL009A	280	EDL105024	260	EDL12B	237	EDL150617L	232	EDL20028	286
EDH-MKK005-ED1	169	EDH-SZP107-E5	174	EDH-Y16310	163	EDL009B	280	EDL105140	260	EDL13	237	EDL150809L	232	EDL2003	315
EDH-MKK007-ED1	169	EDH-SZP107-E6	174	EDH-Y18210	163	EDL009H	280	EDL105155	260	EDL130006A	232	EDL150819L	232	EDL20030	292
EDH-MKK007-ED2	169	EDH-SZP115-E1	175	EDH-Y18310	163	EDL0101	251	EDL105167	260	EDL130008A	232	EDL15B	237	EDL20031	292
EDH-MKK025-E1	169	EDH-SZP115-E2	175	EDH-Y20210	163	EDL0102	251	EDL105240	260	EDL130012A	234	EDL160008A	233	EDL20032	292
EDH-MKK032-E1	169	EDH-SZP115-E3	175	EDH-Y20310	163	EDL0103	78	EDL105255	260	EDL130014A	234	EDL160011L	232	EDL20038	286
EDH-MKK035-E1	169	EDH-SZP115-E4	175	EDH-Y22310	163	EDL0104	78	EDL105267	260	EDL130014B	234	EDL160012A	234	EDL2003Q	227
EDH-MXD006-EH1	172	EDH-SZP115-E5	175	EDH-Y25310	163	EDL010A	228	EDL106002	158	EDL130101	231	EDL160022L	232	EDL20048	286
EDH-MXD008-EH1	172	EDH-SZP115-E6	175	EDH-YBZ20250-E1	164	EDL012A	228	EDL107401	157	EDL130102	231	EDL160032L	232	EDL2006	250
EDH-MXD012-EH1	172	EDH-SZP125-E1	175	EDH-YBZ40250-E1	164	EDL015A	228	EDL108011	262	EDL130103	231	EDL160101	232	EDL2006Z	252
EDH-NLP115-E1	176	EDH-SZP125-E2	175	EDH-YCZ010-EH1	165	EDL018	282	EDL109010	257	EDL130104	231	EDL160102	232	EDL2007	250
EDH-NLS075-E1	183	EDH-SZP125-E3	175	EDH-YCZ11006-E1	164	EDL018A	228	EDL109010Z	259	EDL130105	23				

EDL2008Z	252	EDL2380i2-1	275	EDL260002B	267	EDL29i500	300	EDL34i24	23i	EDL3799Y	296	EDL4324i2	217	EDL5073	277
EDL2008Z-3	252	EDL2380i4-1	275	EDL260i13	267	EDL29300i	299	EDL34i27	23i	EDL38i008	3i5	EDL4324i3	217	EDL50805i	322
EDL20i0T	225	EDL2380i5-1	275	EDL2602	244	EDL293600	30i	EDL34i30	23i	EDL383005	3i5	EDL4324i4	217	EDL50806i	322
EDL20i2T	227	EDL2380i6-1	275	EDL260206	267	EDL29600G	30i	EDL34i32	23i	EDL3830i4	85	EDL4324i7	217	EDL508062	322
EDL20i38	286	EDL238i04	273	EDL2602A	244	EDL29800G	30i	EDL3440	79	EDL383028	85	EDL4325i9	2i8	EDL508063	322
EDL20i5	85	EDL238i05	273	EDL2603	244	EDL3		EDL344i	79	EDL39002i	355	EDL432522A	2i8	EDL508064	322
EDL20i7	85	EDL23840i	273	EDL2607	3i4	EDL300	237	EDL3442	79	EDL390022	355	EDL432522B	2i8	EDL508i05	320
EDL20i7H	25i	EDL2390i	336	EDL2607C	3i6	EDL30i	243	EDL3443	79	EDL39i20i	3i1	EDL432522C	2i8	EDL508i06	320
EDL20i7T	227	EDL2400i3D	269	EDL2608	260	EDL30i06	228	EDL3444	79	EDL39i202	3i1	EDL4326i2	2i7	EDL508i07	320
EDL20i8	3i4	EDL240i	243	EDL2608Z	78	EDL30i08	228	EDL3445	79	EDL394260	84	EDL4326i5	2i7	EDL508205	320
EDL20i8C	3i6	EDL2402	243	EDL26i0	260	EDL30i10	228	EDL3446	79	EDL394280	84	EDL4326i8	2i7	EDL508206	320
EDL2024T	225	EDL2403	243	EDL26i0E	26i	EDL30i12	228	EDL3447	79	EDL394360	84	EDL432620	2i7	EDL508207	320
EDL20308	26i	EDL2404	243	EDL26i0Z	78	EDL302	243	EDL3448	79	EDL394380	84	EDL4327i7	2i8	EDL508306	320
EDL20406	26i	EDL24i007	269	EDL26i2	260	EDL303	243	EDL3449	79	EDL394460	84	EDL4329i2	2i7	EDL508307	320
EDL20407	26i	EDL24i0i0J	350	EDL26i2Z	78	EDL305	243	EDL3450	79	EDL394490	84	EDL4329i5	2i7	EDL508308	320
EDL20408	26i	EDL24i025	350	EDL26i3	29i	EDL3080	272	EDL345i	79	EDL397263	3i2	EDL4329i8	2i7	EDL508309	320
EDL2052i-4	257	EDL24i033	35i	EDL26i5	29i	EDL3088	27i	EDL3452	79	EDL397363	3i2	EDL4330i3	223	EDL508404	32i
EDL2i06	250	EDL24i04i	35i	EDL26i6	260	EDL3089	27i	EDL3453	79	EDL4		EDL433023	223	EDL508405	32i
EDL2i06C	250	EDL24i057	35i	EDL26i8	286	EDL3090	27i	EDL3454	79	EDL402020	3i0	EDL436065	222	EDL508406	32i
EDL2i06Z	252	EDL242i	236	EDL2624	286	EDL309i	27i	EDL3455	79	EDL402040	3i0	EDL436065T	222	EDL508504	32i
EDL2i08	250	EDL2468	3i5	EDL2630	286	EDL3095	27i	EDL3456	79	EDL402040C	3i0	EDL437065	222	EDL508505	32i
EDL2i08Z	252	EDL2468C	3i5	EDL2636	286	EDL3i00	272	EDL3457	79	EDL402060	3i0	EDL437065T	222	EDL508506	32i
EDL2i4i	288	EDL25	328	EDL2642	286	EDL3i04	268	EDL3458	79	EDL402060C	3i0	EDL437i	29i	EDL50890i	320
EDL22	328	EDL25003	286	EDL266i	3i5	EDL3206	269	EDL3459	79	EDL407i50	86	EDL44i008	277	EDL508902	320
EDL2206	250	EDL250078	270	EDL2662	3i5	EDL330060	302	EDL3460	79	EDL407200	86	EDL44i4	238	EDL508903	320
EDL2206C	250	EDL250i	286	EDL2667	85	EDL330i12	302	EDL346i	79	EDL407300	86	EDL44i6	238	EDL508904	320
EDL2206Z	252	EDL250i	286	EDL2685C	286	EDL33i040B	303	EDL3462	79	EDL4i0	284	EDL44i6K	238	EDL508905	320
EDL2207	250	EDL2504	286	EDL2687	286	EDL332i02	304	EDL3463	79	EDL4i1	80	EDL44i8	238	EDL508906	320
EDL2207Z	252	EDL2505i9	298	EDL2688	286	EDL3322i2	304	EDL3464	79	EDL4i6i-2	306	EDL442003	278	EDL508907	320
EDL23	328	EDL2507	286	EDL270005CY	297	EDL3322i6	304	EDL3465	79	EDL4i68	304	EDL442005	278	EDL508908	320
EDL230008	27i	EDL2508	260	EDL270008CY	297	EDL332305	304	EDL350033	285	EDL4i69	304	EDL4420i0	278	EDL508909	320
EDL230009	27i	EDL250825	298	EDL2700i0CY	297	EDL3330i0	308	EDL350042	285	EDL4i70	304	EDL442300	278	EDL5089i0	320
EDL230308	272	EDL2508C	259	EDL270i	285	EDL33320i	306	EDL35i083	287	EDL4i7i	304	EDL4430i6	278	EDL5089i1	320
EDL2306	25i	EDL2509	286	EDL270206	298	EDL3332i5	306	EDL35i2i5	29i	EDL4i72B	304	EDL443020	278	EDL5089i2	320
EDL230707G	272	EDL25i0	260	EDL2703i6TY	298	EDL3332i8	305	EDL352083	287	EDL4i79	302	EDL443024	278	EDL5090i2	340
EDL230708G	272	EDL25i00i	156	EDL2705	3i3	EDL33330i	306	EDL352085	288	EDL4208	236	EDL447003	278	EDL5090i3	340
EDL230709G	272	EDL25i002	156	EDL2705i9TY	298	EDL333380	305	EDL3525	350	EDL42i0	236	EDL447004	278	EDL509i1i	330
EDL230808G	272	EDL25i002Z	156	EDL2706	3i3	EDL333550	83	EDL3530i2	290	EDL42i2	236	EDL4470i0	278	EDL509i12	330
EDL230809G	272	EDL25i003	156	EDL27i5	3i3	EDL33420i	84	EDL353083	287	EDL42i3	236	EDL447030	278	EDL509i13	330
EDL23i0	275	EDL25i003Z	156	EDL2778	376	EDL334203	84	EDL353i06	290	EDL42i4	236	EDL4480i0	278	EDL509i14	330
EDL23i000A	188	EDL25i004	156	EDL290i00	300	EDL334204	84	EDL353i12	290	EDL42i7	236	EDL44890i	279	EDL509i2i	330
EDL23i209H	27i	EDL25i005	156	EDL290i000K	83	EDL33430i	83	EDL3532i2	290	EDL42i9	236	EDL448902	279	EDL509i22	330
EDL23i309H	27i	EDL25i005Z	156	EDL290230	30i	EDL334302	83	EDL3533i2	290	EDL4254	79	EDL450i8	287	EDL509i23	330
EDL2320	276	EDL25i007	156	EDL290300	300	EDL334303	83	EDL3537i2	290	EDL4255	282	EDL4538	287	EDL509i24	330
EDL232209H	27i	EDL25i008	156	EDL2903i6	295	EDL33450i	84	EDL3538i2	290	EDL4256	282	EDL468300	243	EDL509i3i	33i
EDL2323	236	EDL25i009	156	EDL2903i6C	297	EDL334504	84	EDL3538i2G	80	EDL4260	284	EDL47i400	244	EDL509i32	33i
EDL232309H	27i	EDL25i050	157	EDL2903i6Y	295	EDL3360i2K	305	EDL3538j	270	EDL4300i3	220	EDL4723	289	EDL509i33	33i
EDL23300A	188	EDL25i050K	157	EDL290400	300	EDL3360i3K	305	EDL35400i	333	EDL4300i6	220	EDL4723C	289	EDL509i34	33i
EDL233i08	272	EDL25i065K	157	EDL290400K	83	EDL338002	304	EDL354002	333	EDL4300i8	220	EDL4725	289	EDL509i35	33i
EDL233208	272	EDL25i090K	157	EDL290400Q	30i	EDL338003	304	EDL354060	333	EDL430i13	22i	EDL4726	289	EDL509i36	33i
EDL234209H	27i	EDL25i100	157	EDL2904Z	78	EDL338004	305	EDL354080	333	EDL430i16	22i	EDL4727	289	EDL509i37	33i
EDL234308	272	EDL25i1i50	157	EDL290500	300	EDL338005	305	EDL354083	288	EDL430i17	22i	EDL4805T	227	EDL509i38	33i
EDL2350	332	EDL25i2	260	EDL2905i9	295	EDL339005	305	EDL3565	270	EDL430i18	22i	EDL4808T	227	EDL509i39	33i
EDL23500A	188	EDL25i200	157	EDL2905i9C	297	EDL3390i0	306	EDL3580i9	29i	EDL430i20	22i	EDL48i0T	227	EDL509i4i	33i
EDL2360	332	EDL25i20i	158	EDL2905i9Y	295	EDL34i08	23i	EDL3582i5	29i	EDL430i23	22i	EDL48i2T	227	EDL509i42	33i
EDL236004	78	EDL25i202	158	EDL290525C	297	EDL34i10	23i	EDL3590	27i	EDL4320i3A	2i6	EDL497i	3i6	EDL509i43	33i
EDL236906	276	EDL25i203	158	EDL2905Z	78	EDL34i10i	23i	EDL3590i6	285	EDL4320i3B	2i7	EDL5		EDL509i44	33i
EDL2369i0	275	EDL25i204	158	EDL290600	300	EDL34i1i02	23i	EDL35920iA	285	EDL432020	2i8	EDL500i	277	EDL509i45	33i
EDL2369i0T	275	EDL25i4	260	EDL290600K	83	EDL34i1i03	23i	EDL35920iB	285	EDL43202i	2i7	EDL500iF	277	EDL509i46	33i
EDL2369i1	276	EDL25i8	260	EDL290600Q	30i	EDL34i1i04	23i	EDL359204	289	EDL43205i	2i6	EDL5002	277	EDL509i5i	330
EDL2369i1iW	276	EDL252i	236	EDL2906Z	78	EDL34i1i05	23i	EDL3592i0	289	EDL432052	2i6	EDL5002F	277	EDL509i52	330
EDL2369i3	276	EDL252202	157	EDL2907	85	EDL34i1i06	23i	EDL365i07	289	EDL432054	2i6	EDL50i002	156	EDL509i53	330
EDL236932	276	EDL252202D	157	EDL2908	3i3	EDL34i1i07	23i	EDL365i08	289	EDL432059	2i6	EDL50i002Z	156	EDL509i54	330
EDL2370	332	EDL2524	260	EDL290800	300	EDL34i1i08	23i	EDL370528	82	EDL43206i	2i6	EDL50i003Z	156	EDL509i55	330
EDL2370A	332	EDL253202	157	EDL290800K	83	EDL34i1i08T	235	EDL370528Y	82	EDL432062	2i6	EDL50i005	156	EDL509i56	330
EDL2380	332	EDL2536	260	EDL290825	295	EDL34i1i2	23i	EDL377528	82	EDL432i17	2i7	EDL50i005Z	156	EDL509i57	330
EDL23800i	272	EDL2548	260	EDL290825C	297	EDL34i1i3	23i	EDL377528Y	82	EDL432i39	2i6	EDL5027Y	277	EDL509206	324
EDL238002	272	EDL25506	26i	EDL290825Y	295	EDL34i1i4	23i	EDL3795	296	EDL43230i	2i6	EDL5042	3i0	EDL509208	324
EDL238003	273	EDL255065	157	EDL2908Z	78	EDL34i1i5	23i	EDL3795Y	296	EDL432302	2i6	EDL5043	3i0	EDL5092i6	324
EDL23800A	188	EDL25508	26i	EDL29i000	300	EDL34i1i6	23i	EDL3796	296	EDL432303	2i6	EDL5044	3i0	EDL5092i7	324
EDL2380i0	275	EDL255i0	26i	EDL29i000G	30i	EDL34i1i7	23i	EDL3796Y	296	EDL432304	2i6	EDL5050	277	EDL5092i8	324
EDL2380i0-1	275	EDL255i00	157	EDL29i025	295	EDL34i1i8	23i	EDL3797Y	296	EDL432305	2i6	EDL5060	277	EDL5092i9	324
EDL2380i1	275	EDL2560	3i0	EDL29i025C	297	EDL34i1i9	23i	EDL3798	296	EDL432306	2i6	EDL506i4i	339	EDL509309	325
EDL2380i1-1	275	EDL259i0	29i	EDL29i025Y	295	EDL									

EDL509312	325	EDL5265	317	EDL586121	221	EDL626300	264	EDL652001	156	EDL8792	386	EDL92200C	303	EDL-GSP750-E2	201
EDL509320	325	EDL5266	317	EDL586122	222	EDL6263001	264	EDL652001Z	156	EDL8793	386	EDL932-2	229	EDL-HD03	289
EDL509321	325	EDL5318	312	EDL5908	278	EDL627004	266	EDL65208	287	EDL8794	386	EDL9501	301	EDL-HD1	288
EDL509322	324	EDL5340	279	EDL5908B	279	EDL6270041	266	EDL653001	156	EDL8795	386	EDL9502	301	EDL-HD2	288
EDL509323	324	EDL551002	341	EDL5916	278	EDL627006	266	EDL653001Z	156	EDL8796	387	EDL9713	302	EDL-HD2-5	288
EDL509324	324	EDL551011	341	EDL5916B	279	EDL6270061	266	EDL66108	287	EDL8797A	387	EDL98050Y	298	EDL-HD3	288
EDL509325	324	EDL551401	341	EDL6		EDL627008	266	EDL66208	287	EDL8798	387	EDL98100Y	298	EDL-HD4	288
EDL509326	324	EDL552002	341	EDL6001	290	EDL6270081	266	EDL67108	287	EDL8799	387	EDL9820GY	299	EDL-HD5	288
EDL509327	324	EDL555101	340	EDL60024	287	EDL627010	266	EDL68108	287	EDL880002	208	EDL9820ZY	298	EDL-HD6	288
EDL509328	324	EDL555102	340	EDL6007	290	EDL6270101	266	EDL68208	287	EDL880003	208	EDL9830GY	299	EDL-HDW06-EH1	188
EDL509329	324	EDL555201	340	EDL6008	290	EDL627012	266	EDL6902	156	EDL880006	208	EDL9830ZY	298	EDL-HDW25	188
EDL509330	324	EDL555301	339	EDL60-100	213	EDL6270121	266	EDL6903	156	EDL880016	208	EDL9850ZY	298	EDL-HDW50	188
EDL509331	324	EDL555401	340	EDL60-200	213	EDL628200	264	EDL6904	156	EDL880101	210	EDL9920Y	82	EDL-HDW75	188
EDL509332	324	EDL555402	340	EDL60-300	213	EDL6282001	264	EDL6911	278	EDL880280S	214	EDL9930Y	82	EDL-JD05-E1	316
EDL509501	329	EDL5612	279	EDL6161	218	EDL6282001T	263	EDL6912	278	EDL88035A	311	EDL-ABC...		EDL-JD05-E1D	316
EDL509514	328	EDL5616	279	EDL6162	218	EDL628200T	263	EDL6913	278	EDL880590	210	EDL-A268	213	EDL-JD07-E1	316
EDL509514-1	328	EDL5708	279	EDL620002	268	EDL628250	264	EDL6914	278	EDL88060	311	EDL-A450	213	EDL-JD07-E1D	316
EDL509601	329	EDL5709	279	EDL620004	268	EDL6282501	264	EDL7		EDL88100	311	EDL-C1007E-Z	226	EDL-JET750-E2	202
EDL509609	328	EDL5710	326	EDL620006	268	EDL628300	264	EDL7001000B	300	EDL88101	311	EDL-C1011E	226	EDL-JH01-E1	317
EDL509609-1	328	EDL5711	326	EDL6203-ED1	327	EDL6283001	264	EDL700300A	300	EDL88108	288	EDL-C1013E	226	EDL-JH02-E1	317
EDL509619	328	EDL5712	326	EDL6206-E1	326	EDL630002N	268	EDL700400B	300	EDL881205	210	EDL-CD20A2E	112	EDL-JH03-E1	317
EDL509619-1	328	EDL580002	378	EDL6209-E1	326	EDL630004N	268	EDL700600B	300	EDL881212	210	EDL-CM20A2E	110	EDL-JM100-3	124
EDL509629	328	EDL580003	378	EDL6211	217	EDL630006N	268	EDL700800B	300	EDL881401	212	EDL-CM20A4E	111	EDL-JM100-E1	124
EDL509629-1	328	EDL580123	376	EDL6212-E1	326	EDL6310	287	EDL7130	301	EDL881815	211	EDL-CPM130-E1	202	EDL-JM100-E2	126
EDL509703	329	EDL580200	376	EDL6214-E1	326	EDL6310010T	266	EDL7150	301	EDL881825	211	EDL-CPM146-E1	202	EDL-JM100-E4	128
EDL509704	329	EDL580203	377	EDL6216-E1	326	EDL6310015T	266	EDL7307	302	EDL881835	211	EDL-CPM158-E1	203	EDL-JM115-E1	125
EDL510006T	247	EDL580204	377	EDL6219-E1	326	EDL631001P	266	EDL7400B	239	EDL8820	311	EDL-CZ13-E3	120	EDL-JM115-E2	127
EDL512003T	247	EDL580205	377	EDL6222-E1	326	EDL6310020T	266	EDL75108	287	EDL882105	213	EDL-CZ13-E5	118	EDL-JM125-E1	128
EDL512006	245	EDL580207	376	EDL6225-E1	326	EDL6310025T	266	EDL76108	287	EDL882106	213	EDL-CZ13-E6	119	EDL-JM125-E2	126
EDL512006T	248	EDL580210	377	EDL623075	264	EDL631002P	266	EDL7631	199	EDL882107	213	EDL-DC12A2	109	EDL-JM125-E3	129
EDL512007	245	EDL580229	377	EDL6230751	264	EDL6310030T	266	EDL77108	287	EDL882201	212	EDL-DC20A2	109	EDL-JM125-E4	129
EDL512008	245	EDL580351	377	EDL6230751T	263	EDL631003P	266	EDL78108	287	EDL882210	213	EDL-DC20A4	110	EDL-JM180-E1	130
EDL512106	245	EDL580511	383	EDL623075T	263	EDL6312	287	EDL79108	287	EDL882211	212	EDL-DC26-E1	133	EDL-JM230-E2	130
EDL512108	245	EDL580511A	383	EDL6231	218	EDL632101	266	EDL8		EDL882213	212	EDL-DC26-E2	134	EDL-KFD10-E1	188
EDL512206	246	EDL580512	383	EDL623100	264	EDL632102	266	EDL8000	308	EDL8830	311	EDL-DC28-E1	137	EDL-KFD28-E1	189
EDL512207	245	EDL580512A	383	EDL6231001	264	EDL632103	266	EDL8001	308	EDL8840	311	EDL-DC28-E2	134	EDL-KFD35-E1	189
EDL513060	246	EDL5808	279	EDL623150	264	EDL6330751N	265	EDL8002	308	EDL884135	214	EDL-DC28-E3	135	EDL-KFD55-E1	189
EDL514080	246	EDL580900	381	EDL6231501	264	EDL633075N	265	EDL8003	308	EDL884160	214	EDL-DG28-E1	190	EDL-KFD65-E1	189
EDL5141001	246	EDL581001	385	EDL6232	219	EDL6331001N	265	EDL8004	308	EDL8860	311	EDL-DGE50-E1	190	EDL-L11	316
EDL515006	245	EDL581005A	383	EDL625075	264	EDL633100N	265	EDL8005	309	EDL886010	214	EDL-DM03-E1	345	EDL-L12	316
EDL515106	246	EDL581005B	385	EDL6250751	264	EDL6331501N	265	EDL8007	308	EDL8901	270	EDL-DP	284	EDL-MIG120-E1	192
EDL5151251	246	EDL581005C	383	EDL6250751T	263	EDL633150N	265	EDL8008	309	EDL8910B	238	EDL-DP04-E2B1	345	EDL-MIG160-E1	192
EDL515180	247	EDL581010	385	EDL625075T	263	EDL6350751N	265	EDL8011	309	EDL9		EDL-DP05	284	EDL-MMA120-E1	190
EDL515185	247	EDL581010A	384	EDL625100	264	EDL635075N	265	EDL80-200	214	EDL9002B	296	EDL-DP05A	284	EDL-MMA140-E1	190
EDL516100	246	EDL581020	383	EDL6251001	264	EDL6351001N	265	EDL80-450	214	EDL90036	287	EDL-DP091	285	EDL-MMA160-E1	191
EDL5161501	246	EDL581020A	384	EDL6251001T	263	EDL635100N	265	EDL8058	209	EDL9003B	296	EDL-DP092	284	EDL-MMA180-E1	191
EDL518150	246	EDL581030	384	EDL625100T	263	EDL6351251N	265	EDL8059	209	EDL9003P	297	EDL-DP092A	284	EDL-MMA200-E1	191
EDL5200	312	EDL581040	385	EDL625125	264	EDL635125N	265	EDL8060	210	EDL9003PY	297	EDL-DP093A	284	EDL-MMA250-E2	191
EDL521021L	337	EDL581041	385	EDL6251251	264	EDL6351501N	265	EDL8072A	389	EDL9003Y	296	EDL-DP181	285	EDL-MX12-E1	141
EDL521021XL	337	EDL581042	385	EDL625150	264	EDL635150N	265	EDL8072A-10	386	EDL9005B	296	EDL-DP187H	80	EDLP07	219
EDL521022	337	EDL581103B	384	EDL6251501	264	EDL636007H	268	EDL8072A-20	386	EDL9005P	297	EDL-DP251	285	EDLP08	219
EDL521023	337	EDL581105A	384	EDL625200	264	EDL636009	267	EDL8072A-30	386	EDL9005PY	297	EDL-DP252	80	EDLP09	220
EDL521024	338	EDL581105B	384	EDL6252001	264	EDL6360381N	265	EDL8072B-20	386	EDL9005Y	296	EDL-DP30	285	EDL-P1	220
EDL521025	338	EDL581105C	384	EDL626001	266	EDL636038N	265	EDL8072B-30	386	EDL9008P	297	EDL-DP30A	284	EDLP10	220
EDL521026	338	EDL581108C	384	EDL626010	267	EDL6361001N	265	EDL8072B-50	386	EDL9008PY	297	EDL-DPA	284	EDLP1018	280
EDL521031L	338	EDL581108-E1	384	EDL626011	267	EDL636100N	265	EDL8080	211	EDL9010B	296	EDL-DP109B	285	EDLP11	220
EDL521031XL	338	EDL581110A	385	EDL626038	264	EDL6361251N	265	EDL8081	211	EDL9010P	297	EDL-DZ10-3E	114	EDLP1118	284
EDL521033L	338	EDL581110B	385	EDL6260381	264	EDL636125N	265	EDL8101	309	EDL9010PY	297	EDL-DZ10-E2	115	EDLP12	220
EDL521033XL	338	EDL581112A	384	EDL6260381T	263	EDL6361501N	265	EDL81012	238	EDL9010Y	296	EDL-DZ10-E3	115	EDL-P2	220
EDL521043L	338	EDL581116A	384	EDL626038T	263	EDL636150N	265	EDL81012B	238	EDL90150	302	EDL-DZ12-4A2	90	EDL-PG180-E1	132
EDL521043XL	338	EDL581118	385	EDL626100	264	EDL636181N	268	EDL8102	309	EDL90150B	303	EDL-DZ12-5A2	90	EDL-PHQ01	339
EDL522012	337	EDL581120	385	EDL6261001	264	EDL636182N	268	EDL82032	312	EDL9025B	296	EDL-DZ12-6A2	91	EDL-PHQ02	339
EDL522901	337	EDL581120A	384	EDL6261001T	263	EDL6362001N	265	EDL8440	310	EDL9025Y	296	EDL-DZ16-E1	116	EDL-PKY012/8-E1	194
EDL5240	277	EDL581120C	385	EDL626100T	263	EDL636200N	265	EDL8470	310	EDL9030GY	298	EDL-E103	240	EDL-PKY0.25/8-E1	194
EDL5250	277	EDL581130C	385	EDL626125	264	EDL6381501N	265	EDL8490	309	EDL9035B	296	EDL-E104	240	EDL-PKY0.36/8-E1	194
EDL525011	334	EDL581300A	387	EDL6261251	264	EDL638150N	265	EDL85108	288	EDL9050GY	298	EDL-E106	240	EDL-PKY0.60/8-E1	194
EDL525014	334	EDL581301A	387	EDL626150	264	EDL6382001N	265	EDL8530	209	EDL9075B	296	EDL-G203	292	EDL-PU05	199
EDL525021	333	EDL581302A	388	EDL6261501	264	EDL638200N	265	EDL86108	288	EDL9075Y	296	EDL-G204	292	EDL-PUI0	199
EDL525022	333	EDL581303A	388	EDL6261501T	263	EDL6382501N	265	EDL8757A	388	EDL91150	303	EDL-G205	292	EDL-PUI5	199
EDL525023	334	EDL5816	279	EDL626150S	266	EDL638250N	265	EDL8758A	388	EDL9150B	303	EDL-G206	292	EDL-QB60-E1	200
EDL525024	334	EDL586111	221	EDL626150T	263	EDL6383001N	265	EDL8759A	388	EDL91200	303	EDL-G208	292	EDL-QB70-E1	200
EDL5261	317	EDL586112	221	EDL626200	264	EDL638300N	265	EDL8760A	388	EDL91200B	303	EDL-GF03-E1	150	EDL	

Note:

Note: